Insights into Spectra-Physics' InSight DeepSee

William Giang

2022-09-25

Table of contents

1	Overview	1
2	How long does the InSight DeepSee need to effectively warm up?	1
3	How much power did we lose as a function of wavelength?	3

1 Overview

We thought the Nikon A1R MP's laser system, the Spectra-Physics InSight DeepSee, was in need of repair. After contacting the service engineer for Spectra-Physics, we learned two laser diodes were already replaced with a bill of \$30k. We were also warned that the laser power had been reduced, but otherwise the DeepSee should be functional.

- The liquid in the chiller unit has been flushed and replaced with coolant.
- After turning on the microscope and laser systems, it took several days for the laser's humidity to reach acceptable levels
- The power output has been reduced


```
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

2 How long does the InSight DeepSee need to effectively warm up?

Sept 20: Turned on all scope components and noticed humidity was too high, so I started logging it



Figure 1: Image of Alplus MP GUI



3 How much power did we lose as a function of wavelength?

- Digitized the theoretical tuning power from the manual
- There also appears to be a warmup time after turning emission ON
- Severe drop in power when laser is tuned above 1000nm

```
data_csv = "2022-09-23_laser-power-vs-wavelength_with-theoretical.csv"
df = pd.read_csv(data_csv)

palette = sns.color_palette("mako_r", 5)
```

