EEG2Age - Results

Peter S

December 2021

1 Results

Table 1 and Table 2 show the metrics results. Table 3 show the TTpS (Train Time per Sample) results.

| Model | SRM Resting-state EEG | | | | | | | | | |
|---------|-----------------------|---------|--------|--------|---------|--------|--------|---------|--------|--|
| | s8 | | | s16 | | | s32 | | | |
| | MAE | RMSE | MAPE | MAE | RMSE | MAPE | MAE | RMSE | MAPE | |
| BAPM | 8.6207 | 10.9219 | 0.2610 | 8.0607 | 10.8924 | 0.2423 | 8.8679 | 11.9708 | 0.2594 | |
| BAPM-CG | 9.1508 | 12.1124 | 0.3159 | 8.5720 | 11.2067 | 0.2730 | 9.1182 | 11.7413 | 0.2758 | |

Table 1: Results on SRM Resting-state EEG data for the models.

| | SRM Resting-state EEG | | | | | | | | |
|-------------|-----------------------|---------|--------|---------|---------|--------|--------|---------|--------|
| Model | s12 | | | s16 | | | s24 | | |
| | MAE | RMSE | MAPE | MAE | RMSE | MAPE | MAE | RMSE | MAPE |
| FeedForward | - | - | - | 37.1000 | 39.5578 | 1.0000 | - | - | - |
| GRUNet | - | - | - | 11.5837 | 14.0128 | 0.3384 | - | - | - |
| BAPM | 8.2052 | 11.3111 | 0.2374 | 8.0607 | 10.8924 | 0.2423 | 8.3351 | 11.1475 | 0.2347 |
| BAPM-CG | 8.9291 | 11.1658 | 0.2976 | 8.5720 | 11.2067 | 0.2730 | 8.3543 | 11.0562 | 0.2465 |
| BAPM-1 | _ | _ | - | 11.4550 | 14.3746 | 0.3191 | _ | - | - |
| BAPM-2 | - | - | - | 11.1898 | 14.0586 | 0.3140 | - | - | - |

Table 2: Results on SRM Resting-state EEG data for the models.

Table 4 shows the results on s16 dataset for BAPM with different settings of the stride $Stride = EEG_frequency/Stride_factor$.

According to Table 5, K-Fold Cross Validation on BAPM-s16: MAE = 8.7286, RMSE = 11.3910, MAPE = 0.2759.

| | SRM Resting-state EEG | | | | | | | |
|-----------------------------|-----------------------|--------|--------|--------|--------|--|--|--|
| Model | TTpS (sec) | | | | | | | |
| | s8 | s12 | s16 | s24 | s32 | | | |
| FeedForward | - | - | 0.0101 | - | - | | | |
| GRUNet | - | - | 0.0701 | - | - | | | |
| $\underline{\mathrm{BAPM}}$ | 0.0388 | 0.0283 | 0.0230 | 0.0195 | 0.0166 | | | |
| BAPM-CG | - | - | 0.0223 | - | - | | | |
| BAPM-1 | - | - | 0.0110 | - | - | | | |
| BAPM-2 | - | - | 0.0218 | - | - | | | |

Table 3: TTpS (Training time per sample, unit: second) on SRM Resting-state EEG data for the models.

| | SRM Resting-state EEG | | | | | |
|---------------|-----------------------|---------|--------|--|--|--|
| Stride Factor | s16 | | | | | |
| | MAE | RMSE | MAPE | | | |
| 1 (1s) | 9.8407 | 12.7894 | 0.2935 | | | |
| 2 (0.5s) | 8.4396 | 11.0257 | 0.2547 | | | |
| 4 (0.25s) | 8.0199 | 10.7034 | 0.2428 | | | |
| 8 (0.125s) | 7.9656 | 11.4174 | 0.2464 | | | |

Table 4: Results on SRM Resting-state EEG data for BAPM, with a sample split of 16 (s16) and different stride factor settings.

| | SRM Resting-state EEG | | | | | | |
|---------|-----------------------|---------|--------|--|--|--|--|
| Fold ID | s16-stf4 | | | | | | |
| | MAE | RMSE | MAPE | | | | |
| 0 | 8.7059 | 11.2662 | 0.2594 | | | | |
| 1 | 9.6670 | 11.8216 | 0.3278 | | | | |
| 2 | 8.8555 | 11.4558 | 0.2655 | | | | |
| 3 | 8.6419 | 11.6841 | 0.2789 | | | | |
| 4 | 7.7727 | 10.7275 | 0.2477 | | | | |

Table 5: K-Fold Cross Validation results on SRM Resting-state EEG data for BAPM, with a sample split of 16 (s16) and a stride factor as 4 (stf4).