Revision 2.X 12/07/2021 – Added Bang/Bang – (not very useful)

This documents which Java/C++ WPILIB routines have been duplicated in LabVIEW, and which ones are not needed (for example because all that is needed is a cluster unpack function), and what isn't done....yet...

Doc completed Pct 100.00% Optimization Pct 52.40%

Optimize legend: S = Subroutine, I = Inline, X = reviewed, nothing done. (In some cases, after sufficient debug and use, additional optimizations could be considered.)

'===== BASE

LINEAR FILTER  X X X X X X X LinearFilter_Execute.vi  X X X X X X LinearFilter_HighPassBW1.vi  X X X X X X X LinearFilter_HighPassBW2.vi  X X X X X X X LinearFilter_LowPassBW1.vi  X X X X X X X X LinearFilter_LowPassBW1.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X X X X X X Li										•	
LINEAR FILTER X X X X I LinearFilter_BackwardFiniteDifference.vi  X X X X X X X LinearFilter_Calculate.vi  LinearFilter_CutoffFrequency.vi  X X X X X X I LinearFilter_Execute.vi  X X X X X X X LinearFilter_Factorial.vi  X X X X X X X LinearFilter_HighPass.vi  X X X X X X X LinearFilter_HighPassBW1.vi  X X X X X X X LinearFilter_HighPassBW2.vi  X X X X X X X LinearFilter_LowPassBW1.vi  X X X X X X X LinearFilter_LowPassBW2.vi  X X X X X X X LinearFilter_New.vi  X X X X X X X LinearFilter_New.vi  X X X X X X X LinearFilter_Reset.vi  X X X X X X X LinearFilter_ResetToValue.vi											
LinearFilter						zed.					
LinearFilter						mi		Œ			
LINEAR FILTER         X         X         I         LinearFilter_BackwardFiniteDifference.vi           X         X         X         X         X         LinearFilter_Calculate.vi           X         X         X         X         X         LinearFilter_CutoffFrequency.vi           X         X         X         X         InearFilter_Execute.vi           X         X         X         X         InearFilter_Execute.vi           X         X         X         X         InearFilter_Execute.vi           X         X         X         X         InearFilter_HighPass.vi           X         X         X         X         InearFilter_HighPassBW1.vi           X         X         X         X         X         InearFilter_LowPassBW1.vi           X         X         X         X         X         InearFilter_LowPassBW2.vi           X         X         X         X         X         InearFilter_MovingAverage.vi           X         X         X         X         X         InearFilter_Reset.vi           X         X         X         X         X         InearFilter_ResetToValue.vi		Ø	Ø			bti	Φ	grē			
LINEAR FILTER         X         X         I         LinearFilter_BackwardFiniteDifference.vi           X         X         X         X         X         LinearFilter_Calculate.vi           X         X         X         X         X         LinearFilter_CutoffFrequency.vi           X         X         X         X         X         LinearFilter_Execute.vi           X         X         X         X         X         LinearFilter_Execute.vi           X         X         X         X         X         LinearFilter_Execute.vi           X         X         X         X         X         LinearFilter_HighPass.vi           X         X         X         X         X         LinearFilter_HighPassBW1.vi           X         X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         X         LinearFilter_MovingAverage.vi           X         X         X         X         X         X         LinearFilter_Reset.vi           X         X         X		nte	nte	7	E	0	ıtin	P 70			
LINEAR FILTER         X         X         I         LinearFilter_BackwardFiniteDifference.vi           X         X         X         X         X         LinearFilter_Calculate.vi           X         X         X         X         X         LinearFilter_CutoffFrequency.vi           X         X         X         X         X         LinearFilter_Execute.vi           X         X         X         X         X         LinearFilter_Execute.vi           X         X         X         X         X         LinearFilter_Execute.vi           X         X         X         X         X         LinearFilter_HighPass.vi           X         X         X         X         X         LinearFilter_HighPassBW1.vi           X         X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         X         LinearFilter_MovingAverage.vi           X         X         X         X         X         X         LinearFilter_Reset.vi           X         X         X		ше	ле	ď	lte	ıtio	306	e e			
LINEAR FILTER         X         X         I         LinearFilter_BackwardFiniteDifference.vi           X         X         X         X         X         LinearFilter_Calculate.vi           X         X         X         X         X         LinearFilter_CutoffFrequency.vi           X         X         X         X         InearFilter_Execute.vi           X         X         X         X         InearFilter_Execute.vi           X         X         X         X         InearFilter_Execute.vi           X         X         X         X         InearFilter_HighPass.vi           X         X         X         X         InearFilter_HighPassBW1.vi           X         X         X         X         X         InearFilter_LowPassBW1.vi           X         X         X         X         X         InearFilter_LowPassBW2.vi           X         X         X         X         X         InearFilter_MovingAverage.vi           X         X         X         X         X         InearFilter_Reset.vi           X         X         X         X         X         InearFilter_ResetToValue.vi		ple	CC	, z	nue	n ecr	st I	ш			
X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X       X				_≥		_ <u>~~</u>		Sa		Function Prototype	Notes
X         X         X         LinearFilter_CutoffFrequency.vi           X         X         X         I         X         LinearFilter_Execute.vi           X         X         No         I         LinearFilter_Factorial.vi           X         X         X         X         X         LinearFilter_HighPass.vi           X         X         X         X         X         LinearFilter_HighPassBW1.vi           X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         LinearFilter_MovingAverage.vi           X         X         X         X         X         InnearFilter_New.vi           X         X         X         X         X         InnearFilter_Reset.vi           X         X         X         X         X         X         InnearFilter_ResetToValue.vi	LINEAR FILTER					I					
X         X         X         I         X         LinearFilter Execute.vi           X         X         No         I         LinearFilter Factorial.vi           X         X         X         X         LinearFilter HighPass.vi           X         X         X         X         LinearFilter HighPassBW1.vi           X         X         X         X         LinearFilter LowPassBW1.vi           X         X         X         X         LinearFilter LowPassBW2.vi           X         X         X         X         LinearFilter MovingAverage.vi           X         X         X         X         X         InnearFilter New.vi           X         X         X         X         X         InnearFilter Reset.vi           X         X         X         X         X         InnearFilter ResetToValue.vi					X						
X         X         No         I         LinearFilter_Factorial.vi           X         X         X         X         X         LinearFilter_HighPass.vi           X         X         X         X         X         LinearFilter_HighPassBW1.vi           X         X         X         X         X         LinearFilter_LowPassBW1.vi           X         X         X         X         X         LinearFilter_LowPassBW2.vi           X         X         X         X         X         LinearFilter_MovingAverage.vi           X         X         X         X         X         InnearFilter_New.vi           X         X         X         X         X         X         InnearFilter_Reset.vi           X         X         X         X         X         X         InnearFilter_ResetToValue.vi			X	X	X						
X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X				X		1		X			Labview style helper
X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X						I					AN INTERNAL ROUTINI
X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X					X	X			LinearFilter_HighPass.vi		
X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X				X					LinearFilter_HighPassBW1.vi		
X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X         X			X	X	X	X					
X         X         X         LinearFilter_MovingAverage.vi           X         X         X         I         LinearFilter_New.vi           X         X         X         SI         LinearFilter_Reset.vi           X         X         X         X         SI         LinearFilter_ResetToValue.vi			X	X	X	X					
X         X         X         I         LinearFilter_New.vi           X         X         X         SI         LinearFilter_Reset.vi           X         X         X         X         SI         LinearFilter_ResetToValue.vi				X							
X     X     X     SI     LinearFilter_Reset.vi       X     X     X     X     SI     LinearFilter_ResetToValue.vi					X	X			LinearFilter_MovingAverage.vi		
X X X SI LinearFilter_ResetToValue.vi					X	01					
X X X X SI LinearFiller_ResetToValue.vi					X	51					
V V V I I incorFiltor CingleDeleIID vi				_ X		X			LinearFilter_Reser rovaide.vi		
X     X     X     X     LinearFilter_SinglePoleIIR.vi       X     X     X     X     X       LinearFilter TimeConst.vi		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X V	~	\ \ \ \ \ \				LinearFiller_SinglePoletiR.vi		
X X X X X Linear-liter_TimeConst.vi			X	_ X	X	X			LinearFilter_TimeConst.vi		
pez						nized		2			
žių #		~	_			otir		ıra.			
tram tram		tec	tea	18	-	0	ine	õ			
ted IB Optimiz rogram		neu	ь	7//	ţeu	io	out	er C			
rented ented outine s Program		len	ű	Ž	2	cnt	Ř	λα			
emented umented WPILIB tu Item toutine iple Program		ıdμ	200	lot	Jen	ě	esi	an	VI Namo	Function Prototype	Notes
nplemented locumented lot WPILIB fenu Item 'xecution Optimiz 'ample Program 'ample Program	MEDIAN EII TED			_<_	_ <u>~</u>		_			Function Frototype	Notes
Modula Einter Calculate  A Menu Item  A Menu	MILDIAN FILTER			Y		1					Labview style helper
MEDIAN FILTER X X X MedianFilter_Calculate.vi		Ŷ	Y			91		^	Median Filter New vi		Labview Style Helpel
MEDIAN FILTER         X         X         X         MedianFilter_Calculate.vi           X         X         X         I         X         MedianFilter_Execute.vi											
MEDIAN FILTER         X         X         X         MedianFilter_Calculate.vi           X         X         X         I         X         MedianFilter_Execute.vi           X         X         X         SI         MedianFilter_New.vi		X	X	X	X	SI			MedianFilter ResetToValue.vi		
MEDIAN FILTER         X         X         X         MedianFilter_Calculate.vi           X         X         X         X         MedianFilter_Execute.vi           X         X         X         SI         MedianFilter_New.vi           X         X         X         SI         MedianFilter_Reset.vi			^	^_	^	_ Si			INIGUIANI IIIGI_INGSCLI OVAIUC.VI		

y – VI Implementation									_	
Bang/Bang – (not very us	eful)				_					
					Execution Optimized					
					Ĭ.		Sample Program			
	Ď	Ø	~		bt	ø	g			
	nte	nte	-	8	0	ıti	7			
	Implemented	Documented	Not WPILIB	Menu Item	tio	Test Routine	e			
	a/a	'n	<i>+</i>	nu	SC	st H	ш			
	<u>lu</u>	8	8	Ø	Ě	<u>1</u> e	Sa	VI Name	Function Prototype	Notes
SLEW RATE FILTER	X	Χ		X	1			SlewRateLimiter_Calculate.vi		
	X	Χ	X	X	SI			SlewRateLimiter_Close.vi		
	X	Χ	X	X	1		X	SlewRateLimiter_Execute.vi		Labview style helper
	X	Χ	X		SI			SlewRateLimiter_GetRate.vi		
	X	Χ		X	- 1			SlewRateLimiter_New.vi		
	X	Χ		X				SlewRateLimiter_NewInitialZero.vi		
	X	Χ		X				SlewRateLimiter_Reset.vi		
	X	Χ		X	SI			SlewRateLimiter_SetRate.vi		
					_					
					é					
					Ŋ.		3			
	D	Ø			)pti	(D)	grë			
	nte	πe	18	8	2	ţi	2			
	ие	nei	Į,	lte.	ţį	Sol	le l			
	)ei	cn	3	nn	ည	Test Routine	Sample Program			
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	ě	Sai	VI Name	Function Prototype	Notes
TIMER	X	Χ	X	X				Timer_Close.vi		releases semaphore
	X	Χ		X			X	Timer_Get.vi		·
	X	Χ	X	X				Timer_GetAndReset.vi		
	X	Χ	X	No				Timer_GetInternal.vi		Internal (private) only
	X	Χ		X				Timer_HasPeriodPassed.vi		
	X	Χ	X	X				Timer_HasPeriodPassedOnce.vi		
	X	Χ		X				Timer_New.vi		
	X	Χ		X			X	Timer_Reset.vi		
	X	Χ	X					Timer_ResetInternal		Internal (private) only
	X	Χ		X				Timer_Start.vi		
	X	X		X			X	Timer_Stop.vi		
	X	Χ	_ X	No				Timer_StopInternal.vi		Internal (private) only
					g					
					Execution Optimized		7			
					ţi		Sample Program			
	Implemented	pə	В		õ	ие	ō.			
	ent	ent	Not WPILIB	Menu Item	9	Test Routine	ď			
	ŭ	Ĭ.	Ş	# 7	ïti	8	a/a			
	θdι	ಬ	ot 1	en	éc	est.	шe			
	_==	Ã		_ <u>Z</u>	ΨÛ	, ř	Ŋ	VI Name	Function Prototype	Notes
DIG SEQ LOGIC		X	X	X				DigSeqLogic_On_Delay.vi		
	X	X	X					DigSeqLogic_Off_Delay.vi		
	X	X	X	X				DigSeqLogic_One_Shot.vi		
	X	Χ	Χ	X				DigSeqLogic_SR_Flip_Flop.vi		
					Ø					
					ize		_			
					tin		an			
	pe	þ	m		Ö	9	)g			
	ent	ente	3	шe	20	uti	P			
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program			
	θdι	700	7 1	en	ec (ec	st	ш			
			_ <u>×</u> _		ΨÛ	76	ു	VI Name	Function Prototype	Notes
DEBOUNCER		X		X				Debouncer_New.vi		
	X	X		X				Debouncer_Calculate.vi		
	X	X	Χ					Debouncer_Execute.vi		
	X	X	-	No				Debouncer_Reset.vi		
	X	Χ		No				Debouncer_HasElapsed.vi		
	1		i .	1	1	1	1			, ·

Revision 2.X 12/07/2021 – Added Bang/Bang – (not very useful)

'===== CONTROLLER '======

nple Progra VI Name Function Prototype Notes ARM FF X X Χ ArmFF Calculate.vi X ArmFF CalculateVelocityOnly.vi XX ArmFF\_Execute.vi LabVIEW style single call Χ ArmFF\_ExecuteVelocityOnly.vi LabVIEW style single call X X Χ ArmFF\_MaxAchieveAccel.vi XX X ArmFF\_MaxAchieveVelocity.vi XX X ArmFF\_MinAchieveAccel.vi XX Χ ArmFF\_MinAchieveVelocity.vi XX X ArmFF\_New\_ZeroGravity.vi XX X ArmFF New.vi VI Name **Function Prototype** Notes BANG BANG X X X BangBang AtSetpoint.vi SI BangBang Calculate PV.vi  $X \mid X$ X SI  $X \mid X$ Χ SI BangBang Calculate SP PV.vi XX XX SI BangBang Execute.vi XX Χ SI BangBang\_GetAll.vi XX X SI BangBang\_GetError.vi XX X SI BangBang\_New.vi XX X SI BangBang\_SetSetpoint.vi XX X SI BangBang\_SetTolerance.vi Execution Optimized Not WPILIB Function Prototype CONTROLLER UTIL X Χ Χ SI ControllerUtil GetModulusError.vi This was short lived in WPILIB, but still useful here. VI Name Function Prototype Notes ELEV FF X X ElevFF Calculate.vi Χ XX Χ ElevFF\_CalculateVelocityOnly.vi ElevFF Execute.vi LabVIEW style single call Χ ElevFF\_ExecuteVelocityOnly.vi LabVIEW style single call

XX

Χ

ElevFF MaxAchieveAccel.vi

X	X	X	ElevFF_MaxAchieveVelocity.vi
X	X	X	ElevFF_MinAchieveAccel.vi
X	X	X	ElevFF_MinAchieveVelocity.vi
X	X	X	ElevFF_New_ZeroAccel.vi
X	X	X	ElevFF_New.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimize	Test Routine	Sample Program	VI Name	Function Prototype	Notes
HOL_DRV_CTRL	Χ	X		X	SI			HolDrvCtrl_AtReference.vi		Added 1/26/21
	Χ	Χ		X	- 1			HolDrvCtrl_Calculate_Trajectory.vi		Added 1/26/21
	Χ	X		X	- 1			HolDrvCtrl_Calculate.vi		Added 1/26/21
			X					HolDrvCtrl_Execute_Trajectory.vi		Future
			X					HolDrvCtrl_Execute.vi		Future
	Χ	X		X	SI			HolDrvCtrl_New.vi		Added 1/26/21
	Χ	X		X	SI			HolDrvCtrl_SetEnabled.vi		Added 1/26/21
	Χ	X		X	SI			HolDrvCtrl_SetTolerance.vi		Added 1/26/21

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	NI Name  Function Prototype	Notes
PID CONTROLLER		X		X			PIDController_AdvCalculate_FF_Sp_Pv_Per.vi	Advanced PID
	X	Χ	Χ	X			PIDController_AdvCalculate_FF_Sp_Pv.vi	Advanced PID
	X	Χ	Х				X PIDController_AdvExecute.vi	Labview style helper. Advanced PID
	X	Χ		X	SI		PIDController_AtSetpoint.vi	
	X	Χ		X			PIDController_Calculate_PV.vi	
	X	Χ		X			PIDController_Calculate_SP_PV.vi	
	Χ	X		X	SI		PIDController_DisableContinousInput.vi	
	X	Χ		X	SI		PIDController_EnableContinousInput.vi	
	Χ	Χ	Χ	X			X PIDController_Execute.vi	Labview style helper
				, , ,			PIDController_GetContinuousError.vi	OBSOLETE – Removed
	X	X		X	SI		PIDController_GetPeriod.vi	
	X	X		X	SI SI		PIDController_GetPID.vi	
	X	X		X			PIDController_GetPositionError.vi PIDController GetSetpoint.vi	
	X	X		X	SI SI		PIDController_GetSetpoint.vi PIDController GetVelocityError.vi	
	$\frac{\lambda}{X}$	X		X	SI		PIDController   SContinuousInputEnabled.vi	
	$\frac{\hat{x}}{x}$	X		X	1		PIDController New.vi	
	$\frac{\hat{x}}{X}$	X		X	1		PIDController NewPeriod.vi	
	$\hat{X}$	X	X		SI		PIDController Pack AdvLimits.vi	
	X	X	X		SI		PIDController Pack AdvTuning.vi	
	X	X	X	X	SI		PIDController Pack ErrorTolerance.vi	
	X	X		X	SI		PIDController Pack InputLimits.vi	
	X	X			SI		PIDController Pack Tuning.vi	
	X	X		X	SI		PIDController Reset.vi	
	X	Х		X	SI		PIDController SetD.vi	
	X	Х	X		SI		PIDController SetDerivativeFilter.vi	Advanced PID
	X	X	X	No			PIDController_SetFeedForward_OBSOLETE_DELETE.vi	Advanced PID, Obsolete – DELETE
	X		X				PIDController_SetFFGain_OBSOLETE_DELETE.vi	Advanced PID, Obsolete – DELETE
	Χ	Χ		Χ	SI		PIDController_SetI.vi	
							PIDController_SetInputRange.vi	OBSOLETE – Removed
	X	Χ		X	SI		PIDController_SetIntegratorRange.vi	
	X	Χ	Χ	X	SI		PIDController_SetOutputLimits.vi	Advanced PID

X	X		Χ	SI	PIDController_SetP.vi	
Χ	X	X	X	SI	PIDController_SetPeriod.vi	
X	X		X	SI	PIDController_SetPID.vi	
X	X	Χ	X	SI	PIDController_SetPIDF.vi	Advanced PID
X	X		X	SI	PIDController_SetSetpoint.vi	
X	X		X	SI	PIDController_SetTolerance.vi	
X	X		X	SI	PIDController_SetTolerancePandV.vi	

Implemented Documented Not WPILIB	Menu Item	on Optimized	Routine ple Program		
nm,	u It	cuti.	Pole Rc		
npl Joca	len	Execution Test Rout	A St	Function Prototype	Notes
PROFILED PID CONTROLLER X X	<u>≺</u>	SI	ProfiledPIDController AtGoal.vi		Notes
X X	X	SI	ProfiledPIDController AtSetpoint.vi		
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	X	O,	ProfiledPIDController Calculate Meas Goal.vi		
XX	X		ProfiledPIDController Calculate Meas StateGoal TrapCnsrt.vi		
X X	Х		ProfiledPIDController Calculate Meas StateGoal.vi		
XX	X		ProfiledPIDController Calculate Meas.vi		
XX	Χ	SI	ProfiledPIDController DisableContInput.vi		
XX	Χ	SI	ProfiledPIDController_EnableContInput.vi		
X X X	Χ		ProfiledPIDController_Execute.vi		Single call LabVIEW style function.
XX	Χ	SI	ProfiledPIDController_GetGoal.vi		
XX	Χ	SI	ProfiledPIDController_GetPeriod.vi		
	X	SI	ProfiledPIDController_GetPID.vi		WPILIB has separate getters.
XX	Χ	SI	ProfiledPIDController_GetPositionError.vi		
XX	Χ	SI	ProfiledPIDController_GetSetpoint.vi		
X X	Χ	SI	ProfiledPIDController_GetVelocityError.vi		
XX	Χ	1	ProfiledPIDController_New.vi		
XX	X	I	ProfiledPIDController_NewPeriod.vi		
XX	Χ	SI	ProfiledPIDController_Reset_PosOnly.vi		
X X	X	SI	ProfiledPIDController_Reset_PosVel.vi		
X X		SI	ProfiledPIDController_Reset.vi		
XX	X	SI	ProfiledPIDController_SetConstraints.vi		
X X	Χ	SI	ProfiledPIDController_SetGoal_PosOnly.vi		
X X	Χ	SI	ProfiledPIDController_SetGoal.vi		
X X	X	SI	ProfiledPIDController_SetIntegratorRange.vi		
X X	Χ	SI	ProfiledPIDController_SetPID.vi		
X X	X	SI	ProfiledPIDController_SetTolerance_PosOnly.vi		
XX	Χ	SI	ProfiledPIDController_SetTolerance_PosVel.vi		

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
RAMSETE	Χ	X		Χ	SI			Ramsete_AtReference.vi	AtReference	
	X	X		Χ	Χ			Ramsete_Calculate_Trajectory.vi	calculate_trajectory	
	X	X		Χ	Χ			Ramsete_Calculate.vi	calculate	
	Χ	X	X	Χ	Χ			Ramsete_Diff_DO_Eng.vi		
	X	X	X	Χ	Χ			Ramsete_Diff_DO_SI.vi		
	X	X	X	Χ	I				Use this one!!	
	Χ	X	Χ	Χ	SI			Ramsete_Execute_PackTuning_ENG.vi		
	X	X	X	Χ	SI			Ramsete_Execute_PackTuning.vi		
	Χ	X	Χ	Χ	1			Ramsete_Execute.vi		
	X	Χ		Χ	SI			Ramsete_New_B_Z.vi	new(b, zeta)	
	Χ	X		Χ	SI			Ramsete_New.vi	new	
	X	X		Χ	SI			Ramsete_SetEnabled.vi	SetEnabled	

X	<u> </u>	X	Χ	SI	Ramsete_SetTolerance.vi	SetTolerance	
X	( )	X	Χ	X	Ramsete_SINC.vi	sinc	internal

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	Function Prototype	Notes
SIMPLE MOTOR FEEDFORWARD	Χ	X	X	X	SI		SimpleMotorFF_Calculate_CalcAccel.vi		
	Χ	Χ		X			SimpleMotorFF_Calculate_NextV_Dt.vi		
	Χ	X		X	SI		SimpleMotorFF_Calculate.vi	public double calculate(double velocity, double acceleration)	
	Χ	X		X	SI		SimpleMotorFF_CalculateVelocityOnly.vi	public double calculate(double velocity)	
	X	X		X	X		SimpleMotorFF_MaxAchieveAccel.vi	public double maxAchievableAcceleration(double maxVoltage, double velocity)	
	X	X		X	X		SimpleMotorFF_MaxAchieveVel.vi	public double maxAchievableVelocity(double maxVoltage, double acceleration)	
	X	X		X	X		SimpleMotorFF_MinAchieveAccel.vi	public double minAchievableAcceleration(double maxVoltage, double velocity)	
	X	X		X	X		SimpleMotorFF_MinAchieveVel.vi	public double minAchievableVelocity(double maxVoltage, double acceleration)	
	X	X		X	SI		SimpleMotorFF_New.vi	public SimpleMotorFeedforward(double ks, double kv, double ka)	
								public SimpleMotorFeedforward(double ks, double kv)	

'======== **GEOMETRY** '========

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	Function Prototype	Notes
POSE		$\overline{X}$		$\overline{X}$	SI	·	Pose Equals.VI	boolean equals( other obj )	
Ī	X	Χ		X	X		Pose_Exp.vi	pose2d exp( twist2d twist )	
Ī	X	X		X	SI		Pose_getRotation.vi	rotation2d getRotation()	can also use cluster unpack
	X	Χ		X	SI		Pose_getTranslation.vi	translation2d getTranslation()	can also use cluster unpack
	X	Χ	Χ	X	SI		Pose_getXY.vi		
	X	Χ	Χ	X	SI		Pose_getXYAngle.vi		
	X	Χ		X	X		Pose_Log.vi	twist2d log( pose2d end )	
	Χ	Χ		X	SI		Pose_Minus.vi	transform2d minus( pose2d other )	
	X	X		X	SI		Pose_New_TRRO.vi	pose2d new( translation2d, rotation2d )	
	X	X		X	SI		Pose_New.vi	pose2d new( double x, double y, rotation2d )	
	X	X		X	SI		Pose_Plus.vi	pose2d plus( transform2d other )	
	X	X		X	SI		Pose_RelativeTo.vi	pose2d relativeto( pose2d other )	
	Χ	Χ		Χ	SI		Pose_TransformBy.vi	pose2d transformby( transform2d other )	
								pose2d new( )	can use cluster constant

NOTATION X X Documented Function Prototype VI Name Notes Rotation\_CreateAngle.vi Rotation\_CreateAngleDegrees.vi rotation2d new( double value ) rotation2d fromDegrees( double degrees ) convert to radians then create Rotation\_CreateXY.vi rotation2d new( double x, double y ) Rotation\_Equals.vi boolean equals( rotation2d other ) Rotation\_GetAngleCosSin.vi New 1/26/21 Rotation GetCos.VI double getCos() use cluster unpack

ng – (not very use									
	X	X		X	SI		Rotation_GetDegrees.VI	double getDegrees()	use cluster unpack, then convert to
									degree
	X	X		X	SI		Rotation_GetRadians.VI	double getRadians()	use cluster unpack
	X	Χ		X	SI		Rotation_GetSin.VI	double getSin()	use cluster unpack
	X	Χ		X	SI		Rotation GetTan.VI	double getTan()	can calculate
	X	Х		X	SI		Rotation Minus.vi	rotation2d minus( rotation2d other )	
	X	X		X	SI		Rotation Plus.vi	rotation2d plus( rotation2d other )	
	X	X		X	SI		Rotation_RotateBy.vi	rotation2d rotateby( rotation2d other )	
	X	X		X	SI		Rotation Times.vi	rotation2d times( double scalar )	
				X					
	X	X		Χ	SI		Rotation_UnaryMinus.vi	rotation2d unaryminus( ) rotation2d new()	can use cluster constant
l								Totationza new()	can use cluster constant
TRANSFORM	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X		X X X X X X X X X X X X X X X X X X X	ଓ ଓ ଓ ଓ ଓ Execution Optimized	Test Routine	VI Name Transform_Create_PosePose.vi Transform_Create_TransRot.vi Transform_Equals.VI Transform_GetRotation.VI Transform_GetTranslation.VI Transform_GetXY.vi Transform_GetXYAngle.vi	Function Prototype transform2d new( pose2d, pose2d ) transform2d new( translation2d, rotation2d ) boolean equals( other transform2d ) rotation2d getRotation() translation2d getTranslation()	Notes  use cluster unpack use cluster unpack
		X		X	SI		Transform_Inverse.vi	transform invarca()	now
	X							transform inverse()	new
	X	X		X	Si		Transform_Plus.vi		
	X	Χ		Χ	SI		Transform_Times.vi	transform2d times( double scalar )	
								transform2d new( )	can use cluster constant
	Ъ	75			ptin	a)	gran		
	nplemented	ocumented	ot WPILIB	lenu Item	xecution Optin	est Routine	ample Program	5	N. d
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	ର Al Name	Function Prototype	Notes
TRANSLATION	X	X	Not WPILIB	X	SI	Test Routine	VI Name Translation_Create_DistAng.vi		Notes
TRANSLATION	X	X	Not WPILIB	X	SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi	translation2d new( double x, double y )	Notes
TRANSLATION	X X	X X X	Not WPILIB	X X X	SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi	translation2d new( double x, double y ) boolean equals( translation other )	Notes
TRANSLATION	X	X X X	Not WPILIB	X	SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi	translation2d new( double x, double y )	Notes
TRANSLATION	X X X X	X X X	Not WPILIB	X X X	SI SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other )	
TRANSLATION	X X X X	X X X X	Not WPILIB	X X X X	SI SI SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm()	can use cluster unpack
TRANSLATION	X X X X X	X X X X X		X X X X X	SI SI SI SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other )	
TRANSLATION	X X X X X X	X X X X X X		X X X X X X	SI SI SI SI SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X	X X X X X X X		X X X X X X X	SI SI SI SI SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_GetY.VI	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY()	can use cluster unpack
TRANSLATION	X X X X X X X X	X X X X X X X X		X X X X X X X	SI SI SI SI SI SI SI SI	Test Routine	VI Name Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_GetY.VI Translation_Minus.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other )	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X	X X X X X X X X X		X	SI SI SI SI SI SI SI SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_GetY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other )	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X	X		X	SI SI SI SI SI SI SI SI SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Gety.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other )	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X	X X X X X X X X X X X		X	SI   SI   SI   SI   SI   SI   SI   SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Gety.vi Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar )	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X	X		X	SI SI SI SI SI SI SI SI SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Gety.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( )	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X	X X X X X X X X X X X		X	SI   SI   SI   SI   SI   SI   SI   SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Gety.vi Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X	X X X X X X X X X X X		X	SI   SI   SI   SI   SI   SI   SI   SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Gety.vi Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack can use cluster unpack can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X	X X X X X X X X X X X		X	SI   SI   SI   SI   SI   SI   SI   SI	Test Routine	VI Name  Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Gety.vi Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( )	can use cluster unpack can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X	X	X	SI   SI   SI   SI   SI   SI   SI   SI		VI Name  Translation_Create_DistAng.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_Plus.vi Translation_Times.vi Translation_UnaryMinus.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack can use cluster unpack can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X	X	X	SI   SI   SI   SI   SI   SI   SI   SI		Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_Plus.vi Translation_Times.vi Translation_UnaryMinus.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new() translation2d div( double scalar )	can use cluster unpack can use cluster unpack can use cluster unpack  can use cluster unpack  can use cluster unpack
	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X		Menu Item	Execution Optimized	Test Routine Test Routine	Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_Plus.vi Translation_Times.vi Translation_UnaryMinus.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new() translation2d div( double scalar )	can use cluster unpack can use cluster unpack can use cluster unpack can use cluster unpack
TRANSLATION	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X	X	SI   SI   SI   SI   SI   SI   SI   SI		Translation_Create_DistAng.vi Translation_Create.vi Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_Plus.vi Translation_Times.vi Translation_UnaryMinus.vi	translation2d new( double x, double y ) boolean equals( translation other ) double getDistance( translation2d other ) double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new() translation2d div( double scalar )	can use cluster unpack can use cluster unpack can use cluster unpack  can use cluster unpack  can use cluster unpack

Revision 2.X 12/07/2021 – Added Bang/Bang – (not very useful)

| X | X | X | X | SI | | Twist\_GetAll.VI |

'======== KINEMATICS '======== Menu Item Function Prototype Notes CHASSIS SPEEDS X ChassisSpeeds FromFieldRelativeSpeeds.VI chassisspeeds fromFieldRelativeSpeeds( double x, double y, SI double angvel, rotation2d robotangle) ChassisSPeeds\_GetXYOmega.vi X X X X SI  $X \mid X \mid$ X SI ChassisSpeeds\_New.vi chassisspeeds new ( double xvel, double yvel, double angvel ) chassisspeeds new () can use cluster constant Function Prototype Notes DIFFERENTIAL DRIVE KINEMATICS X X DiffKinematics\_New.vi diffDriveKine new( double trackWidth ) Χ X  $X \mid X$ X X X DiffKinematics\_toChassisSpeed.vi chassisSpeeds toChassisSpeeds( diffDrWheelSpeeds ) XX X SI X DiffKinematics\_toWheelSpeed.vi diffDriveWheelSpeed toWheelSpeeds( chassisSpeeds ) Not WPILIB Menu Item VI Name **Function Prototype** Notes **DIFFERENTIAL DRIVE ODOMETRY** DiffOdometry\_Execute.vi DONT NEED Χ DiffOdometry\_Update.vi pose2d update( rotation2d gyro, double leftdist, double right dist ) Incorporates enhanced reset diffDrOdom new( rotation gyro, pose initial ) diffDrOdom new( rotation gyro ) void resetPosition( pose2d, rotation2d ) incorporated into "update" pose2d getPoseMeters() VI Name Function Prototype Notes DIFFERENTIAL DRIVE WHEEL SPEEDS diffDrWheelSpeeds new() diffDrWheelSpeeds new( double leftVel, double rightVel ) XX DiffWheel Normalize.vi  $X \mid X$ void normalize( double maxVel ) Not WPILIB Function Prototype Notes

MecaKinematics New.vi

MECANUM DRIVE KINEMATICS X X

Revision 2.X	12/07/2021 - Added Bang/Ba	ang – (not verv useful)	

X	X	X	X		MecaKinematics_SetInverseKinematics.vi
X	X	X	X		MecaKinematics_ToChassisSpeeds.vi
X	X	X	X		MecaKinematics_ToWheelSpeeds.vi
X	X	X	X		MecaKinematics_ToWheelSpeedsZeroCenter.vi

Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name
-------------	------------	------------	-----------	---------------------	--------------	----------------	---------

MECANUM DRIVE MOTOR VOLTAGE nothing done

Function Prototype

Notes

MECANUM DRIVE ODOMETRY

	Щ	Ď	Ñ	Me	EX	Ğ	Sal	VI Name	Function Prototype	Notes
Y			X					MecaOdometry_Execute.vi		
	Χ	Χ		Χ				MecaOdometry_GetPose.vi		
	Χ	Χ		Χ				MecaOdometry_New.vi		
	Χ	Χ		Χ				MecaOdometry_NewDefaultPose.vi		
	Χ	Χ		Χ				MecaOdometry_Reset.VI		
	Χ	Χ		Χ				MecaOdometry_Update.vi		
	Χ	X		Χ				MecaOdometry UpdateWithTime.vi		

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program
HEEL SPEEDS	Χ	X		X	SI		

**MECANUM DRIVE WI** 

	ک ک	ž	Ž	ω	4	Š	VI Name	Function Prototype	Notes
S	$X \mid X$		X	SI			MecaWheel_New.Vi	public MecanumDriveWheelSpeeds(double	
								frontLeftMetersPerSecond, double frontRightMetersPerSecond,	
								double rearLeftMetersPerSecond, double	
								rearRightMetersPerSecond)	
	$X \mid X$		X	X			MecaWheel_Normalize.vi	public void normalize(double	
								attainableMaxSpeedMetersPerSecond)	

SWERVE DRIVE KINEMATICS

SWERV	FDRIVE	KINEM	<b>ATICS</b>

	ІтрІет	<i>Docum</i> е	Not WP.	Menu Ite	Executic	Test Ro	Sample	VI Name	Function Prototype	Notes
TICS	Χ	Χ	X	X				SwerveKinematics_New4.VI		For 4 module drives
	Χ	Χ	X	X				SwerveKinematics_NewX.VI		uses array as input
	X	X	X	X				SwerveKinematics_NormalizeWheelSpeeds.vi	<pre>public static void normalizeWheelSpeeds(SwerveModuleState[] moduleStates, double attainableMaxSpeedMetersPerSecond)</pre>	
	Χ	Χ	X	X				SwerveKinematics_ToChassisSpeeds4.VI	·	For 4 module drives
	Χ	Χ	X	X				SwerveKinematics_ToChassisSpeedsX.VI		uses array as input
	X	X		X				SwerveKinematics_ToSwerveModuleStates.VI	public SwerveModuleState[] toSwerveModuleStates(ChassisSpeeds chassisSpeeds, Translation2d centerOfRotationMeters)	
	Χ	Χ		X				SwerveKinematics_ToSwerveModuleStatesZeroCenter.VI	public SwerveModuleState[] toSwerveModuleStates(ChassisSpeeds chassisSpeeds)	
									public SwerveDriveKinematics(Translation2d wheelsMeters)	variable parameters (replace with array and "4" calls)

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
CUBIC HERMITE SPLINE								`	protected SimpleMatrix getCoefficients()	not needed, use cluster unpack
	X	X		X				CubicHermiteSpline_getControlVectorFromArrays.vi	private SimpleMatrix getControlVectorFromArrays( double[] initialVector, double[] finalVector)	
	X	X		X				CubicHermiteSpline_makeHermiteBasis.vi	private SimpleMatrix makeHermiteBasis()	
	X	Х		X				CubicHermiteSpline_New.vi	public CubicHermiteSpline(double[] xInitialControlVector, double[] xFinalControlVector, double[] yInitialControlVector, double[] yFinalControlVector)	

dded Bang/Bang – (not very use	etul)									
	J.u.,				g					
					Optimized		2			
					tir		ä			
	eq	þ	m		õ	9	ò			
	ut	nte	7	H		ΖĘ	ď			
	ä	ше	ď	/#	ξį	8	e/e			
	Implementea	Documented	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program			
	<u>u</u>	8	8	Me	Ĕ	<b>7</b> e	Sa	VI Name	Function Prototype	Notes
POSE WITH CURVATURE	Χ	X		X	SI			PoseWithCurve_New.vi	public PoseWithCurvature(Pose2d poseMeters, double	
									curvatureRadPerMeter)	
										can use cluster constant
										not needed, use cluster unpack
									public double curvatureRadPerMeter	not needed, use cluster unpack
					pa					
					Ϊż		3			
	_				Optimiz		ā			
	ţec	ě	g	~		ü	õ			
	Implemented	Documented	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program			
	me	Ę	¥	n n	Ę	Ř	ρје			
	β	700	01	eu	ě	est.	ш			
			_ <u>×</u> _		<u> </u>	<u>~</u>		VI Name		Notes
QUINTIC HERMITE SPLINE	X	X		X	.	,		QuinticHermiteSpline_getControlVectorFromArrays.vi	private SimpleMatrix getControlVectorFromArrays(double[]	
			_					Outratial Lamarita Carlina and L. H. 1915.	initialVector, double[] finalVector)	
	X	X		X				QuinticHermiteSpline_makeHermiteBasis.vi	private SimpleMatrix makeHermiteBasis()	
	X	X		X	.			QuinticHermiteSpline_New.vi	public QuinticHermiteSpline(double[] xInitialControlVector,	
					.				double[] xFinalControlVector, double[] yInitialControlVector,	
				$\vdash$	-	$\rightarrow$			double[] yFinalControlVector) protected SimpleMatrix getCoefficients()	not needed, use cluster unpack
l					$\longrightarrow$				protected Simplewath's getCoefficients()	not needed, use cluster unpack
					Ø					
					ize		_			
					ij.		ш			
	Ď	ō	~		Ö	Ō	g			
	nte	nte	7	Ē	0	ıtiu	2			
	пе	иe	Ű.	/te	Ę.	ζg	e [e			
	je.	'n	3	n	ž	it F	dμ			
	Implemented	Documentea	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program	VI Name	Function Prototype	Notes
SPLINE (Abstract class)			$\overline{}$	$\overline{X}$		<del></del>	_	Spline_getPoint.vi	public PoseWithCurvature getPoint(double t)	
	X				.	1			pasio: ecottiai cai tatai e gen en il acasi e i	1
SPEINE (Abstract class)	Х								Spline(int degree)	
SP LINE (ADSITACT Class)	Х								Spline(int degree)	
SP LINE (AUSTRACT Class)	X								public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X								public static class ControlVector	implemented as data structure
SP LINE (Abstract class)	X				Q				public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X				ized				public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X				imized				public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)					Optimized	Φ.			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)			817		n Optimized	ıtine			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)			PILIB			Routine			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)			t WPILIB			st Routine			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X   X   X   X   X   X   X   X   X   X		Not WPILIB			Test Routine	imple Program	VI Name	public static class ControlVector  public ControlVector(double[] x, double[] y)	implemented as data structure
	Implemented	Documented	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program		public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype	
SPLINE (ADSTRACT CLASS)	Implemented		Not WPILIB			Test Routine	Sample Program	VI Name SplineHelp_GetCubicCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double	
	X Implemented	X Documented	Not WPILIB	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)	
	Implemented	Documented	Not WPILIB	Menu Item	Execution	X Test Routine	Sample Program		public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]	
	X Implemented	X Documented		X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi SplineHelp_GetCubicCtrlVectorsFromWayPts.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start,	
	X Implemented	X Documented	X	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]	
	X   X   Implemented	X X X	X	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start,	
	X   Implemented	X Documented	X	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )	Notes
	X X Implemented	X X Documented	X X X	X No No	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )	Notes
	X X Implemented	X X X X X X X X X X X X X X X X X X X	X X X	X Wenn Item	Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )	Notes internal internal
	X X Implemented	X X Documented	X X X	X No No	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]  getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[]  getCubicSplinesFromControlVectors( Spline.ControlVector start,	Notes internal internal
	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenn Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]  getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[]  getCubicSplinesFromControlVectors( Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end)	Notes internal internal internal
	X X Implemented	X X X X X X X X X X X X X X X X X X X	X X X	X Wenn Item	Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]  getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[]  getCubicSplinesFromControlVectors( Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end)  private static Spline.ControlVector getQuinticControlVector(double)	Notes internal internal internal
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi  SplineHelp_GetQuinticCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors( Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point)	Notes internal internal internal
	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) public static List <spline.controlvector></spline.controlvector>	Notes internal internal internal
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi  SplineHelp_GetQuinticCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) public static List <spline.controlvector> getQuinticControlVectorsFromWaypoints( List<pose2d></pose2d></spline.controlvector>	Notes internal internal internal
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi  SplineHelp_GetQuinticCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) public static List <spline.controlvector></spline.controlvector>	Notes internal internal internal

Revision 2.X			<ul><li>(not very useful)</li></ul>			

X	(	X	X	SplineHelp_getQuinticSplinesFromControlVectors.vi	public static QuinticHermiteSpline[] getQuinticSplinesFromControlVectors( Spline.ControlVector[] controlVectors)	
χ	(	Χ	No	SplineHelp_ThomasAlgorithm.vi	private static void thomasAlgorithm(double[] a, double[] b, double[] c, double[] d, double[] solutionVector)	internal

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
SPLINE PARAMETERIZER	X	X		X				SplineParam_Spline_T0_T1.vi	public static List <posewithcurvature> parameterize(Spline spline, double t0, double t1)</posewithcurvature>	
	X	X		X		X		SplineParam_Spline.vi	public static List <posewithcurvature> parameterize(Spline spline)</posewithcurvature>	
	X	X	X	No				SplineParam_StackGet.vi		internal
	X	X	X	No				SplineParam_StackPop.vi		internal
	X	X	X	No				SplineParam StackPush.vi		internal

'===== TRAJECTORY '======

TRAJECTORY

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimiz	Test Routine	Sample Program	Function Prototype	Notes
₹Y	Χ	Χ		Χ			Trajectory_Concatenate.vi		
	Χ	X		Χ			Trajectory_equals.vi	boolean equals( other obj )	FUTURE
	Χ	Χ		Χ	SI		Trajectory_GetStates.vi	public List <state> getStates()</state>	not needed, use unpack
Ī	Χ	Χ		Χ	SI		Trajectory_GetTotalTime.vi	public double getTotalTimeSeconds()	not needed, use unpack
	X	Χ		No	SI		Trajectory_lerp_double.vi	private static double lerp(double startValue, double endValue, double t)	internal
	X	Χ		No	SI		Trajectory_lerp_Pose.vi	private static Pose2d lerp(Pose2d startValue, Pose2d endValue, double t)	internal
	Χ	Χ		Χ	SI		Trajectory_New_Empty.vi		
	Χ	Χ		Χ	SI		Trajectory_New.vi	public Trajectory(final List <state> states)</state>	
	X	Χ		Χ			Trajectory_RelativeTo.vi	public Trajectory relativeTo(Pose2d pose)	
	Χ	Χ		Χ			Trajectory_Sample.vi	public State sample(double timeSeconds)	
	X	X	X	X			Trajectory_SampleReverse.vi		Sample in reverse order. Negate sample.

public Trajectory transformBy(Transform2d transform)

can use cluster unpack, array index

public Pose2d getInitialPose()

Implemented
Documented
Not WPILIB
Menu Item
Execution Optimiz
Test Routine

X

Trajectory\_TransformBy.vi

TRAJECTORY\_STATE

	Impleme	Docume	Not WPI	Menu Ite	Executio	Test Rou	Sample	VI Name	Function Prototype	Notes
TATE	Χ	X		Χ	SI			TrajectoryState_Equals.vi	boolean equals( other obj )	
	X	X	X	Χ	SI			TrajectoryState_GetAll.vi		
	Χ	X		Χ	SI			TrajectoryState_GetPose.vi		
	Χ	X		Χ				TrajectoryState_Interpolate.vi	State interpolate(State endValue, double i)	
	X	X		X	SI			, , =	public State(double timeSeconds, double velocityMetersPerSecond, double accelerationMetersPerSecondSq, Pose2d poseMeters, double curvatureRadPerMeter)	
									public State()	

					zed					
					Execution Optimized		ram			
	ited	ted	18	2	o o	tine	Sample Program			
	Implemented	Documented	Not WPILIB	Menu Item	rtior	Test Routine	le F			
	ble	noc	7 N	nue	noe	st F	dui			
TDA IECTORY CONFIC		X	_ <u>×</u> _		∭ SI			VI Name	Function Prototype	Notes
TRAJECTORY CONFIG	X	X		X	31			TrajectoryConfig_Create.vi	public TrajectoryConfig(double maxVelocityMetersPerSecond, double maxAccelerationMetersPerSecondSq)	
	Χ	Χ	X	Χ				TrajectoryConfig_setCentripetalAccel.vi		
	X	X		X	SI			TrajectoryConfig_setKinematicsDiffDrive.vi	public TrajectoryConfig setKinematics(DifferentialDriveKinematics kinematics)	
	Χ	X		X	SI			TrajectoryConfig_setKinematicsMecanumfDrive.vi	public TrajectoryConfig setKinematics(MecanumDriveKinematics kinematics)	
	Χ	X		X	SI			TrajectoryConfig_setKinematicsSwerveDrive.vi	public TrajectoryConfig setKinematics(SwerveDriveKinematics kinematics)	
	Χ	X		X	SI			TrajectoryConfig_setReversed.vi	public TrajectoryConfig setReversed(boolean reversed)	
	Χ		X	Χ	SI			TrajectoryConfig_setVoltageDiffDrive.vi		
									public TrajectoryConfig addConstraint(TrajectoryConstraint constraint)	Implemented differently, can't duplicate.
									<pre>public TrajectoryConfig addConstraints(List<? extends TrajectoryConstraint&gt; constraints)</pre>	Implemented differently, can't duplicate.
									public double getStartVelocity()	can use cluster unpack
									public TrajectoryConfig setStartVelocity(double	
									startVelocityMetersPerSecond) public double getEndVelocity()	can use cluster unpack
									public TrajectoryConfig setEndVelocity(double	can use cluster unpack
									endVelocityMetersPerSecond)	
									public double getMaxVelocity() public double getMaxAcceleration()	can use cluster unpack can use cluster unpack
									public List <trajectoryconstraint> getConstraints()</trajectoryconstraint>	Implemented differently, can't duplicate.
									public boolean isReversed()	can use cluster unpack
									NOTE ADD OTHER "SET" ROUTINES FOR OTHER CONTRAINTS HERE, SINCE NEW CONTRAINTS ARE	
									SPECIFIC AND NOT GENERIC.	
					Sed					
					imi		am			
	pə,	pə	В	_	Execution Optimized	ие	Sample Program			
	Implemented	Documented	WPILIB	Menu Item	ion	Routine	Ð			
	olen	cnu	Ŋ	nu	in)	st R	Jdι			
	Jul	ρο̈	Not 1	Me	<u>X</u>	Test		VI Name	<u> </u>	Notes
TRAJECTORY GENERATE	X	X		X				TrajectoryGenerate_Make_Cubic_CtrlVect.vi	public static Trajectory generateTrajectory( Spline.ControlVector initial, List <translation2d> interiorWaypoints, Spline.ControlVector end, TrajectoryConfig config )</translation2d>	uses cubic splines
	X	X		X				TrajectoryGenerate_Make_Cubic.vi	public static Trajectory generateTrajectory( Pose2d start, List <translation2d> interiorWaypoints, Pose2d end,</translation2d>	uses cubic splines
	X	X	X	X				TrajectoryGenerate_Make_Generic.vi	TrajectoryConfig config ) Helper to bring these all together	Use this one!!!
	X	X		X				TrajectoryGenerate_Make_Quintic_CtrlVect.vi	public static Trajectory generateTrajectory( ControlVectorList	uses quintic splines
	X	X		X				TrajectoryGenerate Make Quintic.vi	controlVectors, TrajectoryConfig config) public static Trajectory generateTrajectory(List <pose2d></pose2d>	uses quintic splines
	Χ	Χ		Χ				TrajectoryGenerate splinePointsFromSplines.vi	waypoints, TrajectoryConfig config)  public static List <posewithcurvature></posewithcurvature>	
								Trajectory Contortate_opinion of the Formophines.vi	splinePointsFromSplines(Spline[] splines)	
					pə.					
					Execution Optimized		ш			
	ρé	þ	m		Jpti	e	ogrê			
	ente	ente	'ILIE	,em	00	utir	PR			
	Implemented	Documented	Not WPILIB	Menu Item	cuti	Fest Routine	Sample Program			
	np.	8	oţ	Je.	ě	es	an	VI Name	Function Prototype	Notes

**TRAJECTORY** 

Implemer	Documer	Not WPIL	Menu Iten	Execution	Test Routi	ด อาก คับ กับ กับ กับ กับ กับ กับ กับ กับ กับ ก	Function Prototype	Notes
Y UTIL $X$	X		X			TrajectoryUtil_fromPathWeaverJSON.vi	public static Trajectory fromPathweaverJson(Path path)	
X	Χ	X	X	X		TrajectoryUtil_MakeWeightedWayPoint_ENG.vi		
X	Χ	X	X	X		TrajectoryUtil_MakeWeightedWayPoint.vi		
X	X		X			TrajectoryUtil_toPathWeaverJSON.vi	public static void toPathweaverJson(Trajectory trajectory, Path path)	
							public static Trajectory deserializeTrajectory(String json)	
							public static String serializeTrajectory(Trajectory trajectory)	

Revision 2.X	12/07/2021 -	- Added Bang/Bang –	(not ver	v useful)

d Bang/Bang – (not very use	eful)									
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
TRAPEZOID PROFILE		Χ		X				TrapProfConstraint_New.vi		
	X	Χ		X				TrapProfile_Calculate.vi		
	X	X		No				TrapProfile_Direct.vi		Private, remove from menu
	X	X	X	X				TrapProfile_Execute.vi		
	X	Χ	X	X	SI			TrapProfile_Execute_AtGoal.vi		
	Χ	Χ		X				TrapProfile_IsFinished.vi		
	Χ	Χ		X				TrapProfile_New_DefInitial.vi		
	Χ	Χ		X				TrapProfile_New.vi		
	Χ	Χ		No				TrapProfile_ShouldFlipAcceleration.vi		Private, remove from menu
	Χ	X		X				TrapProfile_TimeLeftUntil.vi		
	X	Χ		X				TrapProfile_TotalTime.vi		
	X	X		X				TrapProfState_Equals.vi		
	X	X		X				TrapProfState_New.vi		

'=======

TRAJECTORY CONSTRAINT

'========

CENTRIPETAL ACCELERATION CONSTRAINT	X Implemented	X Documented	Not WPILIB	X Menu Item	Execution Optimized	Test Routine		VI Name CentripetalAccelConstraint_getMaxVelocity.vi	Function Prototype  public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	Notes
	X	X		X				CentripetalAccelConstraint_getMinMaxAccel.vi	public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	
	Χ	X		X	SI			CentripetalAccelConstraint_New.vi	public CentripetalAccelerationConstraint(double maxCentripetalAccelerationMetersPerSecondSq)	Can use cluster pack for now
	mplemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
DIFF DRIVE KINEMATIC CONSTRAINT	X	X		X				DiffDriveKinematicsConstraint_getMaxVelocity.vi	public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	
	X	X		X				DiffDriveKinematicsConstraint_getMinMaxAccel.vi	public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	
	X	X		X	SI			DiffDriveKinematicsConstraint_New.vi	public DifferentialDriveKinematicsConstraint(final DifferentialDriveKinematics kinematics, double maxSpeedMetersPerSecond)	

SwerveDriveKinematicsConstraint New.vi

## TRAJECTORY CONSTRAINT

Interface class - nothing done (not needed)

 $X \mid X$ 

X SI

FRC\_LabVIEW\_Trajectory\_Library\_Routines.xlsx

Newpublic SwerveDriveKinematicsConstraint(final

SwerveDriveKinematics kinematics, double

maxSpeedMetersPerSecond)

Can use cluster pack for now

Revision 2.X 12/07/2021 – Added Bang/Bang – (not very useful)

Execution Optimized nple Program Test Routine Vot WPILIB Menu Item VI Name Function Prototype Constraint MinMax New TRAJECTORY CONSTRAINT (Min Max) X X X SI Constraint MinMax New.vi Constraint MinMax NewMinMax.VI Constraint MinMax New  $X \mid X$ X SI

'========

UTILITY

'=========

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A JAVA / C++ WPILIB EQUIVALENT

> Execution Optimized Sample Program Routine Not WPILIB X X Implemented Documented X X X Not WPILIB VI Name Function Prototype Notes SI Util\_ApproxEqual.vi X X X X Util Array PoseWCurv to XY.vi X X X X SI Util CalcDist.vi X X X X SI Util GetLibraryVersion.vi X X X X SI Util\_GetLibUsage.vi X X X X Util GetTime.vi Once tested completely, this should be optimized! X X X No N/A Util LibrarvGlobals.vi Global Variables – no block diag. X X X X Util\_Trajectory\_Absolute\_To\_Relative.vi X X X X Util\_Trajectory\_ReadFile.vi X X X X Util\_Trajectory\_to\_XY.vi X X X No Util\_Trajectory\_WriteFile\_Config.vi internal X X X No Util\_Trajectory\_WriteFile\_OneState.vi internal X X X X Util\_Trajectory\_WriteFile\_PathFinder.vi X X X No Util Trajectory WriteFile PathFinderConfig.vi internal X X X X Util Trajectory WriteFile Pathweaver.vi X X X No Util Trajectory WriteFile States.vi internal X X X No Util Trajectory WriteFile WayPoints.vi internal X X X X Util Trajectory WriteFile.vi Util\_TrajectoryState\_Meters\_To Inches.vi  $X \mid X \mid X \mid X$ Util\_TrajState\_to\_DiffDrive\_WheelPos.vi X X X X X X X X Util\_Waypoint\_Eng\_To\_SI.vi X X X X Util\_Waypoint\_To\_CubicInput.vi  $X \mid X \mid X \mid X$ Util Waypoint To QuinticInput.vi Util\_WeightedWaypiont\_Eng\_To\_WeightedWaypoint  $X \mid X \mid X \mid X$ X X X No Util WeightedWayPoint To WeightedWayPoint.vi Sorry about the confusing name..

Notes

'========

**CONVERSIONS** 

'========

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A JAVA / C++ WPILIB EQUIVALENT

Implemented Documented Not WPILIB Menu Item Execution Optimizea Test Routine Sample Program a	Function Prototype	Notes
CONV X X X X SI Conv_AngleDegree		

ıseful)					
X	X	X	X	SI	Conv_AngleRadians_Heading.vi
X	X	X	X	SI	Conv_Centimeters_Meters.vi
X	X	X	X	SI	Conv_Deg_Radians.vi
Χ	X	X	X	SI	Conv_Feet_Meters.vi
Χ	X	X	X	SI	Conv_GyroDegrees_Heading.vi
X	X	X	X	SI	Conv_Heading_AngleRadians.vi
Χ	X	X	X	SI	Conv_Inches_Meters.vi
Χ	Χ	X	X	SI	Conv_Kilograms_Pounds.vi
X	X	X	X	SI	Conv_Meters_Feet.vi
X	X	X	X	SI	Conv_Meters_Inches.vi
X	X	X	X	SI	Conv_POSE_SI_Eng.vi
Χ	X	X	X	SI	Conv_Pounds_Kilograms.vi
Χ	X	X	X	SI	Conv_Radians_Deg.vi
Χ	X	X	X	SI	Conv_Yards_Meters.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	Function Prototype	Notes
UNITS	X	X		X	SI		Units_DegreesToRadians.vi		
	X	X		X	SI		Units_FeetToMeters.vi		
	X	X		X	SI		Units_InchesToMeters.vi		
	X	X		Χ	SI		Units_MetersToFeet.vi		
	X	X		Χ	SI		Units_MetersToInches.vi		
	X	X		Χ	SI		Units_MillisecondsToSeconds.vi		
	Χ	Χ		Χ	SI		Units_RadiansPerSecondToRotationsPerMinute.vi		
	Χ	Χ		Χ	SI		Units_RadiansToDegrees.vi		
	X	Χ		Χ	SI		Units_RotationsPerMinuteToRadiansPerSecond.vi		
	Χ	Χ		Χ	SI		Units_SecondsToMilliseconds.vi		

'========= PATHFINDER UTIL

'=======

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A JAVA / C++ WPILIB EQUIVALENT

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
PATHFINDERUTIL	X	Χ	Χ	X				PathfinderUtil_Continuous_Heading_Difference.vi		
	X	Χ	Χ	X				PathfinderUtil_OptimizeTrajectoryStates.vi		
	X	Χ	Χ	X				PathfinderUtil_ToTrajectory.vi		
	X	X	X	X				PathfinderUtil ToTrajectoryStates vi		

'=========

STATE SPACE MODEL

'=========

Implemented Documented Not WPILIB Menu Item Execution Optimizec Test Routine Sample Program an an	Function Prototype	Notes	Code Review	Test Program	Error Checking
DC MOTOR   X   X   SI   DCMotor_GetAndymark9015.vi					

usetui)				
X	X	X	SI	DCMotor_GetAndymarkRs775_125.vi
X	X	X	SI	DCMotor_GetBag.vi
X	X	X	SI	DCMotor_GetBanebotsRs550.vi
X	X	X	SI	DCMotor_GetBanebotsRs775.vi
X	X	X	SI	DCMotor_GetCIM.vi
X	X	X	SI	DCMotor_GetCurrent.vi
X	X	X	SI	DCMotor_GetFalcon500.vi
X	X	X	SI	DCMotor_GetMiniCIM.vi
X	X	X	SI	DCMotor_GetNEO.vi
X	X	X	SI	DCMotor_GetNEO550.vi
X	X	X	SI	DCMotor_GetRomiBuiltIn.vi
X	X	X	SI	DCMotor_GetVex775Pro.vi
X	X	X	SI	DCMotor_New.vi
X	X	X	SI	DCMotor_PickMotor.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
LINEAR SYSTEM ID	X	X		Χ				LinearSystemId_CreateDriveTrainVelocitySystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_CreateElevatorSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_CreateFlywheelSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_CreateSingleJointedArmSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_IdentifyDriveTrainSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_IdentifyPositionSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_IdentifyVelocitySystem.vi		Update to use create matrix			

'=======

STATE SPACE ESTIMATION

'=======

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimizec	Test Routine	Sample Program	Function Prototype	Notes	Code Review	Test Program	Error Checking
DIFFERENTIAL DRIVE POSE ESTIMATOR	X	Χ		Χ			DiffDrivePoseEst_AddVisionMeasurement.vi					
	X	X		Χ			DiffDrivePoseEst_FillStateVector.vi					
	X	X		Χ			DiffDrivePoseEst_GetEstimatedPosition.vi					
	X	X		Χ			DiffDrivePoseEst_Kalman_F_Callback.vi					
	X	X		Χ			DiffDrivePoseEst_Kalman_H_Callback.vi					
	X	X		Χ			DiffDrivePoseEst_New.vi					
	X	X		Χ			DiffDrivePoseEst_ResetPosition.vi					
	X	X		Χ			DiffDrivePoseEst_SetVisionMeasurementStdDevs.vi					
	X	X		Χ			DiffDrivePoseEst_Update.vi					
	Χ	Χ		Χ			DiffDrivePoseEst_UpdateWithTime.vi					
	X	X		Χ			DiffDrivePoseEst_VisionCorrect_Callback.vi					
	Χ	X		Χ			DiffDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi					

Execution Optimized Not WPILIB Menu Item Function Prototype Notes

LYILKIIILI VAI MAKI EII TEDI	ful)	V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Enter de divelocar Eila Company (Company)					
EXTENDED KALMAN FILTER			X		ExtendedKalmanFilter_Correct_OnlyUY.vi ExtendedKalmanFilter Correct.vi		lust a aball mat functional			
-	X	×	X		ExtendedKalmanFilter_Correct.vi  ExtendedKalmanFilter_GetP_Single.vi		Just a shell, not functional!			
	X		X		ExtendedKalmanFilter GetP.vi					
	X		X		ExtendedKalmanFilter_GetXHat_Single.vi					
	X		X		ExtendedKalmanFilter GetXHat.vi					
	Χ		X		ExtendedKalmanFilter New.vi					
	X	X	X		ExtendedKalmanFilter_Predict.vi					
	Χ		X		ExtendedKalmanFilter_Reset.vi					
	Χ		X		ExtendedKalmanFilter_SetP.vi					
	X		X		ExtendedKalmanFilter_SetXHat_Single.vi					
	X	<i>x</i>	X		ExtendedKalmanFilter_SetXHat.vi					
	nplemented	Documented Not WPILIB	Menu Item	Execution Optimizec Test Routine	ample Program	Function Protetune	Notos	Code Review	est Program	
KALMAN FILTER			_ <u>≥</u> 	Щ F		Function Prototype	Notes	<u> </u>		
	X		X		KalmanFilter GetK					
	X		X		KalmanFilter_GetK_Single.vi	+				
	X		X		KalmanFilter GetXHat					
	Χ		X	Χ						
	Χ		X	λ						
	Χ		X	λ						
	Χ		X		KalmanFilter_Reset.vi					
	Χ		X		KalmanFilter_SetXHat					
	X	X	X	_ \						
			^	iized	KalmanFilter_SetXHat_Single					
	X Implemented	X X X Documented Not WPILIB	X X Wenu Item	Execution Optimized Test Routine	ole Program	Function Prototype	Notes	Code Review	Test Program	i i
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X Wenu Item	ution Optimized	VI Name   KalmanFilterLatencyComp_AddObserverState.vi   KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi   KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v   KalmanFilterLatencyComp_FindClosestMeasurement.vi   KalmanFilterLatencyComp_New.vi		Notes	Code Review	Test Program	
	X X Implemented	ILIB Not WPILIB	X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	VI Name  KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi		Notes	Review	Program Test Program	
	olemented X X X Implemented	ILIB Not WPILIB	X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	VI Name  KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi	i i		de Review	st Program	
	olemented X X X Implemented	X X Documented X X X X X X X X X X X X X X X X X X X	X X Wenu Item	ution Optimized	KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi		Notes	Review	Test Program	
SWERVE DRIVE POSE ESTIMATOR	Implemented X X X X X Implemented	Documented X X X X X X X Documented Not WPILIB	Menu Item  X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	SwerveDrivePoseEst_AddVisionMeasurement_StdDev.vi	i i		de Review	st Program	
SWERVE DRIVE POSE ESTIMATOR	olemented X X X Implemented	X X X X X X X X X X X Not WPILIB	X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi	i i		de Review	st Program	

usc	iuij				
	Χ	Χ	X		SwerveDrivePoseEst_New.vi
	X	X	X		SwerveDrivePoseEst_ResetPosition.vi
	X	X	X		SwerveDrivePoseEst_SetVisionMeasurementStdDevs.vi
	X	X	X		SwerveDrivePoseEst_Update.vi
	Χ	Χ	X		SwerveDrivePoseEst_UpdateWithTime.vi
	Χ	Χ	X		SwerveDrivePoseEst_VisionCorrect_Callback.vi
	Χ	Χ	X		SwerveDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi

	Implemented	Documented Not Moll IR	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
UNSCENTED KALMAN FILTER	$X \setminus X$	Υ	X				UnscentedKalmanFilter_Correct_FuncGroup.vi					
		Υ	X				UnscentedKalmanFilter_Correct_OnlyUY.vi					
	X	Υ	X				UnscentedKalmanFilter_Correct_OnlyUYR.vi					
		Υ	X				UnscentedKalmanFilter_Correct.vi					
		Υ	X	_			UnscentedKalmanFilter_GetP_Single.vi					
		Υ	X				UnscentedKalmanFilter_GetP.vi					
		Υ	X				UnscentedKalmanFilter_GetXHat_Single.vi					
		Υ	X				UnscentedKalmanFilter_GetXHat.vi					
		Υ	X	_			UnscentedKalmanFilter_New_Default.vi					
		Υ	X				UnscentedKalmanFilter_New_FuncGroup.vi					
		Υ	X	_			UnscentedKalmanFilter_New.vi					
		Υ	X				UnscentedKalmanFilter_Predict.vi					
		Υ	X				UnscentedKalmanFilter_Reset.vi					
		Υ	X				UnscentedKalmanFilter_SetP.vi					
		Υ	X				UnscentedKalmanFilter_SetXHat_Single.vi					
		Υ	X	_			UnscentedKalmanFilter_SetXHat.vi					
	X	Υ	X				UnscentedKalmanFilter_Transform.vi					

'======== STATE SPACE CONTROL '=========

Function Prototype Notes CONTROL AFFINE PLANT INVERSION FEEDFORWARD

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
LINEAR PLANT INVERSION FEEDFORWARD	X	X		X				LinearPIntInvFF_Calculate_NextR.vi					
	X	X		X				LinearPIntInvFF_Calculate.vi					
	X	X		Χ				LinearPIntInvFF_GetR_Single.vi					
	X	X		X				LinearPIntInvFF_GetR.vi					
	X	Χ		X				LinearPIntInvFF_GetUff_Single.vi					

LINEAR SYSTEM: OF	021 – Added Bang/Bang – (not very us	eful)									
LINEAR SYSTEM LOOK X X X X X X X X X X X X X X X X X X	· · · · · · · · · · · · · · · · · ·		X			LinearPIntInvFF GetUff.vi					
LINEAR QUADRATIC REGULATOR		XX	X								
LINEAR QUADRATIC REGULATIC			X								
LINEAR CHARGE REGULATOR R. X.			X								
Companies   Comp											
LINEAR SYSTEM X X X X S S LinearGoatest-Regulator, Calculater North Y State											
Part	LINEAR QUADRATIC REGULATOR	Documented X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Execution Optimized	X	VI Name  LinearQuadraticRegulator_Calculate_NextR.vi LinearQuadraticRegulator_Calculate_vi LinearQuadraticRegulator_GetK_Single.vi LinearQuadraticRegulator_GetK_vi LinearQuadraticRegulator_GetR_Single.vi LinearQuadraticRegulator_GetR_Single.vi LinearQuadraticRegulator_GetR_vi LinearQuadraticRegulator_GetU_Single.vi LinearQuadraticRegulator_GetU_vi LinearQuadraticRegulator_GetU.vi LinearQuadraticRegulator_LatencyCompensate.vi LinearQuadraticRegulator_New_ELMS.vi LinearQuadraticRegulator_New_N.vi LinearQuadraticRegulator_New_Raw.vi LinearQuadraticRegulator_New_SystemELMS.vi LinearQuadraticRegulator_New_SystemELMS.vi LinearQuadraticRegulator_New_SystemELMS.vi LinearQuadraticRegulator_New_Vi	Function Prototype	NOT ORIGINAL  Routine exists, but it only has	Code Review	Test Program	
Part											
LINEAR SYSTEM LOOP  LINEAR				Ø							
X		nplemented ocumented	ot WPILIB lenu Item	xecution Optimized	est Routine	ample Program	Function Dratative	Nata	ode Review	est Program	_
X	LINEAR SYSTEM				Test Routine	R VI Name	Function Prototype	Notes	Code Review	Test Program	_
	LINEAR SYSTEM	X X	X	1		VI Name  LinearSystem_CalculateX.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X   X   X   X   X   X   X   X   X   X	X	1		VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X   X   X   X   X   X   X   X   X   X	X	I I SI		VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi	Function Prototype	Notes	Code Review	Test Program	_
Variable	LINEAR SYSTEM	X	X X X	I I SI		VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X	X X X X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X	X X X X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi	Function Prototype	Notes	Code Review	Test Program	_
X   X   X   S	LINEAR SYSTEM	X	X X X X X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi	Function Prototype	Notes	Code Review	Test Program	_
X   X   X   SI	LINEAR SYSTEM	X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetBElement.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi	Function Prototype	Notes	Code Review	Test Program	_
	LINEAR SYSTEM	X X X X X X X X X X X X X X X X X X X X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi  LinearSystem_GetCElement.vi	Function Prototype	Notes	Code Review	Test Program	_
LINEAR SYSTEM LOOP X X X LinearSystemLoop_ClampInput.vi X X X LinearSystemLoop_Correct.vi	LINEAR SYSTEM	X X X X X X X X X X X X X X X X X X X X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi  LinearSystem_GetD.vi  LinearSystem_GetDLement.vi	Function Prototype	Notes	Code Review	Test Program	_
LINEAR SYSTEM LOOP X X X   X   LinearSystemLoop_ClampInput.vi   LinearSystemLoop_Correct.vi	LINEAR SYSTEM	X X X X X X X X X X X X X X X X X X X X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi  LinearSystem_GetD.vi  LinearSystem_GetDLement.vi	Function Prototype	Notes	Code Review	Test Program	_
X X X LinearSystemLoop_Correct.vi		Implemented X X X X X X X X X X X X X X X X X X X	Not WPILIB  Not WPILIB  Not WPILIB	Execution Optimized		LinearSystem_CalculateX.vi LinearSystem_CalculateY.vi LinearSystem_GetA.vi LinearSystem_GetAElement.vi LinearSystem_GetBElement.vi LinearSystem_GetC.vi LinearSystem_GetCElement.vi LinearSystem_GetD.vi LinearSystem_GetDElement.vi LinearSystem_New.vi				Test Program	Checking
LinearSystemLoop_GetClampFunction.vi		Implemented X X X X X X X X X X X X X X X X X X X	Not WPILIB  Not WPILIB  Not WPILIB	Execution Optimized		LinearSystem_CalculateX.vi LinearSystem_CalculateY.vi LinearSystem_GetA.vi LinearSystem_GetAElement.vi LinearSystem_GetBElement.vi LinearSystem_GetC.vi LinearSystem_GetCElement.vi LinearSystem_GetD.vi LinearSystem_GetDElement.vi LinearSystem_New.vi				Test Program	Checking
		X X X X X X X X X X X X X X X X X X X	Not WPILIB	Execution Optimized		LinearSystem_CalculateX.vi LinearSystem_CalculateY.vi LinearSystem_GetA.vi LinearSystem_GetAElement.vi LinearSystem_GetBElement.vi LinearSystem_GetC.vi LinearSystem_GetCElement.vi LinearSystem_GetD.vi LinearSystem_GetDElement.vi LinearSystem_New.vi				Test Program	Checking

Not WPILIB

useiui)					
X	X	X		LinearSystemLoop_GetController.vi	
X	X	X		LinearSystemLoop_GetError_Single.vi	
X	X	X		LinearSystemLoop_GetError.vi	
X	X	X		LinearSystemLoop_GetFeedForward.vi	
X	X	X		LinearSystemLoop_GetNextR_Single.vi	
X	X	X		LinearSystemLoop_GetNextR.vi	
X	X	X		LinearSystemLoop_GetObserver.vi	
X	X	X		LinearSystemLoop_GetU_Row.vi	
X	X	X		LinearSystemLoop_GetU.vi	
X	X	X		LinearSystemLoop_GetXHat_Single.vi	
X	X	X		LinearSystemLoop_GetXHat.vi	
				LinearSystemLoop_New_BBB	
				LinearSystemLoop_New_LinearSystem_ClampFunc	
X		X		LinearSystemLoop_New_LinearSystem_ClampVal.vi	
X	X	X		LinearSystemLoop_New.vi	
X	X	X		LinearSystemLoop_Predict.vi	
X	X	X		LinearSystemLoop_Reset.vi	
				LinearSystemLoop_SetClampFunction.vi	
				LinearSystemLoop_SetNextR_Some.vi	
X	X	X		LinearSystemLoop_SetNextR.vi	
				LinearSystemLoop_SetXHat_Single.vi	
				LinearSystemLoop_SetXHat.vi	

'========= STATE SPACE UTILITIES '======

CALLBACK HELPER	X X Implemented	X X Documented	X	X	Execution Optimized	Test Routine	Ca Ca	/I Name CallbackHelp_MatrixMinus.vi CallbackHelp_MatrixMult_CoerceSizeB.vi CallbackHelp_MatrixMult.vi CallbackHelp_MatrixPlus.vi	Function Prototype	Notes	Code Review	Test Program	Error Checking
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program ≤	/I Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
DISCRETIZATION				$\overline{X}$				Discretization_DiscretizeA.vi	Л				
	X	X		X		X		Discretization_DiscretizeAB.vi					
	Χ	X		X		Χ		Discretization_DiscretizeABTaylor.vi					
	Χ	X		X		Χ		Discretization_DiscretizeAQ.vi					
	X	X		X		Χ	Di	Discretization_DiscretizeAQTaylor.vi					
	Χ	X		X			Di	Discretization_DiscretizeR.vi					
					pəz								

Function Prototype

Notes

Revision 2.X 12/07/2021 – Added Bang/Bang – (not very useful)

STATE SPACE UTIL

a00.	۵1 <i>)</i>						
'IL	$X \mid X$	X	No		StateSpaceUtil_Check_Stabalizable.vi	Internal routine	
	$X \mid X$	•	X		StateSpaceUtil_ClampInputMaxMagnitude.vi	Routine exists, it is just a shell	
	$X \mid X$		X		StateSpaceUtil_IsDetectable.vi		
	XX	•	X		StateSpaceUtil_IsStabalizable.vi		
	XX		X	Χ	StateSpaceUtil_MakeCostMatrix.vi		
	XX		X	Χ	StateSpaceUtil_MakeCovarianceMatrix.vi		
	$X \mid X$		X		StateSpaceUtil_MakeWhiteNoiseVector.vi		
	$X \mid X$		X		StateSpaceUtil_NomalizeInputVector.vi		
	$X \mid X$		X		StateSpaceUtil_PoseTo3dVector.vi		
	$X \mid X$		X		StateSpaceUtil_PoseTo4dVector.vi		
	XX		X		StateSpaceUtil_PoseToVector.vi		

'===== SIMULATION '=======

| Part |

Function Prototype Notes X DIFFERENTIAL DRIVE TRAIN SIM X X DiffDriveTrainSim ClampInput.vi XX X DiffDriveTrainSim CreateKitbotSim EstMass.vi XX Χ DiffDriveTrainSim CreateKitbotSim EstMassMOI.vi XX Χ DiffDriveTrainSim CreateKitbotSim.vi XX Χ DiffDriveTrainSim\_GetCurrentDrawAmps.vi X X Χ DiffDriveTrainSim\_GetCurrentGearing.vi XX Χ DiffDriveTrainSim\_GetDynamics.vi XX Χ DiffDriveTrainSim\_GetHeading.vi XX Χ DiffDriveTrainSim\_GetLeftCurrentDrawAmps.vi XX X DiffDriveTrainSim GetLeftPositionMeters.vi XX Χ DiffDriveTrainSim\_GetLeftVelocityMetersPerSecond.vi XX Χ DiffDriveTrainSim\_GetOutput\_Single.vi XX X DiffDriveTrainSim GetPose.vi XX X DiffDriveTrainSim GetRightCurrentDrawAmps.vi XX Χ DiffDriveTrainSim GetRightPositionMeters.vi XX Χ DiffDriveTrainSim GetRightVelocityMetersPerSecond.vi XX Χ DiffDriveTrainSim GetState Single.vi XX Χ DiffDriveTrainSim GetState.vi XX Χ DiffDriveTrainSim KitBotWheelSize.vi XX X DiffDriveTrainSim New Mass MOI.vi XX X DiffDriveTrainSim New.vi XX X DiffDriveTrainSim\_SetCurrentGearing.vi XX X DiffDriveTrainSim SetInputs.vi XX Χ DiffDriveTrainSim SetPose.vi XX Χ DiffDriveTrainSim SetState.vi

FRC\_LabVIEW\_Trajectory\_Library\_Routines.xlsx

 $X \mid X$ 

 $X \mid X$ 

XX

Χ

Χ

Χ

DiffDriveTrainSim ToughBoxMiniGearRatio.vi

DiffDriveTrainSim\_ToughBoxMiniMotor.vi

DiffDriveTrainSim Update.vi

ang/Bang – (not very us	etul)												
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program		Function Prototype	Notes	Code Review	Test Program	Error Checking
ELEVATOR SIM		X		X				ElevatorSim_GetCurrentDraw.vi					
	X	X		X				ElevatorSim_GetPositionMeters.vi					
	X	X		X				ElevatorSim_GetVelocityMetersPerSecond.vi ElevatorSim HasHitLowerLimit.vi					
	$\hat{X}$	$\frac{\lambda}{X}$		X				ElevatorSim_HasHitUpperLimit.vi					
				+^				ElevatorSim_New_LinSys_NoNoise.vi					
								ElevatorSim_New_LinSys.vi					
								ElevatorSim_New_NoNoise.vi					
	Χ	Χ		X				ElevatorSim_New.vi					
	Χ	X	X	No				ElevatorSim_RKF45_Func.vi					
	Χ	X		X				ElevatorSim_SetInputVoltage.vi					
	X	X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					ElevatorSim_SetState.vi		NI			
	X	X	X	X				ElevatorSim_Update.vi		Needed because this doesn't extend.			
	X	X		X				ElevatorSim_UpdateX.vi		exteria.			
	X	X		X				ElevatorSim_WouldHitLowerLimit.vi					
	X			X				ElevatorSim_WouldHitUpperLimit.vi					
			•	•									
FLYWHEEL SIM	X X X Implemented	X X X X X X X X X X X X X X X X X X X	Not WPILIB	X X X X X X		Test Routine	Sample Progr	VI Name  FlyWheelSim_GetAngularVelocityRadPerSec.vi  FlyWheelSim_GetAngularVelocityRPM.vi  FlyWheelSim_GetCurrentDrawAmps  FlyWheelSim_New_LinSys  FlyWheelSim_New_LinSys_MOI_NoNoise  FlyWheelSim_New_LinSys_NoNoise  FlyWheelSim_New_MOI.vi  FlyWheelSim_SetInput.vi  FlyWheelSim_SetState.vi  FlyWheelSim_Update.vi	Function Prototype	Notes  Future Future Future	Code Review	Test Program	Error Checking
								Tyvviiceloiiii_opuate.vi					
LINEAR OVOTERS	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program		Function Prototype	Notes	Code Review	Test Program	Error Checking
LINEAR SYSTEM SIM	X	X		X				LinearSystemSim_ClampInput.vi		DON'T IMPLEMENT			
	X	X		X				LinearSystemSim_GetCurrentDrawAmps.vi LinearSystemSim_GetOutput_Single.vi		DONT IMPLEMENT			
	X	X		X				LinearSystemSim_GetOutput_Single.vi					
	$\hat{x}$	X		X				LinearSystemSim_New					
				\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \				LinearSystemSim_New_NoNoise.vi					
	X	X		X				LinearSystemSim_SetInput_Array.vi		Doesn't use clamp ?			
	X	Χ		X				LinearSystemSim_SetInput_Single.vi		,			
	Χ	X		X				LinearSystemSim_SetInput.vi					
	X	X		X				LinearSystemSim_Setstate.vi					
	X	X		X				LinearSystemSim_Update.vi					
								· · · · · · · · · · · · · · · · · · ·				I	

X	X	No	LinearSystemSim_UpdateX.vi		
X	XX	No	LinearSystemSim_UpdateY.vi		

	Implemented	nmen	Not WPILIB	2	Execution Optimized Test Routine	Sample Program	Function Prototype	Notes	Code Review	Test Program	Error Checking
SINGLE JOINT ARM SIM	Χ	Χ		X		SngJntArmSim_EsitmateMOI.vi					
	Χ	Χ		X		SngJntArmSim_GetAngleRads.vi					
	Χ	X	_	X		SngJntArmSim_GetCurrentDraw.vi					
	Χ	X		X		SngJntArmSim_GetVelocityRadsPerSec.vi					
	Χ	X		X		SngJntArmSim_HasHitLowerLimit.vi					
	Χ	X		X		SngJntArmSim_HasHitUpperLimit.vi					
	Χ	X		X		SngJntArmSim_New.vi					
	Χ	X		No		SngJntArmSim_Rkf45_Func.vi					
	Χ	Χ		X		SngJntArmSim_SetInputVoltage.vi					
	Χ	X		X		SngJntArmSim_SetState.vi					
	Χ	X		X		SngJntArmSim_Update.vi					
	Χ	Χ		X		SngJntArmSim_UpdateX.vi					
	Χ	Χ		X		SngJntArmSim_WouldHitLowerLimit.vi					
	Χ	Χ		X		SngJntArmSim_WouldHitUpperLimit.vi					

'===== MATRIX UTILITIES '=========

> MAT BUILDEK X X Maylemented X X X N Function Prototype Notes X SI X SI MatBuilder\_Create.vi
> MatBuilder\_Fill.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optin	Test Routine		Function Prototype	Notes	Code Review	Test Program	Error Checking
MATRIX	X	X		X	SI		Matrix_AssignBlock.vi					
	X	X		X	SI		Matrix_Block.vi					
							Matrix_ChangeBoundsUnchecked.vi					
	X	X		X	SI		Matrix_Create.vi					
							Matrix_Det.vi					
	X	X		X	SI		Matrix_Diag.vi					
							Matrix_Div_Scalar.vi		labview has function			
							Matrix_ElementPower.vi					
	X	X		X	SI		Matrix_ElementSum.vi					
							Matrix_ElementTimes.vi					
							Matrix_Equals.vi					
	X	X		X	1		Matrix_Exp.vi					
	X	X		X	SI		Matrix_ExtractColumnVector.vi			·		
	X	X		X	SI		Matrix_ExtractFrom.vi			·		
							 Matrix ExtractMatrix.vi					

ng/Bang – (not very u	seful)										
ing/Baing (not vory at		X		Χ	SI	Matrix ExtractRowVector.vi					
	X	X		X	SI	Matrix_Fill.vi					
						Matrix_Get.vi		labview has function			
	X	Χ		X	1	Matrix Ident.vi		WPILIB calls this EYE			
						Matrix_Inv.vi					
	X	Χ		X	SI	Matrix_IsEqual.vi					
						Matrix IsIdentical.vi					
	X	X		X	1	Matrix_LLTDecompose.vi					
						Matrix Max.vi					
						Matrix_MaxAbs.vi					
						Matrix_Mean.vi					
						Matrix_MinInternal.vi					
						Matrix_Minus_Matrix.vi					
						Matrix_Minus_Scalar.vi					
	X	X		X	1	Matrix_NormF.vi					
						Matrix_NormIndP1.vi					
						Matrix_Plus_Matrix.vi					
						Matrix_Plus_Scalar.vi					
	X			Χ	1	Matrix_Pow.vi		THIS NEEDS WORK!!!!			
	X			Χ	SI	Matrix_SetColumn.vi					
	X	X		X	SI	Matrix_SetRow.vi	THERE ARE LOTS OF OTHER MATRIX FUNCTIONS THAT				
						Matrix_Solve.vi	SHOULD BE INCLUDED HERE FOR ISOLATION.				
						Matrix Times Matrix.vi					
						Matrix Times Scalar.vi					
						Matrix_Trace.vi					
	Y	X		X	SI	Matrix_Transpose.vi					
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			$\stackrel{\wedge}{+}$	0,	Wattix_Transpose.vi					
SIMPLE MATRI	<b>X</b> X <i>Implemented</i>	× Documentea	Not WPILIB		© Execution Optimized Test Routine	SimpleMatrix_ExtractMatrix.vi	Function Prototype	Notes  NOTE Matrix also has an	Code Review	Test Program	Error Checking
				^		Chriptomatrix_Extraotiviatrix.vi		ExtractMatrix with different calling parameters YUK.			
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized Test Routine	Sample Program	Function Prototype	Notes	Code Review	Test Program	Error Checking
MATRIX HELPER		X	$\overline{x}$	X	SI	MatrixHelper_CooerceSize.vi	T undustri retetype	110.00			
	X		$\frac{\lambda}{X}$	X	SI	MatrixHelper_MultCooerceBSize.vi					
	X	X		X	SI	MatrixHelper_Zero.vi					
	Implemented	Documented	Not WPILIB	Item	Execution Optimized Test Routine	e Program			Code Review	Program	Checking
	a/a	2 Z	ΣZ	nue	ecu st F	nd mi			qe		ý
			Not N	Menu Item		NI Name	Function Prototype	Notes	Code	Test F	Error
VECTOR BUILDER	<b>R</b> X	Χ	Not N	X	SI	VecBuilder_1x1Fill.vi	Function Prototype	Notes	Code		Error
VECTOR BUILDER	<b>R</b> X		Not N	X			Function Prototype	Notes	Code		Error

usen	ai <i>)</i>					
	$X \mid X$		X	SI	VecBuilder_3x1Fill.vi	
	$X \mid X$		X	SI	VecBuilder_4x1Fill.vi	
	$X \mid X$		X	SI	VecBuilder_5x1Fill.vi	
	$X \mid X$		X	SI	VecBuilder_6x1Fill.vi	
	$X \mid X$		X	SI	VecBuilder_7x1Fill.vi	
	$X \mid X$		X	SI	VecBuilder_8x1Fill.vi	
					VecBuilder_9x1Fill.vi	
					VecBuilder_10x1Fill.vi	
	$X \mid X$	X	X	SI	VecBuilder_ArrayBy1Fill.vi	

'======== MATH '========

ANGLE STATISTIC	X Implemented X Documented X Not with the		X Execution Optimized	Nontrine Angle Stats_Angle Add_Callback	Function Prototype «Help.vi	Notes	Code Review	
	XX	<i>X X</i>	1	X AngleStats_AngleAdd.vi AngleStats_AngleMean_Callba				_
	XXX	X	1	X AngleStats_AngleMean.vi	скпеір. vi			—
	XXX	(	X	AngleStats_AngleResidual_Cal	lbackHelp.vi			_
	XX	X	1	X AngleStats_AngleResidual.vi				
MATH UTILIT	X X X X X X X X X X X X X X X X X X X	X	SI SI	Solution   Solution	Function Prototype	Notes	Code Review	
ERWE SCALED SIGMA POINT	X Implemented X Documented Not Wight is	X Menu Item	- Execution Optimized	Soutine Soutine Sold Name  WerweScSigPts_ComputeWeig	Function Prototype	Notes	Code Review	
	X   X   X   X   X   X   X   X   X   X	X	SI	MerweScSigPts_GetNumSigma	as.vi			_
	XX	X	SI	MerweScSigPts_GetWc_Single	e.vi			
	X X X X X X X X X X X	X	SI SI	MerweScSigPts_GetWc.vi MerweScSigPts_GetWm_Single	e vi			
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\frac{1}{X}$	SI SI	MerweScSigPts_GetWm.vi				_
	X X	X	1	MerweScSigPts_New_Default.v	<i>r</i> i			
	XX	X	1	MerweScSigPts_New.vi				
	XX	X	1	MerweScSigPts_SigmaPoints.v	//			_
	1 1 1	1 1		1 1	I I		1 '	

Revision 2.X	12/07/2021 -	<ul> <li>Added Bang/</li> </ul>	/Bang – (	not ver	/ useful)	

Not WPILIB         Not WPILIB         Menu Item       X X X X X X X X X X X X X X X X X X X	NumIntegrate_Func_Ax_Bu_K.vi  NumIntegrate_Rk4_Dbl_X_U.vi NumIntegrate_Rk4_Dbl_X.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_RKDP_Mat_X_U.vi NumIntegrate_RKf45_Func_Bs.vi NumIntegrate_RKf45_Func_Ct.vi NumIntegrate_RKf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_Rkf45_Mat_X_U.vi	Function Prototype	Notes  NOT USED. Should this be used or abandoned???  New replacement for RKF45  Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored values. Work In Progress	Review Code Review	gram Test Program	g Error Checking
X I X X X X X X X X X X X X X X X X X X	NumIntegrate_Func_Ax_Bu_K.vi  NumIntegrate_Rk4_Dbl_X_U.vi NumIntegrate_Rk4_Dbl_X.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_Rk4_Mat_X.vi NumIntegrate_RKDP_Mat_X_U.vi NumIntegrate_RKf45_Func_Bs.vi NumIntegrate_RKf45_Func_Ch.vi NumIntegrate_Rkf45_Func_Ct.vi NumIntegrate_Rkf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_Rkf45_Mat_X_U.vi	Function Prototype	NOT USED. Should this be used or abandoned???  New replacement for RKF45  Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	~		Error
X I X X X X X X X X X X X X X X X X X X	NumIntegrate_Func_Ax_Bu_K.vi  NumIntegrate_Rk4_Dbl_X_U.vi NumIntegrate_Rk4_Dbl_X.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_Rk4_Mat_X.vi NumIntegrate_RKDP_Mat_X_U.vi NumIntegrate_RKf45_Func_Bs.vi NumIntegrate_RKf45_Func_Ch.vi NumIntegrate_Rkf45_Func_Ct.vi NumIntegrate_Rkf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_Rkf45_Mat_X_U.vi	Function Prototype	NOT USED. Should this be used or abandoned???  New replacement for RKF45  Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	~		
X I X X X X X X X X X X X X X X X X X X	NumIntegrate_Func_Ax_Bu_K.vi  NumIntegrate_Rk4_Dbl_X_U.vi NumIntegrate_Rk4_Dbl_X.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_Rk4_Mat_X.vi NumIntegrate_RKDP_Mat_X_U.vi NumIntegrate_RKf45_Func_Bs.vi NumIntegrate_RKf45_Func_Ch.vi NumIntegrate_Rkf45_Func_Ct.vi NumIntegrate_Rkf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_Rkf45_Mat_X_U.vi		NOT USED. Should this be used or abandoned???  New replacement for RKF45  Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	~		
X X X X X X X X X X X X X X X X X X X	NumIntegrate_Rk4_Dbl_X_U.vi NumIntegrate_Rk4_Dbl_X.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_Rk4_Mat_X_U.vi NumIntegrate_RKDP_Mat_X_U.vi NumIntegrate_RKf45_Func_Bs.vi NumIntegrate_RKf45_Func_Ch.vi NumIntegrate_RKf45_Func_Ct.vi NumIntegrate_Rkf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_Rkf45_Mat_X_U.vi		New replacement for RKF45  Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
X X X SI X X I	NumIntegrate_Rk4_Dbl_X.vi  NumIntegrate_Rk4_Mat_X_U.vi  NumIntegrate_Rk4_Mat_X_U.vi  NumIntegrate_RKDP_Mat_X_U.vi  NumIntegrate_RKf45_Func_Bs.vi  NumIntegrate_RKf45_Func_Ch.vi  NumIntegrate_RKf45_Func_Ct.vi  NumIntegrate_Rkf45_Impl.vi  NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_Rkf45_Mat_X_U.vi		Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
X X X SI X X I	NumIntegrate Rk4 Mat X U.vi  NumIntegrate Rk4 Mat X.vi  NumIntegrate RKDP Mat X U.vi  NumIntegrate RKf45 Func Bs.vi  NumIntegrate RKf45 Func Ch.vi  NumIntegrate RKf45 Func Ct.vi  NumIntegrate Rkf45 Impl.vi  NumIntegrate Rkf45 Mat X U.vi  NumIntegrate Rkf45 Impl.vi  NumIntegrate Rkf45 Mat X U.vi		Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
X No SI No SI No SI No SI X X X SI X X I	NumIntegrate RK4_Mat_X.vi  NumIntegrate RKDP_Mat_X_U.vi  NumIntegrate RKf45_Func_Bs.vi  NumIntegrate RKf45_Func_Ch.vi  NumIntegrate RKf45_Func_Ct.vi  NumIntegrate Rkf45_Impl.vi  NumIntegrate Rkf45_Mat_X_U.vi  NumIntegrate RKf45_New.vi  NumIntegrate Trap_Dbl.vi  NumIntegrate Trap_Mat.vi		Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
No SI No SI No SI No I X X X SI X X I	NumIntegrate RKDP Mat X U.vi NumIntegrate RKf45 Func Bs.vi NumIntegrate RKf45 Func Ch.vi NumIntegrate RKf45 Func Ct.vi NumIntegrate Rkf45 Impl.vi NumIntegrate Rkf45 Mat_X_U.vi  NumIntegrate RKf45 Mat_X_U.vi  NumIntegrate Trap_Dbl.vi NumIntegrate Trap_Mat.vi		Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
No SI No SI No I X X X SI X X I	NumIntegrate_RKf45_Func_Bs.vi NumIntegrate_RKf45_Func_Ch.vi NumIntegrate_RKf45_Func_Ct.vi NumIntegrate_Rkf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_RKf45_New.vi  NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		Note that this Feinberg method has been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
No SI No SI No I X X X SI X X I	NumIntegrate RKf45_Func_Ch.vi NumIntegrate RKf45_Func_Ct.vi NumIntegrate Rkf45_Impl.vi NumIntegrate Rkf45_Mat_X_U.vi  NumIntegrate_RKf45_New.vi  NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
No I X X X SI X X I	NumIntegrate_Rkf45_Impl.vi NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_RKf45_New.vi  NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		been changed and a Dormand Price method has been implemented TODO  New for using new refactored	əview	gram	
X X X I SI X X I e	NumIntegrate_Rkf45_Mat_X_U.vi  NumIntegrate_RKf45_New.vi  NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
y X X I SI X X I e e	NumIntegrate_RKf45_New.vi  NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		been changed and a Dormand Price method has been implemented TODO  New for using new refactored	eview	gram	
X X I	NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		New for using new refactored	eview	gram	
X X I	NumIntegrate_Trap_Dbl.vi NumIntegrate_Trap_Mat.vi		values. Work In Progress	eview	gram	
X X I	NumIntegrate_Trap_Mat.vi			əview	gram	<i>E</i>
) Optimized e				eview	gram	
rt WPILIB enu Item ecution Optimized st Routine	ple Program			eview	gram	· · · · · · · · · · · · · · · · · · ·
No No	ହିଁ VI Name RungeKuttaTimeVarying_RK4_Mat_T_Y.vi	Function Prototype	Notes	Code Re	Test Program	Error Checking
INO	Rungekutta i imevarying_kk4_wat_i_Y.vi					
X X Menu Item X X Menu Item Execution Optimized Test Routine	VI Name  NumJacobian_U.vi  NumJacobian_X.vi	Function Prototype	Notes	Code Review	Test Program	Error Checking
Not WPILIB Menu Item Execution Optimized Test Routine	Name Program	Function Prototype	Notes  Routine exists, it is just a shell	Code Review	Test Program	Error Checking
m	Optimized ne	NumJacobian_U.vi  X NumJacobian_X.vi  NumJacobian_X.vi  NumJacobian_X.vi  Value of the state of	NumJacobian_U.vi   NumJacobian_X.vi   NumJacobian	NumJacobian_U.vi	NumJacobian_U.vi   NumJacobian_X.vi   NumJacobian	NumJacobian_U.vi

'===== TYPE DEFINITIONS '========

					imizec		7			
	_				otim		Program			
	ted	ted	19	2	Opt	Routine	70			
	леп	ieu	7/	'ten	ion	out	(D)			
	len	ш	Š	וחר	cut	rt R	npl			
	Implemented	Documented	Not WPILIB	Menu Item	Execution	Test	Sampl	VI Name	Function Prototype	Notes
TypeDef			$\overline{x}$		N/A			ARM FF.CTL	71	
•	Ζ	X	X					BANG BANG.CTL		
	1		X		N/A			BICon-Matrix_FUNC_TYPE.CTL		NOT USED. Should this be
										deleted or abandoned???
	Z	X	X		N/A			CALLBACK_FUNC_TYPE.CTL		
	Z	X	X X		N/A			CHASSIS_SPEEDS.CTL CONTRAINED STATE.CTL		
	Z Z	X	X	X	N/A N/A			DCMOTOR TYPES ENUM.CTL		
	Z	X	X		N/A			DCMOTOR_TTFES_ENOM.CTE		
	Z	X	X		N/A			DEBOUNCER_TYPE_ENUM.Ctl		
	Z	X	X		N/A			DEBOUNCER.CTL		
	Z	X	X	X	N/A			DIFF DRIVE KINEMATICS.CTL		
	Ζ	X	X	Χ				DIFF_DRIVE_Kitbot_WheelSize_ENUM.ctl		
	Ζ	X	X		N/A			DiFF_DRIVE_POSE_EST.ctl		
	Ζ	Χ	X		N/A			DIFF_DRIVE_ToughBoxMini_GearChoice_ENUM.ctl		
	Ζ	Χ	Χ		N/A			DIFF_DRIVE_ToughBoxMini_MotorChoice_ENUM.ctl		
	Ζ	Χ			N/A			DIFF_DRIVE_TRAIN_SIM_STATE_ENUM.CTL		
	Ζ		X	Χ				DIFF_DRIVE_TRAIN_SIM.ctl		
	Ζ	X	Χ		NA			DISPLAY_WAYPOINT.ctl		Was UTIL_WAYPOINT.VI
	Z	X	Χ	Χ	NA			DISPLAY_WEIGHTED_WAYPOINT.ctl		New V1.5. was
										UTIL_WEIGHTED_WAYPOINIT.VI
	Ζ	X	X	X	N/A			ELEV FF.CTL		
	Z		X		N/A			ELEVATOR SIM.CTL		
	Z			X				EXTENDED KALMAN CORRECT FUNC GROUP.CTL		
	Ζ		X	Χ	N/A			EXTENDED KALMAN FILTER.CTL		
	Ζ	Χ	X		N/A			FLYWHEEL_SIM.ctl		
	Ζ	Χ	Χ		N/A			HOLONOMIC_DRV_CTRL.CTL		New 1/26/21
	Ζ	Χ	Χ	Χ				KALMAN_FILTER_LATENCY_COMP_FUNC_GROUP.CTL		
	Ζ	X	X		N/A			KALMAN_FILTER_LATENCY_COMP.CTL		
	Ζ	Χ	Χ		N/A			KALMAN_FILTER.ctl		
	Z	X	X		N/A			LINEAR_FILTER.CTL		
	Z	X	X		N/A			LINEAR_PLANT_INV_FF.ctl		
-	Z	X	X X		N/A			LINEAR_QUADRATIC_REGULATOR.ctl LINEAR SYSTEM LOOP.ctl		
	Z Z	X	<i>X</i>	X	N/A			LINEAR SYSTEM_LOOP.cti		
-	Z	$\frac{\lambda}{X}$			N/A			LINEAR SYSTEM_SIM.Cti		
-	Z	X						MECA DRIVE KINEMATICS.CTL		
	Z	X	$\hat{x}$	$\hat{x}$	N/A			MECA DRIVE ODOMETRY.CTL		
	Z				N/A			MECA WHEEL SPEEDS.CTL		
	Z				N/A			MEDIAN FILTER.CTL		
	Ζ				N/A			MERWE_SCALED_SIGMA_PTS.ctl		
	Ζ				N/A			OBSERVER_SNAP_LIST_ITEM.CTL		
	Ζ	Χ	Χ	Χ	N/A			OBSERVER_SNAPSHOT.CTL		
	Ζ				N/A			PARAM_STACK_ITEM.CTL		
	Ζ				N/A			PARAM_STACK.CTL		
	Z				N/A			PID_ADV_LIMITS.CTL		
	Z	X			N/A			PID_ADV_TUNING.CTL		
					N/A			PID_CONTROLLER.CTL		
-	Z				N/A			PID_ERROR_TOLERANCE.CTL		
-	Z	X			N/A N/A			PID_INPUT_LIMITS.CTL PID_TUNING.CTL		
L		^	^	۸	IV/A			רוט_וטואואט.טוב		

seful)						
Ζ	X	X		N/A	POSE2D.CTL	
Ζ	Χ	Χ	Χ	N/A	POSEwCURVATURE.CTL	
Ζ	Χ	Χ	Χ	N/A	PROFILED_PID_CONTROLLER.CTL	
Z	Χ	Χ	Χ	N/A	RAMSETE_EXE_TUNING.CTL	
Z	Χ	Χ	Χ	N/A	RAMSETE.CTL	
Z	Χ	Χ	X	N/A	ROTATION2D.CTL	
Z	Χ	Χ	X	N/A	SIMPLE_MOTOR_FF.CTL	
Ζ	X	Χ	Χ	N/A	SINGLE_JOINT_ARM_SIM.CTL	
Ζ	Χ	Χ	Χ	N/A	SLEW_RATE_LIMITER.CTL	
Z	X	X	X		SPLINE_CTRL_VECTOR.CTL	
Ζ	X	X	X		SPLINE.CTL	
Ζ	X	Χ		N/A	SWERVE_DRIVE_KINEMATICS.CTL	
Ζ	X	Χ	Χ		SWERVE_DRIVE_MODULE_STATE.CTL	
Ζ	X	Χ	X		SWERVE_DRIVE_ODOMETRY.CTL	
Ζ	Χ			N/A	SWERVE_DRIVE_POSE_EST.CTL	
Ζ	X	Χ	Χ		TIMER.CTL	
Ζ	X	Χ	Χ		TRAJ_CONFIG.CTL	
Ζ	X	Χ		N/A	TRAJ_CONSTRAINT_CENTRIPETAL_ACCEL.CTL	
Ζ	X	Χ		N/A	TRAJ_CONSTRAINT_DIIF_DRIVE_KINEMATICS.CTL	
Ζ	X	Χ	Χ		TRAJ_CONSTRAINT_DIIF_DRIVE_VOLTAGE.CTL	
1		Χ		N/A	TRAJ_CONSTRAINT_JERK.CTL	Routine exists, it is just a shell
Ζ	X		Χ		TRAJ_CONSTRAINT_MECA_DRIVE_KINEMATICS.CTL	
Ζ	X	Χ		N/A	TRAJ_CONSTRAINT_MINMAX.CTL	
Z	X	Χ	Χ		TRAJ_CONSTRAINT_SWERVE_DRIVE_KINEMATICS.CTL	
Ζ	X		Χ		TRAJ_STATE.CTL	
Ζ	X	Χ	Χ		TRAJECTORY_SPLINE_TYPE_ENUM.CTL	
Ζ	X	Χ	Χ		TRAJECTORY.CTL	
Ζ	X	Χ		N/A	TRANSFORM2D.CTL	
Ζ	X	Χ	Χ		TRANSLATION2D.CTL	
Z	X	Χ	Χ		TRAPEZOID_PROFILE_CONSTRAINT.CTL	
Ζ	X	Χ		N/A	TRAPEZOID_PROFILE_STATE.CTL	
Ζ	X	Χ	Χ		TRAPEZOID_PROFILE.CTL	
Ζ	X	Χ	Χ		TWIST2D.CTL	
Ζ	X	Χ		N/A	UNSCENTED_KALMAN_CORRECT_FUNC_GROUP.CTL	
Ζ	X	Χ	Χ		UNSCENTED_KALMAN_FILTER.ctl	
Ζ	X	Χ	Χ		UNSCENTED_KALMAN_NEW_FUNC_GROUP.CTL	
Ζ	X	Χ		N/A	UTIL_PATHFINDER_CONFIG.CTL	
N/A		N/A		N/A	WAYPOINTS.CTL	Delete – obsolete
Ζ	X	Χ	Χ		WEIGHTED_WAYPOINT.CTL	New V1.5
N/A		N/A		N/A	X_Y_HEADINGS.CTL	Delete – obsolete