This documents which Java/C++ WPILIB routines have been duplicated in LabVIEW, and which ones are not needed (for example because all that is needed is a cluster unpack function), and what isn't done....yet...

VI / CTL Totals
VI Total (X)
CTL Total (Z)
VI Shell Total (/)
TRL Shell Total (\)

2

VI Total (X)
CTL Total (Z)
VI Shell Total (/)
CTRL Shell Total (/)
CTR

Doc completed Pct 100.00% Optimization Pct 52.40%

Optimize legend: S = Subroutine, I = Inline, X = reviewed, nothing done. (In some cases, after sufficient debug and use, additional optimizations could be considered.)

'========

BASE

'=======

									•	
					75					
					izec		_			
					tim		Program			
	pə,	pə	В	_	Ó	ие	lgo.			
	ent	ent	7	e.	on	uti	ď			
	em	Ĕ	Ŋ	u H	cuti	Æ	əldı			
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample	VI Name	Function Prototype	Notes
EAR FILTER		X		$\overline{X}$	1		٠,	LinearFilter BackwardFiniteDifference.vi	T directory recovered	110100
	Χ	Χ		Χ	SI			LinearFilter Calculate.vi		
	Χ	Χ	X	Χ	Χ			LinearFilter_CutoffFrequency.vi		
	Χ	Χ	X	X	I		Χ	LinearFilter_Execute.vi		Labview style helper
	Χ	Χ		No	1			LinearFilter_Factorial.vi		AN INTERNAL ROUTINE
	Χ	Χ		Χ	Χ			LinearFilter_HighPass.vi		
	Χ	Χ	X	Χ	Χ			LinearFilter_HighPassBW1.vi		
	Χ	Χ	Χ	Χ	Χ			LinearFilter_HighPassBW2.vi		
	Χ	Χ	Χ	Χ				LinearFilter_LowPassBW1.vi		
	Χ	Χ	Χ	Χ	Χ			LinearFilter_LowPassBW2.vi		
	Χ	Χ		Χ	Χ			LinearFilter_MovingAverage.vi		
	Χ	Χ		Χ	I			LinearFilter_New.vi		
	Χ	Χ		Χ	SI			LinearFilter_Reset.vi		
	Χ	Χ	Χ	Χ	SI			LinearFilter_ResetToValue.vi		
	Χ	Χ		X	Χ			LinearFilter_SinglePoleIIR.vi		
	Χ	Χ	X	X	X			LinearFilter_TimeConst.vi		
					75					
					Execution Optimized					
					į.		Sample Program			
	þé	Ď	m		Ö	e	g			
	Implemented	Documented	Not WPILIB	ш	20	Test Routine	Pr			
	me	ше	Μ	, #e	utic	Bo	)e			
	рlе	7,7	7 /	Menu Item	ec	St	Į,			
-			_≥_	_ <u>\$</u> _				VI Name	Function Prototype	Notes
IAN FILTER		Χ		Χ	Χ			MedianFilter_Calculate.vi		
ļ	Χ	Χ	X	X	I			MedianFilter_Execute.vi		Labview style helper
	Χ	Χ		Χ	SI			MedianFilter_New.vi		
	Χ	X		X	SI			MedianFilter_Reset.vi		
	X	Χ	X	Χ	SI			MedianFilter_ResetToValue.vi		

<u>y – VI Implementation</u>	1 LIST								_	
ang/Bang – (not very use	eful)				_					
					Execution Optimized					
					πį		3			
	_				žį		Sample Program			
	Implemented	ΘĠ	9		ŏ	9	go			
	u	Documented	Not WPILIB	Menu Item	u	Test Routine	ď			
	ä	ие	Œ	<i>#</i>	ţį	8	e			
	)e	วัต	Ž	nn	726	st F	μ			
	Ĭ,	õ	õ	Je	Ä	ള്	Sa.	VI Name	Function Prototype	Notes
SLEW RATE FILTER		X	$\overline{}$	$\overline{x}$	1	-		SlewRateLimiter_Calculate.vi		
SLLW RATE HEILK			V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	01					
		Χ	X	X	SI			SlewRateLimiter_Close.vi		
	Χ	Χ	X	X	I		X	SlewRateLimiter_Execute.vi		Labview style helper
	Χ	Χ	X		SI			SlewRateLimiter_GetRate.vi		
	Χ	Χ		X				SlewRateLimiter_New.vi		
	Χ	X		X	- 1			SlewRateLimiter_NewInitialZero.vi		
	Χ	Χ		X	1			SlewRateLimiter Reset.vi		
		X		X	SI			SlewRateLimiter SetRate.vi		
ι	, ,			,,,						
					Ø					
					Ż					
					Ē		Ĕ			
	7	~			pti	a.	37.6			
	ţe	ξĘ	IB	2	0	ij	ğ			
	eu	en	7/	ě	0	Ž	ď			
	ы	Ę	Ž	7	žξ	Ř	ρle			
	Implemented	Documented	Not WPILIB	en	Execution Optimized	Test Routine	Sample Program			
-			ž	Menu Item		76	လိ		, , , , , , , , , , , , , , , , , , , ,	Notes
TIMER	Χ	Χ	X	X				Timer_Close.vi		releases semaphore
	Χ	Χ		X			X	Timer_Get.vi		
	Χ	X	X					Timer_GetAndReset.vi		
	X	X	X	No				Timer GetInternal.vi		Internal (private) only
	X	X		X			V	Timer HasPeriodPassed.vi		internal (private) only
-			V	\ \ \ \ \			· ·	Timer He-PeriodPessedOnes vi		
	X	Χ	X	X				Timer_HasPeriodPassedOnce.vi		
	Χ	X		X				Timer_New.vi		
	Χ	Χ		X			X	Timer_Reset.vi		
	Χ	Χ	X	No				Timer_ResetInternal		Internal (private) only
	Χ	Χ		X			X	Timer_Start.vi		,, ,
	Χ	Χ		X				Timer_Stop.vi		
	X	X	X					Timer_StopInternal.vi		Internal (private) only
			<u> </u>	110				Timor_Gtopinternal.vi		internal (private) only
L										
					7					
					Execution Optimized					
					ä.		E			
	75	~			pti	a.	Sample Program			
	Implemented	Documented	<u>B</u>	,	0	Test Routine	Š,			
	eu	eu	Not WPILIB	Menu Item	.6	ΣŢ	σ.			
	E.	Ĕ	Ž	7	137	Æ	a/e			
	d	Ω	) <i>‡</i> 1	90	ě	st	Ĭ.			
	<u>E</u>	ă	ž	ž	щ	76	SS	VI Name	Function Prototype	Notes
DIG SEQ LOGIC	Χ	Χ	X	X				DigSeqLogic_On_Delay.vi		
	Χ	Χ	X					DigSeqLogic_Off_Delay.vi		
	Χ	X	X	X				DigSeqLogic_One_Shot.vi		
	X	X		X				DigSeqLogic SR Flip Flop.vi		
	^	^		+^				5-13-5-42-091001-1_1 11p_1 10p.11		
l										
					7					
					ĕ					
					<u> </u>		Е			
	~	_			oti	_	Ĭa			
	ţec	ě	В	~	0	ine	õ			
	en	en.	Ĭ	eп	00	ŭ	ď			
	Ř	Ĭ	Ž	111	αţį	BG	2/e			
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program			
	ľu,	ρo	8	Ø	Ě	<b>7</b> e	Sa	VI Name	Function Prototype	Notes
DEBOUNCER	Χ	X						Debouncer_New.vi		
	X	X						Debouncer_Calculate.vi		
	X	$\hat{x}$	X					Debouncer_Execute.vi		
			_^			1				
	X	X		No				Debouncer_Reset.vi		
	X	Χ		No				Debouncer_HasElapsed.vi		
					-					

'===== CONTROLLER '======

Execution Optimizec nple Progra Menu Item VI Name Function Prototype Notes ARM FF X X ArmFF Calculate.vi XX X ArmFF CalculateVelocityOnly.vi Χ ArmFF\_Execute.vi LabVIEW style single call Χ ArmFF\_ExecuteVelocityOnly.vi LabVIEW style single call X X Χ ArmFF\_MaxAchieveAccel.vi XX X ArmFF\_MaxAchieveVelocity.vi XX X ArmFF\_MinAchieveAccel.vi XX X ArmFF\_MinAchieveVelocity.vi XX Χ ArmFF\_New\_ZeroGravity.vi XX Χ ArmFF New.vi Execution Optimized **Function Prototype** Notes BANG BANG X X X BangBang AtSetpoint.vi SI BangBang Calculate PV.vi  $X \mid X$ Χ SI BangBang Calculate SP PV.vi XX X SI X X X X SI BangBang Execute.vi XX X SI BangBang\_GetAll.vi XX X SI BangBang\_GetError.vi XX X SI BangBang\_New.vi XX X SI BangBang\_SetSetpoint.vi XX X SI BangBang\_SetTolerance.vi Execution Optimized Test Routine Not WPILIB Menu Item Function Prototype CONTROLLER UTIL X Χ Χ ControllerUtil GetModulusError.vi This was short lived in WPILIB, but still useful here. Menu Item VI Name Function Prototype Notes ELEV FF X X X ElevFF Calculate.vi XX ElevFF CalculateVelocityOnly.vi X ElevFF Execute.vi LabVIEW style single call

ElevFF ExecuteVelocityOnly.vi

LabVIEW style single call

X	X	X	ElevFF_MaxAchieveAccel.vi
X	X	X	ElevFF_MaxAchieveVelocity.vi
X	X	X	ElevFF_MinAchieveAccel.vi
X	X	X	ElevFF_MinAchieveVelocity.vi
X	X	X	ElevFF_New_ZeroAccel.vi
X	X	X	ElevFF New.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimizea	Test Routine	Sample Program	Function Prototype	Notes
HOL_DRV_CTRL	Χ	X		Χ	SI		HolDrvCtrl_AtReference.vi		Added 1/26/21
	X	Χ		Χ	- 1		HolDrvCtrl_Calculate_Trajectory.vi		Added 1/26/21
	X	Χ		Χ	- 1		HolDrvCtrl_Calculate.vi		Added 1/26/21
			Χ				HolDrvCtrl_Execute_Trajectory.vi		Future
			X				HolDrvCtrl_Execute.vi		Future
	X	Χ		Χ	SI		HolDrvCtrl_New.vi		Added 1/26/21
	X	Χ		Χ	SI		HolDrvCtrl_SetEnabled.vi		Added 1/26/21
	X	X		Χ	SI		HolDrvCtrl SetTolerance.vi		Added 1/26/21

Implemented		Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	S VI Name Function Prototype	Notes
PID CONTROLLER X		X	X	Χ			PIDController AdvCalculate FF Sp Pv Per.vi	Advanced PID
X	<u> </u>	X	X	Χ			PIDController AdvCalculate FF Sp Pv.vi	Advanced PID
X		X	Χ	Χ			X PIDController_AdvExecute.vi	Labview style helper. Advanced PID
X	[ ] .	$X \mid$		X	SI		PIDController_AtSetpoint.vi	
X		X		Χ			PIDController_Calculate_PV.vi	
X		X		Χ			PIDController_Calculate_SP_PV.vi	
X		X		Χ	SI		PIDController_DisableContinousInput.vi	
X		X		X	SI		PIDController_EnableContinousInput.vi	
X		X	Χ	Χ			X PIDController_Execute.vi	Labview style helper
							PIDController_GetContinuousError.vi	OBSOLETE - Removed
X		X		Χ	SI		PIDController_GetPeriod.vi	
X		X		Χ	SI		PIDController_GetPID.vi	
X		X		Χ	SI		PIDController_GetPositionError.vi	
X		X		Χ	SI		PIDController_GetSetpoint.vi	
X		X		X	SI		PIDController_GetVelocityError.vi	
X		X		Χ	SI		PIDController_IsContinuousInputEnabled.vi	
X		X		Χ	1		PIDController_New.vi	
X		X		Χ	1		PIDController_NewPeriod.vi	
X			Χ	Χ	SI		PIDController_Pack_AdvLimits.vi	
X			X	X	SI		PIDController_Pack_AdvTuning.vi	
X		X	Χ	Χ	SI		PIDController_Pack_ErrorTolerance.vi	
X			X	Χ	SI		PIDController_Pack_InputLimits.vi	
X	<b>.</b>	X	Χ	Χ	SI		PIDController_Pack_Tuning.vi	
X	ſ .	X		Χ	SI		PIDController_Reset.vi	
X	<b>.</b>	X		Χ	SI		PIDController_SetD.vi	
X	<u> </u>	X	X	Χ	SI		PIDController_SetDerivativeFilter.vi	Advanced PID
X		X	Χ	No			PIDController_SetFeedForward_OBSOLETE_DELETE.vi	Advanced PID, Obsolete – DELETE
X	(	X	X	No			PIDController_SetFFGain_OBSOLETE_DELETE.vi	Advanced PID, Obsolete – DELETE
X	<u> </u>	X		Χ	SI		PIDController_Setl.vi	
							PIDController_SetInputRange.vi	OBSOLETE – Removed
X	<u> </u>	Χ		Χ	SI		PIDController_SetIntegratorRange.vi	

Page 4 / 31

X	Χ	Χ	Χ	SI	PIDController_SetOutputLimits.vi	Advance	ed PID
X	X		Χ	SI	PIDController_SetP.vi		
X	X	X	Χ	SI	PIDController_SetPeriod.vi		
X	X		Χ	SI	PIDController_SetPID.vi		
X	X	X	Χ	SI	PIDController_SetPIDF.vi	Advance	ed PID
X	X		Χ	SI	PIDController_SetSetpoint.vi		
X	X		Χ	SI	PIDController_SetTolerance.vi		
Χ	Χ		Χ	SI	PIDController_SetTolerancePandV.vi		

	Implement	Document	Not WPILI	Menu Item	Execution	Test Routi
FILED PID CONTROLLER	X	X		X	SI	

PROF

7	Documented	Not WPILIB	Menu Item	Execution O	Test Routine	Sample	VI Name	Function Prototype	Notes
X Implemented	X	_	_ <u>&lt;</u>	SI	_		ProfiledPIDController AtGoal.vi		Notes
X	$\frac{\lambda}{X}$		X	SI			ProfiledPIDController AtSetpoint.vi		
X	$\hat{X}$		$\hat{X}$	31			ProfiledPIDController Calculate Meas Goal.vi		
X	X		$\frac{\lambda}{X}$				ProfiledPIDController_Calculate_Meas_StateGoal_TrapCnsrt.vi		
X	$\frac{\hat{x}}{x}$		X				ProfiledPIDController Calculate Meas StateGoal.vi		
X	X		X				ProfiledPIDController Calculate Meas_StateGoal.vi		
X	X		X	SI			ProfiledPIDController DisableContInput.vi		
X	X		X	SI			ProfiledPIDController EnableContInput.vi		
X	$\hat{X}$	X	$\hat{X}$	31			ProfiledPIDController Execute.vi		Single call LabVIEW style function.
^	^	^	^				FTOIlledFIDGOTILTOILET_EXECUTE.VI		Single call LabviEvv Style function.
X	Χ		Χ	SI			ProfiledPIDController_GetGoal.vi		
X	X		X	SI			ProfiledPIDController_GetPeriod.vi		
X	X	X	X	SI			ProfiledPIDController_GetPID.vi		WPILIB has separate getters.
X	X		X	SI			ProfiledPIDController_GetPositionError.vi		
X	X		X	SI			ProfiledPIDController_GetSetpoint.vi		
X	X		Χ	SI			ProfiledPIDController_GetVelocityError.vi		
X	X		X	1			ProfiledPIDController_New.vi		
X	X		Χ	1			ProfiledPIDController_NewPeriod.vi		
X	X		X	SI			ProfiledPIDController_Reset_PosOnly.vi		
X	X		X	SI			ProfiledPIDController_Reset_PosVel.vi		
X	X		X	SI			ProfiledPIDController_Reset.vi		
X	X		X	SI			ProfiledPIDController_SetConstraints.vi		
X	X		X	SI			ProfiledPIDController_SetGoal_PosOnly.vi		
X	X		X	SI			ProfiledPIDController_SetGoal.vi		
X	Χ		Χ	SI			ProfiledPIDController_SetIntegratorRange.vi		
X	Χ		Χ	SI			ProfiledPIDController_SetPID.vi		
X	X		Χ	SI			ProfiledPIDController_SetTolerance_PosOnly.vi		
X	Χ		Χ	SI			ProfiledPIDController_SetTolerance_PosVel.vi		

ие	9	Ď.	J£	
ě	ž	WP	2	
пріете	ocume	lot	<b>Jenu</b>	

RAMSE

	Implemente	Documente	Not WPILIB	Menu Item	Execution C	Test Routin	Sample Pro	ne	Function Prototype	Notes
SETE[	Χ	Χ		Χ	SI		Ramse	ete_AtReference.vi	AtReference	
	X	Χ		Χ	X		Ramse	ete_Calculate_Trajectory.vi	calculate_trajectory	
	X	Χ		Χ	X		Ramse	ete_Calculate.vi	calculate	
	X	Χ	X	Χ	X		Ramse	ete_Diff_DO_Eng.vi		
	X	Χ	X	Χ	X		Ramse	ete_Diff_DO_SI.vi		
	X	Χ	X	Χ	1			ete_Execute_ENG.vi	Use this one!!	
	X	Χ	X	Χ	SI		Ramse	ete_Execute_PackTuning_ENG.vi		
	X	Χ	X	Χ	SI		Ramse	ete_Execute_PackTuning.vi		
	X	Χ	X	Χ	1		Ramse	ete_Execute.vi		
	Χ	Χ		Χ	SI		Ramse	ete_New_B_Z.vi	new(b, zeta)	
	X	Χ		Χ	SI		Ramse	ete_New.vi	new	

X	λ	 X	SI	Ramsete_SetEnabled.vi	SetEnabled	
X	λ	 X	SI	Ramsete_SetTolerance.vi	SetTolerance	
X	λ	 X	X	Ramsete_SINC.vi	sinc	internal

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine Sample Program enemonia	Function Prototype	Notes
SIMPLE MOTOR FEEDFORWARD	X	Χ	X	X	SI	SimpleMotorFF_Calculate_CalcAccel.vi		
	Χ	Χ		Χ		SimpleMotorFF_Calculate_NextV_Dt.vi		
	X	Χ		Χ	SI	SimpleMotorFF_Calculate.vi	public double calculate(double velocity, double acceleration)	
	X	Χ		Χ	SI	SimpleMotorFF_CalculateVelocityOnly.vi	public double calculate(double velocity)	
	X	X		X	X	SimpleMotorFF_MaxAchieveAccel.vi	<pre>public double maxAchievableAcceleration(double maxVoltage, double velocity)</pre>	
	X	X		X	X	SimpleMotorFF_MaxAchieveVel.vi	public double maxAchievableVelocity(double maxVoltage, double acceleration)	
	X	X		X	X	SimpleMotorFF_MinAchieveAccel.vi	public double minAchievableAcceleration(double maxVoltage, double velocity)	
	X	X		X	X	SimpleMotorFF_MinAchieveVel.vi	public double minAchievableVelocity(double maxVoltage, double acceleration)	
	X	X		X	SI	SimpleMotorFF_New.vi	public SimpleMotorFeedforward(double ks, double kv, double ka)	
							public SimpleMotorFeedforward(double ks, double kv)	

'===== GEOMETRY '======


> Execution Optimiz Menu Item VI Name Function Prototype Notes POSE X X Pose Equals.VI X SI boolean equals( other obj ) XX XX Pose Exp.vi pose2d exp( twist2d twist ) XX X SI Pose getRotation.vi rotation2d getRotation() can also use cluster unpack X SI XX Pose getTranslation.vi translation2d getTranslation() can also use cluster unpack X X X X SI Pose\_getXY.vi X X X X SI Pose getXYAngle.vi XX Pose Log.vi twist2d log( pose2d end )  $X \mid X$ XX Pose Minus.vi transform2d minus( pose2d other ) X SI Pose\_New\_TRRO.vi XX X SI pose2d new( translation2d, rotation2d ) XX X SI Pose New.vi pose2d new( double x, double y, rotation2d ) XX X SI Pose Plus.vi pose2d plus( transform2d other ) XX X SI Pose\_RelativeTo.vi pose2d relativeto( pose2d other ) XX X SI Pose\_TransformBy.vi pose2d transformby( transform2d other ) pose2d new() can use cluster constant

Execution Optimized Not WPILIB Menu Item **Function Prototype** Notes ROTATION X X Rotation CreateAngle.vi Χ SI rotation2d new( double value ) Rotation\_CreateAngleDegrees.vi  $X \mid X$ Χ SI rotation2d fromDegrees( double degrees ) convert to radians then create X SI Rotation CreateXY.vi  $X \mid X$ rotation2d new( double x, double y ) X SI XX Rotation Equals.vi boolean equals( rotation2d other ) X X X X SI Rotation GetAngleCosSin.vi New 1/26/21

X X X X X X X X X X X X X X X X X X X	X Documented X X X X X X X X X X X X X X X X X X X	Not WPILIB	Menu Item		Test Routine	Rotation_GetCos.VI  Rotation_GetDegrees.VI  Rotation_GetRadians.VI  Rotation_GetSin.VI  Rotation_GetTan.VI  Rotation_Minus.vi  Rotation_Plus.vi  Rotation_RotateBy.vi  Rotation_Times.vi  Rotation_UnaryMinus.vi	double getCos()  double getPegrees()  double getRadians()  double getSin()  double getTan()  rotation2d minus( rotation2d other )  rotation2d plus( rotation2d other )  rotation2d rotateby( rotation2d other )  rotation2d times( double scalar )  rotation2d unaryminus()  rotation2d new()	use cluster unpack use cluster unpack, then conve degree use cluster unpack use cluster unpack can calculate  can use cluster constant
X X X X X X X X X X X X X X X X X X X	X	Not WPILIB	Fee X X X X X X X X X X X X X X X X X X	SI SI SI SI SI SI SI SI	Routine	Rotation_GetDegrees.VI  Rotation_GetRadians.VI Rotation_GetSin.VI Rotation_GetTan.VI Rotation_Minus.vi Rotation_Plus.vi Rotation_Plus.vi Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	double getDegrees()  double getRadians()  double getSin()  double getTan()  rotation2d minus( rotation2d other )  rotation2d plus( rotation2d other )  rotation2d rotateby( rotation2d other )  rotation2d times( double scalar )  rotation2d unaryminus( )	use cluster unpack, then conve degree use cluster unpack use cluster unpack can calculate
X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Not WPILIB	Item	SI SI SI SI SI SI SI	Routine	Rotation_GetRadians.VI Rotation_GetSin.VI Rotation_GetTan.VI Rotation_Minus.vi Rotation_Plus.vi Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	double getRadians() double getSin() double getTan() rotation2d minus( rotation2d other ) rotation2d plus( rotation2d other ) rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	degree use cluster unpack use cluster unpack can calculate
X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Not WPILIB	tee X X X X X X X X X X X X X X X X X X	SI SI SI SI SI SI	Routine	Rotation_GetSin.VI Rotation_GetTan.VI Rotation_Minus.vi Rotation_Plus.vi Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	double getSin() double getTan() rotation2d minus( rotation2d other ) rotation2d plus( rotation2d other ) rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	use cluster unpack use cluster unpack can calculate
X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Not WPILIB	tee X X X X X X X X X X X X X X X X X X	SI SI SI SI SI SI	Routine	Rotation_GetSin.VI Rotation_GetTan.VI Rotation_Minus.vi Rotation_Plus.vi Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	double getSin() double getTan() rotation2d minus( rotation2d other ) rotation2d plus( rotation2d other ) rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	use cluster unpack can calculate
X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Not WPILIB	x x x x x x	SI SI SI SI SI	Routine	Rotation_GetTan.VI  Rotation_Minus.vi  Rotation_Plus.vi  Rotation_RotateBy.vi  Rotation_Times.vi  Rotation_UnaryMinus.vi	double getTan() rotation2d minus( rotation2d other ) rotation2d plus( rotation2d other ) rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	can calculate
X X X X X X X X X X X X X X X X X X X	X X X X X X	Not WPILIB	X X X X X X X X X X X X X X X X X X X	SI SI SI SI	Routine	Rotation_Minus.vi Rotation_Plus.vi Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	rotation2d minus( rotation2d other ) rotation2d plus( rotation2d other ) rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	
X X X X X X X X X X X X X X X X X X X	X Documented X	Not WPILIB	X X X X	SI SI SI	Routine	Rotation_Plus.vi Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	rotation2d plus( rotation2d other ) rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	can use cluster constant
X X X X X X X X X X X X	X Documented	Not WPILIB	X X X	SI SI SI	Routine	Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	can use cluster constant
X X X X X X X X X X X X	X Documented	Not WPILIB	X X X	SI SI SI	Routine	Rotation_RotateBy.vi Rotation_Times.vi Rotation_UnaryMinus.vi	rotation2d rotateby( rotation2d other ) rotation2d times( double scalar ) rotation2d unaryminus( )	can use cluster constant
X X X X X X X X	X Documented	Not WPILIB	X X	SI SI	Routine	Rotation_Times.vi Rotation_UnaryMinus.vi	rotation2d times( double scalar ) rotation2d unaryminus( )	can use cluster constant
X  X  Ansform  X  X  X  X	X Documented	Not WPILIB	X X	SI	Routine	Rotation_UnaryMinus.vi	rotation2d unaryminus( )	can use cluster constant
RANSFORM X X	X Documented	Not WPILIB	ltem		Routine			can use cluster constant
RANSFORM X X X X	Χ	Not WPILIB	enu Item	ecution Optimized	Routine	ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב ב	rotation2d new()	can use cluster constant
RANSFORM X X X X	Χ	Not WPILIB	enu Item	ecution Optimized	Routine	ב ה ה		
X X X	X X X X X X	X X	X X X X X X X	SI SI SI SI SI SI SI	Test	Transform_Create_PosePose.vi Transform_Create_TransRot.vi Transform_Equals.VI Transform_GetRotation.VI Transform_GetTranslation.VI Transform_GetXY.vi Transform_GetXYAngle.vi Transform_Inverse.vi	Function Prototype  transform2d new( pose2d, pose2d )  transform2d new( translation2d, rotation2d )  boolean equals( other transform2d )  rotation2d getRotation()  translation2d getTranslation()  transform inverse()	Notes  use cluster unpack use cluster unpack
X	X		X	Si		Transform Plus.vi		
	X		Х	SI		Transform Times.vi	transform2d times( double scalar )	
^	^		^	JI	_	Transionii_niiles.vi	transform2d new( )	can use cluster constant
NSLATION	X Documented	Not WPILIB	X Menu Item	ଦ୍ର Execution Optimized	Test Routine	Translation_Create_DistAng.vi	Function Prototype	Notes
X	X		X	SI SI	+	Translation_Create.vi Translation_Equals.vi	translation2d new( double x, double y ) boolean equals( translation other )	
X	Χ		Χ	SI	+	Translation_Equals.vi	boolean equals( translation other )	
X	X		X	SI SI	#	Translation_Equals.vi Translation_GetDistance.vi	boolean equals( translation other ) double getDistance( translation2d other )	can use cluster unnack
X X X	X X X		X X X	SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm()	can use cluster unpack
X X X	X X X		X X X	SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI	boolean equals( translation other ) double getDistance( translation2d other )	can use cluster unpack can use cluster unpack
X X X X	X X X X	X	X X X	SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm()	
X X X X	X X X X	X	X X X X	SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()	can use cluster unpack
X X X X X	X X X X X	X	X X X X X	SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY()	· · · · · · · · · · · · · · · · · · ·
X X X X X X	X X X X X X	X	X X X X X X	SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_GetY.VI	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other )	can use cluster unpack
X X X X X X X	X X X X X X X	X	X X X X X X X	SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other )	can use cluster unpack
X X X X X X X X	X X X X X X X X	X	X X X X X X X X	SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other )	can use cluster unpack
X X X X X X X	X X X X X X X X	X	X X X X X X X X	SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other )	can use cluster unpack
X X X X X X X X X	X X X X X X X X X	X	X X X X X X X X X	SI SI SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar )	can use cluster unpack
X X X X X X X X	X X X X X X X X	X	X X X X X X X X X	SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( )	can use cluster unpack can use cluster unpack
X X X X X X X X	X X X X X X X X X	X	X X X X X X X X X	SI SI SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack  can use cluster unpack  can use cluster constant
X X X X X X X X	X X X X X X X X X	X	X X X X X X X X X	SI SI SI SI SI SI SI SI SI		Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack can use cluster unpack can use cluster constant
X X X X X X X X X	X X X X X X X X X X X X		X X X X X X X X X X X X X X X X X X X	SI   SI   SI   SI   SI   SI   SI   SI	Routine	Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi Translation_UnaryMinus.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( )	can use cluster unpack can use cluster unpack
X X X X X X X X X	X X X X X X X X X X X X		X X X X X X X X X X X X X X X X X X X	SI   SI   SI   SI   SI   SI   SI   SI	st Routine	Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetXY.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi Translation_UnaryMinus.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack can use cluster unpack can use cluster constant
X X X X X X X X X	X X X X X X X X X	Not WPILIB	X X X X X X X X X	SI SI SI SI SI SI SI SI SI	Test Routine	Translation_Equals.vi Translation_GetDistance.vi Translation_GetNorm.VI Translation_GetX.VI Translation_GetX.VI Translation_GetY.VI Translation_Minus.vi Translation_Plus.vi Translation_RotateBy.vi Translation_Times.vi	boolean equals( translation other ) double getDistance( translation2d other ) double getNorm() double getX()  double getY() translation2d minus( translation2d other ) translation2d plus( translation2d other ) translation2d rotateBy( rotation2d other ) translation2d times( double scalar ) translation2d unaryminus( ) translation2d new()	can use cluster unpack can use cluster unpack can use cluster constant

,	X	Х		Χ	SI	Twist Equals.VI	boolean equals( obj other )	
	Χ	Χ	X	Χ	SI	Twist_GetAll.VI		

'======== KINEMATICS '========



**Function Prototype** Notes

FRC\_LabVIEW\_Trajectory\_Library\_Routines.xlsx

toSwerveModuleStates(ChassisSpeeds chassisSpeeds)

'====== SPLINE '=======

ory Library – VI Implementatio – Added Bang/Bang – (not very us									
- Added bally/bally - (not very ds	eiui)							public SwerveDriveKinematics(Translation2d wheelsMeters)	variable parameters (replace with array and "4" calls)
								public ChassisSpeeds toChassisSpeeds(SwerveModuleState	variable parameters (replace with array and "4" calls)
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized Test Routine	Sample Program	VI Name	Function Prototype	Notes
SWERVE DRIVE ODOMETRY							SwerveOdometry_Execute4.vi		
							SwerveOdometry_ExecuteX.vi		
	X	X		X			SwerveOdometry_GetPosition.VI	public Pose2d getPoseMeters()	
	X	Χ		X			SwerveOdometry_New.VI	public SwerveDriveOdometry(SwerveDriveKinematics kinematics, Rotation2d gyroAngle, Pose2d initialPose)	
		Χ		X			SwerveOdometry_NewZeroCenter.VI	public SwerveDriveOdometry(SwerveDriveKinematics kinematics, Rotation2d gyroAngle)	
	X	Χ		Χ			SwerveOdometry_ResetPosition.VI	public void resetPosition(Pose2d pose, Rotation2d gyroAngle)	
	X	Χ	Χ	X			SwerveOdometry_Update4.VI		For 4 module drives
	X	X	X	X			SwerveOdometry_UpdateWithTime4.VI		For 4 module drives
	X	X	X	X			SwerveOdometry_UpdateWithTimeX.VI		uses array as input
	X	X	Χ	Χ			SwerveOdometry_UpdateX.VI		uses array as input
								Rotation2d gyroAngle, SwerveModuleState moduleStates)	variable parameters (replace wit array and "4" calls)
								public Pose2d update(Rotation2d gyroAngle, SwerveModuleState moduleStates)	variable parameters (replace with array and "4" calls)
SWERVE DRIVE MODULE STATE	X   X   X   X	X	Not WPILIB	X Wenu Item	9 9 8 Execution Optimized	Sample Program	VI Name SwerveModuleState_CompareTo.vi SwerveModuleState_Get.vi SwerveModuleState_New.vi SwerveModuleState_Optimize.vi	Function Prototype  public int compareTo(SwerveModuleState o)  public SwerveModuleState(double speedMetersPerSecond, Rotation2d angle)  public SwerveModuleState optimize( SwerveModuleState desired, Rotation2d angle )	Notes
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized Test Routine	Sample Program	VI Name	Function Prototype	Notes
CUBIC HERMITE SPLINE							`		not needed, use cluster unpack
						_	Cubio Harmita Calina got Control\/actor From Arraya vi	private CimpleMatrix getCentrel\/eeterFromArrove/ deuble[]	,

	Implementea	Documented	Not WPILIB	Menu Item	Execution Op	Test Routine	on e e od VI Name	Function Prototype	Notes
CUBIC HERMITE SPLINE							,	protected SimpleMatrix getCoefficients()	not needed, use cluster unpack
	X	X		X			CubicHermiteSpline_getControlVectorFromArrays.vi	private SimpleMatrix getControlVectorFromArrays( double[] initialVector, double[] finalVector)	
	Χ	Χ		Χ			CubicHermiteSpline_makeHermiteBasis.vi	private SimpleMatrix makeHermiteBasis()	
	Χ	X		X			CubicHermiteSpline_New.vi	public CubicHermiteSpline(double[] xInitialControlVector, double[] xFinalControlVector, double[] yInitialControlVector, double[] yFinalControlVector)	

dded Bang/Bang – (not very use	etul)									
	J.u.,				g					
					Optimized		2			
					tir		ä			
	eq	þ	m		õ	9	ò			
	ut	nte	7	H		ΖĘ	ď			
	ä	ше	ď	/#	ξį	8	e/e			
	Implementea	Documented	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program			
	<u>u</u>	8	8	Me	Ĕ	<b>7</b> e	Sa	VI Name	Function Prototype	Notes
POSE WITH CURVATURE	X	X		X	SI			PoseWithCurve_New.vi	public PoseWithCurvature(Pose2d poseMeters, double	
									curvatureRadPerMeter)	
										can use cluster constant
										not needed, use cluster unpack
									public double curvatureRadPerMeter	not needed, use cluster unpack
					pa					
					Ϊż		3			
	_				Optimiz		ā			
	ţec	ě	g	~		ü	õ			
	Implemented	Documented	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program			
	me	Ę	¥	n h	Ę	Ř	ρје			
	β	700	01	eu	ě	est.	ш			
			_ <u>×</u> _		<u> </u>	<u>~</u>		VI Name		Notes
QUINTIC HERMITE SPLINE	X	X		X	.	ļ		QuinticHermiteSpline_getControlVectorFromArrays.vi	private SimpleMatrix getControlVectorFromArrays(double[]	
			_					Outratial Lamarita Carlina and L. H. 1915.	initialVector, double[] finalVector)	
	X	X		X				QuinticHermiteSpline_makeHermiteBasis.vi	private SimpleMatrix makeHermiteBasis()	
	X	X		X	.			QuinticHermiteSpline_New.vi	public QuinticHermiteSpline(double[] xInitialControlVector,	
					.				double[] xFinalControlVector, double[] yInitialControlVector,	
				$\vdash$	-	$\rightarrow$			double[] yFinalControlVector) protected SimpleMatrix getCoefficients()	not needed, use cluster unpack
l					$\longrightarrow$				protected Simplewath's getCoefficients()	not needed, use cluster unpack
					Ø					
					ize		_			
					ij.		ш			
	ğ	ō	~		Ö	Ō	g			
	nte	nte	7	Ē	0	ıtiu	2			
	пе	иe	Ű.	lte	Ę.	ζg	e [e			
	je.	'n	3	n	ž	it F	dμ			
	Implemented	Documentea	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program	VI Name	Function Prototype	Notes
SPLINE (Abstract class)			$\overline{}$	$\overline{X}$		<del></del>	_	Spline_getPoint.vi	public PoseWithCurvature getPoint(double t)	
	X				.	1			pasio: ecottate gen entitues ty	1
SPEINE (Abstract class)	X								Spline(int degree)	
SP LINE (ADSITACT Class)	X								Spline(int degree)	
SP LINE (AUSTRACT Class)	X								public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X								public static class ControlVector	implemented as data structure
SP LINE (Abstract class)	X				Q				public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X				ized				public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X				imized				public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)					Optimized	Φ.			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)			817		n Optimized	ıtine			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)			PILIB			Routine			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)			t WPILIB			st Routine			public static class ControlVector	implemented as data structure
SP LINE (AUSTRACT Class)	X   X   X   X   X   X   X   X   X   X		Not WPILIB			Test Routine	imple Program	VI Name	public static class ControlVector  public ControlVector(double[] x, double[] y)	implemented as data structure
	Implemented	Documented	Not WPILIB	Menu Item	Execution	Test Routine	Sample Program		public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype	
SPLINE (ADSTRACT CLASS)	Implemented		Not WPILIB			Test Routine	Sample Program	VI Name SplineHelp_GetCubicCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double	
	X Implemented	X Documented	Not WPILIB	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)	
	Implemented	Documented	Not WPILIB	Menu Item	Execution	X Test Routine	Sample Program		public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]	
	X Implemented	X Documented		X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi SplineHelp_GetCubicCtrlVectorsFromWayPts.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start,	
	X Implemented	X Documented	X	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]	
	X   X   Implemented	X X X	X	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start,	
	X   Implemented	X Documented	X	X Menu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )	Notes
	X   X   Implemented	X X Documented	X X X	X Wenu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )	Notes
	X X Implemented	X X X X X X X X X X X X X X X X X X X	X X X	X Wenn Item	Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )	Notes internal internal
	X X Implemented	X X Documented	X X X	X Wenu Item	Execution		Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]  getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[]  getCubicSplinesFromControlVectors( Spline.ControlVector start,	Notes internal internal
	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenn Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]  getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[]  getCubicSplinesFromControlVectors( Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end)	Notes internal internal internal
	X X Implemented	X X X X X X X X X X X X X X X X X X X	X X X	X Wenn Item	Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi	public static class ControlVector  public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[]  getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[]  getCubicSplinesFromControlVectors( Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end)  private static Spline.ControlVector getQuinticControlVector(double)	Notes internal internal internal
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi  SplineHelp_GetQuinticCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors( Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point)	Notes internal internal internal
	X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) public static List <spline.controlvector></spline.controlvector>	Notes internal internal internal
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi  SplineHelp_GetQuinticCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype  private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point)  public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) public static List <spline.controlvector> getQuinticControlVectorsFromWaypoints( List<pose2d></pose2d></spline.controlvector>	Notes internal internal internal
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X X	X Wenu Item	9 Execution	X	Sample Program	SplineHelp_GetCubicCtrlVector.vi  SplineHelp_GetCubicCtrlVectorsFromWayPts.vi  SplineHelp_GetCubicCtrlVectorsFromWeightedWayPts.vi  SplineHelp_GetCubicSpline_Calc1.vi  SplineHelp_GetCubicSpline_Calc2.vi  SplineHelp_GetCubicSpline_Calc3.vi  SplineHelp_getCubicSplinesFromControlVectors.vi  SplineHelp_GetQuinticCtrlVector.vi	public static class ControlVector public ControlVector(double[] x, double[] y)  Function Prototype private static Spline.ControlVector getCubicControlVector(double scalar, Pose2d point) public static Spline.ControlVector[] getCubicControlVectorsFromWaypoints( Pose2d start, Translation2d[] interiorWaypoints, Pose2d end )  public static CubicHermiteSpline[] getCubicSplinesFromControlVectors(Spline.ControlVector start, Translation2d[] waypoints, Spline.ControlVector end) private static Spline.ControlVector getQuinticControlVector(double scalar, Pose2d point) public static List <spline.controlvector></spline.controlvector>	Notes internal internal internal

Revision 2.X			<ul><li>(not very useful)</li></ul>			

X	(	X	X	SplineHelp_getQuinticSplinesFromControlVectors.vi	public static QuinticHermiteSpline[] getQuinticSplinesFromControlVectors( Spline.ControlVector[] controlVectors)	
χ	(	Χ	No	SplineHelp_ThomasAlgorithm.vi	private static void thomasAlgorithm(double[] a, double[] b, double[] c, double[] d, double[] solutionVector)	internal

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
SPLINE PARAMETERIZER	X	X		X				SplineParam_Spline_T0_T1.vi	public static List <posewithcurvature> parameterize(Spline spline, double t0, double t1)</posewithcurvature>	
	X	X		X		X		SplineParam_Spline.vi	public static List <posewithcurvature> parameterize(Spline spline)</posewithcurvature>	
	X	X	X	No				SplineParam_StackGet.vi		internal
	X	X	X	No				SplineParam_StackPop.vi		internal
	X	X	X	No				SplineParam StackPush.vi		internal

'===== TRAJECTORY '======

TRAJECTORY

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimiz	Test Routine	Sample Program	Function Prototype	Notes
₹Y	Χ	Χ		Χ			Trajectory_Concatenate.vi		
	Χ	X		Χ			Trajectory_equals.vi	boolean equals( other obj )	FUTURE
	Χ	Χ		Χ	SI		Trajectory_GetStates.vi	public List <state> getStates()</state>	not needed, use unpack
Ī	Χ	Χ		Χ	SI		Trajectory_GetTotalTime.vi	public double getTotalTimeSeconds()	not needed, use unpack
	X	Χ		No	SI		Trajectory_lerp_double.vi	private static double lerp(double startValue, double endValue, double t)	internal
	X	Χ		No	SI		Trajectory_lerp_Pose.vi	private static Pose2d lerp(Pose2d startValue, Pose2d endValue, double t)	internal
	Χ	Χ		Χ	SI		Trajectory_New_Empty.vi		
	Χ	Χ		Χ	SI		Trajectory_New.vi	public Trajectory(final List <state> states)</state>	
	X	Χ		Χ			Trajectory_RelativeTo.vi	public Trajectory relativeTo(Pose2d pose)	
	Χ	Χ		Χ			Trajectory_Sample.vi	public State sample(double timeSeconds)	
	X	X	X	X			Trajectory_SampleReverse.vi		Sample in reverse order. Negate sample.

public Trajectory transformBy(Transform2d transform)

can use cluster unpack, array index

public Pose2d getInitialPose()

Implemented
Documented
Not WPILIB
Menu Item
Execution Optimiz
Test Routine

X

Trajectory\_TransformBy.vi

TRAJECTORY\_STATE

	Impleme	Docume	Not WPI	Menu Ite	Executio	Test Rou	Sample	VI Name	Function Prototype	Notes
TATE	Χ	X		Χ	SI			TrajectoryState_Equals.vi	boolean equals( other obj )	
	X	X	X	Χ	SI			TrajectoryState_GetAll.vi		
	Χ	X		Χ	SI			TrajectoryState_GetPose.vi		
	Χ	X		Χ				TrajectoryState_Interpolate.vi	State interpolate(State endValue, double i)	
	X	X		X	SI			, , =	public State(double timeSeconds, double velocityMetersPerSecond, double accelerationMetersPerSecondSq, Pose2d poseMeters, double curvatureRadPerMeter)	
									public State()	

					zed					
					Execution Optimized		ram			
	ited	ted	18	2	o o	tine	Sample Program			
	Implemented	Documented	Not WPILIB	Menu Item	rtior	Test Routine	le F			
	ble	noc	7 N	nue	noe	st F	dui			
TDA IECTORY CONFIC		X	_ <u>×</u> _		∭ SI			VI Name	Function Prototype	Notes
TRAJECTORY CONFIG	X	X		X	31			TrajectoryConfig_Create.vi	public TrajectoryConfig(double maxVelocityMetersPerSecond, double maxAccelerationMetersPerSecondSq)	
	Χ	Χ	X	Χ				TrajectoryConfig_setCentripetalAccel.vi		
	X	X		X	SI			TrajectoryConfig_setKinematicsDiffDrive.vi	public TrajectoryConfig setKinematics(DifferentialDriveKinematics kinematics)	
	Χ	X		X	SI			TrajectoryConfig_setKinematicsMecanumfDrive.vi	public TrajectoryConfig setKinematics(MecanumDriveKinematics kinematics)	
	X	X		X	SI			TrajectoryConfig_setKinematicsSwerveDrive.vi	public TrajectoryConfig setKinematics(SwerveDriveKinematics kinematics)	
	Χ	X		X	SI			TrajectoryConfig_setReversed.vi	public TrajectoryConfig setReversed(boolean reversed)	
	Χ		X	Χ	SI			TrajectoryConfig_setVoltageDiffDrive.vi		
									public TrajectoryConfig addConstraint(TrajectoryConstraint constraint)	Implemented differently, can't duplicate.
									<pre>public TrajectoryConfig addConstraints(List<? extends TrajectoryConstraint&gt; constraints)</pre>	Implemented differently, can't duplicate.
									public double getStartVelocity()	can use cluster unpack
									public TrajectoryConfig setStartVelocity(double	
									startVelocityMetersPerSecond) public double getEndVelocity()	can use cluster unpack
									public TrajectoryConfig setEndVelocity(double	can use cluster unpack
									endVelocityMetersPerSecond)	
									public double getMaxVelocity() public double getMaxAcceleration()	can use cluster unpack can use cluster unpack
									public List <trajectoryconstraint> getConstraints()</trajectoryconstraint>	Implemented differently, can't duplicate.
									public boolean isReversed()	can use cluster unpack
									NOTE ADD OTHER "SET" ROUTINES FOR OTHER CONTRAINTS HERE, SINCE NEW CONTRAINTS ARE	
									SPECIFIC AND NOT GENERIC.	
					Sed					
					imi		am			
	pə,	pə	В	_	Execution Optimized	ие	Sample Program			
	Implemented	Documented	WPILIB	Menu Item	ion	Routine	Ð			
	olen	cnu	Ŋ	nu	in)	st R	Jdι			
	Jul	ρο̈	Not 1	Me	<u>X</u>	Test		VI Name	<u> </u>	Notes
TRAJECTORY GENERATE	X	X		X				TrajectoryGenerate_Make_Cubic_CtrlVect.vi	public static Trajectory generateTrajectory( Spline.ControlVector initial, List <translation2d> interiorWaypoints, Spline.ControlVector end, TrajectoryConfig config )</translation2d>	uses cubic splines
	X	X		X				TrajectoryGenerate_Make_Cubic.vi	public static Trajectory generateTrajectory( Pose2d start, List <translation2d> interiorWaypoints, Pose2d end,</translation2d>	uses cubic splines
	X	X	X	X				TrajectoryGenerate_Make_Generic.vi	TrajectoryConfig config ) Helper to bring these all together	Use this one!!!
	X	X		X				TrajectoryGenerate_Make_Quintic_CtrlVect.vi	public static Trajectory generateTrajectory( ControlVectorList	uses quintic splines
	X	X		X				TrajectoryGenerate Make Quintic.vi	controlVectors, TrajectoryConfig config) public static Trajectory generateTrajectory(List <pose2d></pose2d>	uses quintic splines
	Χ	Χ		Χ				TrajectoryGenerate splinePointsFromSplines.vi	waypoints, TrajectoryConfig config)  public static List <posewithcurvature></posewithcurvature>	
								Trajectory Contortate_opinion of the Formophines.vi	splinePointsFromSplines(Spline[] splines)	
					pə.					
					Execution Optimized		ш			
	ρé	þ	m		Jpti	e	ogrê			
	ente	ente	'ILIE	,em	00	utir	PR			
	Implemented	Documented	Not WPILIB	Menu Item	cuti	Fest Routine	Sample Program			
	np.	8	oţ	Je.	ě	es	an	VI Name	Function Prototype	Notes

**TRAJECTORY** 

Implemer	Documer	Not WPIL	Menu Iten	Execution	Test Routi	ด อาก คับ กับ กับ กับ กับ กับ กับ กับ กับ กับ ก	Function Prototype	Notes
Y UTIL $X$	X		X			TrajectoryUtil_fromPathWeaverJSON.vi	public static Trajectory fromPathweaverJson(Path path)	
X	X	X	X	X		TrajectoryUtil_MakeWeightedWayPoint_ENG.vi		
X	Χ	X	X	X		TrajectoryUtil_MakeWeightedWayPoint.vi		
X	X		X			TrajectoryUtil_toPathWeaverJSON.vi	public static void toPathweaverJson(Trajectory trajectory, Path path)	
							public static Trajectory deserializeTrajectory(String json)	
							public static String serializeTrajectory(Trajectory trajectory)	

Revision 2.X	12/07/2021 -	- Added Bang/Bang –	(not ver	v useful)

d Bang/Bang – (not very use	eful)									
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
TRAPEZOID PROFILE		Χ		X				TrapProfConstraint_New.vi		
	X	X		X				TrapProfile_Calculate.vi		
	X	X		No				TrapProfile_Direct.vi		Private, remove from menu
	X	X	X	X				TrapProfile_Execute.vi		
	X	Χ	X	X	SI			TrapProfile_Execute_AtGoal.vi		
	Χ	Χ		X				TrapProfile_IsFinished.vi		
	Χ	Χ		X				TrapProfile_New_DefInitial.vi		
	Χ	Χ		X				TrapProfile_New.vi		
	Χ	X		No				TrapProfile_ShouldFlipAcceleration.vi		Private, remove from menu
	Χ	X		X				TrapProfile_TimeLeftUntil.vi		
	X	Χ		X				TrapProfile_TotalTime.vi		
	X	X		X				TrapProfState_Equals.vi		
	X	X		X				TrapProfState_New.vi		

'=======

TRAJECTORY CONSTRAINT

'========

CENTRIPETAL ACCELERATION CONSTRAINT	X Implemented	X Documented	Not WPILIB	X Menu Item	Execution Optimized	Test Routine		VI Name CentripetalAccelConstraint_getMaxVelocity.vi	Function Prototype  public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	Notes
	X	X		X				CentripetalAccelConstraint_getMinMaxAccel.vi	public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	
	Χ	X		X	SI			CentripetalAccelConstraint_New.vi	public CentripetalAccelerationConstraint(double maxCentripetalAccelerationMetersPerSecondSq)	Can use cluster pack for now
	mplemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
DIFF DRIVE KINEMATIC CONSTRAINT	X	X		X				DiffDriveKinematicsConstraint_getMaxVelocity.vi	public double getMaxVelocityMetersPerSecond(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	
	X	X		X				DiffDriveKinematicsConstraint_getMinMaxAccel.vi	public MinMax getMinMaxAccelerationMetersPerSecondSq(Pose2d poseMeters, double curvatureRadPerMeter, double velocityMetersPerSecond)	
	X	X		X	SI			DiffDriveKinematicsConstraint_New.vi	public DifferentialDriveKinematicsConstraint(final DifferentialDriveKinematics kinematics, double maxSpeedMetersPerSecond)	

SwerveDriveKinematicsConstraint New.vi

## TRAJECTORY CONSTRAINT

Interface class - nothing done (not needed)

 $X \mid X$ 

X SI

FRC\_LabVIEW\_Trajectory\_Library\_Routines.xlsx

Newpublic SwerveDriveKinematicsConstraint(final

SwerveDriveKinematics kinematics, double

maxSpeedMetersPerSecond)

Can use cluster pack for now

Execution Optimized nple Program Test Routine Vot WPILIB Menu Item VI Name Function Prototype Constraint MinMax New TRAJECTORY CONSTRAINT (Min Max) X X X SI Constraint MinMax New.vi Constraint MinMax NewMinMax.VI Constraint MinMax New  $X \mid X$ X SI

'========

UTILITY

'=========

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A JAVA / C++ WPILIB EQUIVALENT

> Execution Optimized Sample Program Routine Not WPILIB X X Implemented Documented X X X Not WPILIB VI Name Function Prototype Notes SI Util\_ApproxEqual.vi X X X X Util Array PoseWCurv to XY.vi X X X X SI Util CalcDist.vi X X X X SI Util GetLibraryVersion.vi X X X X SI Util\_GetLibUsage.vi X X X X Util GetTime.vi Once tested completely, this should be optimized! X X X No N/A Util LibrarvGlobals.vi Global Variables – no block diag. X X X X Util\_Trajectory\_Absolute\_To\_Relative.vi X X X X Util\_Trajectory\_ReadFile.vi X X X X Util\_Trajectory\_to\_XY.vi X X X No Util\_Trajectory\_WriteFile\_Config.vi internal X X X No Util\_Trajectory\_WriteFile\_OneState.vi internal X X X X Util\_Trajectory\_WriteFile\_PathFinder.vi X X X No Util Trajectory WriteFile PathFinderConfig.vi internal X X X X Util Trajectory WriteFile Pathweaver.vi X X X No Util Trajectory WriteFile States.vi internal X X X No Util Trajectory WriteFile WayPoints.vi internal X X X X Util Trajectory WriteFile.vi Util\_TrajectoryState\_Meters\_To Inches.vi  $X \mid X \mid X \mid X$ Util\_TrajState\_to\_DiffDrive\_WheelPos.vi X X X X X X X X Util\_Waypoint\_Eng\_To\_SI.vi X X X X Util\_Waypoint\_To\_CubicInput.vi X X X X Util Waypoint To QuinticInput.vi Util\_WeightedWaypiont\_Eng\_To\_WeightedWaypoint  $X \mid X \mid X \mid X$ X X X No Util WeightedWayPoint To WeightedWayPoint.vi Sorry about the confusing name..

Notes

'========

**CONVERSIONS** 

'=========

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A JAVA / C++ WPILIB EQUIVALENT

Implemented Documented Not WPILIB Menu Item Execution Optimizea Test Routine Sample Program a	Function Prototype	Notes
CONV X X X X SI Conv_AngleDegree		

ıseful)					
X	X	X	X	SI	Conv_AngleRadians_Heading.vi
X	X	X	X	SI	Conv_Centimeters_Meters.vi
X	X	X	X	SI	Conv_Deg_Radians.vi
Χ	X	X	X	SI	Conv_Feet_Meters.vi
Χ	Χ	X	X	SI	Conv_GyroDegrees_Heading.vi
X	X	X	X	SI	Conv_Heading_AngleRadians.vi
Χ	Χ	X	X	SI	Conv_Inches_Meters.vi
Χ	X	X	X	SI	Conv_Kilograms_Pounds.vi
X	X	X	X	SI	Conv_Meters_Feet.vi
X	X	X	X	SI	Conv_Meters_Inches.vi
X	X	X	X	SI	Conv_POSE_SI_Eng.vi
Χ	X	X	X	SI	Conv_Pounds_Kilograms.vi
Χ	X	X	X	SI	Conv_Radians_Deg.vi
Χ	X	X	X	SI	Conv_Yards_Meters.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	Function Prototype	Notes
UNITS	X	X		X	SI		Units_DegreesToRadians.vi		
	X	X		X	SI		Units_FeetToMeters.vi		
	X	X		X	SI		Units_InchesToMeters.vi		
	X	X		Χ	SI		Units_MetersToFeet.vi		
	X	X		Χ	SI		Units_MetersToInches.vi		
	X	X		Χ	SI		Units_MillisecondsToSeconds.vi		
	Χ	Χ		Χ	SI		Units_RadiansPerSecondToRotationsPerMinute.vi		
	Χ	Χ		Χ	SI		Units_RadiansToDegrees.vi		
	X	X		Χ	SI		Units_RotationsPerMinuteToRadiansPerSecond.vi		
	Χ	Χ		Χ	SI		Units_SecondsToMilliseconds.vi		

'========= PATHFINDER UTIL

'=======

THESE ROUTINES ARE SPECIFIC TO LABVIEW. THEY DO NOT HAVE A JAVA / C++ WPILIB EQUIVALENT

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes
PATHFINDERUTIL	X	Χ	Χ	X				PathfinderUtil_Continuous_Heading_Difference.vi		
	X	Χ	Χ	X				PathfinderUtil_OptimizeTrajectoryStates.vi		
	X	Χ	Χ	X				PathfinderUtil_ToTrajectory.vi		
	X	X	X	X				PathfinderUtil ToTrajectoryStates vi		

'=========

STATE SPACE MODEL

'=========

Implemented Documented Not WPILIB Menu Item Execution Optimizec Test Routine Sample Program an an	Function Prototype	Notes	Code Review	Test Program	Error Checking
DC MOTOR   X   X   SI   DCMotor_GetAndymark9015.vi					

usetui)				
X	X	X	SI	DCMotor_GetAndymarkRs775_125.vi
X	X	X	SI	DCMotor_GetBag.vi
X	X	X	SI	DCMotor_GetBanebotsRs550.vi
X	X	X	SI	DCMotor_GetBanebotsRs775.vi
X	X	X	SI	DCMotor_GetCIM.vi
X	X	X	SI	DCMotor_GetCurrent.vi
X	X	X	SI	DCMotor_GetFalcon500.vi
X	X	X	SI	DCMotor_GetMiniCIM.vi
X	X	X	SI	DCMotor_GetNEO.vi
X	X	X	SI	DCMotor_GetNEO550.vi
X	X	X	SI	DCMotor_GetRomiBuiltIn.vi
X	X	X	SI	DCMotor_GetVex775Pro.vi
X	X	X	SI	DCMotor_New.vi
X	X	X	SI	DCMotor_PickMotor.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
LINEAR SYSTEM ID	X	X		Χ				LinearSystemId_CreateDriveTrainVelocitySystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_CreateElevatorSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_CreateFlywheelSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_CreateSingleJointedArmSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_IdentifyDriveTrainSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_IdentifyPositionSystem.vi		Update to use create matrix			
	X	Χ		Χ				LinearSystemId_IdentifyVelocitySystem.vi		Update to use create matrix			

'=======

STATE SPACE ESTIMATION

'=======

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimizec	Test Routine	Sample Program	Function Prototype	Notes	Code Review	Test Program	Error Checking
DIFFERENTIAL DRIVE POSE ESTIMATOR	X	X		Χ			DiffDrivePoseEst_AddVisionMeasurement.vi					
	X	X		Χ			DiffDrivePoseEst_FillStateVector.vi					
	X	X		Χ			DiffDrivePoseEst_GetEstimatedPosition.vi					
	X	X		Χ			DiffDrivePoseEst_Kalman_F_Callback.vi					
	X	X		Χ			DiffDrivePoseEst_Kalman_H_Callback.vi					
	X	X		Χ			DiffDrivePoseEst_New.vi					
	X	X		Χ			DiffDrivePoseEst_ResetPosition.vi					
	X	X		Χ			DiffDrivePoseEst_SetVisionMeasurementStdDevs.vi					
	X	X		Χ			DiffDrivePoseEst_Update.vi					
	Χ	Χ		Χ			DiffDrivePoseEst_UpdateWithTime.vi					
	X	X		Χ			DiffDrivePoseEst_VisionCorrect_Callback.vi					
	Χ	X		Χ			DiffDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi					

Execution Optimized Not WPILIB Menu Item Function Prototype Notes

LYILKIIILI VAI MAKI EII TEDI	ful)	V	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		Enter de divelocar Eila Company (Company)					
EXTENDED KALMAN FILTER			X		ExtendedKalmanFilter_Correct_OnlyUY.vi ExtendedKalmanFilter Correct.vi		lust a aball mat functional			
-	X	×	X		ExtendedKalmanFilter_Correct.vi  ExtendedKalmanFilter_GetP_Single.vi		Just a shell, not functional!			
	X		X		ExtendedKalmanFilter GetP.vi					
	X		X		ExtendedKalmanFilter_GetXHat_Single.vi					
	X		X		ExtendedKalmanFilter GetXHat.vi					
	Χ		X		ExtendedKalmanFilter New.vi					
	X	X	X		ExtendedKalmanFilter_Predict.vi					
	Χ		X		ExtendedKalmanFilter_Reset.vi					
	Χ		X		ExtendedKalmanFilter_SetP.vi					
	X		X		ExtendedKalmanFilter_SetXHat_Single.vi					
	X	<i>x</i>	X		ExtendedKalmanFilter_SetXHat.vi					
	nplemented	Documented Not WPILIB	Menu Item	Execution Optimizec Test Routine	ample Program	Function Protetune	Notos	Code Review	est Program	
KALMAN FILTER			_ <u>≥</u> 	Щ F		Function Prototype	Notes	<u> </u>		
	X		X	^	KalmanFilter GetK					
	X		X		KalmanFilter_GetK_Single.vi	+				
	X		X		KalmanFilter GetXHat					
	Χ		X	Χ						
	Χ		X	λ						
	Χ		X	λ						
	Χ		X		KalmanFilter_Reset.vi					
	Χ		X		KalmanFilter_SetXHat					
	X	X	X	_ \						
			^	iized	KalmanFilter_SetXHat_Single					
	X Implemented	X X X Documented Not WPILIB	X X Wenu Item	Execution Optimized Test Routine	ole Program	Function Prototype	Notes	Code Review	Test Program	i i
	X   X   X   X   X   X   X   X   X   X	X X X X X X X X X X X X X X X X X X X	X X Wenu Item	ution Optimized	VI Name   KalmanFilterLatencyComp_AddObserverState.vi   KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi   KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v   KalmanFilterLatencyComp_FindClosestMeasurement.vi   KalmanFilterLatencyComp_New.vi		Notes	Code Review	Test Program	
	X X Implemented	ILIB Not WPILIB	X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	VI Name  KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi		Notes	Review	Program Test Program	
	olemented X X X Implemented	ILIB Not WPILIB	X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	VI Name  KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi	i i		de Review	st Program	
	olemented X X X Implemented	X X Documented X X X X X X X X X X X X X X X X X X X	X X Wenu Item	ution Optimized	KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi		Notes	Review	Test Program	
SWERVE DRIVE POSE ESTIMATOR	Implemented X X X X X Implemented	Documented X X X X X X X Documented Not WPILIB	Menu Item  X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	SwerveDrivePoseEst_AddVisionMeasurement_StdDev.vi	i i		de Review	st Program	
SWERVE DRIVE POSE ESTIMATOR	olemented X X X Implemented	X X X X X X X X X X X X Not WPILIB	X X X X X X X X X X X X X X X X X X X	otimized Execution Optimized Test Routine	KalmanFilterLatencyComp_AddObserverState.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeas_FuncGroup.vi  KalmanFilterLatencyComp_ApplyPastGlobalMeasurement_UKF.v  KalmanFilterLatencyComp_FindClosestMeasurement.vi  KalmanFilterLatencyComp_New.vi  KalmanFilterLatencyComp_Observer_New.vi  KalmanFilterLatencyComp_Reset.vi	i i		de Review	st Program	

usc	iuij				
	Χ	Χ	X		SwerveDrivePoseEst_New.vi
	X	X	X		SwerveDrivePoseEst_ResetPosition.vi
	X	X	X		SwerveDrivePoseEst_SetVisionMeasurementStdDevs.vi
	X	X	X		SwerveDrivePoseEst_Update.vi
	Χ	Χ	X		SwerveDrivePoseEst_UpdateWithTime.vi
	Χ	Χ	X		SwerveDrivePoseEst_VisionCorrect_Callback.vi
	Χ	Χ	X		SwerveDrivePoseEst_VisionCorrect_Kalman_H_Callback.vi

	Implemented	Documented Not Moll IR	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
UNSCENTED KALMAN FILTER	$X \setminus X$	Υ	X				UnscentedKalmanFilter_Correct_FuncGroup.vi					
		Υ	X				UnscentedKalmanFilter_Correct_OnlyUY.vi					
	X	Υ	X				UnscentedKalmanFilter_Correct_OnlyUYR.vi					
		Υ	X				UnscentedKalmanFilter_Correct.vi					
		Υ	X	_			UnscentedKalmanFilter_GetP_Single.vi					
		Υ	X				UnscentedKalmanFilter_GetP.vi					
		Υ	X				UnscentedKalmanFilter_GetXHat_Single.vi					
		Υ	X				UnscentedKalmanFilter_GetXHat.vi					
		Υ	X	_			UnscentedKalmanFilter_New_Default.vi					
		Υ	X				UnscentedKalmanFilter_New_FuncGroup.vi					
		Υ	X	_			UnscentedKalmanFilter_New.vi					
		Υ	X				UnscentedKalmanFilter_Predict.vi					
		Υ	X				UnscentedKalmanFilter_Reset.vi					
		Υ	X				UnscentedKalmanFilter_SetP.vi					
		Υ	X				UnscentedKalmanFilter_SetXHat_Single.vi					
		Υ	X	_			UnscentedKalmanFilter_SetXHat.vi					
	X	Υ	X				UnscentedKalmanFilter_Transform.vi					

'======== STATE SPACE CONTROL '=========

Function Prototype Notes CONTROL AFFINE PLANT INVERSION FEEDFORWARD

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program	VI Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
LINEAR PLANT INVERSION FEEDFORWARD	X	X		X				LinearPIntInvFF_Calculate_NextR.vi					
	X	X		X				LinearPIntInvFF_Calculate.vi					
	X	X		Χ				LinearPIntInvFF_GetR_Single.vi					
	X	X		X				LinearPIntInvFF_GetR.vi					
	X	Χ		X				LinearPIntInvFF_GetUff_Single.vi					

LINEAR SYSTEM: OF	021 – Added Bang/Bang – (not very us	eful)									
LINEAR SYSTEM LOOK X X X X X X X X X X X X X X X X X X	· · · · · · · · · · · · · · · · · ·		X			LinearPIntInvFF GetUff.vi					
LINEAR QUADRATIC REGULATOR		XX	X								
LINEAR QUADRATIC REGULATIC			X								
LINEAR CHARGE REGULATOR R. X.			X								
Companies   Comp											
LINEAR SYSTEM X X X X S S LinearGoatest-Regulator, Calculater North Y State											
Part	LINEAR QUADRATIC REGULATOR	Documented X X X X X X X X X X X X X X X X X X X	X X X X X X X X X X X X X X X X X X X	Execution Optimized	X	VI Name  LinearQuadraticRegulator_Calculate_NextR.vi LinearQuadraticRegulator_Calculate_vi LinearQuadraticRegulator_GetK_Single.vi LinearQuadraticRegulator_GetK_vi LinearQuadraticRegulator_GetR_Single.vi LinearQuadraticRegulator_GetR_Single.vi LinearQuadraticRegulator_GetR_vi LinearQuadraticRegulator_GetU_Single.vi LinearQuadraticRegulator_GetU_vi LinearQuadraticRegulator_GetU.vi LinearQuadraticRegulator_LatencyCompensate.vi LinearQuadraticRegulator_New_ELMS.vi LinearQuadraticRegulator_New_N.vi LinearQuadraticRegulator_New_Raw.vi LinearQuadraticRegulator_New_SystemELMS.vi LinearQuadraticRegulator_New_SystemELMS.vi LinearQuadraticRegulator_New_SystemELMS.vi LinearQuadraticRegulator_New_Vi	Function Prototype	NOT ORIGINAL  Routine exists, but it only has	Code Review	Test Program	
Part											
LINEAR SYSTEM LOOP  LINEAR				Ø							
X		nplemented ocumented	ot WPILIB lenu Item	xecution Optimized	est Routine	ample Program	Function Dratative	Nata	ode Review	est Program	_
X	LINEAR SYSTEM				Test Routine	R VI Name	Function Prototype	Notes	Code Review	Test Program	_
	LINEAR SYSTEM	X X	X	1		VI Name  LinearSystem_CalculateX.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X   X   X   X   X   X   X   X   X   X	X	<i>I</i>		VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X   X   X   X   X   X   X   X   X   X	X	I I SI		VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi	Function Prototype	Notes	Code Review	Test Program	_
Variable	LINEAR SYSTEM	X   X   X   X   X   X   X   X   X   X	X X X	I I SI		VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X	X X X X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi	Function Prototype	Notes	Code Review	Test Program	_
X	LINEAR SYSTEM	X	X X X X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi	Function Prototype	Notes	Code Review	Test Program	_
X   X   X   S	LINEAR SYSTEM	X	X X X X X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi	Function Prototype	Notes	Code Review	Test Program	_
X   X   X   SI	LINEAR SYSTEM	X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetBElement.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi	Function Prototype	Notes	Code Review	Test Program	_
	LINEAR SYSTEM	X X X X X X X X X X X X X X X X X X X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi  LinearSystem_GetCElement.vi	Function Prototype	Notes	Code Review	Test Program	_
LINEAR SYSTEM LOOP X X X LinearSystemLoop_ClampInput.vi LinearSystemLoop_Correct.vi	LINEAR SYSTEM	X X X X X X X X X X X X X X X X X X X X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi  LinearSystem_GetD.vi  LinearSystem_GetDLement.vi	Function Prototype	Notes	Code Review	Test Program	_
LINEAR SYSTEM LOOP X X X   X   LinearSystemLoop_ClampInput.vi   LinearSystemLoop_Correct.vi	LINEAR SYSTEM	X X X X X X X X X X X X X X X X X X X X	X			VI Name  LinearSystem_CalculateX.vi  LinearSystem_CalculateY.vi  LinearSystem_GetA.vi  LinearSystem_GetAElement.vi  LinearSystem_GetB.vi  LinearSystem_GetBElement.vi  LinearSystem_GetC.vi  LinearSystem_GetCElement.vi  LinearSystem_GetD.vi  LinearSystem_GetDLement.vi	Function Prototype	Notes	Code Review	Test Program	_
X X X LinearSystemLoop_Correct.vi		Implemented X X X X X X X X X X X X X X X X X X X	Not WPILIB  Not WPILIB  Not WPILIB	Execution Optimized		LinearSystem_CalculateX.vi LinearSystem_CalculateY.vi LinearSystem_GetA.vi LinearSystem_GetAElement.vi LinearSystem_GetBElement.vi LinearSystem_GetC.vi LinearSystem_GetCElement.vi LinearSystem_GetD.vi LinearSystem_GetDElement.vi LinearSystem_New.vi				Test Program	Checking
LinearSystemLoop_GetClampFunction.vi		Implemented X X X X X X X X X X X X X X X X X X X	Not WPILIB  Not WPILIB  Not WPILIB	Execution Optimized		LinearSystem_CalculateX.vi LinearSystem_CalculateY.vi LinearSystem_GetA.vi LinearSystem_GetAElement.vi LinearSystem_GetBElement.vi LinearSystem_GetC.vi LinearSystem_GetCElement.vi LinearSystem_GetD.vi LinearSystem_GetDElement.vi LinearSystem_New.vi				Test Program	Checking
		X X X X X X X X X X X X X X X X X X X	Not WPILIB	Execution Optimized		LinearSystem_CalculateX.vi LinearSystem_CalculateY.vi LinearSystem_GetA.vi LinearSystem_GetAElement.vi LinearSystem_GetBElement.vi LinearSystem_GetC.vi LinearSystem_GetCElement.vi LinearSystem_GetD.vi LinearSystem_GetDElement.vi LinearSystem_New.vi				Test Program	Checking

Not WPILIB

useiui)					
X	X	X		LinearSystemLoop_GetController.vi	
X	X	X		LinearSystemLoop_GetError_Single.vi	
X	X	X		LinearSystemLoop_GetError.vi	
X	X	X		LinearSystemLoop_GetFeedForward.vi	
X	X	X		LinearSystemLoop_GetNextR_Single.vi	
X	X	X		LinearSystemLoop_GetNextR.vi	
X	X	X		LinearSystemLoop_GetObserver.vi	
X	X	X		LinearSystemLoop_GetU_Row.vi	
X	X	X		LinearSystemLoop_GetU.vi	
X	X	X		LinearSystemLoop_GetXHat_Single.vi	
X	X	X		LinearSystemLoop_GetXHat.vi	
				LinearSystemLoop_New_BBB	
				LinearSystemLoop_New_LinearSystem_ClampFunc	
X		X		LinearSystemLoop_New_LinearSystem_ClampVal.vi	
X	X	X		LinearSystemLoop_New.vi	
X	X	X		LinearSystemLoop_Predict.vi	
X	X	X		LinearSystemLoop_Reset.vi	
				LinearSystemLoop_SetClampFunction.vi	
				LinearSystemLoop_SetNextR_Some.vi	
X	X	X		LinearSystemLoop_SetNextR.vi	
				LinearSystemLoop_SetXHat_Single.vi	
				LinearSystemLoop_SetXHat.vi	

'========= STATE SPACE UTILITIES '======

CALLBACK HELPER	X X Implemented	X X Documented	X	X	Execution Optimized	Test Routine	Ca Ca	/I Name CallbackHelp_MatrixMinus.vi CallbackHelp_MatrixMult_CoerceSizeB.vi CallbackHelp_MatrixMult.vi CallbackHelp_MatrixPlus.vi	Function Prototype	Notes	Code Review	Test Program	Error Checking
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program ≤	/I Name	Function Prototype	Notes	Code Review	Test Program	Error Checking
DISCRETIZATION				$\overline{X}$				Discretization_DiscretizeA.vi	Л				
	X	X		X		X		Discretization_DiscretizeAB.vi					
	Χ	X		X		Χ		Discretization_DiscretizeABTaylor.vi					
	Χ	X		X		Χ		Discretization_DiscretizeAQ.vi					
	X	X		X		Χ	Di	Discretization_DiscretizeAQTaylor.vi					
	Χ	X		X			Di	Discretization_DiscretizeR.vi					
					pəz								

Function Prototype

Notes

STATE SPACE UTIL

a00.	۵1 <i>)</i>						
'IL	$X \mid X$	X	No		StateSpaceUtil_Check_Stabalizable.vi	Internal routine	
	$X \mid X$	•	X		StateSpaceUtil_ClampInputMaxMagnitude.vi	Routine exists, it is just a shell	
	$X \mid X$		X		StateSpaceUtil_IsDetectable.vi		
	XX	•	X		StateSpaceUtil_IsStabalizable.vi		
	XX		X	Χ	StateSpaceUtil_MakeCostMatrix.vi		
	XX		X	Χ	StateSpaceUtil_MakeCovarianceMatrix.vi		
	$X \mid X$		X		StateSpaceUtil_MakeWhiteNoiseVector.vi		
	$X \mid X$		X		StateSpaceUtil_NomalizeInputVector.vi		
	$X \mid X$		X		StateSpaceUtil_PoseTo3dVector.vi		
	$X \mid X$		X		StateSpaceUtil_PoseTo4dVector.vi		
	XX		X		StateSpaceUtil_PoseToVector.vi		

'===== SIMULATION '=======

| Part |

Function Prototype Notes X DIFFERENTIAL DRIVE TRAIN SIM X X DiffDriveTrainSim ClampInput.vi XX X DiffDriveTrainSim CreateKitbotSim EstMass.vi XX Χ DiffDriveTrainSim CreateKitbotSim EstMassMOI.vi XX Χ DiffDriveTrainSim CreateKitbotSim.vi XX Χ DiffDriveTrainSim\_GetCurrentDrawAmps.vi X X Χ DiffDriveTrainSim\_GetCurrentGearing.vi XX Χ DiffDriveTrainSim\_GetDynamics.vi XX Χ DiffDriveTrainSim\_GetHeading.vi XX X DiffDriveTrainSim\_GetLeftCurrentDrawAmps.vi XX X DiffDriveTrainSim GetLeftPositionMeters.vi XX Χ DiffDriveTrainSim\_GetLeftVelocityMetersPerSecond.vi XX Χ DiffDriveTrainSim\_GetOutput\_Single.vi XX Χ DiffDriveTrainSim GetPose.vi XX X DiffDriveTrainSim GetRightCurrentDrawAmps.vi XX Χ DiffDriveTrainSim GetRightPositionMeters.vi XX Χ DiffDriveTrainSim GetRightVelocityMetersPerSecond.vi XX Χ DiffDriveTrainSim GetState Single.vi XX Χ DiffDriveTrainSim GetState.vi XX Χ DiffDriveTrainSim KitBotWheelSize.vi XX X DiffDriveTrainSim New Mass MOI.vi XX X DiffDriveTrainSim New.vi XX X DiffDriveTrainSim\_SetCurrentGearing.vi XX X DiffDriveTrainSim SetInputs.vi XX Χ DiffDriveTrainSim SetPose.vi XX X DiffDriveTrainSim SetState.vi

FRC\_LabVIEW\_Trajectory\_Library\_Routines.xlsx

 $X \mid X$ 

 $X \mid X$ 

XX

Χ

Χ

Χ

DiffDriveTrainSim ToughBoxMiniGearRatio.vi

DiffDriveTrainSim\_ToughBoxMiniMotor.vi

DiffDriveTrainSim Update.vi

ang/Bang – (not very us	etul)												
	Implemented		Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program		Function Prototype	Notes	Code Review	Test Program	Error Checking
ELEVATOR SIM		X		X			l E	ElevatorSim_GetCurrentDraw.vi					
	X	X		X				ElevatorSim_GetPositionMeters.vi					
	X	X		X			l t	ElevatorSim_GetVelocityMetersPerSecond.vi ElevatorSim HasHitLowerLimit.vi					
	$\frac{\lambda}{X}$	$\frac{\lambda}{X}$		X				ElevatorSim_HasHitUpperLimit.vi					
	^			<del>  ^</del>			F	ElevatorSim_New_LinSys_NoNoise.vi					
							Ē	ElevatorSim_New_LinSys.vi					
							E	ElevatorSim New NoNoise.vi					
	Χ	Χ		X				ElevatorSim_New.vi					
	X	X	X	No				ElevatorSim_RKF45_Func.vi					
	Χ	X		X			E	ElevatorSim_SetInputVoltage.vi					
	X	X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \					ElevatorSim_SetState.vi		NI - d - d b			
	X	X	X	X				ElevatorSim_Update.vi		Needed because this doesn't extend.			
	X	X		X			E	ElevatorSim_UpdateX.vi		exteria.			
	X	Χ		X			E	ElevatorSim_WouldHitLowerLimit.vi					
	Χ	X		X			E	ElevatorSim_WouldHitUpperLimit.vi					
FLYWHEEL SIM	X	X X X	Not WPILIB	X X Menu Item		Test Routine	F F F	FlyWheelSim_GetAngularVelocityRadPerSec.vi  FlyWheelSim_GetAngularVelocityRPM.vi  FlyWheelSim_GetCurrentDrawAmps  FlyWheelSim_New_LinSys  FlyWheelSim_New_LinSys_MOI_NoNoise  FlyWheelSim_New_LinSys_NoNoise	Function Prototype	Notes  Future Future Future Future	Code Review	Test Program	Error Checking
	X			X				FlyWheelSim_New_MOI.vi					
	X			X			_	FlyWheelSim_SetInput.vi					
	X	X		X				FlyWheelSim_SetState.vi FlyWheelSim_Update.vi					
	_	^		_^			ı	Flywheelolin_Opdate.vi					
	Implemented		Not WPILIB	Menu Item	Execution Optimized	Test Routine	Sample Program		Function Prototype	Notes	Code Review	Test Program	Error Checking
LINEAR SYSTEM SIM	Χ	Χ		X			l L	LinearSystemSim_ClampInput.vi					
								LinearSystemSim_GetCurrentDrawAmps.vi		DONT IMPLEMENT			
	X	X		X				LinearSystemSim_GetOutput_Single.vi					
	X			X				LinearSystemSim_GetOutput.vi					
	X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		<del>  ^</del>				LinearSystemSim_New LinearSystemSim_New_NoNoise.vi					
	X	X		X				LinearSystemSim_New_NoNoise.vi LinearSystemSim_SetInput_Array.vi		Doesn't use clamp ?			
	$\hat{x}$			X				LinearSystemSim_SetInput_Array.vi		200011 doo olamp :			
	X			X				LinearSystemSim_SetInput.vi					
	X	X		X				LinearSystemSim_Setstate.vi					
	X	X		X				LinearSystemSim_Update.vi					
				-				· _ ·		<u>.</u>			

X	X	No	LinearSystemSim_UpdateX.vi		
X	XX	No	LinearSystemSim_UpdateY.vi		

	Implemented	nmen	Not WPILIB	2	Execution Optimized Test Routine	Sample Program	Function Prototype	Notes	Code Review	Test Program	Error Checking
SINGLE JOINT ARM SIM	Χ	Χ		X		SngJntArmSim_EsitmateMOI.vi					
	Χ	Χ		X		SngJntArmSim_GetAngleRads.vi					
	Χ	X	_	X		SngJntArmSim_GetCurrentDraw.vi					
	Χ	X		X		SngJntArmSim_GetVelocityRadsPerSec.vi					
	Χ	X		X		SngJntArmSim_HasHitLowerLimit.vi					
	Χ	X		X		SngJntArmSim_HasHitUpperLimit.vi					
	Χ	X		X		SngJntArmSim_New.vi					
	Χ	X		No		SngJntArmSim_Rkf45_Func.vi					
	Χ	Χ		X		SngJntArmSim_SetInputVoltage.vi					
	Χ	X		X		SngJntArmSim_SetState.vi					
	Χ	X		X		SngJntArmSim_Update.vi					
	Χ	Χ		X		SngJntArmSim_UpdateX.vi					
	Χ	Χ		X		SngJntArmSim_WouldHitLowerLimit.vi					
	Χ	Χ		X		SngJntArmSim_WouldHitUpperLimit.vi					

'===== MATRIX UTILITIES '=========

> MAT BUILDEK X X Maylemented X X X N Function Prototype Notes X SI X SI MatBuilder\_Create.vi
> MatBuilder\_Fill.vi

	Implemented	Documented	Not WPILIB	Menu Item	Execution Optin	Test Routine		Function Prototype	Notes	Code Review	Test Program	Error Checking
MATRIX	X	X		X	SI		Matrix_AssignBlock.vi					
	X	X		X	SI		Matrix_Block.vi					
							Matrix_ChangeBoundsUnchecked.vi					
	X	X		X	SI		Matrix_Create.vi					
							Matrix_Det.vi					
	X	X		X	SI		Matrix_Diag.vi					
							Matrix_Div_Scalar.vi		labview has function			
							Matrix_ElementPower.vi					
	X	X		X	SI		Matrix_ElementSum.vi					
							Matrix_ElementTimes.vi					
							Matrix_Equals.vi					
	X	X		X	1		Matrix_Exp.vi					
	X	X		X	SI		Matrix_ExtractColumnVector.vi					
	X	X		X	SI		Matrix_ExtractFrom.vi					
							Matrix ExtractMatrix.vi					

ng/Bang – (not very u	seful)										
ing/Baing (not vory at		X		Χ	SI	Matrix ExtractRowVector.vi					
	X	X		X	SI	Matrix_Fill.vi					
						Matrix_Get.vi		labview has function			
	X	Χ		X	1	Matrix Ident.vi		WPILIB calls this EYE			
						Matrix_Inv.vi					
	X	Χ		X	SI	Matrix_IsEqual.vi					
						Matrix IsIdentical.vi					
	X	X		X	1	Matrix_LLTDecompose.vi					
						Matrix Max.vi					
						Matrix_MaxAbs.vi					
						Matrix_Mean.vi					
						Matrix_MinInternal.vi					
						Matrix_Minus_Matrix.vi					
						Matrix_Minus_Scalar.vi					
	X	X		Χ	1	Matrix_NormF.vi					
						Matrix_NormIndP1.vi					
						Matrix_Plus_Matrix.vi					
						Matrix_Plus_Scalar.vi					
	X			Χ	1	Matrix_Pow.vi		THIS NEEDS WORK!!!!			
	X			Χ	SI	Matrix_SetColumn.vi					
	X	X		Χ	SI	Matrix_SetRow.vi	THERE ARE LOTS OF OTHER MATRIX FUNCTIONS THAT				
						Matrix_Solve.vi	SHOULD BE INCLUDED HERE FOR ISOLATION.				
						Matrix Times Matrix.vi					
						Matrix Times Scalar.vi					
						Matrix_Trace.vi					
	Y	X		X	SI	Matrix_Transpose.vi					
				$\stackrel{\wedge}{-}$	O/	Wattix_Transpose.vi					
SIMPLE MATRI	X  mplemented	× Documentea	Not WPILIB	X Menu Item	Secution Optimized	We will be with the street of	Function Prototype	Notes  NOTE Matrix also has an	Code Review	Test Program	Error Checking
					01	Omplomativ_Extraorivativ.vi		ExtractMatrix with different calling parameters YUK.			
	Implemented	Documented	Not WPILIB	Menu Item	Execution Optimized Test Routine	Sample Program	Function Prototype	Notes	Code Review	Test Program	Error Checking
MATRIX HELPER		X	$\overline{x}$	X	SI	MatrixHelper_CooerceSize.vi	- Carlotter Freetype	110100			
	X		$\frac{x}{x}$	X	SI	MatrixHelper_MultCooerceBSize.vi					
	X	X		X	SI	MatrixHelper_Zero.vi					
	Implemented	Documented	Not WPILIB	Item	Execution Optimized Test Routine	e Program			Code Review	Program	Checking
	a/a	2 Z	Ž	nue	ecu st F	mpk			ge		ý
			Not M	Menu Item		NI Name	Function Prototype	Notes	Code	Test F	Error
VECTOR BUILDER	<b>R</b> X	Χ	Not N	X	SI	VecBuilder_1x1Fill.vi	Function Prototype	Notes	Code		Error
VECTOR BUILDER	<b>R</b> X		Not N				Function Prototype	Notes	Code		Error

usen													
	$X \mid X$		X	SI		VecBuilder_3x1Fill.vi							
	$X \mid X$		X	SI		VecBuilder_4x1Fill.vi							
	$X \mid X$		X	SI		VecBuilder_5x1Fill.vi							
	$X \mid X$		X	SI		VecBuilder_6x1Fill.vi							
	$X \mid X$		X	SI		VecBuilder_7x1Fill.vi							
	$X \mid X$		X	SI		VecBuilder_8x1Fill.vi							
						VecBuilder_9x1Fill.vi							
						VecBuilder_10x1Fill.vi							
	$X \mid X$	X	X	SI		VecBuilder_ArrayBy1Fill.vi							

'======== MATH '========

ANGLE STATISTIC	X Implemented X Documented X Not with the		× Execution Optimized	Test Routine Namble Program AngleStats Angle	Add_CallbackHelp.vi	Function Prototype	Notes	Code Review	
	XX	X X X	1	X AngleStats_Angle	Add.vi Mean_CallbackHelp.vi				_
	XXX	X	1	X AngleStats_Angle	Mean.vi				_
	XXX	$X \mid X \mid$	X	AngleStats_Anglel	Residual_CallbackHelp.vi				_
	XX	X	1	X AngleStats_Angle	Residual.vi				
MATH UTILIT	X X X X X X X X X X X X X X X X X X X	X X X	SI SI	MathUtil_InputMod	adband.vi nt.vi	Function Prototype	Notes	Code Review	
ERWE SCALED SIGMA POINT		Not WPILIB  X Menu Item	- Execution Optimized	Name  WerweScSigPts_0	ComputeWeights.vi	Function Prototype	Notes	Code Review	
	X   X   X   X   X   X   X   X   X   X	X	SI	MerweScSigPts_0	GetNumSigmas.vi				
	XX	X	SI	MerweScSigPts_0	GetWc_Single.vi				
	X X X X X X X X X X X X X X X X X X X	X	SI SI	MerweScSigPts_G MerweScSigPts_G	BetWm Single vi			+	
	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\frac{1}{X}$	SI SI	MerweScSigPts_G	GetWm.vi			+	
	X X	X	1	MerweScSigPts_N	lew_Default.vi				
	XX	X	1	MerweScSigPts_N	lew.vi				_
	XX	X		MerweScSigPts_S	sigmaPoints.vi			+	_
	1 1 1	1 1	1	1 1		1	1	1	

Revision 2.X	12/07/2021 -	<ul> <li>Added Bang/</li> </ul>	/Bang – (	not ver	/ useful)	

ful)				75						
ented	ented	ILIB	ше	on Optimizec	Program			eview	ogram	Checking
eme	пше	WP	u Ite	cutic	Ple o			Ø.	Pro	Ş
ηdu	) ) )	lot	len	žec	Sa Sa VI Name	Function Prototype	Notes	Sode	est-	Error
$\frac{>}{X}$	<u>X</u>	<u>&lt;</u>	<u> </u>	<u> </u>		Function Frototype			<u> </u>	Щ
				<i>'</i>			or abandoned???			
Χ	X				NumIntegrate_Rk4_Dbl_X_U.vi					
X	X		X							
X	X		X		NumIntegrate_Rk4_Mat_X_U.vi					
/	<del>^</del> +		<i>X</i>				New replacement for RKF45			
X	$\mathbf{x}^{\perp}$		No	SI	NumIntegrate RKf45 Func Bs.vi		New replacement for ratio 45			
Χ	Χ		No	SI	NumIntegrate_RKf45_Func_Ch.vi					
Χ	X		No		NumIntegrate_RKf45_Func_Ct.vi					
X	X			I	NumIntegrate_Rkf45_Impl.vi					
X	X		X		NumIntegrate_Rkf45_Mat_X_U.vi		been changed and a Dormand Price method has been			
/		-			NumIntegrate RKf45 New vi					
,							values. Work In Progress			
Χ	X	Χ	X		NumIntegrate_Trap_Dbl.vi					
X	X	X	X	1	NumIntegrate_Trap_Mat.vi					
		Not WPI		Execution	S VI Name  PungeKuttaTimeVarving RK4 Mat T V vi	Function Prototype	Notes	Code Re	Test Pro	Error Checking
^	<del>^</del> +		NO		Rungekulla i inievarying_kk4_wat_i_i_i.vi					
X	X	Not WPILIB	X Menu Item	Execution Optimized	NumJacobian_X.vi	Function Prototype	Notes	Code Review	Test Program	Error Checking
Χ	X	Not WPILIB	Χ	Execution Optimized	Riccati_Check_Detectable.vi	Function Prototype	Notes  Routine exists, it is just a shell	Code Review	Test Program	Error Checking
	X Implemented X X X X X Implemented X X X X X X X Implemented X X X X X X X X X X X X X X X X X X X	X Implemented X X X X X X Implemented X X X X X X X X X X X X X X X X X X X	X Implemented X X X X X X X X X X X X X X X X X X X	X Implemented X X X X X X X Implemented X X X X X X X X X X X X X X X X X X X	X Implemented       X X X X X X X X X X X X X X X X X X X	Page	Part	Page 1	Page   Page	Page   Page

'===== TYPE DEFINITIONS '=========

					Optimized					
					imi		Program			
	þ	p	m		C	g	g			
	Implemented	Documented	7	Шé		Routine	Pr			
	me	ше	WPIL	ı Ite	utic	Ro	a/e			
	e)dı	ΩC	) t V	Menu Item	Execution	Test	Sample			
			Not			۳	ုပ္ပံ	VI Name	Function Prototype	Notes
TypeDef		Χ	Χ		N/A			ARM_FF.CTL		
	Ζ	Χ	X		N/A			BANG_BANG.CTL		NOT HOED, OL HAIL
	1		Χ	Х	N/A			BICon-Matrix_FUNC_TYPE.CTL		NOT USED. Should this be deleted or abandoned???
	Z	Х	X	X	N/A			CALLBACK FUNC TYPE.CTL		deleted of abalidoffed : ! :
	Z	X	X		N/A			CHASSIS SPEEDS.CTL		
İ	Ζ				N/A			CONTRAINED STATE.CTL		
	Ζ	Χ	Χ	Χ	N/A			DCMOTOR_TYPES_ENUM.CTL		
	Ζ	Χ		Χ	N/A			DCMOTOR.CTL		
	Ζ	Χ	Χ		N/A			DEBOUNCER_TYPE_ENUM.Ctl		
	Ζ	Χ	Χ		N/A			DEBOUNCER.CTL		
	Ζ	Χ	Χ		N/A			DIFF_DRIVE_KINEMATICS.CTL		
	Z	X	X		N/A			DIFF_DRIVE_Kitbot_WheelSize_ENUM.ctl		
-	Z	X			N/A			DIFF_DRIVE_POSE_EST.ctl		
-	Ζ	X			N/A N/A			DIFF_DRIVE_ToughBoxMini_GearChoice_ENUM.ctl		
-	Z	X	Χ		N/A N/A			DIFF_DRIVE_ToughBoxMini_MotorChoice_ENUM.ctl DIFF_DRIVE_TRAIN_SIM_STATE_ENUM.CTL		
-	Z	X	Y		N/A			DIFF_DRIVE_TRAIN_SIM.ctl		
-	Z	$\hat{x}$	$\hat{x}$		NA			DISPLAY WAYPOINT.ctl		Was UTIL WAYPOINT.VI
	Z	X			NA			DISPLAY_WEIGHTED_WAYPOINT.ctl		New V1.5. was
	_	^	,	,						UTIL_WEIGHTED_WAYPOINIT.VI
	Ζ	Χ			N/A			ELEV_FF.CTL		
	Ζ	Χ	Χ		N/A			ELEVATOR_SIM.CTL		
	Z	Χ			N/A			EXTENDED_KALMAN_CORRECT_FUNC_GROUP.CTL		
-	Z	V			N/A			EXTENDED_KALMAN_FILTER.CTL		
-	Z	X	X		N/A N/A			FLYWHEEL_SIM.ctl HOLONOMIC DRV CTRL.CTL		New 1/26/21
-	Z	X	X		N/A			KALMAN_FILTER_LATENCY_COMP_FUNC_GROUP.CTL		New 1/20/21
+	Z	X	$\hat{X}$		N/A			KALMAN FILTER LATENCY COMP.CTL		
	Z	X			N/A			KALMAN_FILTER.ctl		
	Z	X	X		N/A			LINEAR_FILTER.CTL		
	Ζ	Χ			N/A			LINEAR_PLANT_INV_FF.ctl		
	Ζ	Χ						LINEAR_QUADRATIC_REGULATOR.ctl		
	Ζ	Χ	Χ	Χ	N/A			LINEAR_SYSTEM_LOOP.ctl		
	Ζ	Χ			N/A			LINEAR_SYSTEM_SIM.ctl		
	Ζ	Χ			N/A			LINEAR_SYSTEM.ctl		
	Z				N/A			MECA_DRIVE_KINEMATICS.CTL		
	Z				N/A			MECA_DRIVE_ODOMETRY.CTL		
-	Z				N/A			MECA_WHEEL_SPEEDS.CTL MEDIAN FILTER.CTL		
-	Z	X			N/A N/A			MERWE SCALED SIGMA PTS.ctl		
-	Z				N/A			OBSERVER SNAP LIST ITEM.CTL		
	Z				N/A			OBSERVER SNAPSHOT.CTL		
	Z	X			N/A			PARAM STACK ITEM.CTL		
	Z	X			N/A			PARAM STACK.CTL		
ļ	Ζ	Х			N/A			PID_ADV_LIMITS.CTL		
	Ζ	Χ	Χ	Χ	N/A			PID_ADV_TUNING.CTL		
	Ζ				N/A			PID_CONTROLLER.CTL		
	Ζ				N/A			PID_ERROR_TOLERANCE.CTL		
	Z				N/A			PID_INPUT_LIMITS.CTL		
	Ζ	X	Χ	Χ	N/A			PID_TUNING.CTL		

seful)						
Ζ	X	X		N/A	POSE2D.CTL	
Z	Χ	Χ	Χ	N/A	POSEwCURVATURE.CTL	
Z	Χ	Χ	Χ	N/A	PROFILED_PID_CONTROLLER.CTL	
Z	Χ	Χ	Χ	N/A	RAMSETE_EXE_TUNING.CTL	
Z	Χ	Χ	Χ	N/A	RAMSETE.CTL	
Z	Χ	Χ	Χ	N/A	ROTATION2D.CTL	
Z	Χ	Χ	Χ	N/A	SIMPLE_MOTOR_FF.CTL	
Z	X	Χ	Χ	N/A	SINGLE_JOINT_ARM_SIM.CTL	
Z	Χ	Χ	Χ	N/A	SLEW_RATE_LIMITER.CTL	
Z	X	X	X		SPLINE_CTRL_VECTOR.CTL	
Z	X	X	X		SPLINE.CTL	
Ζ	X	Χ		N/A	SWERVE_DRIVE_KINEMATICS.CTL	
Z	X	Χ	Χ		SWERVE_DRIVE_MODULE_STATE.CTL	
Z	X	Χ	Χ		SWERVE_DRIVE_ODOMETRY.CTL	
Ζ	Χ			N/A	SWERVE_DRIVE_POSE_EST.CTL	
Ζ	X	Χ	Χ		TIMER.CTL	
Z	X	Χ	Χ		TRAJ_CONFIG.CTL	
Z	X	Χ		N/A	TRAJ_CONSTRAINT_CENTRIPETAL_ACCEL.CTL	
Z	X	Χ		N/A	TRAJ_CONSTRAINT_DIIF_DRIVE_KINEMATICS.CTL	
Z	X	Χ	Χ		TRAJ_CONSTRAINT_DIIF_DRIVE_VOLTAGE.CTL	
1		Χ		N/A	TRAJ_CONSTRAINT_JERK.CTL	Routine exists, it is just a shell
Z	X		Χ		TRAJ_CONSTRAINT_MECA_DRIVE_KINEMATICS.CTL	
Z	X	X		N/A	TRAJ_CONSTRAINT_MINMAX.CTL	
Z	X	Χ	Χ		TRAJ_CONSTRAINT_SWERVE_DRIVE_KINEMATICS.CTL	
Z	X		Χ		TRAJ_STATE.CTL	
Ζ	X	Χ	Χ		TRAJECTORY_SPLINE_TYPE_ENUM.CTL	
Z	X	Χ	Χ		TRAJECTORY.CTL	
Z	X	Χ		N/A	TRANSFORM2D.CTL	
Z	X	Χ	Χ		TRANSLATION2D.CTL	
Z	X	Χ	Χ		TRAPEZOID_PROFILE_CONSTRAINT.CTL	
Z	X	Χ		N/A	TRAPEZOID_PROFILE_STATE.CTL	
Ζ	X	Χ	Χ		TRAPEZOID_PROFILE.CTL	
Ζ	X	Χ	Χ		TWIST2D.CTL	
Ζ	X	Χ		N/A	UNSCENTED_KALMAN_CORRECT_FUNC_GROUP.CTL	
Ζ	X	Χ	Χ		UNSCENTED_KALMAN_FILTER.ctl	
Ζ	X	Χ	Χ		UNSCENTED_KALMAN_NEW_FUNC_GROUP.CTL	
Ζ	X	Χ		N/A	UTIL_PATHFINDER_CONFIG.CTL	
N/A		N/A		N/A	WAYPOINTS.CTL	Delete – obsolete
Ζ	X	Χ	Χ		WEIGHTED_WAYPOINT.CTL	New V1.5
N/A		N/A		N/A	X_Y_HEADINGS.CTL	Delete – obsolete