

Bayer Low Tunnel Volatility Study

Summary of 20-ARL-SB22 study

Rodrigo Werle¹, Ryan DeWerff², Nick Arneson³, Sarah Striegel⁴, Nikola Arsenijevic⁵, Felipe Faleco⁵, Kolby Grint⁵, Haleigh Ortmeier-Clarke⁵, Jose Nunes⁶ and Emily Glaeser⁷

*¹ Principal Investigator, ² Research Technician, ³ Outreach Research and Extension Associate, ⁴ Former Graduate Student, ⁵ Graduate Student, ⁶ Visiting Scholar,
⁷ Undergraduate Research Assistant*

Questions on the contents of this report should be directed to Rodrigo Werle (rwerle@wisc.edu) and Sarah Striegel (sstriegel@wisc.edu).



Cropping Systems Weed Science

UNIVERSITY OF WISCONSIN-MADISON

Contents

Methods.....	5
Results.....	7

List of Figures

Figure 1. XtendiMax with VaporGrip + Roundup PowerMax at 28 DAT.....	12
Figure 2. XtendiMax with VaporGrip + Roundup PowerMax + 2% MON 51817 – VaporGrip at 28 DAT.....	13
Figure 3. XtendiMax with VaporGrip + Roundup PowerMax + 4% MON 51817 – VaporGrip at 28 DAT.....	14
Figure 4. XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL at 28 DAT.....	15
Figure 5. XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL + 2% MON 51817 – VaporGrip at 28 DAT.....	16
Figure 6. XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL + 4% MON 51817 – VaporGrip at 28 DAT.....	17
Figure 7. MON 301286 – RupXtend II VGrip at 28 DAT.....	18
Figure 8. MON 301286 – RupXtend II VGrip + 2% MON 51817 - VaporGrip at 28 DAT.....	19
Figure 9. MON 301286 – RupXtend II VGrip + 4% MON 51817 – VaporGrip at 28 DAT.....	21
Figure 10. MON 301286 – RupXtend II VGrip + Liberty 280 SL at 28 DAT.....	22
Figure 11. MON 301286 – RupXtend II VGrip + Liberty 280 SL + 2% MON 51817 – VaporGrip at 28 DAT.....	23
Figure 12. MON 301286 – RupXtend II VGrip + Liberty 280 SL + 4% MON 51817 – VaporGrip at 28 DAT.....	24
Figure 13. Nontreated Check at 28 DAT.....	25

List of Tables

Table 1. Weather conditions in the 48 h period of flat placement under the low tunnels at the University of Wisconsin-Madison Arlington Agriculture Research Station.....	6
Table 2. Sum of soybean stand count, sum of injured plants and the % of injured soybean plants 14 and 28 days after treatment in the three replications within 25 ft quadrant at the University of Wisconsin-Madison Arlington Agriculture Research Station.....	11

Methods


- Soybean variety: CZ 1549GTLL
- Soybean seeding rate: 140,000 seeds ac⁻¹ at 1.5" depth
- Soybean row width: 30" row width
- Soybean planting date: June 8
- Plot maintenance:
 - PRE herbicide treatment – June 8, 2 pts ac⁻¹ Prefix
 - POST herbicide treatment – July 1, 22 fl oz ac⁻¹ Roundup PowerMax + 8.5 lbs AMS/100 gal
- Herbicide treatment (flats): 9:00 to 10:05 am July 8
- Soybean stage at flat application: V4
- Flat removal from low-tunnel: 8:30 to 10:05 am July 10
- Results presented at 14 and 28 days after treatment (DAT) for the 25-ft quadrant with the most severe and consistent injury
- Photos taken at 28 DAT

Table 1. Weather conditions in the 48 h period of flat placement under the low tunnels at the University of Wisconsin-Madison Arlington Agriculture Research Station.

Date	Soil flat temp (F)			Air temp (6 in, F)			Air temp (27 in, F)			Relative humidity (%)			Air temp (39 in, F)			Rainfall (in)
	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	Avg	Max	Min	
0-24 h	84.7	106.4	69.3	80.1	93.5	68.1	79.9	92.5	68.2	80.8	96.4	61.0	78.8	89.8	67.8	0.0
24-48 h	76.7	103.1	66.1	74.5	96.5	65.6	74.2	96.6	65.8	89.8	98.5	66.8	71.7	88.4	65.0	3.0


Results

20-ARL-SB22 at 14 DAT




Source: University of Wisconsin-Madison Cropping Systems Weed Science, 2020

20-ARL-SB22 at 14 DAT




20-ARL-SB22 at 28 DAT



Source: University of Wisconsin-Madison Cropping Systems Weed Science, 2020

20-ARL-SB22 at 28 DAT



Source: University of Wisconsin-Madison Cropping Systems Weed Science, 2020

Table 2. Sum of soybean stand count, sum of injured plants and the % of injured soybean plants 14 and 28 days after treatment in the three replications within 25 ft quadrant at the University of Wisconsin-Madison Agriculture Research Station.

Treatment	Stand count	Injured plants		% Injured plants	
		14	28	14	28
XtendiMax with VaporGrip + Roundup PowerMax	143	45	54	32.5	40.3
XtendiMax with VaporGrip + Roundup PowerMax + 2% MON 51817 - VaporGrip	164	0	0	0.0	0.0
XtendiMax with VaporGrip + Roundup PowerMax + 4% MON 51817 - VaporGrip	161	9	10	5.4	6.5
XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL	152	80	81	52.5	53.1
XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL + 2% MON 51817 - VaporGrip	159	4	7	2.7	4.4
XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL + 4% MON 51817 - VaporGrip	154	6	6	4.0	3.8
MON 301286 – RupXtend II VGrip	142	69	72	48.6	50.3
MON 301286 – RupXtend II VGrip + 2% MON 51817 - VaporGrip	155	9	14	5.6	8.5
MON 301286 – RupXtend II VGrip + 4% MON 51817 - VaporGrip	153	6	7	4.1	4.8
MON 301286 – RupXtend II VGrip + Liberty 280 SL	150	81	80	53.3	53.3
MON 301286 – RupXtend II VGrip + Liberty 280 SL + 2% MON 51817 - VaporGrip	153	43	42	28.4	27.3
MON 301286 – RupXtend II VGrip + Liberty 280 SL + 4% MON 51817 - VaporGrip	155	11	11	6.8	7.1
Nontreated Check	154	0	0	0.0	0.0



Figure 1. XtendiMax with VaporGrip + Roundup PowerMax at 28 DAT.



Figure 2. XtendiMax with VaporGrip + Roundup PowerMax + 2% MON 51817 – VaporGrip at 28 DAT.



Figure 3. XtendiMax with VaporGrip + Roundup PowerMax + 4% MON 51817 – VaporGrip at 28 DAT.



Figure 4. XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL at 28 DAT.



Figure 5. XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL + 2% MON 51817 – VaporGrip at 28 DAT.



Figure 6. XtendiMax with VaporGrip + Roundup PowerMax + Liberty 280 SL + 4% MON 51817 – VaporGrip at 28 DAT.



Figure 7. MON 301286 – RupXtend II VGrip at 28 DAT.



Figure 8. MON 301286 – RupXtend II VGrip + 2% MON 51817 - VaporGrip at 28 DAT.



Figure 9. MON 301286 – RupXtend II VGrip + 4% MON 51817 – VaporGrip at 28 DAT.



Figure 10. MON 301286 – RupXtend II VGrip + Liberty 280 SL at 28 DAT.



Figure 11. MON 301286 – RupXtend II VGrIp + Liberty 280 SL + 2% MON 51817 – VaporGrip at 28 DAT.



Figure 12. MON 301286 – RupXtend II VGrind + Liberty 280 SL + 4% MON 51817 – VaporGrip at 28 DAT.



Figure 13. Nontreated Check at 28 DAT.