



# Kingdom Division

by [forthright48](#)

Problem

Submissions


Leaderboard

Discussions

Editorial

King Arthur has a large kingdom that can be represented as a [tree](#), where nodes correspond to cities and edges correspond to the roads between cities. The kingdom has a total of  $n$  cities numbered from 1 to  $n$ .

The King wants to divide his kingdom between his two children, Reggie and Betty, by giving each of them 0 or more cities; however, they don't get along so he must divide the kingdom in such a way that they will not invade each other's cities. The first sibling will invade the second sibling's city if the second sibling has no other cities directly connected to it. For example, consider the kingdom configurations below:



Given a map of the kingdom's  $n$  cities, find and print the number of ways King Arthur can divide it between his two children such that they will not invade each other. As this answer can be quite large, it must be modulo  $10^9 + 7$ .

## Input Format

The first line contains a single integer denoting  $n$  (the number of cities in the kingdom).

Each of the  $n - 1$  subsequent lines contains two space-separated integers,  $u$  and  $v$ , describing a road connecting cities  $u$  and  $v$ .

## Constraints

- $2 \leq n \leq 10^5$
- $1 \leq u, v \leq n$
- It is guaranteed that all cities are connected.

## Subtasks

- $2 \leq n \leq 20$  for 40% of the maximum score.

## Output Format

Print the number of ways to divide the kingdom such that the siblings will not invade each other, modulo  $10^9 + 7$ .

## Sample Input

```

5
1 2
1 3
3 4
3 5

```

**Sample Output**


```

4


```

**Explanation**

In the diagrams below, *red* cities are ruled by Betty and *blue* cities are ruled by Reggie. The diagram below shows a division of the kingdom that results in war between the siblings:



Because cities **5** and **4** are not connected to any other *red* cities, *blue* city **3** will cut off their supplies and declare war on them. That said, there are four valid ways to divide the kingdom peacefully:



We then print the value of  $4 \bmod (10^9 + 7) = 4$  as our answer.

f t in

Submissions: 877

Max Score: 50

Difficulty: Medium

Rate This Challenge:

☆☆☆☆☆

More

Current Buffer (saved locally, editable) 🔗 ↺

Java 7

```

1 import java.io.*;
2 import java.util.*;
3 import java.text.*;
4 import java.math.*;
5 import java.util.regex.*;
6
7 public class Solution {
8     public static void main(String args[] ) throws Exception {
9         /* Enter your code here. Read input from STDIN. Print output to STDOUT */
10    }
11 }

```

12

Line: 1 Col: 1

 [Upload Code as File](#) ☐ Test against custom input

Run Code

Submit Code

Join us on IRC at [#hackerrank](#) on freenode for hugs or bugs.  
[Contest Calendar](#) | [Blog](#) | [Scoring](#) | [Environment](#) | [FAQ](#) | [About Us](#) | [Support](#) | [Careers](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Request a Feature](#)