

Aalto University
School of Science
Degree Program of Computer Science and Engineering

Ad-hoc social interaction for sports

Bachelor's Thesis

April 17, 2016

Ville Tainio

Author:	Ville Tainio
Title of thesis:	Ad-hoc social interaction for sports
Date:	April 17, 2016
Pages:	26
Major:	Computer Science and Engineering
Code:	SCI3027
Supervisor:	Juho Rousu
Instructor:	David McGookin B.Sc. PhD (Department of Computer Science)
<p>This thesis studied how the concept of familiar strangers, people who we meet often but don't interact with, can be integrated into a mobile application for creating social interaction among people doing sports. The literature review part of this thesis looked at the field from three perspectives. Firstly, this thesis studied social interaction among strangers by looking at various research projects. Secondly, sports and doing sports together with another person and the benefits gained from that were review as well. Lastly, the thesis looked at how social sports applications are encouraging people to do more sports and how they alter our behavior and allow new ways of doing sports with other people.</p> <p>In addition to the literature review three people were interview for this thesis. The goal of the exploratory interviews ranging from 20 to 30 minutes was to get perspective and new ideas for the design details of the prototype application created for this thesis. In the end, the interviews resulted in three main ideas and findings. Firstly, there was a mixed reception for the application. Secondly, privacy was a concern for the users which lead to certain design decisions for the prototype. Lastly, the interview gave guidance towards what information should be gathered from the users and what should be public and what private.</p> <p>In the and, a prototype Android application was created based on the findings from the literature review and the interviews. The application logs encounters between the user and strangers and after you have encountered the stranger for enough times, you can interact with them. The application is licended with a permissive open source license so it's possible to use it for further research or even commercial use.</p>	
Keywords:	Social networks, Sports, Familiar strangers, Social interaction, Beacons, BLE
Language:	English

Contents

1	Introduction	4
2	Related work	6
2.1	Social interaction	6
2.2	Sports	6
2.3	Social sports	7
2.4	Bluetooth beacons	8
3	Interviews	11
3.1	Method for the interviews	11
3.2	Results	11
3.3	Summary	13
4	Design	14
4.1	Onboarding	14
4.2	Passing by	15
4.3	Approaching the stranger	16
4.4	Revealing identity	18
5	Prototype implementation	20
5.1	Architecture	20
5.2	Usage	21
6	Discussion	22
6.1	Results of the study	22
6.2	Future work	22
7	Conclusion	23
	References	24
A	Interviews	26

1 Introduction

Communicating with each other using technologies, such as Bluetooth, is becoming ever more popular. Both old and new emerging technologies enable us to create new ways of establishing communication between total strangers with similar interests. This thesis describes how these technologies can be used to create social interaction between strangers and therefore increase the well-being of people and their performance during sports.

Familiar strangers is a concept first introduced by the psychologist Stanley Milgram in 1972 in his essay (Milgram et al., 1992). We often come across to the same strangers while doing sports, but do not interact with them. These people, that you have met frequently but never interacted with, are called familiar strangers. (Paulos and Goodman, 2004). Familiar strangers as a concept isn't limited to sports, but targeting the research to people who have similar interests (sports) by definition makes monitoring of their behavior simpler. While social networking between strangers has been research before, this concept of social interaction between familiar strangers in sports, is quite new in the field.

This thesis consist of:

- A literature review.
- Conducting interviews.
- Creating a prototype application for research.

This paper presents a prototype Android application that will log how many times strangers pass you by. When you encounter a strangers enough times, the application will suggest communication with the stranger. With the prototype, you can view where and how many times you have encountered that person and what are they interested in. Interesting questions related to this prototype application are, whether users are willing to establish communication based on similar interest and similar real-life habits (sports routes and times) and also how much information users are willing to share to total strangers. Data gathered from this prototype application can later be used to verify assumptions about the users behavior and to learn new information. The prototype application takes privacy seriously and is quite conservative about sharing information. The level of privacy can later then be modified based on feedback from the users.

The application uses Bluetooth beacons to identify the strangers and log the encounters to a web server. This enables users to interact with the strangers also outside of the sports activity itself. They don't have to approach the strangers while doing sports. They can later on interact with the strangers they met while doing sports and try to find like-minded people to do sports with.

The interviews were composed from open-ended questions where the goal was more to find new information for the design of the prototype application rather than just to validate previous assumptions. The interviews were extensive and performed only for a handful of possible end users of the application. No survey's were conducted for this thesis.

Getting to know strangers and finding people to do sports with can be a daunting task especially for people who have just moved to a new city or a country. It is important to make finding people to do sports with as easy as possible with the use of modern technology without compromising the privacy of the users.

2 Related work

This section presents related works from multiple perspectives: the social interaction perspective, the perspective of doing sports, social sports and also about related technology used for this thesis. The design and implementation of the prototype application relies on results from this section.

2.1 Social interaction

Väänänen-Vainio-Mattila et al. (2010) studied ad hoc social networking with a social networking system called TWIN. In a survey conducted after the study, the method for approaching unfamiliar persons was one of the highest rated features of the system. Eagle and Pentland (2005) conducted a survey where 90% of the participants stated that they would use regularly a service which would help introduce nearby strangers to each other. Serendipity, the application created for their research, is a mobile match-making system which alerts users when someone with similar interests comes into proximity. The reactions to the system have been overwhelmingly positive. These results imply that systems that allow people to interact with familiar strangers are in fact desired by people. The users were also less worried about their privacy than perhaps was anticipated by the researchers. No major issues were found related to privacy in being able to interact with strangers in the research.

2.2 Sports

Meeting strangers is only one part of the assumed benefits of the prototype application. One of the goals for the application is to encourage people to exercise more. Weinberg and Gould (1995) present how participating in sports improves us in various ways both physically and socially.

Research done by O'Brien and Mueller (2007) also suggests that doing sports with another person on a similar level of fitness can create and enhance social relationships between them. Therefore, finding a partner to do sports with benefits people and likely results in better performance and motivation to do sports.

One of the problems in creating the application is to figure out that how frequently people doing sports actually meet familiar strangers. Setting the level of encounters before allowing users to communicate with each other affects the whole user experience of the prototype application. One question is that do, for example joggers use the same route always or do they change it often? Changing the route often results in a lower amount of encounters in the application and might make it harder for the strangers to

ever meet each other. Research by McGookin and Brewster (2013) showed that distance is the key thing what joggers are thinking about while running, not about using familiar routes. However, while routes change, joggers reuse familiar locations more than once. They usually leave out a part or add one based on their overall feeling. The fact, that joggers reuse locations increases the probability of running into familiar strangers along the way. For other sports, such as going to the gym, this is not an issue since the location of exercise is usually static.

2.3 Social sports

Social sports platforms have emerged during the past years. Plenty of commercial mobile and web applications are already used by millions of people for enhancing their sports experience. Applications that log your sports data e.g. running distance and heart rate are one example of the usage of technology to enhance the sports experience. SportsTracker¹ is one example of these kinds of applications. Many of them also offer social features where you can share information related to your sports activities to your friends via social media platforms, such as Facebook².

Technology can also provide aid for example, for your posture and also increase performance during sports. Kajastila and Hämäläinen (2014) present a project called augmented climbing. The project is about interacting with projected graphics in a climbing wall and it shows how video projectors can be used to alter the regular climbing experience. The projector can, for example make the sports activity into a game by providing an obstacle that the user has to be aware of. It can also enhance your climbing skills by showing what is the best route to follow. Fish’N’Steps pedometer, presented by Lin et al. (2006), has a similar idea to enhance the performance of people with an interactive game. The system does it by making the daily step counts of people result in the growth and activity of an animated virtual fish in a fish tank. Other people’s fish can also live inside other users tanks, which creates social pressure to live an active lifestyle. The application introduces both co-operation and competition to increase the amount of exercise.

Some applications also provide a very immersive social experience while doing sports. Mueller et al. (2010) present a social prototype application called ”Jogging over a Distance”, where two people can jog together across the globe aided by technology. The system works so that two runners agree to jog during the same time and both agree to wear a headset and a heart rate monitor during the activity. The runners have a computer and a mobile phone with them for communicating and transmitting data to each other. While jogging,

¹<http://www.sports-tracker.com/>

²<https://www.facebook.com>

both can hear the audio from the other runner. In addition to being able to speak with the other runner, the system uses two dimensional voice to present the relative heart rate of the other runner. This audio informs the runner whether they are running too fast or too slowly and they can adjust their speed with that information. The sound is done so that if the heart rates are on a similar level, it sounds as the jogger would be very close. Otherwise, it will sound like the jogger is far away and the person has to adjust their speed to match the other persons heart rate. This system enables them to practice sports as they would if they were running side by side in the same location. "Jogging over distance" is aiming to increase the same social and performance aspects as the prototype created for this thesis. The prototype application only tries to increase the amount of sports together in real life compared to "Jogging over distance" where the sports is performed remotely.

This thesis focuses more on how to create and inspire social interaction rather than how the interaction can be enhanced during the sports activity. However, these findings support the overall view that technology can increase performance during sports in many ways and turn a hard job into more of a social fun. Technology can encourage people to do sports more as is the goal for every paper in this section and also for this thesis. The prototype application wants to connect like minded people and increase performance in a natural way of communication between people face to face.

2.4 Bluetooth beacons

The prototype application uses Bluetooth beacons to log when the familiar strangers encounter each other. Bluetooth beacons have two popular protocols, which are iBeacon from Apple³ and Eddystone by Google⁴. One popular commercial manufacturer of Bluetooth beacons is Estimote⁵. Estimote beacons using the iBeacon protocol were used for this thesis. Beacons allow applications to perform activities when in close proximity to a beacon. Some current popular use cases for the beacons are, for example targeted advertising in an airport and implementing an indoor location system.

The beacons implement a protocol called Bluetooth low energy (BLE), which is a part of the Bluetooth 4.0 standard defined by Group (2010). BLE is used for short-range communication. Typically the beacons are constantly broadcasting signals and are used to do something special when an user comes near them. BLE is designed to consume a lot less power than the traditional Bluetooth protocol and to be used with various kinds of monitoring services. BLE is expected to be used in billions of devices in the near future

³<https://developer.apple.com/ibeacon/>

⁴<https://www.google.com/about/company/>

⁵<http://estimote.com/>

and to be a crucial part of the Internet of Things (Gomez et al., 2012).




Figure 1: The insides of an Estimote Bluetooth beacon. © by Estimote, Inc.

Gomez et al. (2012) show that there are two functions for BLE devices, advertisement and scanning. Advertisers are devices that only transmit advertising packets through the advertisement channel in intervals of time. These transmission between intervals are called advertising events. Scanners on the other hand only receive packets from the advertisement channel. In the prototype application created for this thesis, the Bluetooth beacons are acting as advertisers and the mobile phones as scanners. Some of the latest phones in the market are now also able to act as both the scanner and the advertiser. Therefore, this application could already be done without the need of separate Bluetooth beacons. However, there are only a handful of devices that are capable of both roles, which results in the fact that this prototype application would be harder to test with a big group because the devices are still rare.

Gomez et al. (2012) present findings that Bluetooth low energy doesn't consume a lot of power and delivers on its promises. On a low advertisement rate the devices are able to function for years before there is a need to change batteries. However, with a high advertisement rate it is possible to drain the battery in months. The power consumption affects both the mobile application and the beacon used. For the mobile application power consumption can be reduced by increasing the interval of checking if any beacons are nearby and for the beacons, consumption can be reduced by increasing the advertising interval. Batteries for the beacons need to be replaced once they run out. Some beacon

providers, such as Estimote, do not actually allow you to replace the batteries but force you to buy new beacons instead. This is one possible thing to take into account if a larger study is planned to do with Bluetooth beacons. The prototype application is implemented with battery consumption in mind so that the users are willing to use the application in the first place.

3 Interviews

This section describes the methods used for the interviews and the results gained from them. All interviews are anonymous and only basic demographic information about age and gender were gathered from the participants.

3.1 Method for the interviews

The interviews consisted of multiple open-ended questions. The goal was to find out whether people are interested in using this type of an mobile application and how to design the details of the application. The information gathered from these interviews was used for the design of the prototype application. The main outline for the interview is located in appendix A.

The questions weren't meant to be strict but to serve as a guideline for the discussion. If new interesting topics emerged while interviewing, the idea was to go forward with them without thinking too much about the guideline.

3.2 Results

In total, three people were interviewed for this thesis. The interviews ranged from 20 to 30 minutes in length. A few demographic questions were included in the interviews. Two of the three participants were female and one was a male. One of the participants did sports four to five times a week, one two to three times a week and one did sports rarely (less than weekly). Their sports activities were gym, various group exercises (e.g. spinning), martial arts and jogging.

One of the participants was very goal oriented in their sports activities, others were doing sports just for getting a good feeling out of it. All of them carried devices for music during sports. Therefore, using the kind of a prototype application done for this thesis wouldn't require a change in their current behavior other than carrying a Bluetooth beacon with them. Most of them did sports alone, sometimes together with friends. Friends that they did sports with, were mostly old friends from school. One of them got to know strangers that they frequently met at the gym and later on started working out together.

Doing sports together with other people had varying effects to their motivation than when doing sports alone. One of the participants said that they didn't feel any difference in motivation when doing sports with or without friends. Others felt some differences.

I might have a good motivation with or without friends. In a group settings, others are supporting me, which might make me achieve higher goals than

I thought was possible. However, it might also end up so that we are just chatting without actually getting anything done. If I am working by myself, I try to gain motivation with some external factors (e.g. music or watching inspiring videos).

Privacy was a concern among the participants related to this prototype application. The initial thought for one of them was that strangers would start to stalk them using this kind of an application. One other participant quickly dismissed the idea by saying that of course showing any personal information should be voluntary. Some concerns were also brought up about criminals, such as pedofiles using this application for criminal activities. The same participant dismissed this idea again by saying that the application has no role in that situation if the people are actually already meeting each other in real life all the time. However, initial reactions about privacy are important when designing an application that feels safe to use.

When asked about what they would be willing to share to strangers, the answers differed. One of them felt quite easy about sharing plenty of information.

I would maybe be willing to share some open text related to my interests, my profile picture, my gender, my first name and maybe my email address. If it were a dating service and I would be actively searching for a partner, I would be willing to share more information.

One of the participant felt anxious about sharing a profile picture. One felt that profile pictures weren't necessary if the search is for a person to do sports with. Overall, they felt that the most important aspect would be to share an open field where one could describe what they are interested in and perhaps write about the kinds of people they are looking to do sports with. In addition, they felt that being optionally able to select a gender for the familiar strangers would be a good thing. They felt that most people would probably want to select a gender for people to interact and to do sports with.

If I am looking for someone to spot me at the gym, I don't want it to be someone who weights 20kg or if a woman is searching for a yoga partner, they might feel more comfortable if the partner is female as well.

When asked, if they were willing to use the application to meet strangers to do sports with, the participants were hesitant.

Possibly yes, if it were possible to find good people to work out with.

One of the participants said that they would be willing to use it if they were single, not otherwise. One of them said that they wouldn't use the application themselves but understand if others would want to.

3.3 Summary

Overall the interviews provided valuable information for designing the prototype application. The application mostly relies on the general concepts found on the literature review part of this thesis but these results were used for guiding the design of the details of the application. The interviews yielded three main results. Firstly, there was a mixed reception for this kind of an application. Secondly, privacy was a concern, which lead to the design decision of hiding real names of the strangers initially. Lastly, when looking for people to do sports with using this application, users are interested in knowing what type of sports the other person is into, their gender and age. People want to do sports with similar people with similar fitness levels and these factors guide towards finding these similar people. Interviews of three people aren't enough to draw general conclusions about whether this kind of social interaction enhanced by an application is something people are looking for. However, this was never the purpose of the interviews and their intended result of getting perspective for the design process was met.

4 Design

The prototype application's main goal is to allow people to connect with familiar strangers and to find like-minded people to do sports with. Of course the underlying concepts can be used for other purposes than just sports, but this prototype is designed for sports. Especially the part related to social interaction could be imported into a dating application for example. However, this thesis doesn't cover any other use cases for this prototype application.

The designed process of meeting a familiar strangers and connecting with them can be divided into a few steps.

- Encounter a person enough times
- View information about that person and their interests when the application suggests communication.
- Message the stranger and see if they share common goals.
- View their real-life information after both agree to do it and start doing sports with them.

This prototype application is a mix of remote and local social interaction among people assisted by technology. Users are able to chat with familiar strangers remotely but real life proximity is required to initialize these conversations. The aim is to push the boundaries of how social interaction is initialized among strangers. In this prototype application, shared common interests are the starters for social interaction among strangers. The process is designed to be as smooth as possible in order to find new people to do sports with.

4.1 Onboarding

When starting the application for the first time an onboarding process will begin for the user. The user is required to register for the application with a simple email and password combination. They can also just log in with an existing account so using the application isn't tied to a single device. After registering, the user is required to fill their profile information as seen in figure 2. The fields required onboarding are their name, interests, gender and age. After completing this stage of the onboarding the user is required to register a beacon for their use. At this point the application will detect every beacon nearby and show them in a list as seen in figure figure 3. The list shows the beacon's MAC address on the left the the distance to that beacon in meters on the right. Beacon's

Figure 2: Filling personal information.

MAC address is used to identify unique beacons and it is stored to the server. Therefore, every beacon can be tied only to a single identifiable user. This completes the onboarding process and the application will now work on its own.

4.2 Passing by

Using Bluetooth beacons, the application will log every person that passes you by. Therefore users are required to carry a mobile phone and a Bluetooth beacon with them while doing sports. The amount of pass by's that initialize communication between the users is adjustable in the prototype for better examining of how much is required for social interaction later on. The initial default value is three times. The amount could also in the future be adjusted based on how frequent the use of this application is in the real life location of the user. With low use, it is harder to encounter anyone and likely will lead to not using the application as often. If a larger study is done later to validate the users behaviors, the amount should be decreased to engage people more during the research process.

One option is also to modify the application so that users are able to select the amount



Figure 3: Selecting an unique beacon for the user.

themselves before other users are able to approach them with messages. The option of filtering the strangers with some parameters, such as sex was brought up in the interviews. The conducted interview also suggested that users would be interested to see the public interests of strangers even with low encounters in order to find a like-minded stranger more easily.

In the application, users are able to view how many people they have encountered from a list in the application as seen in figure 4. The list shows the user with an unique identification (not their real name) and also the times they have encountered each other. These users have encountered over the threshold amount of encounters in order to be visible on the list. Strangers with less encounters than required will not be visible in any way to the user before reaching the target amount.

4.3 Approaching the stranger

After the user has encountered a familiar stranger enough times, the application will suggest communication between both parties. By clicking a stranger from the list seen in 4, the user is able to view their public information (gender, age and interests) and send

Familiar Strangers	
Jani	6
Anni	4
Timo	3
Elisa	1
Sami	1

Figure 4: A list of encounters (made up name and how many times)

messages or request real life information from them as seen in figure 5. This information is entered by the user in the onboarding process. In addition to the filled information, the user is able to see the locations of encounters on a map, to make sense of where the other person is doing sports and what sports based on the users own behavior.

Based on the research from Väänänen-Vainio-Mattila et al. (2010) and the interviews conducted for this thesis, displaying this kind of information publicly to the users shouldn't be a problem for the majority of users as users are open about reaching out to strangers and privacy wasn't a concern for the users in the research paper.

The interaction can stay anonymous with temporary generated names as long as the users want to. The anonymous approach was selected based on the privacy concerns of the conducted interviews. It's possible to send messages to each other just to ask what they are interested in and see if both of them would be interested in doing sports together. The chat as seen in figure 6 is meant for users to verify similar interests and goals before getting to know each other better. If the interests and goals do not match, the user can ignore the other person and they will not be in any kind of interaction via the application ever again.




Figure 5: An example profile of a stranger without real life information revealed.

4.4 Revealing identity

At some point, the users must reveal some real life information in order to meet in person and to do sports with. This can be done only by messaging related information via the application. However, the application also introduces a feature, that the users can use to reveal real life information to one another. The real life information should be revealed only after both parties feel entirely comfortable with the idea. In the prototype, a mutual agreement of revealing real life information is required in order for it to happen. After revealing information, it is possible for both of them to start doing sports together or find other meaningful things to do in life. Their profiles in the application will now be visible with their real names. A record of their interaction is left on the app, and the stranger's real name is now also shown to the user.




Figure 6: An example of sending a message to a stranger.

5 Prototype implementation

The created prototype is an Android⁶ application. The programming language selected for the application is Kotlin⁷. Kotlin helped to reduce the amount of bugs during the creation process and proved to be a very fast programming language for developing Android applications. Null safety by default, drastically less boilerplate code compared to a traditional Java application for Android and great development tools were the key elements for the success of using Kotlin. In addition to Kotlin, Anko⁸; a view library created by JetBrains⁹; was also used for the application. Using Anko reduced the amount of time going to creating basic views, e.g. for the login and registering views.

5.1 Architecture




Figure 7: The application architecture.

⁶<https://www.android.com/>

⁷<https://kotlinlang.org/>

⁸<https://github.com/Kotlin/anko>

⁹<https://www.jetbrains.com/>

The main parts of the prototype application are the client (the Android application) and the backend (server) as demonstrated in figure 7. The backend is built with Firebase¹⁰, which is a tool for creating fast backends using nothing but JSON¹¹ objects. The user authenticates to the backend, so that we get unique user identifiers that aren't locked into a single device in the application's lifetime. The messaging feature was also implemented using Firebase using its real time features done with the websocket protocol (Fette and Melnikov, 2011).

The application uses Firebase's default authentication features for the authentication. A combination of email and password is currently used. However, it is easy to add third party login systems, such as Facebook¹² and Google¹³ for the authentication.

The application uses an Android background service to run the logging of encounters among the users in a separate thread. The background service detects the join and exit events of Bluetooth beacons and based on those events, sends the server information about the encounters. This background service will stay running even though the user is not currently actively using the application. Therefore, even if the user is keeping the application locked in their pocket, it will still log the encounters normally. Monitoring the events for Bluetooth beacons drains extra battery from the phones as described by Gomez et al. (2012).

The application doesn't have push notifications to handle real-time updates at the moment. This will hopefully be improved in the future.

5.2 Usage

The application is open sourced with the Apache 2.0 license¹⁴. Therefore, anyone is free to take it into use, modify it or even make money out of it. A few steps are needed before the application can be taken into use by someone. First of all, the application uses Firebase as the backend service. Therefore, a Firebase account and an application created with it is required for using this application. You can replace the existing Firebase application with your own by just changing a single line in the "Constants" file. The source code can be found from GitHub¹⁵.

¹⁰<https://www.firebase.com/>

¹¹Javascript Object Notation

¹²<https://www.facebook.com/>

¹³<https://www.google.com>

¹⁴<http://www.apache.org/licenses/LICENSE-2.0>

¹⁵<https://github.com/Wisher/bachelors-thesis>

6 Discussion

This section analyses the results that the study produced and what should be done in the future related to the created prototype application.

6.1 Results of the study

The conducted interviews presented multiple interesting points of views. The results served their purpose in giving direction to the prototype application's design process. However, as the amount of interviews is so low, the results should not be taken as general views of people. The goal of the interviews was not to study the general opinion of such matters but to give guidance to the design process of the prototype application.

In the end, the prototype application is functional and it is possible to use it for further research. The application is also open source with a permissive license so it's easy to take it into use in any research facility or even commercial use. The design process included looking at the problem from multiple points of views generated by the previous study for this thesis.

6.2 Future work

In addition to researching the behavior models of doing social interaction among familiar strangers further, the prototype application created for this thesis should be used for research. Elements of this prototype application could also be introduced outside the concept of sports in order to research whether there are any differences in the behavior of these groups. It might be best to conduct research with this application in an urban area such as an university campus or a regular neighborhood. Then it is more likely that encounters will happen as real life proximity is required for them.

Some additional functionality is planned for the application. The proposed features are listed in the GitHub issues of the application. Implementing push notifications for messaging other users would be especially nice, since now the user has to manually poll whether there are new messages in the application or not. At this point it is unclear whether those features will be implemented, but they are there for anyone to take. Modifications to the code and complete new features are by all means welcome and will be merged to the prototype application.

No user testing has been done for this prototype application. However, as the application is licensed with an open source license, hopefully a study will see the light of day sometime in the near future.

7 Conclusion

The goal of this thesis was to research how humans interact with familiar strangers and to also create a prototype application for sports, which will use these findings and enable people to find like-minded strangers to do sports with. Based on the literature review and the interviews conducted for this thesis, a prototype Android application has been created and it is functional. It is now possible to do various types of user studies with the open source application.

Based on the literature review of this thesis, people are generally interested in getting to know strangers using these kinds of social networking applications. Technology has already encouraged people to do sports with like-minded people and hopefully this prototype application will encourage people more. By using this prototype application, people are able to get new friends to do sports with. Therefore, people were benefit from doing sports both physically and mentally as was shown in the literature review of this thesis.

The interviews that were conducted for this thesis gave various good insights into the design of the prototype application. Although the amount of interviews was low, the results were valuable and useful both in the design and the implementation phase of the prototype application. The tree main results from the interviews were that people have a mixed view of this type of applications, privacy is a concern and the interviews gave good viewpoints in what to include to the prototype application in terms of data gathered from the users. Some of the features discovered in the interviews, such as profiling strangers based on their gender didn't yet make it to the prototype application but are on the list of future features to be implemented to the application.

The prototype application is easy to take into use. The backend service used for the application is also very easy to replace so that it's easier to monitor the generated data. You can change the backend by merely changing a single line in the source code. The prototype was also open sourced with the idea in mind that someone else can take the project forward and do user studies which are lacking from this thesis.

It is unfortunate that I didn't have the time to perform an user study with the created prototype application because of limited resources. I believe there is much valuable information waiting to be found with an user study using this application. Hopefully because the application is open sourced, someone else will take it forward from here.

References

- Nathan Eagle and Alex (Sandy) Pentland. Mobile matchmaking: Proximity sensing and cueing. *IEEE Pervasive Computing*, 2005.
- I. Fette and A. Melnikov. The WebSocket Protocol. RFC 6455 (Proposed Standard), December 2011. URL <http://www.ietf.org/rfc/rfc6455.txt>.
- Carles Gomez, Joaquim Oller and Josep Paradells. Overview and evaluation of bluetooth low energy: An emerging low-power wireless technology. *Sensors*, 129:11734–11753, 2012.
- The Bluetooth Special Interest Group. Specification of the bluetooth system, covered core package, version: 4.0, 2010.
- Raine Kajastila and Perttu Hämäläinen. Augmented climbing: interacting with projected graphics on a climbing wall. *Extended Abstracts on Human Factors in Computing Systems*, pages 1279–1284, 2014.
- James J. Lin, Lena Mamykina, Silvia Lindtner, Gregory Delajoux and Henry B. Strub. Fish’n’ssteps: Encouraging physical activity with an interactive computer game. *Lecture notes in Computer Science*, 4206:261–278, 2006.
- David K McGookin and Stephen A Brewster. Investigating and supporting undirected navigation for runners. *Extended Abstracts on Human Factors in Computing Systems*, pages 1395–1400, 2013.
- Stanley Milgram, John (Ed) Sabini and Maury (Ed) Silver. *The individual in a social world: Essays and experiments*. McGraw-hill Book Company, New York, NY, England, second edition, 1992.
- Florian ‘Floyd’ Mueller, Frank Vetere, Martin R. Gibbs, Darren Edge, Sefan Agamanolis and Jennifer G. Sheridan. Jogging over a distance between europe and australia. *Proceedings of the 23rd annual ACM symposium on User interface software and technology*, pages 189–198, 2010.
- Shannon O’Brien and Florian “Floyd” Mueller. Jogging the distance. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 523–526, 2007.
- Eric Paulos and Elizabeth Goodman. The familiar stranger: Anxiety, comfort, and play in public places. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 223–230, 2004.

Kaisa Väänänen-Vainio-Mattila, Petri Saarinen, Minna Wäljas, Marko Hännikäinen, Heikki Orsila and Niko Kiukkonen. User experience of social ad hoc networking: findings from a large-scale field trial of twin. *Proceedings of the 9th International Conference on Mobile and Ubiquitous Multimedia*, (10), 2010.

Robert S Weinberg and Daniel Gould. *Foundations of Sport and Exercise Psychology*. Human Kinetics, 6th edition, 1995.

A Interviews

This form was used to conduct the interviews.

- Age?
- What sports are you doing?
- How often do you do sports?
- What kind of sports goals do you have?
 - What is keeping you from achieving them / what has helped you achieve them?
- What do you carry with you while doing sports?
- Do you do it alone or with friends?
 - Which one do you like more?
- How does your motivation differ while doing sports by yourself and in a group?
- Have you interacted with strangers while doing sports?
 - If so, how?
- Have you used any kind of tools to find people to do sports with?
- Do you use any sports tracking applications?
- What information about your sporting habits would you be willing to share with strangers that you come across often?
- Would you be interested in trying out a tool which would suggest messaging people that you come across often while doing sports?