

Aalto University  
School of Science  
Degree Program of Computer Science and Engineering

# **Ad-hoc social interaction for sports**

**Bachelor's Thesis**

**xx. xxxxxxkuuta 20xx**

**Ville Tainio**

Aalto University  
School of Science  
Degree Program of Computer Science and Engineering

ABSTRACT OF  
BACHELOR'S THESIS

<b>Author:</b>	Ville Tainio
<b>Title of thesis:</b>	Ad-hoc social interaction for sports
<b>Date:</b>	MonthName 31, 20xx
<b>Pages:</b>	Kirjoita tähän oikea määrä, tässä esimerkissä 23
<b>Major:</b> <b>Code:</b>	
<b>Supervisor:</b> <b>Instructor:</b>	TitleOfResponsibleTeacher NameofResponsibleTeacher Your instructor, titleOfInstructor (Department of Computer Science Engineering)
<b>Keywords:</b>	social networks, sports, jogging, social interaction, beacons
<b>Language:</b>	English

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
<b>2</b>	<b>Related work</b>	<b>5</b>
2.1	Social networking . . . . .	5
2.2	Sports . . . . .	5
	<b>References</b>	<b>6</b>

# 1 Introduction

Communicating with each other using technologies, such as Bluetooth, is becoming ever more popular in the field. Both old and new emerging technologies enable us to create new ways of establishing communication between total strangers with similar interests. This thesis describes how these technologies can be used to create social interaction between strangers and therefore increase their well-being of people and their performance during sports.

Familiar strangers is a concept first introduced by the psychologist Stanley Milgram in 1972 in his essay (Milgram et al., 1992). We often come across to the same strangers while doing sports, but do not interact with them. These people, that you have met frequently but never interacted with, are called familiar strangers. (Paulos and Goodman, 2004). Familiar strangers as a concept isn't limited to sports, but targeting the research to people who have similar interests (sports) by definition makes monitoring of their behavior simpler. While social networking between strangers has been research before, this concept of social interaction between familiar strangers in sports, is new in the field.

Methods used in this paper to research this problems are:

- Literature review.
- Conducting interviews.
- Creating a prototype application for research data.

This paper presents a prototype Android application that will log the times strangers passing by you. When you come across to a strangers enough times, the application will suggest communication with the stranger. With the prototype, you can view where and how many times you have encountered that person and what are they interested in. Interesting questions related to this prototype application are, whether users are willing to establish communication based on similar interest and similar real-life habits (sports routes and times) and also how much information users are willing to share to total strangers. Data gathered form this prototype application can later be used to verify assumptions about the users behavior and to learn new information. The prototype application takes privacy seriously and is quite conservative about sharing information. The level of privacy can later then be modified based on feedback from the users.

The interviews were composed from open-ended questions where the goal was more to find new information rather than just to validate previous assumptions. The interviews were extensive and performed only for a handful of possible end users of the application. No survey's were conducted for this thesis.

## 2 Related work

This section presents related works from two perspectives: the social interaction perspective and the perspective of doing sports. The design of the prototype application relies on results from both of these perspectives.

### 2.1 Social networking

Väänänen-Vainio-Mattila et al. (2010) studied ad hoc social networking with a social networking system called TWIN. In a survey conducted after the study, the method for approaching unfamiliar persons was one of the highest rated features of the system. Eagle and Pentland (2005) conducted a survey where 90% of the participants stated that they would use regularly a service which would help introduce nearby strangers to each other. Serendipity, the application created for their research, is a mobile match-making system which alerts users when someone with similar interests comes into proximity. The reactions to the system have been overwhelmingly positive. These results imply that systems which allow people to interact with familiar strangers are in fact desired by users.

### 2.2 Sports

Meeting strangers is only one part of the assumed benefits of the prototype application. Previous research suggests that doing sports in a group or together with a friend results in increased performance. Therefore, the findings suggest that finding strangers with similar interests and a similar level of fitness to do sports with would result in a performance increase for the user. However, finding people to do sports with can be an daunting task especially for people who have just moved to a new city or a country. It is important to make finding strangers as easy as possible with the use of modern technology without compromising the privacy of the users.

One of the concerns of creating the application is that how frequently people doing sports actually meet familiar strangers. Setting the level of passing by's before allowing users to communicate with each other affects the whole user experience of the prototype application. Research by McGookin and Brewster (2013) showed that distance is the key thing what joggers are thinking about while running, not about using familiar routes. However, while routes change, joggers use familiar locations more than once. They usually leave out a part or add one based on their overall feeling. The fact, that joggers reuse locations increases the probability of running into familiar strangers along the way.

## References

- Nathan Eagle and Alex (Sandy) Pentland. Mobile matchmaking: Proximity sensing and cueing. *IEEE Pervasive Computing*, 2005.
- David K McGookin and Stephen A Brewster. Investigating and supporting undirected navigation for runners. *CHI '13 Extended Abstracts on Human Factors in Computing Systems*, pages 1395–1400, 2013.
- Stanley Milgram, John (Ed) Sabini and Maury (Ed) Silver. *The individual in a social world: Essays and experiments*. Mcgraw-hill Book Company, New York, NY, England, second edition, 1992.
- Eric Paulos and Elizabeth Goodman. The familiar stranger: Anxiety, comfort, and play in public places. *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 223–230, 2004.
- Kaisa Väänänen-Vainio-Mattila, Petri Saarinen, Minna Wäljas, Marko Hännikäinen, Heikki Orsila and Niko Kiukkonen. User experience of social ad hoc networking: findings from a large-scale field trial of twin. *Proceedings of the 9th International Conference on Mobile and Ubiquitous Multimedia*, (10), 2010.