



Cyberscope

# Audit Report

## **WIZZY THE WIZARD**

December 2023

Network    ETH

Address    0x6D42504A48a3bc17D7D21C2CD3D17B179F40ee25

Audited by    © cyberscope

# Analysis

● Critical ● Medium ● Minor / Informative ● Pass

Severity	Code	Description	Status
●	ST	Stops Transactions	Passed
●	OTUT	Transfers User's Tokens	Passed
●	ELFM	Exceeds Fees Limit	Passed
●	MT	Mints Tokens	Passed
●	BT	Burns Tokens	Passed
●	BC	Blacklists Addresses	Passed

# Diagnostics

● Critical ● Medium ● Minor / Informative

Severity	Code	Description	Status
●	RRS	Redundant Require Statement	Unresolved
●	RSML	Redundant SafeMath Library	Unresolved
●	MEM	Misleading Error Messages	Unresolved
●	IDI	Immutable Declaration Improvement	Unresolved
●	L02	State Variables could be Declared Constant	Unresolved
●	L04	Conformance to Solidity Naming Conventions	Unresolved
●	L17	Usage of Solidity Assembly	Unresolved

# Table of Contents

<b>Analysis</b>	<b>1</b>
<b>Diagnostics</b>	<b>2</b>
<b>Table of Contents</b>	<b>3</b>
<b>Review</b>	<b>4</b>
Audit Updates	4
Source Files	4
<b>Findings Breakdown</b>	<b>5</b>
RRS - Redundant Require Statement	6
Description	6
Recommendation	6
RSM - Redundant SafeMath Library	7
Description	7
Recommendation	7
MEM - Misleading Error Messages	8
Description	8
Recommendation	8
IDI - Immutable Declaration Improvement	9
Description	9
Recommendation	9
L02 - State Variables could be Declared Constant	10
Description	10
Recommendation	10
L04 - Conformance to Solidity Naming Conventions	11
Description	11
Recommendation	11
L17 - Usage of Solidity Assembly	13
Description	13
Recommendation	13
<b>Functions Analysis</b>	<b>14</b>
<b>Inheritance Graph</b>	<b>17</b>
<b>Flow Graph</b>	<b>18</b>
<b>Summary</b>	<b>19</b>
<b>Disclaimer</b>	<b>20</b>
<b>About Cyberscope</b>	<b>21</b>

## Review

Contract Name	WIZZY
Compiler Version	v0.8.20+commit.a1b79de6
Optimization	200 runs
Explorer	<a href="https://etherscan.io/address/0x6d42504a48a3bc17d7d21c2cd3d17b179f40ee25">https://etherscan.io/address/0x6d42504a48a3bc17d7d21c2cd3d17b179f40ee25</a>
Address	0x6d42504a48a3bc17d7d21c2cd3d17b179f40ee25
Network	ETH
Symbol	WIZZY
Decimals	9
Total Supply	1,000,000,000

## Audit Updates

Initial Audit	10 Dec 2023
---------------	-------------

## Source Files

Filename	SHA256
WIZZY.sol	28085bbbc8c88c1d7b301e997434c068b31cc2bc916df7910000355e6d3d41f9

## Findings Breakdown



Critical	0
Medium	0
Minor / Informative	7

Severity	Unresolved	Acknowledged	Resolved	Other
Critical	0	0	0	0
Medium	0	0	0	0
Minor / Informative	7	0	0	0

## RRS - Redundant Require Statement

Criticality	Minor / Informative
Location	WIZZY.sol#L35
Status	Unresolved

### Description

The contract utilizes a `require` statement within the `add` function aiming to prevent overflow errors. This function is designed based on the SafeMath library's principles. In Solidity version 0.8.0 and later, arithmetic operations revert on overflow and underflow, making the overflow check within the function redundant. This redundancy could lead to extra gas costs and increased complexity without providing additional security.

```
function add(uint256 a, uint256 b) internal pure returns (uint256) {  
    uint256 c = a + b;  
    require(c >= a, "SafeMath: addition overflow");  
    return c;  
}
```

### Recommendation

It is recommended to remove the `require` statement from the `add` function since the contract is using a Solidity pragma version equal to or greater than 0.8.0. By doing so, the contract will leverage the built-in overflow and underflow checks provided by the Solidity language itself, simplifying the code and reducing gas consumption. This change will uphold the contract's integrity in handling arithmetic operations while optimizing for efficiency and cost-effectiveness.

## RSML - Redundant SafeMath Library

Criticality	Minor / Informative
Location	WIZZY.sol
Status	Unresolved

### Description

SafeMath is a popular Solidity library that provides a set of functions for performing common arithmetic operations in a way that is resistant to integer overflows and underflows.

Starting with Solidity versions that are greater than or equal to 0.8.0, the arithmetic operations revert to underflow and overflow. As a result, the native functionality of the Solidity operations replaces the SafeMath library. Hence, the usage of the SafeMath library adds complexity, overhead and increases gas consumption unnecessarily.

```
library SafeMath {...}
```

### Recommendation

The team is advised to remove the SafeMath library. Since the version of the contract is greater than `0.8.0` then the pure Solidity arithmetic operations produce the same result.

If the previous functionality is required, then the contract could exploit the `unchecked { ... }` statement.

Read more about the breaking change on

<https://docs.soliditylang.org/en/v0.8.16/080-breaking-changes.html#solidity-v0-8-0-breaking-changes>.



## MEM - Misleading Error Messages

Criticality	Minor / Informative
Location	WIZZY.sol#L222,230
Status	Unresolved

### Description

The contract is using misleading error messages. These error messages do not accurately reflect the problem, making it difficult to identify and fix the issue. As a result, the users will not be able to find the root cause of the error.

```
require(!bots[from] && !bots[to])  
require(!isContract(to))
```

### Recommendation

The team is suggested to provide a descriptive message to the errors. This message can be used to provide additional context about the error that occurred or to explain why the contract execution was halted. This can be useful for debugging and for providing more information to users that interact with the contract.

## IDI - Immutable Declaration Improvement

<b>Criticality</b>	Minor / Informative
<b>Location</b>	WIZZY.sol#L160
<b>Status</b>	Unresolved

### Description

The contract declares state variables that their value is initialized once in the constructor and are not modified afterwards. The `immutable` is a special declaration for this kind of state variables that saves gas when it is defined.

```
_taxWallet
```

### Recommendation

By declaring a variable as immutable, the Solidity compiler is able to make certain optimizations. This can reduce the amount of storage and computation required by the contract, and make it more gas-efficient.

## L02 - State Variables could be Declared Constant

Criticality	Minor / Informative
Location	WIZZY.sol#L127,128,129,130,131,132,133,142,143
Status	Unresolved

### Description

State variables can be declared as constant using the constant keyword. This means that the value of the state variable cannot be changed after it has been set. Additionally, the constant variables decrease gas consumption of the corresponding transaction.

```
uint256 private _initialBuyTax=25
uint256 private _initialSellTax=25
uint256 private _finalBuyTax=1
uint256 private _finalSellTax=1
uint256 private _reduceBuyTaxAt=25
uint256 private _reduceSellTaxAt=45
uint256 private _preventSwapBefore=20
uint256 public _taxSwapThreshold= 1000000 * 10**_decimals
uint256 public _maxTaxSwap= 10000000 * 10**_decimals
```

### Recommendation

Constant state variables can be useful when the contract wants to ensure that the value of a state variable cannot be changed by any function in the contract. This can be useful for storing values that are important to the contract's behavior, such as the contract's address or the maximum number of times a certain function can be called. The team is advised to add the constant keyword to state variables that never change.

## L04 - Conformance to Solidity Naming Conventions

<b>Criticality</b>	Minor / Informative
<b>Location</b>	WIZZY.sol#L107,136,137,138,139,140,141,142,143
<b>Status</b>	Unresolved

### Description

The Solidity style guide is a set of guidelines for writing clean and consistent Solidity code. Adhering to a style guide can help improve the readability and maintainability of the Solidity code, making it easier for others to understand and work with.

The followings are a few key points from the Solidity style guide:

1. Use camelCase for function and variable names, with the first letter in lowercase (e.g., myVariable, updateCounter).
2. Use PascalCase for contract, struct, and enum names, with the first letter in uppercase (e.g., MyContract, UserStruct, ErrorEnum).
3. Use uppercase for constant variables and enums (e.g., MAX\_VALUE, ERROR\_CODE).
4. Use indentation to improve readability and structure.
5. Use spaces between operators and after commas.
6. Use comments to explain the purpose and behavior of the code.
7. Keep lines short (around 120 characters) to improve readability.

```
function WETH() external pure returns (address);
uint8 private constant _decimals = 9
uint256 private constant _tTotal = 1000000000 * 10**_decimals
string private constant _name = unicode"WIZZY THE WIZARD"
string private constant _symbol = unicode"WIZZY"
uint256 public _maxTxAmount = 20000000 * 10**_decimals
uint256 public _maxWalletSize = 20000000 * 10**_decimals
uint256 public _taxSwapThreshold= 1000000 * 10**_decimals
uint256 public _maxTaxSwap= 10000000 * 10**_decimals
```

### Recommendation

By following the Solidity naming convention guidelines, the codebase increased the readability, maintainability, and makes it easier to work with.

Find more information on the Solidity documentation

<https://docs.soliditylang.org/en/v0.8.17/style-guide.html#naming-convention>.

## L17 - Usage of Solidity Assembly

<b>Criticality</b>	Minor / Informative
<b>Location</b>	WIZZY.sol#L269
<b>Status</b>	Unresolved

### Description

Using assembly can be useful for optimizing code, but it can also be error-prone. It's important to carefully test and debug assembly code to ensure that it is correct and does not contain any errors.

Some common types of errors that can occur when using assembly in Solidity include Syntax, Type, Out-of-bounds, Stack, and Revert.

```
assembly {  
    size := extcodesize(account)  
}
```

### Recommendation

It is recommended to use assembly sparingly and only when necessary, as it can be difficult to read and understand compared to Solidity code.

## Functions Analysis

Contract	Type	Bases		
	Function Name	Visibility	Mutability	Modifiers
<b>Context</b>	Implementation			
	_msgSender	Internal		
<b>IERC20</b>	Interface			
	totalSupply	External		-
	balanceOf	External		-
	transfer	External	✓	-
	allowance	External		-
	approve	External	✓	-
	transferFrom	External	✓	-
<b>SafeMath</b>	Library			
	add	Internal		
	sub	Internal		
	sub	Internal		
	mul	Internal		
	div	Internal		
	div	Internal		

Ownable	Implementation	Context		
		Public	✓	-
	owner	Public		-
	renounceOwnership	Public	✓	onlyOwner
<b>IUniswapV2Factory</b>	Interface			
	createPair	External	✓	-
<b>IUniswapV2Router02</b>	Interface			
	swapExactTokensForETHSupportingFeeOnTransferTokens	External	✓	-
	factory	External		-
	WETH	External		-
	addLiquidityETH	External	Payable	-
<b>WIZZY</b>	Implementation	Context, IERC20, Ownable		
		Public	✓	-
	name	Public		-
	symbol	Public		-
	decimals	Public		-
	totalSupply	Public		-
	balanceOf	Public		-
	transfer	Public	✓	-




	allowance	Public		-
	approve	Public	✓	-
	transferFrom	Public	✓	-
	_approve	Private	✓	
	_transfer	Private	✓	
	min	Private		
	isContract	Private		
	swapTokensForEth	Private	✓	lockTheSwap
	removeLimits	External	✓	onlyOwner
	sendETHToFee	Private	✓	
	addBots	Public	✓	onlyOwner
	delBots	Public	✓	onlyOwner
	isBot	Public		-
	openTrading	External	✓	onlyOwner
		External	Payable	-

## Inheritance Graph



# Flow Graph



## Summary

WIZZY THE WIZARD contract implements a token mechanism. This audit investigates security issues, business logic concerns and potential improvements. WIZZY THE WIZARD is an interesting project that has a friendly and growing community. The Smart Contract analysis reported no compiler error or critical issues. The contract Owner can access some admin functions that can not be used in a malicious way to disturb the users' transactions.

The contract's ownership has been renounced. The information regarding the transaction can be accessed through the following link:

<https://etherscan.io/tx/0x1e062c00014e0d2f88447a31f8eb139e6490caf53201f6b51f231370c812b701>

The fees are locked at 1% for buy, sell and transfer transactions.

## Disclaimer

The information provided in this report does not constitute investment, financial or trading advice and you should not treat any of the document's content as such. This report may not be transmitted, disclosed, referred to or relied upon by any person for any purposes nor may copies be delivered to any other person other than the Company without Cyberscope's prior written consent. This report is not nor should be considered an "endorsement" or "disapproval" of any particular project or team. This report is not nor should be regarded as an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Cyberscope to perform a security assessment. This document does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors' business, business model or legal compliance. This report should not be used in any way to make decisions around investment or involvement with any particular project. This report represents an extensive assessment process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Cyberscope's position is that each company and individual are responsible for their own due diligence and continuous security. Cyberscope's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies and in no way claims any guarantee of security or functionality of the technology we agree to analyze. The assessment services provided by Cyberscope are subject to dependencies and are under continuing development. You agree that your access and/or use including but not limited to any services reports and materials will be at your sole risk on an as-is where-is and as-available basis. Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives and other unpredictable results. The services may access and depend upon multiple layers of third parties.

# About Cyberscope

Cyberscope is a blockchain cybersecurity company that was founded with the vision to make web3.0 a safer place for investors and developers. Since its launch, it has worked with thousands of projects and is estimated to have secured tens of millions of investors' funds.

Cyberscope is one of the leading smart contract audit firms in the crypto space and has built a high-profile network of clients and partners.



**The Cyberscope team**

<https://www.cyberscope.io>