

Climate Data Visualization - Atmospheric CO_2 Concentration / Temperature / Precipitation

Wolfgang Vollmer


2023-02-20

Contents


1	Mannheim - Visualization of Temperature and Precipitation Data 1881 - 2022	2
1.1	Monthly Time Plots with Rolling Mean	2
1.2	Yearly plots with monthly breakdown	4
1.2.1	30-year period plots with monthly breakdown - Cartesian and Polar Coordinates .	4
1.2.2	Plot Monthly Delta to Reference Period - Cartesian and Polar Coordinates	7
1.3	Yearly Mannheim - Temperature and Precipitation	10
1.3.1	Plot Yearly Temperature and Precipitation	11
1.3.2	Plot Seasonal Yearly Temperature and Precipitation	12
2	Trend and Seasonal Analysis	12
2.1	Time Series Decomposition - Trend and Seasonal Components	12
2.2	Periodicities - Season Frequency	13
2.2.1	Lag Plot - Differences	13
2.2.2	ACF / PACF Correlogram	13
2.2.3	Periodogram - Spectral Density Estimation of a Time Series	13
2.2.4	Seasonal vs non Seasonal ACF / Strength (Seasonal/Trend)	15
2.2.5	Spectral Entropy Test	16
2.3	Stationary Process Test	17
3	Backup	17
3.1	Mannheim - Average Yearly and Seasonal Data	17
3.2	Data Sources	18
3.2.1	Temperatures and Precipitation	18
3.2.2	CO2 Concentrations	19
3.3	R code	19

1 Mannheim - Visualization of Temperature and Precipitation Data 1881 - 2022


1.1 Monthly Time Plots with Rolling Mean



Mannheim – Temperature and Precipitation – Past 15 years only
with Rolling Mean over 84 measured values



1.2 Yearly plots with monthly breakdown





1.2.1 30-year period plots with monthly breakdown - Cartesian and Polar Coordinates



Table 1: 30-years Periods - Average Data (Temperature / degree C and Monthly Precipitation / mm)

City	Period	Temperature	Monthly Precipitation	Annual Precipitation
Mannheim	1881-1902	9.9	42.0	504.4
Mannheim	1903-1932	10.1	45.1	540.7
Mannheim	1933-1962	10.4	49.7	596.6
Mannheim	1963-1992	10.3	55.4	664.4
Mannheim	1993-2022	11.4	53.7	644.8


City	Ref_Period	Temperature	Monthly Precipitation	Annual Precipitation
Mannheim	1961-1990	10.3	55.6	667.5

Note: First Period shorter in general (starts with first data year = 1881)







1.2.2 Plot Monthly Delta to Reference Period - Cartesian and Polar Coordinates




Monthly Variations of 30-Year Periods – Delta to Reference
Periods: First 1881–1902 / Reference 1961–1990 / Last 1993–2022







Monthly Variations of 30-Year Periods – Delta to Reference
Periods: First 1881–1902 / Reference 1961–1990 / Last 1993–2022




Yearly Seasonal Plots – Monthly Mannheim – Temperature and Precipitation






1.3 Yearly Mannheim - Temperature and Precipitation

1.3.1 Plot Yearly Temperature and Precipitation



1.3.2 Plot Seasonal Yearly Temperature and Precipitation



2 Trend and Seasonal Analysis

2.1 Time Series Decomposition - Trend and Seasonal Components

An *additive model* would be used when the variations around the trend do not vary with the level of the time series whereas a *multiplicative model* would be appropriate if the trend is proportional to the level of the time series.

Time series using an

- additive model: $y_t = T_t + C_t + S_t + \epsilon_t$
- multiplicative model: $y_t = T_t * C_t * S_t * \epsilon_t$



Trend / Cycle / Seasonal / Noise component

Cyclical components is often grouped into the Trend component

For *Seasonal decomposition of time series by Loess (stlplus)* uses in general an additive error model, it only provides facilities for additive decompositions. It is possible to obtain a multiplicative decomposition by first taking logs of the data.

2.2 Periodicities - Season Frequency

2.2.1 Lag Plot - Differences



2.2.2 ACF / PACF Correlogram



2.2.3 Periodogram - Spectral Density Estimation of a Time Series


The spectral density characterizes the frequency content of the signal. One purpose of estimating the spectral density is to detect any periodicities in the data, by observing peaks at the frequencies corre-

sponding to these periodicities.

At frequency $\lambda = 1/12$ there is a significant peak => This pattern repeats every full frequency = every 12 months / every year

The remaining peaks are random and therefore cannot be assigned significantly.






2.2.4 Seasonal vs non Seasonal ACF / Strength (Seasonal/Trend)

- Check `acf1` and `season_acf1` and compare with ACF Correlogram Plot
- `acf1`: first autocorrelation coefficient from the original data
- `acf10`: sum of square of the first ten autocorrelation coefficients from the original data
- `diff1_acf1`: first autocorrelation coefficient from the differenced data
- `season_acf1`: autocorrelation coefficient at the first seasonal lag

- Check Trend & Seasonal Strength close to 0 / 1 : weak / strong and compare them
- stl_e_acf1: first autocorrelation coefficient of the remainder series
- stl_e_acf10: sum of squares of the first ten autocorrelation coefficients of the remainder series
- linearity: linearity of the trend component of the STL decomposition. It is based on the coefficient of a linear regression applied to the trend component
- curvature: curvature of the trend component of the STL decomposition. It is based on the coefficient from an orthogonal quadratic regression applied to the trend component.

```
#> [1] "Check acf1 and season_acf1 and compare with ACF Correlogram Plot"
#> # A tibble: 2 x 8
#>   Measure      acf1  acf10 diff1_acf1 diff1_acf10 diff2_acf1 diff2_a~1 seaso~2
#>   <fct>      <dbl> <dbl>      <dbl>      <dbl>      <dbl>      <dbl>      <dbl>
#> 1 Temperature 0.817 3.59      0.455      1.80      -0.385      0.273      0.920
#> 2 Precipitation 0.190 0.0755 -0.437      0.198      -0.651      0.455      0.165
#> # ... with abbreviated variable names 1: diff2_acf10, 2: season_acf1
#> [1] "Check Trend & Seasonal Strength close to 0 / 1 : weak / strong and compare them"
#> # A tibble: 2 x 10
#>   Measure      trend~1 seaso~2 seaso~3 seaso~4 spiki~5 linea~6 curva~7 stl_e~8
#>   <fct>      <dbl>      <dbl>      <dbl>      <dbl>      <dbl>      <dbl>      <dbl>
#> 1 Temperature 0.238 0.948      7      1 5.53e-6 18.2      7.99 0.0850
#> 2 Precipitation 0.177 0.347      5     11 3.37e-1 170.     -78.7 -0.0885
#> # ... with 1 more variable: stl_e_acf10 <dbl>, and abbreviated variable names
#> #   1: trend_strength, 2: seasonal_strength_year, 3: seasonal_peak_year,
#> #   4: seasonal_trough_year, 5: spikiness, 6: linearity, 7: curvature,
#> #   8: stl_e_acf1
```



2.2.5 Spectral Entropy Test

- Entropy close to 0 => series has strong trend and seasonality (=> easy to forecast)
- Entropy close to 1 => series is very noisy (and so is difficult to forecast)


```
#> [1] "Check entropy close to 0 or 1"
#> # A tibble: 2 x 2
#>   Measure      spectral_entropy
#>   <fct>          <dbl>
#> 1 Temperature      0.262
#> 2 Precipitation     0.973
```

2.3 Stationary Process Test

Strict-sense stationarity / Weak (wide-sense) stationarity

Augmented Dickey-Fuller test => type3, a linear model with both drift and linear trend

Trend Stationary - underlying trend (function solely of time) can be removed, leaving a stationary process

3 Backup

3.1 Mannheim - Average Yearly and Seasonal Data

Table 3: Annual paste("Temperature /", degree * C) (first and last 10 years)

City	Measure	Year	Winter_avg	Spring_avg	Summer_avg	Fall_avg	Year_avg
Mannheim	Temperature	1881	NA	10.2	19.6	9.5	10.0
Mannheim	Temperature	1882	1.9	11.2	17.3	10.6	10.3
Mannheim	Temperature	1883	3.5	9.0	18.8	10.1	10.3
Mannheim	Temperature	1884	3.9	10.9	19.1	10.0	11.1
Mannheim	Temperature	1885	3.0	9.7	19.2	9.5	10.1
Mannheim	Temperature	1886	0.4	10.5	18.7	12.2	10.6
Mannheim	Temperature	1887	0.4	8.5	20.0	8.3	9.1
Mannheim	Temperature	1888	0.0	9.3	17.5	9.6	9.1
Mannheim	Temperature	1889	-0.1	10.1	19.3	8.9	9.4
Mannheim	Temperature	1890	0.9	10.4	17.7	9.6	9.4
Mannheim	Temperature	2013	2.4	9.0	20.0	11.2	10.7
Mannheim	Temperature	2014	5.0	12.2	19.2	12.5	12.2
Mannheim	Temperature	2015	3.1	11.1	21.2	11.2	11.9
Mannheim	Temperature	2016	5.6	10.3	19.9	11.3	11.4
Mannheim	Temperature	2017	2.2	11.9	20.6	10.9	11.5
Mannheim	Temperature	2018	3.7	12.3	21.9	12.2	12.6
Mannheim	Temperature	2019	4.1	10.9	21.1	11.5	11.9
Mannheim	Temperature	2020	5.4	11.9	20.5	11.9	12.4
Mannheim	Temperature	2021	3.8	9.2	19.7	10.7	10.9
Mannheim	Temperature	2022	5.0	11.5	22.2	12.8	12.8

Table 4: Annual Precipitation / mm/Month (first and last 10 years)

City	Measure	Year	Winter_avg	Spring_avg	Summer_avg	Fall_avg	Year_avg
Mannheim	Precipitation	1881	NA	NA	NA	NA	NA
Mannheim	Precipitation	1882	NA	NA	NA	NA	NA
Mannheim	Precipitation	1883	NA	NA	NA	NA	NA
Mannheim	Precipitation	1884	NA	NA	NA	NA	NA
Mannheim	Precipitation	1885	NA	NA	NA	NA	NA
Mannheim	Precipitation	1886	NA	NA	NA	NA	NA
Mannheim	Precipitation	1887	NA	NA	NA	NA	NA

City	Measure	Year	Winter_avg	Spring_avg	Summer_avg	Fall_avg	Year_avg
Mannheim	Precipitation	1888	NA	NA	NA	NA	NA
Mannheim	Precipitation	1889	NA	NA	NA	NA	NA
Mannheim	Precipitation	1890	NA	26.7	59.7	22.0	32.6
Mannheim	Precipitation	2013	51.9	83.3	55.6	77.3	63.9
Mannheim	Precipitation	2014	39.9	35.4	82.1	46.2	52.8
Mannheim	Precipitation	2015	58.7	26.7	52.1	45.8	42.0
Mannheim	Precipitation	2016	46.7	69.4	62.9	52.3	56.7
Mannheim	Precipitation	2017	18.7	44.4	83.0	60.5	57.4
Mannheim	Precipitation	2018	57.6	52.2	30.6	18.9	41.0
Mannheim	Precipitation	2019	50.8	41.8	54.7	71.9	51.5
Mannheim	Precipitation	2020	51.4	34.0	66.1	39.9	NA
Mannheim	Precipitation	2021	NA	30.1	92.4	37.4	51.8
Mannheim	Precipitation	2022	43.4	36.6	31.8	101.7	50.6

Table 5: Monthly Means over all Years (Temperature / degree C and Monthly Precipitation / mm)

City	Month	Temperature	Precipitation
Mannheim	Jan	1.8	37.8
Mannheim	Feb	2.8	34.4
Mannheim	Mar	6.3	37.0
Mannheim	Apr	10.2	42.6
Mannheim	May	14.6	59.2
Mannheim	Jun	17.7	67.5
Mannheim	Jul	19.4	69.6
Mannheim	Aug	18.8	64.2
Mannheim	Sep	15.2	52.5
Mannheim	Oct	10.3	48.7
Mannheim	Nov	5.6	43.9
Mannheim	Dec	2.7	43.7

3.2 Data Sources

3.2.1 Temperatures and Precipitation

- Basel / Davos: **Federal Office of Meteorology and Climatology MeteoSwiss**

<https://www.meteoswiss.admin.ch/home/climate/swiss-climate-in-detail/homogeneous-data-series-since-1864.html>

- Cottbus/ Giessen/ Hohenpeissenberg/ Mannheim/ Potsdam: **DWD Archiv Monats- und Tageswerte**

<https://www.dwd.de/DE/leistungen/klimadatendeutschland/klarchivtagmonat.html>

(*Monatswerte historisch und aktuell*, column MO_TT (Temperature; Monatsmittel der Lufttemperatur in 2m Höhe in °C and MO_RR (Precipitation; Monatssumme der Niederschlagshoehe in mm))

- England Met Office - **National Meteorological Service for the UK**

<https://www.metoffice.gov.uk/hadobs/hadcet/data/download.html> Monthly_HadCET_mean.txt, 1659 to date

3.2.2 CO2 Concentrations

National Oceanic & Atmospheric Administration - Earth System Research Laboratory

NOAA ESRL <https://www.esrl.noaa.gov/gmd/ccgg/trends/global.html>

Data file: Mauna Loa CO2 monthly mean data

<https://www.esrl.noaa.gov/gmd/ccgg/trends/data.html>

3.3 R code

Partially based on *c't Magazin* articles by *Andreas Krause*:

#3/2014 p.188 <http://www.ct.de/1403188> & #6/2014 p.180 <http://www.ct.de/1406180>