

Generated by Talend Cloud API Services Platform

Projektname	Woho_Workspace	GENERATION DATE	08.02.2023, 18:18:02
AUTHOR	Holz, Wolfgang	Talend Cloud VERSION	8.0.1.20230117_1223-patch

Summary

Projektbeschreibung
Beschreibung
Preview Picture
Einstellungen
Context List
Komponenten Liste
Components Description

Projektbeschreibung


Eigenschaften	Values
Name	Woho_Workspace
Sprache	java

Beschreibung

Beschreibung

Eigenschaften	Values
Name	CDB2SAP_01
Autor	Holz, Wolfgang
Version	1.0
Verwendungszweck	
Status	DEV
Beschreibung	
Anlegen	08.02.2023, 16:46:48
Änderung	08.02.2023, 18:16:24

Preview Picture



Einstellungen

Extra settings

Name	Wert
COMP_DEFAULT_FILE_DIR	
Multi-Thread Ausführung	false
Implizites tContextLoad	false

Status & Logs

Name	Wert
Verwende Statistiken (tStatCatcher)	false
Verwende Logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

Auf Konsole	false
In Datei	false
In Datenbank	false
Komponenten-Statistik erfassen	false
Runtime Fehler abfangen	true
Benutzer Fehler abfangen	true
Benutzerwarnungen abfangen	true

Context List

ContextRED

Name	Aufforderung	Need Prompt?	Тур	Wert	Quelle
Sap_01_UserName	Sap_01_UserName?	false	id_String	CON_MIWA_01	Context_S
Sap_01_SystemNumber	Sap_01_SystemNumber?	false	id_String	00	Context_S
Sap_01_Host	Sap_01_Host?	false	id_String	10.252.9.1	Context_S
Sap_01_Language	Sap_01_Language?	false	id_String	EN	Context_S
Sap_01_Password	Sap_01_Password?	false	id_Password	*****	Context_S
Sap_01_Client	Sap_01_Client?	false	id_String	100	Context_S

CDB_Schema	CDB_Schema?	false	id_String	dbo	Context_C
CDB_Port	CDB_Port?	false	id_String	1433	Context_C
CDB_Login	CDB_Login?	false	id_String	CDBInterface	Context_C
CDB_Server	CDB_Server?	false	id_String	C00SCAS3	Context_C
CDB_AdditionalParams	CDB_AdditionalParams?	false	id_String		Context_C
CDB_Database	CDB_Database?	false	id_String		Context_C
CDB_Password	CDB_Password?	false	id_Password	******	Context_C

ContextREP

Name	Aufforderung	Need Prompt?	Тур	Wert	Quelle
Sap_01_UserName	Sap_01_UserName?	false	id_String	CON_MIWA_01	Context_S
Sap_01_SystemNumber	Sap_01_SystemNumber?	false	id_String	00	Context_S
Sap_01_Host	Sap_01_Host?	false	id_String	10.252.9.1	Context_S
Sap_01_Language	Sap_01_Language?	false	id_String	EN	Context_S
Sap_01_Password	Sap_01_Password?	false	id_Password	*****	Context_S
Sap_01_Client	Sap_01_Client?	false	id_String	100	Context_S
CDB_Schema	CDB_Schema?	false	id_String	dbo	Context_C

CDB_Port	CDB_Port?	false	id_String	1433	Context_C
CDB_Login	CDB_Login?	false	id_String	CDBInterface	Context_C
CDB_Server	CDB_Server?	false	id_String	R00SSQLCLU1	Context_C
CDB_AdditionalParams	CDB_AdditionalParams?	false	id_String		Context_C
CDB_Database	CDB_Database?	false	id_String		Context_C
CDB_Password	CDB_Password?	false	id_Password	*******	Context_C

ContextREQ

Name	Aufforderung	Need Prompt?	Тур	Wert	Quelle
Sap_01_UserName	Sap_01_UserName?	false	id_String	CON_MIWA_01	Context_S
Sap_01_SystemNumber	Sap_01_SystemNumber?	false	id_String	00	Context_S
Sap_01_Host	Sap_01_Host?	false	id_String	10.252.9.1	Context_S
Sap_01_Language	Sap_01_Language?	false	id_String	EN	Context_S
Sap_01_Password	Sap_01_Password?	false	id_Password	*****	Context_S
Sap_01_Client	Sap_01_Client?	false	id_String	100	Context_S
CDB_Schema	CDB_Schema?	false	id_String	dbo	Context_C
CDB_Port	CDB_Port?	false	id_String	1433	Context_C

CDB_Login	CDB_Login?	false	id_String	CDBInterface	Context_C
CDB_Server	CDB_Server?	false	id_String	C00SCAS3	Context_C
CDB_AdditionalParams	CDB_AdditionalParams?	false	id_String		Context_C
CDB_Database	CDB_Database?	false	id_String		Context_C
CDB_Password	CDB_Password?	false	id_Password	******	Context_C

Komponenten Liste

Komponentenname	Component Type
tDBConnection_1	tMSSqlConnection
tDBInput_1	tMSSqlInput
tHMap_1	tHMap
tSAPIDocOutput_1	tSAPIDocOutput
tXMLMap_1	tXMLMap

Components Description

Komponente tMSSqlConnection

Eindeutiger Name	tDBConnection_1	INPUT(S)	none

Beschriftung	tDBC_01	OUTPUT(S)	tDBInput_1

Component Parameters:

Component Parameters:			
Eigenschaften	Values		
Database	tMSSqlConnection		
Eindeutiger Name	tDBConnection_1		
Komponentenname	tMSSqlConnection		
Version	0.102 (ALPHA)		
Familie	Databases/DB Specifics/MS_SQL_Server ELT/Connections		
Start	true		
Ausführbar	true		
SUBTREE_START	true		
END_OF_FLOW	true		
Aktivieren	true		
DUMMY	false		
tStatCatcher Statistik	false		
Hilfe	org.talend.help.tMSSqlConnection		
Update components	true		
IREPORT_PATH			
JAVA_LIBRARY_PATH	C:\Work\Talend Cloud Studio 8.0.1\configuration\lib\java		
Subjob Farbe:			
Überschriftsfarbe			
Parallele Ausführung aktivieren	false		

Anzahl an parallelen Ausführungen	2
PARALLELIZE_KEEP_EMPTY	false
Eigenschaftstyp	repository: DB (MSSQL):CDB_TEST
JDBC Provider	MSSQL_PROP
Host	context.CDB_Server
Datenbanktreiber	MSSQL
Port	context.CDB_Port
Schema	context.CDB_Schema
Database	context.CDB_Database
Benutzername	context.CDB_Login
Passwort	context.CDB_Password
Encoding	"ISO-8859-15"
Zusätzliche JDBC Parameter	context.CDB_AdditionalParams
Verwende oder melde eine geteilte DB Verbindung an	false
Gemeinsam verwendeter DB Verbindungsname	
Specify a data source alias	false
Data source alias	пп
Authenticate using Azure Active Directory	false
Autocommit	false
Share identity insert in multi table	false
Bezeichnungsformat	tDBC_01

Hinweisformat	_UNIQUE_NAME _COMMENT
Verbindungsformat	row
Informationen anzeigen	true
Kommentar	establishes a connection to the MS SQL Server, connection paramaters are handled by context group (RED> database development system, REQ> database quality system, REP> database productiv system), standart context is RED if is no connection to the source database possible, job stop after this step
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters: Komponente tMSSqlInput

Eindeutiger Name	tDBInput_1	INPUT(S)	tDBConnection_1
Beschriftung	UNIQUE_NAME	OUTPUT(S)	tXMLMap_1

Component Parameters:

oomponent i arameters.	
Eigenschaften	Values
Database	tMSSqlInput
Eindeutiger Name	tDBInput_1
Komponentenname	tMSSqlInput
Version	0.102 (ALPHA)
Familie	Databases/DB Specifics/MS_SQL_Server
Start	false
Ausführbar	true
SUBTREE_START	true

END_OF_FLOW	false
Aktivieren	true
DUMMY	false
tStatCatcher Statistik	false
Hilfe	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Work\Talend Cloud Studio 8.0.1\configuration\lib\java
Subjob Farbe:	
Überschriftsfarbe	
Parallele Ausführung aktivieren	false
Anzahl an parallelen Ausführungen	2
PARALLELIZE_KEEP_EMPTY	false
eine bestehende Verbindung verwenden	true
Komponenten Liste	tDBConnection_1
Eigenschaftstyp	Built-In
Host	"C00SCAS3"
JDBC Provider	MSSQL_PROP
Datenbanktreiber	MSSQL
Port	"1433"
Schema	"dbo"
Database	""

Benutzername	"CDBInterface"	
Passwort	*********	
REPOSITORY_ALLOW_AUTO_	_SW#TTEH	
Schema	repository: GENERIC:CDB_INP_01 - metadata	
Tabellenname	"metadata"	
Abfragetyp	Built-In	
Errate Schema	""	
Abfrage	"SELECT part_v.ron_design, part_v.ron_dim_width_str, part_v.ron_dim_diameter_str, part_v.ron_hc_diameter_str, part_v.ron_hc_count, part_v.ron_dim_offset_str, part_v.ron_hc_diameter_str, part_v.ron_customer, cdbpcs_project.ron_hersteller AS ron_map_marke_2_part, part_v.ron_variante, part_v.ron_befestigung, part_v.ron_hub_cap, part_v.ron_radlast_str, part_v.ron_steigerbohrer, part_v.cdb_t_project_id, part_v.ron_package, part_v.ron_surface_cond, part_v.ron_befrl_schutz, part_v.ron_marking, part_v.ron_matchen, part_v.ron_bubchsen, part_v.ron_ispremium, part_v.ron_herstellungsart, part_v.ron_logpart_to_tnr, part_v.ron_print_rim_bed, part_v.ron_sticker, part_v.ron_style_dep_apps, ron_pss_contractdata_v.ron_t_werk_kunde AS ron_mapped_t_werk_kunde, part_v.ron_ece_no, ron_pps_contractdata_v.ron_t_werk_ist AS ron_mapped_twerk_ist, part_v.ron_colour_id_str, ron_pps_klarlack_v.description AS ron_mapped_klarlack_art, ron_pps_grundierung_v.description AS ron_mapped_grundierung, ron_pps_homologation_v.release_type AS ron_pps_release_type, part_v.ron_befstatus_txt, part_v.STATUS, part_v.ron_wheelno, part_v.ron_undercut, cdbpcs_project.ron_wheelclass AS ron_mapped_proj_wheelclass, part_v.ron_cdb_sap_materialtype, part_v.t_ategorie, part_v.ron_idx, part_v.cdb_mdate, angestellter.name AS mapped_mpersno_name, part_v.ron_phased_out, part_v.ron_cust_no1, part_v.ron_cust_no2, part_v.benennung, part_v.techdaten, part_v.ron_weight, woerter.ron_mat_grp AS ron_mapped_mat_grp, part_v.ron_mengenbasis, cdb_units.ron_xpps_id AS ron_mapped_mat_grp, part_v.von_mengenbasis, cdb_units.ron_xpps_id AS ron_mapped_mat_grp, part_v.von_mengenbasis, cdb_units.ron_xpps_id AS ron_mapped_mat_grp, part_v.von_mengenbasis, cdb_units.ron_xpps_id AS ron_mapped_xpp_v.tellenummer, part_v.werkstoff_nr, part_v.ron_pho, part_v.cdb_object_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_polect_id_err_	
Specify a data source alias	false	
Data source alias	""	

Mapping	id_MSSQL
Zusätzliche JDBC Parameter	
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Trimme alle Zeichenketten/Zeichen-Spalten	false

TRIM=false}, {SCHEMA_COLUMN=ron_wheelno, TRIM=false}, {SCHEMA_COLUMN=ron_undercut, TRIM=false}, {SCHEMA_COLUMN=ron_mapped_proj_wheelclass, TRIM=false}, {SCHEMA_COLUMN=ron_cdb_sap_materialtype, TRIM=false}, {SCHEMA_COLUMN=t_kategorie, TRIM=false}, {SCHEMA_COLUMN=ron_TRIM=false}, {SCHEMA_COLUMN=cdb_mdate, TRIM=false}, {SCHEMA_COLUMN=mapped_mpersno_name, TRIM=false}, {SCHEMA_COLUMN=ron_phased_out, TRIM=false}, {SCHEMA_COLUMN=ron_cust_no1, TRIM=false}, {SCHEMA_COLUMN=ron_cust_no2, TRIM=false}, {SCHEMA_COLUMN=ron_cust_no2, TRIM=false},		
	Trimmt Spalte	(SCHEMA_COLUMN=ron_dim_width_str_TRIM=false), (SCHEMA_COLUMN=ron_ine_diameter_str, TRIM=false), (SCHEMA_COLUMN=ron_ine_diameter_str, TRIM=false), (SCHEMA_COLUMN=ron_ine_offset_str, TRIM=false), (SCHEMA_COLUMN=ron_ine_offset_str, TRIM=false), (SCHEMA_COLUMN=ron_ne_offset_str, TRIM=false), (SCHEMA_COLUMN=ron_ne_offset_str, TRIM=false), (SCHEMA_COLUMN=ron_customer, TRIM=false), (SCHEMA_COLUMN=ron_variante, TRIM=false), (SCHEMA_COLUMN=ron_variante, TRIM=false), (SCHEMA_COLUMN=ron_ron_ron_variante, TRIM=false), (SCHEMA_COLUMN=ron_ron_ron_ron_ron_ron_ron_ron_ron_ron_
Timeout (seconds) 30	Set Query Timeout	false
	Timeout (seconds)	30
BezeichnungsformatUNIQUE_NAME	Bezeichnungsformat	UNIQUE_NAME

Hinweisformat	UNIQUE_NAME COMMENT
Verbindungsformat	row
Informationen anzeigen	false
Kommentar	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata:

Spalte	Schlüsselwert	Тур	Länge	Genauigkeit	Null zulässig	Kommentar
ron_design	false	String	20		true	
ron_dim_width_str	false	String	4000		true	
ron_dim_diameter_str	false	String	4000		true	
ron_hc_diameter_str	false	String	4000		true	
ron_hc_count	false	String	19		true	
ron_dim_offset_str	false	String	4000		true	
ron_hubdiameter	false	String	15		true	
ron_customer	false	String	40		true	
ron_map_marke_2_part	false	String	20		true	
ron_variante	false	String	20		true	

ron_befestigung	false	String	20	true
ron_hub_cap	false	String	20	true
ron_radlast_str	false	String	4000	true
ron_steigerbohrer	false	String	15	true
cdb_t_project_id	false	String	20	true
ron_package	false	String	20	true
ron_surface_cond	false	String	50	true
ron_oberfl_schutz	false	String	20	true
ron_marking	false	String	40	true
ron_matchen	false	String	5	true
ron_buchsen	false	String	5	true
ron_ispremium	false	String	19	true
ron_herstellungsart	false	String	20	true
ron_logpart_to_tnr	false	String	20	true
ron_print_rim_bed	false	String	20	true
ron_sticker	false	String	5	true
ron_style_dep_apps	false	String	5	true

ron_mapped_t_werk_kunde	false	String	20		true
ron_ece_no	false	String	20		true
ron_mapped_t_werk_ist	false	String	20		true
ron_colour_id_str	false	String	4000		true
ron_mapped_klarlack_art	false	String	271		true
ron_mapped_grundierung	false	String	271		true
ron_pps_release_type	false	String	30		true
cdb_status_txt	false	String	64		true
status	false	String	19		true
ron_wheelno	false	String	15		true
ron_undercut	false	String	20		true
ron_mapped_proj_wheelclass	false	String	10		true
ron_cdb_sap_materialtype	false	String	3		false
t_kategorie	false	String	20		true
ron_idx	false	String	10		true
cdb_mdate	false	String	23	3	true
mapped_mpersno_name	false	String	64		true

ron_phased_out	false	String	1	true	
ron_cust_no1	false	String	40	true	
ron_cust_no2	false	String	26	true	
benennung	false	String	40	true	
techdaten	false	String	80	true	
ron_weight	false	String	15	true	
ron_mapped_mat_grp	false	String	5	true	
ron_mengenbasis	false	String	1	true	
ron_mapped_xxps_unit_id	false	String	1	true	
ron_wheelclass7	false	String	10	true	
ron_plno	false	String	10	true	
ron_prod_category	false	String	40	true	
ron_mapped_prod_class	false	String	5	true	
teilenummer	false	String	20	false	
werkstoff_nr	false	String	40	true	
ron_xpps_znum	false	String	20	true	

Original Function Parameters: Komponente tSAPIDocOutput

	Eindeutiger Name	tSAPIDocOutput_1	INPUT(S)	tHMap_1	
	Beschriftung	tSDO_01	OUTPUT(S)	none	

Component Parameters:

Component Parameters:					
Eigenschaften	Values				
Eindeutiger Name	tSAPIDocOutput_1				
Komponentenname	tSAPIDocOutput				
Version	0.101 (ALPHA)				
Familie	Business/SAP				
Start	false				
Ausführbar	true				
SUBTREE_START	false				
END_OF_FLOW	true				
Aktivieren	true				
DUMMY	false				
tStatCatcher Statistik	false				
Hilfe	org.talend.help.tSAPIDocOutput				
Update components	true				
IREPORT_PATH					
JAVA_LIBRARY_PATH	C:\Work\Talend Cloud Studio 8.0.1\configuration\lib\java				
Subjob Farbe:					
Überschriftsfarbe					
Parallele Ausführung aktivieren	false				

Anzahl an parallelen Ausführungen	2
PARALLELIZE_KEEP_EMPTY	false
Eigenschaftstyp	Built-In
Use an existing connection	false
Verbindungskonfiguration	
Client	context.Sap_01_Client
Benutzerld	context.Sap_01_UserName
Passwort	context.Sap_01_Password
Sprache	context.Sap_01_Language
Host name	context.Sap_01_Host
Systemnummer	context.Sap_01_SystemNumber
REPOSITORY_ALLOW_AUTO_SV	инен Интен
Schema	Built-In
IDoc column	newColumn
From XML file	false
XML-IDoc file	пп
Abbrechen bei Fehler	false
SAP Properties	0
Bezeichnungsformat	tSDO_01
Hinweisformat	UNIQUE_NAME COMMENT
Verbindungsformat	row
Informationen anzeigen	false

Kommentar	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSAPIDocOutput_1 :

oonoma ror	10/11 150000	<u> </u>				
Spalte	Schlüsselwert	Тур	Länge	Genauigkeit	Null zulässig	Kommentar
newColumn	false	Object			true	

Original Function Parameters: Komponente tHMap

Eindeutiger Name	tHMap_1	INPUT(S)	tXMLMap_1
Beschriftung	tHM_01	OUTPUT(S)	tSAPIDocOutput_1

tStatCatcher Statistik	false
To create a new map based on the input and output of tHMap, use Open Map Editor below. To use an existing map, select the Map Path below and then use Open Map Editor.	
Open Map Editor	
Synchronize map with schema connections	false
Map Path	"Jobs/CDB2SAP_02/tHMap_1"

Single column	true
String (single column)	true
Byte array (single column)	false
InputStream (single column)	false
Map Variable	пп
Alternate contextual Map(s)	п п
Map each row (disable virtual component)	false
Emit empty payload	true
Exception Threshold	64
Informationen anzeigen	true
Kommentar	Mapping
Use an existing validation rule	false

Komponente tXMLMap

- XX	Eindeutiger Name	tXMLMap_1	INPUT(S)	tDBInput_1
	Beschriftung	tXMLM_01	OUTPUT(S)	tHMap_1

Component Parameters:

Properties	Values	
tStatCatcher Statistik	false	
Keep order for document	false	
Informationen anzeigen	false	
Kommentar		
Use an existing validation rule	false	

Mapper table for tXMLMap_1 (input):

Mapper table Properties(tMSSQL_01TtXMLM_01):

	5(tinooqe_011t/timein_01).
Properties	Values
Name	tMSSQL_01TtXMLM_01
Matching-mode	ALL_ROWS
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(tMSSQL_01TtXMLM_01):

Name	Туре	Expression	isNullable

tMSSQL_01TtXMLM ron_design	String	true
tMSSQL_01TtXMLM ron_dim_width_str	01/ String	true
tMSSQL_01TtXMLM ron_dim_diameter_s	01/ String tr	true
tMSSQL_01TtXMLM ron_hc_diameter_str	01/ String	true
tMSSQL_01TtXMLM ron_hc_count	01/ String	true
tMSSQL_01TtXMLM ron_dim_offset_str	01/ String	true
tMSSQL_01TtXMLM ron_hubdiameter	01/ String	true
tMSSQL_01TtXMLM ron_customer	01/ String	true
tMSSQL_01TtXMLM ron_map_marke_2_p	01/ String part	true
tMSSQL_01TtXMLM ron_variante	01/ String	true
tMSSQL_01TtXMLM ron_befestigung	01/ String	true
tMSSQL_01TtXMLM ron_hub_cap	01/ String	true
tMSSQL_01TtXMLM ron_radlast_str	01/ String	true

tMSSQL_01TtXMLM ron_steigerbohrer	String	true
tMSSQL_01TtXMLM cdb_t_project_id	01/ String	true
tMSSQL_01TtXMLM ron_package	01/ String	true
tMSSQL_01TtXMLM ron_surface_cond	01/ String	true
tMSSQL_01TtXMLM ron_oberfl_schutz	01/ String	true
tMSSQL_01TtXMLM ron_marking	01/ String	true
tMSSQL_01TtXMLM ron_matchen	01/ String	true
tMSSQL_01TtXMLM ron_buchsen	01/ String	true
tMSSQL_01TtXMLM ron_ispremium	01/ String	true
tMSSQL_01TtXMLM ron_herstellungsart	01/ String	true
tMSSQL_01TtXMLM ron_logpart_to_tnr	01/ String	true
tMSSQL_01TtXMLM ron_print_rim_bed	01/ String	true
tMSSQL_01TtXMLM ron_sticker	01/ String	true

tMSSQL_01TtXMLM ron_style_dep_apps	String	true
tMSSQL_01TtXMLM ron_mapped_t_werk	01/ String kunde	true
tMSSQL_01TtXMLM ron_ece_no	01/ String	true
tMSSQL_01TtXMLM ron_mapped_t_werk	01/ String Ist	true
tMSSQL_01TtXMLM ron_colour_id_str	01/ String	true
tMSSQL_01TtXMLM ron_mapped_klarlacl	01/ String k_art	true
tMSSQL_01TtXMLM ron_mapped_grundie	01/ String Frung	true
tMSSQL_01TtXMLM ron_pps_release_typ	String	true
tMSSQL_01TtXMLM cdb_status_txt	01/ String	true
tMSSQL_01TtXMLM status	01/ String	true
tMSSQL_01TtXMLM ron_wheelno	01/ String	true
tMSSQL_01TtXMLM ron_undercut	01/ String	true
tMSSQL_01TtXMLM ron_mapped_proj_w	.01/ String neelclass	true

tMSSQL_01TtXMLM ron_cdb_sap_materi	01/ String altype	false
tMSSQL_01TtXMLM t_kategorie	01/ String	true
tMSSQL_01TtXMLM ron_idx	String	true
tMSSQL_01TtXMLM cdb_mdate	01/ String	true
tMSSQL_01TtXMLM mapped_mpersno_n	01/ String ame	true
tMSSQL_01TtXMLM ron_phased_out	String	true
tMSSQL_01TtXMLM ron_cust_no1	01/ String	true
tMSSQL_01TtXMLM ron_cust_no2	String	true
tMSSQL_01TtXMLM benennung	01/ String	true
tMSSQL_01TtXMLM techdaten	String	true
tMSSQL_01TtXMLM ron_weight	String	true
tMSSQL_01TtXMLM ron_mapped_mat_gr	01/ String p	true
tMSSQL_01TtXMLM ron_mengenbasis	01/ String	true

tMSSQL_01TtXMLM ron_mapped_xxps_u	01/ String Init_id	true
tMSSQL_01TtXMLM ron_wheelclass7	01/ String	true
tMSSQL_01TtXMLM ron_plno	01/ String	true
tMSSQL_01TtXMLM ron_prod_category	01/ String	true
tMSSQL_01TtXMLM ron_mapped_prod_c	01/ String lass	true
tMSSQL_01TtXMLM teilenummer	01/ String	false
tMSSQL_01TtXMLM werkstoff_nr	01/ String	true
tMSSQL_01TtXMLM ron_xpps_znum	01/ String	true

Mapper table for tXMLMap_1 (output):
Mapper table Properties(tXMLM_01TtHM_01):

Properties	Values
Name	tXMLM_01TtHM_01
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(tXMLM_01TtHM_01):

Metadata Table Entres (txMEM_011tHM_01).					
Name	Туре	Expression	isNullable		
tXMLM_01TtHM_01/ payload	Document		true		
tXMLM_01TtHM_01. root	payload:/ String		true		
tXMLM_01TtHM_01. root/ ron_design	payload:/ String	tMSSQL_01TtXMLM	tr @re .ron_design		
tXMLM_01TtHM_01. root/ ron_dim_width_str	, -	tMSSQL_01TtXMLM	tr@re.ron_dim_width_str		
tXMLM_01TtHM_01. root/ ron_dim_diameter_s	String	tMSSQL_01TtXMLM	tr@re.ron_dim_diameter_st		

tXMLM_01TtHM_01. root/ ron_hc_diameter_str	String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_hc_diameter_str
tXMLM_01TtHM_01. root/ ron_hc_count	payload:/ String	tMSSQL_01TtXMLMtr@te.ron_hc_count
tXMLM_01TtHM_01. root/ ron_dim_offset_str	payload:/ String	tMSSQL_01TtXMLM <u>tr0re.ron_dim_offset_</u> str
tXMLM_01TtHM_01. root/ ron_hubdiameter	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_hubdiameter
tXMLM_01TtHM_01. root/ ron_customer	payload:/ String	tMSSQL_01TtXMLM <u>tr@</u> te.ron_customer
tXMLM_01TtHM_01. root/ ron_map_marke_2_ _l	String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_map_marke_2_part
tXMLM_01TtHM_01. root/ ron_variante	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_variante
tXMLM_01TtHM_01. root/ ron_befestigung	payload:/ String	tMSSQL_01TtXMLM <u>tr@</u> te.ron_befestigung
tXMLM_01TtHM_01. root/ ron_hub_cap	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_hub_cap
tXMLM_01TtHM_01. root/ ron_radlast_str	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_radlast_str
tXMLM_01TtHM_01. root/ ron_steigerbohrer	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_steigerbohrer

tXMLM_01TtHM_01. root/ cdb_t_project_id	payload:/ String	tMSSQL_01TtXMLMtr@fe.cdb_t_project_id
tXMLM_01TtHM_01. root/ ron_package	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_package
tXMLM_01TtHM_01. root/ ron_surface_cond	payload:/ String	tMSSQL_01TtXMLMtr@te.ron_surface_cond
tXMLM_01TtHM_01. root/ ron_oberfl_schutz	payload:/ String	tMSSQL_01TtXMLMtr@re.ron_oberfl_schutz
tXMLM_01TtHM_01. root/ ron_marking	payload:/ String	tMSSQL_01TtXMLMtr@te.ron_marking
tXMLM_01TtHM_01. root/ ron_matchen	payload:/ String	tMSSQL_01TtXMLMtr@fe.ron_matchen
tXMLM_01TtHM_01. root/ ron_buchsen	payload:/ String	tMSSQL_01TtXMLMtr@ne.ron_buchsen
tXMLM_01TtHM_01. root/ ron_ispremium	payload:/ String	tMSSQL_01TtXMLMtr@te.ron_ispremium
tXMLM_01TtHM_01. root/ ron_herstellungsart	payload:/ String	tMSSQL_01TtXMLM <u>tr</u> @re.ron_herstellungsart
tXMLM_01TtHM_01. root/ ron_logpart_to_tnr	payload:/ String	tMSSQL_01TtXMLMtr@te.ron_logpart_to_tnr
tXMLM_01TtHM_01. root/ ron_print_rim_bed	payload:/ String	tMSSQL_01TtXMLMtr@te.ron_print_rim_bed

tXMLM_01TtHM_01.payload:/ root/ ron_sticker	tMSSQL_01TtXMLM <u>tr0rte.ron_sticker</u>
tXMLM_01TtHM_01.payload:/ root/ String ron_style_dep_apps	tMSSQL_01TtXMLM <u>trûrte</u> .ron_style_dep_apps
tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_t_werk_kunde	tMSSQL_01TtXMLM <u>trûrte</u> .ron_mapped_t_werk_kunde
tXMLM_01TtHM_01.payload:/ root/ ron_ece_no	tMSSQL_01TtXMLM <u>trûrte.ron_ece_no</u>
tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_t_werk_ist	tMSSQL_01TtXMLM <u>tr0re.</u> ron_mapped_t_werk_ist
tXMLM_01TtHM_01.payload:/ root/ String ron_colour_id_str	tMSSQL_01TtXMLM <u>tr@fe.ron_colour_id_str</u>
tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_klarlack_art	tMSSQL_01TtXMLM <u>trûrte</u> .ron_mapped_klarlack_art
tXMLM_01TtHM_01.payload:/ root/ String ron_mapped_grundierung	tMSSQL_01TtXMLM <u>trûte.ron_mapped_grundierung</u>
tXMLM_01TtHM_01.payload:/ root/ String ron_pps_release_type	tMSSQL_01TtXMLM <u>trû/te</u> .ron_pps_release_type
tXMLM_01TtHM_01.payload:/ root/ cdb_status_txt	tMSSQL_01TtXMLM <u>trûrte.cdb_status_txt</u>
tXMLM_01TtHM_01.payload:/ root/ status	tMSSQL_01TtXMLM <u>tr</u> @re.status

tXMLM_01TtHM_01. root/ ron_wheelno	payload:/ String	tMSSQL_01TtXMLM	tr @ re.ron_wheelno	
tXMLM_01TtHM_01. root/ ron_undercut	payload:/ String	tMSSQL_01TtXMLM	tr@e.ron_undercut	
tXMLM_01TtHM_01. root/ ron_mapped_proj_w	String	tMSSQL_01TtXMLM	tr ure .ron_mapped_pro	oj_wheelclass
tXMLM_01TtHM_01. root/ ron_cdb_sap_materi	String	tMSSQL_01TtXMLM	tr@re.ron_cdb_sap_ma	aterialtype
tXMLM_01TtHM_01. root/ t_kategorie	payload:/ String	tMSSQL_01TtXMLM	tr ûre .t_kategorie	
tXMLM_01TtHM_01. root/ ron_idx	payload:/ String	tMSSQL_01TtXMLM	tr@re.ron_idx	
tXMLM_01TtHM_01. root/ cdb_mdate	payload:/ String	tMSSQL_01TtXMLM	tr ûre .cdb_mdate	
tXMLM_01TtHM_01. root/ mapped_mpersno_n	String	tMSSQL_01TtXMLM	tr@re.mapped_mpersr	o_name
tXMLM_01TtHM_01. root/ ron_phased_out	, -	tMSSQL_01TtXMLM	tr@re.ron_phased_out	
tXMLM_01TtHM_01. root/ ron_cust_no1	payload:/ String	tMSSQL_01TtXMLM	tr@fe.ron_cust_no1	
tXMLM_01TtHM_01. root/ ron_cust_no2	payload:/ String	tMSSQL_01TtXMLM	tr@fe.ron_cust_no2	
tXMLM_01TtHM_01. root/ benennung	payload:/ String	tMSSQL_01TtXMLM	<u>tr</u> @fe.benennung	

tXMLM_01TtHM_01. root/ techdaten	payload:/ String	tMSSQL_01TtXMLM	<u>trûre.</u> techdaten
tXMLM_01TtHM_01. root/ ron_weight	payload:/ String	tMSSQL_01TtXMLM	tr @e .ron_weight
tXMLM_01TtHM_01. root/ ron_mapped_mat_gr	String	tMSSQL_01TtXMLM	tɪ @t e.ron_mapped_mat_grp
tXMLM_01TtHM_01. root/ ron_mengenbasis		tMSSQL_01TtXMLM	tr 0/e .ron_mengenbasis
tXMLM_01TtHM_01. root/ ron_mapped_xxps_u	String	tMSSQL_01TtXMLM	tr @fe .ron_mapped_xxps_unit_id
tXMLM_01TtHM_01. root/ ron_wheelclass7		tMSSQL_01TtXMLM	tr 0/e .ron_wheelclass7
tXMLM_01TtHM_01. root/ ron_plno	payload:/ String	tMSSQL_01TtXMLM	l <u>trûre.ron_plno</u>
tXMLM_01TtHM_01. root/ ron_prod_category	, ,	tMSSQL_01TtXMLM	tr @re .ron_prod_category
tXMLM_01TtHM_01. root/ ron_mapped_prod_c	String	tMSSQL_01TtXMLM	tr ute .ron_mapped_prod_class
tXMLM_01TtHM_01. root/ teilenummer	payload:/ String	tMSSQL_01TtXMLM	<u>trû</u> te.teilenummer
tXMLM_01TtHM_01. root/ werkstoff_nr	payload:/ String	tMSSQL_01TtXMLM	tr @1e .werkstoff_nr

tXMLM_01TtHM_01.	payload:/			
	r -	tMSSQL_01TtXMLM	tr@re.ron_xpps_znum	
ron_xpps_znum	_			

Mapper table for tXMLMap_1 (var):

Mapper table Properties (Var):

Mapper table Properties(Var):		
Properties	Values	
Name	Var	
Matching-mode		
isMinimized	false	
isReject	false	
isRejectInnerJoin	false	
isInnerJoin	false	
expressionFilter		

Metadata Table Entries(Var):			
Name	Туре	Expression	isNullable