

Pharmacy Product Systems (PPS)-N V3.0.4

User Guide



December 2018
Department of Veterans Affairs
Office of Information and Technology (OI&T)

Revision History

Date	Revision	Description	Author
December 2018	1.0	Updated version number and date for the PPS-N v3.0.4 Sustainment Release (PREN*3.0*5).	Anitha Alluri HPS Sustainment

Artifact Rationale

Per the Veteran-focused Integrated Process (VIP) Guide, the User's Guide is required to be completed prior to Critical Decision Point #2 (CD2), with the expectation that it will be updated as needed. A User Guide is a technical communication document intended to give assistance to people using a particular system, such as VistA end users. It is usually written by a technical writer, although it can also be written by programmers, product or project managers, or other technical staff. Most user guides contain both a written guide and the associated images. In the case of computer applications, it is usual to include screenshots of the human-machine interfaces, and hardware manuals often include clear, simplified diagrams. The language used is matched to the intended audience, with jargon kept to a minimum or explained thoroughly. The User Guide is a mandatory, build-level document, and should be updated to reflect the contents of the most recently deployed build. The sections documented herein are required if applicable to your product.

Table of Contents

1. Introduction.....	1
1.1. Purpose	1
1.2. Overview	1
1.2.1. Background	1
1.3. PPS-N Advantage	2
1.4. Security Roles.....	2
1.4.1. Identity Management.....	2
1.5. Application Interaction Flow.....	4
1.6. Login Page.....	6
2. Home Page Tab.....	7
2.1. Home Page Tab	7
2.1.1. Top of the Page.....	7
2.1.1.1. Header	7
2.1.1.2. Navigation Bar	7
2.1.1.3. Information Bar.....	8
2.1.2. Body of Page	8
2.1.2.1. Left Side.....	8
2.1.2.2. Right Side.....	8
2.1.3. Bottom of Page.....	8
2.2. Home Page Tab	9
2.2.1. Top of the Page.....	9
2.2.1.1. Header	9
2.2.1.2. Navigation Bar	9
2.2.1.3. Information Bar.....	10
2.2.2. Body of Page	10
2.2.2.1. Left Side.....	10
2.2.2.2. Right Side.....	10
2.2.3. Bottom of Page.....	10
3. Manage PPS Tab.....	11
3.1. Enter Edit Tab.....	11
3.1.1. Perform Simple Search.....	11
3.1.1.1. Text in Search for Field	12
3.1.2. Select Search Field	12
3.1.2.1. Item Types and Search Fields	12
3.1.3. View Search Results.....	13
3.1.4. Export Search Results.....	13
3.1.5. Edit Product.....	14
3.1.6. Edit Orderable Item	15

3.1.7.	Edit NDC.....	16
3.1.8.	Copy NDCs to New Product	17
3.1.9.	Remove Product from Orderable Item	17
3.1.10.	Remove NDCs from Product.....	18
3.1.10.1.	Use Existing to Create New	19
3.1.10.2.	Use Template to Create New	19
3.1.11.	Add Product.....	20
3.1.12.	Add Orderable Item.....	28
3.1.13.	Add NDC.....	30
3.1.14.	Perform Advanced Search.....	33
3.1.15.	Retrieve Saved Search Template.....	36
3.1.16.	Complete Advanced Search	37
3.1.17.	Save Search Template	38
3.1.18.	Change Search Results Template	38
3.1.19.	Requests Tab	39
3.1.19.1.	Search Requests	40
3.1.19.2.	Approve Request.....	41
3.2.	Saved Work in Progress Tab	44
3.3.	PPS Data Elements Tab.....	45
3.3.1.	Search for Domains	45
3.3.2.	View and Edit Domain Fields	46
3.3.3.	Handle Domain Item Modification Errors.....	48
3.3.4.	Create New Domain Item.....	48
3.4.	PPS Data Requests Tab	48
3.4.1.	View Pending Domain Item Requests.....	48
3.4.2.	Approve Pending Domain Item Addition Request.....	50
3.5.	Manage Update Files Tab.....	53
3.5.1.	Update File Messages.....	57
3.5.1.1.	Unable to Install Update	57
3.5.2.	Failure Scenarios	62
3.5.2.1.	Introduction.....	62
3.5.2.2.	Failure Scenario 1 – User Attempts to Create an Update File while an Update File is in Process	62
3.5.2.3.	Failure Scenario 2 – The Process Fails during File Creation or Transmission to sFTP Server	63
3.5.2.4.	Failure Scenario 3 – Process Fails during Approval.....	64
3.5.2.5.	Failure Scenario 4 – Process Fails during Rejection.....	64
3.6.	Rematch.....	65
4.	Reports Tab.....	68
4.1.	Select Report.....	69

4.2. Open or Save Report.....	70
4.3. Types of Reports.....	71
4.3.1. Capture NDF Data Report.....	71
4.3.2. Ingredients List Report	72
4.3.3. Products and Warning Labels Report.....	73
4.3.4. Data Update Compliance Report.....	73
4.3.4.1. Data Update Compliance Report Content.....	74
4.3.5. VA Drug Classifications Report.....	75
4.3.6. Products with Exclusions from Drug-Drug Interactions Report	76
4.3.7. Active Products with No Active NDCs Report.....	76
4.3.8. Active Products with Proposed Inactive Date Report	77
4.3.9. VUID Approvals Report.....	78
4.3.10. Preview Update File Report	78
5. COTS Services Tab.....	79
5.1. FDB Search Tab	79
5.2. FDB Add Tab	85
5.3. FDB Update Tab.....	86
5.4. Added Report Tab	87
5.5. Updated Report Tab.....	89
6. User Preferences Tab.....	91
6.1.1. Search Preferences Tab	92
7. Help Tab	94
7.1. Accessing Help	95
8. Manage Application Tab.....	95
8.1. Domain Mapping Tab.....	95
8.2. Domain Mapping Tab.....	97
8.3. System Data Tab.....	98
8.3.1. Job Types.....	101
8.4. User Roles Tab	102
8.5. Edit Home Page Tab.....	102
9. Migration Tab	104
9.1. Migrate Package Size Tab	104
9.2. Migrate Copay Tier Data	105
9.3. Migrate DDI Tab	105
9.4. Migrate Formulary Designator Data.....	105
9.5. Migrate Hazardous Waste Data	106
10. Additional Help.....	107
11. Appendix.....	107

11.1.	A–Z Tab.....	108
11.2.	History Tab.....	111
11.3.	Icon and Button List	114
11.4.	Add Domain Pages	119
11.4.1.	Add VA Drug Class.....	119
11.4.2.	Add Dispense Unit Name.....	120
11.4.3.	Add Dosage Form Name	121
11.4.4.	Add Dose Unit Name	122
11.4.5.	Add Drug Text Name	124
11.4.6.	Add Drug Unit Name	125
11.4.7.	Add Generic Name	125
11.4.8.	Add Ingredient Name	126
11.4.9.	Add Manufacturer Name.....	126
11.4.10.	Add Order Unit Abbreviation.....	127
11.4.11.	Add Package Type Name	127
11.4.12.	Add Special Handling Code	128
11.4.13.	Add Standard Med Route Name.....	128
11.5.	Edit Domain Pages	129
11.5.1.	Edit VA Drug Class.....	129
11.5.2.	Edit VA Dispense Unit Request.....	130
11.5.3.	Edit Dosage Form Name	131
11.5.4.	Edit Dose Unit Name.....	134
11.5.5.	Edit Drug Text Name	135
11.5.6.	Edit Drug Unit Name.....	136
11.5.7.	Edit Generic Name	137
11.5.8.	Edit Ingredient Name	139
11.5.9.	Edit Manufacturer Name	140
11.5.10.	Edit Order Unit Abbreviation.....	141
11.5.11.	Edit Package Type Name	142
11.5.12.	Edit Special Handling Code	143
11.5.13.	Edit Standard Med Route Name.....	144
11.6.	NDC Edit Tabs	145
11.6.1.	NDC Header	145
11.6.2.	NDC Main Tab.....	146
11.6.3.	NDC Price Tab	150
11.7.	Orderable Item Edit Tabs.....	153
11.7.1.	OI Header	153
11.7.2.	OI Details Tab	153
11.7.3.	OI Safety Tab	156
11.7.4.	OI Labs & Vitals Tab	158

11.7.5. OI Products Tab.....	159
11.8. Product Edit Tabs	161
11.8.1. Product Header.....	161
11.8.2. Product National Data Tab.....	162
11.8.3. Product Drug Data Tab.....	167
11.8.4. Product Quick Actions Tab: CMOP Mark / Unmark	173
11.8.5. Product Quick Actions Tab: Enter / Edit Dosages	175
11.8.6. Product Quick Actions Tab: Print PMI	176
11.8.7. Product Quick Actions Tab: Print Warning Labels.....	178
11.8.8. Product Quick Actions Tab: Coding System.....	179
11.8.9. Product Application Data Tab: Outpatient	181
11.8.10. Product Application Data Tab: Inpatient - Unit Dose	183
11.8.11. Product Application Data Tab: IV.....	184
11.8.12. Product Application Data Tab: Surgery	185
11.8.13. Product Application Data Tab: Ward Stock	186
11.8.14. Product Application Data Tab: Drug Accountability	187
11.8.15. Product Application Data Tab: Controlled Substance.....	189
11.8.16. Product Application Data Tab: Non-VA Med.....	190
11.8.17. Product Dispense Data Tab	191
11.8.18. Product Administration Data Tab.....	194
11.8.19. Product NDCs Tab	197
11.9. Product Change Request Tab.....	199
11.10. Product Pending Modification Tab	201
11.11. Rematch	202
12. Product National Data Tab.....	205
12.1.1. Ingredients List Report	211
12.1.2. Edit Product Request	212
12.1.3. Edit Orderable Item Request	213
12.1.4. Request Summary.....	213
12.1.5. Comment	213
12.2. Associate a Product from Rematch.....	214
12.2.1. Edit	215
13. Glossary	1

1. Introduction

1.1. Purpose

The Pharmacy Product System-National (PPS-N) is a web-based application that allows select members of the Department of Veterans Affairs (VA) Pharmacy Benefits Management (PBM) Services to create and revise pharmacy drug information.

The purpose of this user guide is to provide a general overview of the PPS-N application as well as more detailed working information. The guide also provides reference material and task-based instructions for performing the various tasks within PPS-N.

1.2. Overview

The Veteran's Health Administration (VHA) is undertaking a Pharmacy Reengineering (PRE) initiative. The objective of the PRE project is to facilitate the improvement of pharmacy operations, customer service, and patient safety for the VHA. The PRE project will help address the identified goals and vision for the VHA Pharmacy System.

The goal for the overall PRE project is a seamless and integrated nationally supported system that is an integral part of the new VA service-oriented architecture (SOA) environment. To meet this goal, the PRE project will enhance pharmacy data exchange, as well as clinical documentation capabilities, in a truly integrated fashion to improve operating efficiency and patient safety. Additionally, it will provide a flexible technical environment to adjust to future business conditions and to meet patient needs in the clinical environment. Achieving this goal will enable resolution of current pharmacy issues, improve patient safety, and facilitate long-term process stability.

The PRE project has been broken down in multiple projects. Previous phases of PRE have concentrated on order checks (Medication Order Check Healthcare Application (MOCHA)), automated updates (Data Update (DATUP)), and customizing the FDB (First Databank) data used in order check. The PPS-N and the PPS-N Migration projects provide two distinct capabilities that are included in the same application. However, the focus of this User Guide is on the PPS-N application.

1.2.1. Background

The Pharmacy Product System (PPS) is intended to improve the VA's current formulary processes. The current VA National Formulary consists of items such as medications and supplies that have been identified by VA organizations for inclusion. The status change of all items with regard to the VA National Formulary is governed by a process that is already in place. Upon approval, the item status is changed in the VA National Formulary, and updates are issued to the local drug files via software patches.

PPS is envisioned as two distinct processes. The first process covers PPS at the National level (called PPS-N). The PPS-N environment provides for the ability to manage pharmacy-specific data across the enterprise, ensuring that all facilities are using the same base data for their

operations. The second process encompasses PPS processes at the Local level (called PPS-L). The PPS-L application environment will provide services that enact business logic for the daily operations of pharmacy users at the VA's medical centers and clinics.

The focus of the current PPS software development efforts and this User Guide is on the PPS-N system. The PPS-N application is used to manage the VA National Formulary.

1.3. PPS-N Advantage

The PPS-N application allows national VA personnel to easily, quickly, and safely manage the VA National Formulary that determines the products, such as medications and supplies that are to be purchased and used by the VA hospital system. The key capabilities are listed below.

With PPS-N, users can:

1. Manage the National VA Formulary items. This ability includes being able to request the addition and update of items, and then approve these requests
- Synchronize the National and Local versions of the VA Formulary Items

PPS-N enables an interface with a third-party Commercial-Off-The-Shelf (COTS) drug data source. With this interface, users can:

- Manage additions and changes made in the COTS drug data source, including synchronization of this data with the PPS-N Enterprise Product List (EPL)
- Search for data within the COTS drug data source
- Manage the mapping of VA concepts to COTS concepts
- Perform reports on items added by the COTS drug data source

With PPS-N, users are able to:

2. Perform simple and advanced searches for item data contained within PPS-N
- Report on the item data contained within PPS-N
- Retrieve pricing information from the Federal Supply Schedule (FSS) system, and then to display this information to the PPS-N users
- Retrieve Standard Medication Route information from the VA Enterprise Terminology Services (VETS), and then to manage this data within PPS-N

1.4. Security Roles

The PPS-N application is accessible only by users signed directly into the VA network, or by users signed into the VA network via the remote client. User authentication into the VA network is a precondition of PPS-N application access. To log into the PPS-N application, users will use Single Sign On (SSO).

1.4.1. Identity Management

PPS-N uses the assignment of roles to grant access to the system. Users will log onto the system using Single Sign On (SSO) and the roles are assigned under the PPS-N Manage Applications User Roles Tab.

1.4.1.1. National Viewer (PSS_PPSN_VIEWER)

This role is designed for a user who needs access to PPS-N to view drugs and their attributes. This user can:

- Search for and view drug details but cannot modify drugs nor add new drugs to the system
- Use advanced search and create personal search template
- Search the COTS drug information database, presently First Databank (FDB)
- Submit a change request for a drug
- View all the data screens in PPS-N (not migration)
- View and create reports

This role is the default role assigned to all users when VistA access is granted.

1.4.1.1.2. National Second Approver (PSS_PPSN_SECOND_APPROVER)

This role includes all the functionality of a National Viewer. This role allows a user to:

- Provide a second approval on items that are in the Pending second approval state
- Search for all requests, and select and view any request
- Approve or disapprove requests that the National Managers marked as available for second approval. The Request Status column includes the status *Pending Second Approval*.

This role is assigned on the User Roles tab.

1.4.1.1.3. National Manager (PSS_PPSN_MANAGER)

This role controls the normal processing of drug items. This role includes all the functionality of the National Second Approver. In addition, users assigned this role can:

- Add, edit, and approve all items such as products and NDCs, the National Council for Pharmacy Drug Programs (NCPDPs)
- Add, edit, and approve new domains such as generic names, ingredients, and so forth
- Search for new items in FDB and add them to PPS-N
- Add, edit, and save partially modified items
- Control sending update files to VistA

This role is assigned on the User Roles tab.

1.4.1.1.4. 2nd National Manager (PSS_PPSN_MANAGER)

This role controls the normal processing of drug items. This role includes all the functionality of the National Second Approver and a National Manager. In addition, users assigned this role can:

- Add, edit, and approve all items such as products and NDCs, the National Council for Pharmacy Drug Programs (NCPDPs)
- Add, edit, and approve new domains such as generic names, ingredients, and so forth
- Search for new items in FDB and add them to PPS-N
- Add, edit, and save partially modified items

- Approve or disapprove requests that the National Managers marked as available for second approval. (The Request Status column includes the status *Pending Second Approval*.)

This role is not shown on the User Roles tab. Role access is derived by granting permissions for both the National Second Approver and National Manager roles to the user.

1.4.1.1.5. National Supervisor (PSS_PPSN_SUPERVISOR)

This role includes all of the permissions of a National Manager. In addition, the role provides users with the ability to:

- Configure the auto-update processes from Standards and Terminology Service (STS) and FSS or to manually start the processes
- Create system-level advanced search templates and delete templates
- Delete partially saved items that other users have created

The Manage Application tab appears only for users with this role assigned. This role is assigned on the User Roles tab.

1.4.1.1.6. National Migrator User (PPS_PPSN_MIGRATOR)

This role includes all the permissions of the National Viewer. In addition, this role provides users with the ability to perform all migration tasks.

The Migration tab appears only for users with this role assigned. This role is assigned on the User Roles tab.

1.5. Application Interaction Flow

The figure below provides a high-level interaction flow diagram for the PPS-N system. The circles within the PPS-N oval represent the major capabilities provided by the application. The squares with inclusive circles represent the main external applications with which PPS-N interacts. Additional details on the process flows for each of the PPS-N capabilities can be found in the System Design Document.




Figure 1: PPS-N Interaction Flow

The table below provides amplifying information for the interaction flow presented above.

Table 1: Interaction Flow Descriptions

Name	ID	Description	External Interface Name
VistA Link	2	The service is used to send messages between PPS-N and VistA. VistALink is utilized for KAAJEE login purposes and for sending update files.	VistALink, the interface mechanism between VistA and PPS-N
Managed Item	3	This service handles validation and create, read, update, and delete (CRUD) operations with the PPS-N data entities.	N/A
PPS-N EPL Database	4	This database is used to persist all entities and information needed by the PPS-N application.	N/A
Search	5	This service handles all simple and advanced search functionality for the PPS-N application.	N/A

Name	ID	Description	External Interface Name
Print Template	6	This service handles CRUD operations for the print template entity, which is used to persist advanced search criteria and result columns.	N/A
VETS	7	This service is used to send web service requests to the VETS system for the Standard Med Route data that it contains.	Web services, which is the interface mechanism between VETS and PPS-N.
Retrieve Standard Med Route Data	8	This process (not developed as part of PPS-N) is invoked by the PPS-N application's VETS service to request Standard Med Route data.	Web services, which allows external systems (such as PPS-N) to request data contained in the VETS data store.
Drug Reference	9	This service interfaces with the COTS drug information database (also located within PPS-N).	N/A
FSS	10	This service is used to send JDBC queries to the FSS system for the pricing data contained in its database tables.	JDBC, which is the interface mechanism between FSS and PPS-N.
Retrieve Pricing Data	11	This process (not developed as part of PPS-N) is invoked by the PPS-N application's FSS service to request pricing data.	JDBC, which allows external systems (such as PPS-N) to query for data contained in the FSS database.
Request	12	This service implements the item request management functionality for the PPS-N application.	N/A
Reports	13	This service is used to manage reports.	N/A
NDF	1	The VistA National Drug File Module	TBD
PDM	14	The VistA Pharmacy Data Management Module	TBD
VUID Assignment	23	Interface to VETS for the assignment of VUIDs	TBD
FDB	24	FDB is the COTS Drug Information database being utilized	JDBC (via FDB DIF APIs)
PPS-N Update File	26	File containing Product updates	VistALink

1.6. Login Page

The purpose of this page is to provide an authorized user access to the system. Each individual will access the system using Single Sign On (SSO).

See Security Roles and Identity Management for more information on roles and permissions.

To Log In:

1. Open Internet Explorer.
2. In the Address Bar, enter the URL (Universal Resource Locator) provided to you by the VA. The login page opens.
3. The user will log-in using single sign on.

2. Home Page Tab

2.1. Home Page Tab

The Home tab is the first page you see after logging in to PPS-N. You can use the User Preferences option to change the default login page to the Search page.

The screenshot shows the PPS-N Home Page Tab with the following components labeled:

- Header:** Includes the United States Department of Veterans Affairs logo, the PPS-N Pharmacy Product System - National logo, and a welcome message "Welcome, UserName Logout PPS-National Supervisor - 999".
- Navigation Bar:** Includes links for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help.
- Information Bar:** Includes links for Page Help and Provide Feedback.
- Body:** Contains a section titled "PBM Office Message" with a sub-section "Don't Return Controlled Substance". It also displays a message about messaging being off and a list of saved work items.

Comment	Date Modified
AUTO-LOGOUT AUTO-SAVE	DD-Mon-YYYY HH:MM

Saved Work in Progress: Seven saved items found. Only displaying the most recent five below.

[VA Home](#) | [Privacy](#) | [FOIA](#) | [Regulations](#) | [Web Policies](#) | [Notices](#) | [No FEAR Act](#) | [Site Index](#) | [USA.gov](#) | [White House](#) | [National Resource Directory](#) | [Inspector General](#)

Version: PPS x.x.xx.xxx
Build Date: Day, Month DD, YYYY HH:MM:SS AM/PM Time Zone

Figure 2: Home Page Tab

2.1.1. Top of the Page

All PPS-N pages share a common header, main navigation bar, and information bar.

2.1.1.1. Header

- The left side of the header includes the standard VA logo, application abbreviation, and application name.
- The right side shows the user name, the Logout link, and below, the user's assigned role and location.

2.1.1.2. Navigation Bar

The main navigation bar includes primary tabs: Home, Manage PPS, Rematch, Reports, COTS Services, User Preferences, and Help. Click a tab to open secondary tabs or pages. Additional tabs can display based on permissions: Manage Application, Migration Tab.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help	
Enter / Edit Items	Requests	Saved Work in Progress		PPS Data Elements	PPS Data Requests	Manage Update Files	
Simple Search							

Figure 3: Navigation Bar

- Image First Row: This row is the primary menu. Click a tab to open a secondary menu or a page.
- Image Second Row: This row is the secondary menu. In this example, it's the secondary menu for Manage PPS. Click a secondary tab to open a page.
- Image Third Row: This row contains bread crumbs, which shows selections you've made to arrive at the current page. After you have several links displaying, you can click a link in the bread crumbs to return to an earlier page.

2.1.1.3. Information Bar

- The left side of the bar includes bread crumbs (on the left side), which shows selections you've made to arrive at the current page. Click a link in the bread crumbs to return to an earlier page.
- The right side includes a link to context-sensitive help (Page Help) for the displayed application page.
- The right side also includes a Provide Feedback link, which generates an e-mail that you can use to contact PBM staff.

2.1.2. Body of Page

The body of the Home page displays the content described below.

2.1.2.1. Left Side

- A **PBM Office** optional image and message
The image and message can be edited; see Edit Home Page tab for more information.
- The **Saved Work in Progress** link
Click the link to open the Save Work in Progress tab.
- The Saved Work in Progress table
Click a link in the **Comment** column of the table to open the Edit Drug Information page and continue working.

2.1.2.2. Right Side

- A link to the Perform Simple Search page
- The application status message when appropriate
For example, to perform maintenance tasks, a system administrator might turn off communication with the NDFMS server. When this event occurs, the system posts a status message below the Perform Simple Search link.

2.1.3. Bottom of Page

The bottom of the page displays the following elements:

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

- A few helpful links
- The application version information (below the helpful links)

2.2. Home Page Tab

The Home tab is the first page you see after logging in to PPS-N. You can use the User Preferences option to change the default login page to the Search page.

Home Page Tab

The screenshot illustrates the layout of the PPS-N Home Page Tab. It is divided into several sections:

- Header:** Located at the top right, it includes the United States Department of Veterans Affairs logo, the PPS-N Pharmacy Product System - National logo, and a welcome message: "Welcome, UserName . Logout . PPS-National Supervisor - 999". There is also a "Skip to main content" link.
- Navigation Bar:** A horizontal menu bar at the top with links: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help.
- Information Bar:** A thin bar below the navigation bar with links: Home, Page Help, and Provide Feedback.
- Body:** The main content area, which is further divided into sections:
 - PBM Office Message:** A banner featuring silhouettes of soldiers against an American flag background with the text "HONORING ALL WHO SERVED". Below it is a "Don't Return Controlled Substance" message and a "Full Story..." link.
 - Perform Simple Search:** A search input field.
 - Messaging:** A note stating "Messaging is currently off because a user turned it off. There are 22 items in the queue."
 - Saved Work in Progress:** A section showing a list of saved items with columns for Comment and Date Modified. All entries show "DD-Mon-YYYY HH:MM".
 - Page Footer:** Includes links to VA Home, Privacy, FOIA, Regulations, Web Policies, Notices, No FEAR Act, Site Index, USA.gov, White House, National Resource Directory, and Inspector General. It also shows the Version: PPS x.x.xx.xxx and Build Date: Day, Month DD, YYYY HH:MM:SS AM/PM Time Zone.

2.2.1. Top of the Page

All PPS-N pages share a common header, main navigation bar, and information bar.

2.2.1.1. Header

- The left side of the header includes the standard VA logo, application abbreviation, and application name.
- The right side shows the user name, the Logout link, and below, the user's assigned role and location.

2.2.1.2. Navigation Bar

The main navigation bar includes primary tabs: Home, Manage PPS, Rematch, Reports, COTS Services, User Preferences, and Help. Click a tab to open secondary tabs or pages. Additional tabs can display based on permissions: Manage Application, Migration Tab.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help	
Enter / Edit Items	Requests	Saved Work in Progress		PPS Data Elements	PPS Data Requests	Manage Update Files	
Simple Search							

Figure 4: Navigation Bar

- Image First Row: This row is the primary menu. Click a tab to open a secondary menu or a page.
- Image Second Row: This row is the secondary menu. In this example, it's the secondary menu for Manage PPS. Click a secondary tab to open a page.
- Image Third Row: This row contains bread crumbs, which shows selections you've made to arrive at the current page. After you have several links displaying, you can click a link in the bread crumbs to return to an earlier page.

2.2.1.3. Information Bar

- The left side of the bar includes bread crumbs (on the left side), which shows selections you've made to arrive at the current page. Click a link in the bread crumbs to return to an earlier page.
- The right side includes a link to context-sensitive help (Page Help) for the displayed application page.
- The right side also includes a Provide Feedback link, which generates an e-mail that you can use to contact PBM staff.

2.2.2. Body of Page

The body of the Home page displays the content described below.

2.2.2.1. Left Side

- A **PBM Office** optional image and message
The image and message can be edited; see Edit Home Page tab for more information.
- The **Saved Work in Progress** link
Click the link to open the Save Work in Progress tab.
- The Saved Work in Progress table
Click a link in the **Comment** column of the table to open the Edit Drug Information page and continue working.

2.2.2.2. Right Side

- A link to the Perform Simple Search page
- The application status message when appropriate
For example, to perform maintenance tasks, a system administrator might turn off communication with the NDFMS server. When this event occurs, the system posts a status message below the Perform Simple Search link.

2.2.3. Bottom of Page

The bottom of the page displays the following elements:

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

- A few helpful links
- The application version information (below the helpful links)

3. Manage PPS Tab

3.1. Enter Edit Tab

The Enter/Edit Items tab allows you to search the system for drug information. After result items display, you can select an item to review or edit. In addition, you can create new items.

Complete a search.

- Perform Simple Search
- Perform Advanced Search

After you have search results, complete any of these tasks:

- View Search Results
- Export Search Results
- Edit Product
- Edit Orderable Item
- Edit NDC
- Add New Items

The screenshot shows the 'Enter / Edit Items' tab selected in the top navigation bar. The main search area includes fields for 'Search For *', 'Item Type' (set to 'Product'), 'Search Field' (set to 'VA Product Name'), 'Strength', and 'Strength'. There are also filters for 'Category' (Medication, Investigational, Compound, Supply), 'Sub-Category' (Herbal, Chemotherapy, OTC, Veterinary), 'Item Status' (Active, Inactive), and 'New Item Request' (Approved, Pending, Rejected). Below the search fields are options for 'Contains', 'Begins With', and 'Is Exactly', along with a 'Search' button and a link to 'Advanced Search'.

Figure 5: Enter/Edit Items Page

3.1.1. Perform Simple Search

This search allows you to search for any item within PPS. You select an item type (Product, Orderable Item, or NDC) and apply filters to narrow the list of results.

To Search:

1. Click the **Enter / Edit Items** tab to display the search page.
2. In **Search for**, enter text. See Text in Search For Field for more information.
3. In **Item Type**, select a type from the drop-down list: Product, Orderable Item, or NDC. See Select Search Field for more information.
4. In **Search Field**, select a field from the drop-down list. See Select Search Field for more information.
5. For Product, in **Strength**, enter strength.
6. For Orderable Item, in **Dosage Form**, enter a form.

7. Select filters to further restrict search results. Select options from lists: Category, Sub-Category, Item Status, and New Item Request. For all filter types, you can choose any combination of items, including multiple choices in each filter type.
8. Click the **Search** button. The system displays results in a table list below.

After you have search results, complete any of these tasks:

- View Search Results
- Export Search Results
- Edit Product
- Edit Orderable Item
- Edit NDC
- Add New Items
- Perform Advanced Search

3.1.1.1. Text in Search for Field

Enter a string of text in the required **Search For** field. The text string can include the following wildcards.

- _ (underscore for any single character)
- % (percent for any number of characters)

In addition, you can select one of the following options to further restrict search results.

- **Contains** -Select this option to return search results where the search string appears anywhere in the searchable fields.
- **Begins With** -Select this option to return search results where the search string appears at the beginning of the searchable fields.
- **Is Exactly** -Select this option to return search results where the search string matches exactly the searchable field.

3.1.2. Select Search Field

Selections appearing in the Search field drop-down list depend upon the selected Item Type. For example, if you select NDC as the item type, the drop-down list shows searchable NDC fields. The actual searchable fields for each item type are shown in the list below.

3.1.2.1. Item Types and Search Fields

Product

When you accept the default of Product, the system includes an additional **Strength** field. Enter strength in this field to restrict the search base on strength.

The following search fields are available: All Fields; VA Product Name; VA Print Name; Generic Name; VA Product ID; VA Drug Class; Active Ingredient; Synonym Name, Copay Tier, Formulary Designator.

Orderable Item

When you select Orderable Items, the system opens an additional **Dosage Form** field. Enter a dosage form in this field to restrict the search based on the dosage form.

The following search fields are available: All Fields; PPS OI Name; OI Synonym, Formulary Designator.

NDC

The following search fields are available: All Fields; NDC; UPC/UPN; Trade Name.

3.1.3. View Search Results

After you Perform a Simple Search, search results appear in a table list below the search filters. The table list columns vary, depending on the selected item type and search field you selected for the search.

SEARCH RESULTS														
One item found.														
Select	VA Product Name	Generic Name	Str	Unit	Dosage Form	CMOP ID	PPS OI Name	Primary Class	CMOP (National)	NFI	Cat	New Item Request	Item Status	NDSCs
<input type="checkbox"/>	ABCIXIMAB 2MG/ML INJ.SOLN	ABCIXIMAB	2	MG/ML	INJ.SOLN	A0578	ABCIXIMAB INJ.SOLN	BL117	No	Yes	Medication	Approved	Active	1
Export: CSV Excel														
Select All		Edit Items		Create New Product (from blank)										

Figure 6: Simple Search Results

For example, in the figure above, search results are specific to Product searches based on VA Product Name. Selecting a different option in the Item Type and Search Field results in different drug information being displayed in the table. Likewise, if you enter different Search Field data, different columns of information appear in results.

On this page, you can:

- Click links in the results to display additional information. For example, in the figure above, the VA Product Name and PPS OI Name columns include links you can click.
- Click the check box beside one or more entries in the results and Export Search Results.
- Click the check box beside one or more entries in the results, click the **Edit Item** button, and edit a Product, Orderable Item, or NDC. You can edit multiple items at a time.
- Click the **Create New (Item) (from blank)** link to display a template that you can use to create a new Product, Orderable Item, or NDC.

3.1.4. Export Search Results

Below the search results table, you can select an option to export the search results in either CSV or Excel format.

Export Bar



To Export:

1. In the **Select** column of the table list, click the check box to add a check mark beside each result that you want to include in the export.
2. Below the table, click a format check box (**CSV** or **Excel**) in the export results.
3. Use the buttons in the resulting dialog box to open or save the results.

Results

Based on your selections, results appear as comma separated value (CSV) or as values in an Excel spreadsheet.

3.1.5. Edit Product

This page allows you to view, modify, approve, or reject existing or newly created product items.

To Edit:

1. In a search results list, click a link in the VA Product Name column. The system opens the National Data tab.
2. Click the **Show All Tabs** link to display additional tabs. The system opens the additional tabs and changes the link to **Hide All Tabs**.
3. Update data on tabs as necessary. For more information on an individual tab, see Product-Related Edit Tabs list below.
4. Click the **Submit** button. The system opens the Modification Summary for Product page.
5. Review changes.
6. If you need to make corrections, click the **Cancel** button to return to the previous page. Otherwise, complete the summary page.
7. In **PSR Name**, enter the name of the Pharmacy Product System Second Reviewer.
8. In **Reason**, enter a reason for the change.
9. In **Accept Change**, click the check box to add or remove a check mark to include or exclude the change.
10. Click the **Accept Changes** button. A confirmation message appears: Your changes have been committed.
11. Click the **OK** button to acknowledge the message. The system displays the Request Tab.

Product-Related Edit Tabs

National Data Tab	Application Data Tab	Dispense Data Tab
Drug Data Tab	Controlled Substance	Administration Data Tab
Quick Actions Tab	Drug Accountability	NDCs Tab
CMOP Mark / Unmark	Inpatient - Unit Dose	History Tab
Enter / Edit Dosages	IV	A - Z Tab
Print PMI	Non-VA Med	Example of Edit Item in A-Z Tab
Print Warning Labels	Outpatient	Edit Copay Tier A - Z Tab
RxNorm	Surgery	Multi-
	Ward Stock	Edit_for_Copay_Tiers.htm

This screenshot shows a product detail page for 'ABCIXIMAB 2MG/ML INJ,SOLN'. It includes tabs for National Data, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A link labeled 'Click link to open more tabs.' points to the 'Show All Tabs' button. The status bar at the bottom indicates 'VA Product Name : ABCIXIMAB 2MG/ML INJ,SOLN' and 'GCNSEQNO : 022668'.

Figure 7: Show All Tabs Link

This screenshot shows the same product detail page as Figure 7, but with the 'Show All Tabs' link removed, displaying all tabs (National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, A - Z) in the navigation bar.

Figure 8: All Tab Links Shown

When the user edits a product and makes a change, the Modification Summary page displays when you hit the submit button.

This screenshot shows the 'Modification Summary for Product: BABY OIL,TOP' page. It includes fields for PSR Name and a table for modifying data fields. The table has columns: Field Name, Current Value, Requested Value, Reason, Accept Change, and Requires Second Approval. Changes made are: Generic Name from BABY OIL to AXITINIB, and National Formulary Name from BABY OIL OIL,TOP to AXITINIB OIL,TOP. Both changes have 'Accept Change' checked and 'Requires Second Approval' checked.

Field Name	Current Value	Requested Value	Reason	Accept Change	Requires Second Approval
Generic Name	BABY OIL	AXITINIB	<input type="text"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
National Formulary Name	BABY OIL OIL,TOP	AXITINIB OIL,TOP	<input type="text"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Figure 9: Modification Summary for Edit Product Page

3.1.6. Edit Orderable Item

This page allows you to view, modify, approve, or reject existing or newly created orderable items.

To Edit:

- In the search results list, click a link in the **PPS OI Name** column. The system opens the Details tab.
- Update data on tabs as necessary. For more information on an individual tab, see the Orderable-Item-Related Edit Tabs list below.
- Click the **Submit** button. The system opens the Modification Summary for Orderable Item page.
- Review changes.
- If you need to make corrections, click the **Cancel** button to return to the previous page. Otherwise, complete the summary page.
- In **Reason**, enter a reason for the change.
- In **Accept Change**, click the check box to add or remove a check mark to include or exclude the change.

8. Click the **Accept Changes** button. A confirmation message appears: Your changes have been committed.
9. Click the **OK** button to acknowledge the message. The system displays the Request Tab.

Orderable-Item-Related Edit Tabs

Details Tab	Labs & Vitals Tab	History Tab
Safety Tab	Products Tab	A - Z Tab
Home Manage PPS Reports COTS Services User Preferences Help		
Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files		
Simple Search > Edit Orderable Item > Modification Summary Page Help Provide Feedback		

Modification Summary for Orderable Item: BABY OIL OIL, TOP

Modification Summary for Data Fields

Field Name	Current Value	Requested Value	Reason	Accept Change	Requires Second Approval
Formulary Designator	No Value Specified	FORMULARYDESIGNATOR4TESTING-17	<input type="text"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Figure 10: Modification Summary for Orderable Item Page

3.1.7. Edit NDC

This page allows you to view, modify, approve, or reject existing or newly created NDC items.

To Edit:

1. In the search results list, click a link in the **NDC** column. The system opens the Main tab.
2. Update data on tabs as necessary. For more information on an individual tab, see the NDC-Related Edit Tabs list below.
3. Click the **Submit** button. The system opens the Modification Summary for NDC page.
4. Review changes.
5. If you need to make corrections, click the **Cancel** button to return to the previous page. Otherwise, complete the summary page.
6. In **Reason**, enter a reason for the change.
7. In **Accept Change**, click the check box to add or remove a check mark to include or exclude the change.
8. Click the **Accept Changes** button. A confirmation message appears: Your changes have been committed.
9. Click the **OK** button to acknowledge the message. The system displays the Request Tab.

NDC-Related Edit Tabs

Main Tab	Price Tab	History Tab	A - Z Tab
----------	-----------	-------------	-----------

Field Name	Current Value	Requested Value	Reason	Accept Change	Requires Second Approval
Package Type	TUBE	TUB	<input type="button" value="▼"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Modification Summary for Data Fields

Modification Summary for NDC: 11917-0079-48

Cancel Accept Changes

Figure 11: Modification Summary for NDC Page

3.1.8. Copy NDCs to New Product

To Copy:

1. In a product search results list, click the link in the **VA Product Name** column of the product with the NDCs you want to copy. The system opens the National Data tab.
2. Click the **Show All Tabs** link to display additional tabs. The system opens the additional tabs.
3. Click the NDC tab. The system displays a table with the NDCs associated with the product.
4. In the **Select** column, click the check box beside one or more NDCs in the table. Or, click the **Select All** button below to select all NDCs in the table.
5. Click the **Copy NDCs to New Product** button. The system displays the Add New National Product page.

To Add New National Product:

1. Make appropriate changes on the page. See Add Product for more information.
2. Click the **Submit** button. The system displays a Confirmation page.
3. Review the information on the Confirmation page, and then click the **Accept Changes to Product & Edit NDCs** button. The system displays the Add New NDC page.
4. Make appropriate changes on the page, and then click the **Submit** button. The system displays a Confirmation page.
5. Review the information on the Confirmation page, and then click the **Save NDC** button. If you selected more than one NDC, the system displays the next NDC you selected in the Add New NDC page.
6. Repeat steps 4 and 5 for each additional NDC.
7. On the final NDC Confirmation page, click the **Save Final NDC** button. A confirmation message appears: Your changes have been committed.
8. Click the **OK** button to acknowledge the message.

3.1.9. Remove Product from Orderable Item

Completing these steps removes product(s) from an orderable item; however, the product is not deleted.

To Remove Product:

1. In an Orderable Item search results list, click the link in the **PPS OI Name** column of the Orderable Item with the product you want to remove.
2. Click the **Products** tab. The system displays a table with the products associated with the Orderable Item.
3. In the **Select** column, click the check box beside one or more products in the table. Or, click the **Select All** button below to select all products in the table.

4. Click the **Move Products** button. The system displays the Enter/Edit Items tab.
5. Use the Enter/Edit Items tab to search for the same orderable item again and confirm the removal.

To Confirm:

1. In **Search For**, enter search text.
2. In **Item Type**, select **Orderable Item** from the drop-down list.
3. In **Search Field**, select a field from the drop-down list: PPS OI Name, OI Synonym, and All Fields.
4. In **Dosage Form**, enter a form.
5. Select filters in the filter fields: Category, Sub-Category, Item Status, and New Item Request.
6. Click the **Search** button. The system displays results in a table list.
7. In the **PPS OI Name** column, select a link for the orderable item from which you removed product(s).
8. Click the Products tab. The system displays a table with the products associated with the Orderable Item.
9. Verify that the product(s) has been removed.

3.1.10. Remove NDCs from Product

Completing these steps removes NDC(s) from a product; however, the NDC is not deleted.

To Remove:

1. In a product search results list, click the link in the **VA Product Name** column of the product with the NDCs you want to remove. The system opens the National Data tab.
2. Click the **Show All Tabs** link to display additional tabs. The system opens the additional tabs.
3. Click the **NDC** tab. The system displays a table with the NDCs associated with the product.
4. In the **Select** column, click the check box beside one or more NDCs in the table. Or, click the **Select All** button below to select all NDCs in the table.
5. Click the **Move NDCs** button. The system displays the Enter/Edit Items tab.
6. Use the Enter/Edit Items tab to search for the same product again and confirm the removal.

To Confirm:

1. In **Search For**, enter search text.
2. In **Item Type**, select **Product** from the drop-down list.
3. In **Search Field**, select a field from the drop-down list.
4. In **Strength**, enter strength.
5. Select filters in the filter fields: Category, Sub-Category, Item Status, and New Item Request.
6. Click the **Search** button. The system displays results in a table list.
7. In the **VA Product Name** column, select a link for the product from which you removed NDC(s).
8. Click the NDC tab. The system displays a table with the NDCs associated with the product.
9. Verify that the NDC(s) has been removed.

After performing the search for an item type (Product, Orderable Item or NDC), you might determine that the appropriate drug does not exist in PPS-N and needs to be created. You can:

- Use an existing item as a template
- Use a blank template to create a new item

3.1.10.1. Use Existing to Create New

When you review an existing item, you can click a link at the bottom of the page to create a new item, using the currently selected item as a template.

To Create:

1. Display an item type (Product, Orderable Item, or NDC).
2. Click the **Create New [item type] (from existing)** link at the bottom of the page. The form for the existing item opens.
3. Update item-related fields and click the **Submit** button to save the new item.

See the following sections for detailed information on completing item-related fields:

- Add Product
- Add Orderable Item
- Add NDC

Synonyms

Synonym Name	Use	NDC Code	VSN	Order Unit	PPOU	DUOU	PPDU	Vendor	Remove
ATROPINE	0-TRADE NAME	54868-0740-01		VI	0	20	0		Remove

Add New Row

Create New Product (from existing) ▶

Cancel Save Work in Progress Change OI Submit

Figure 12: Create New from Existing Link

3.1.10.2. Use Template to Create New

If you cannot find an item closely related to the item for which you are searching, you can create a new item, using a blank template. The blank template includes only a few pre-populated fields.

To Create:

1. At the bottom of the **Search Results** page, click the **Create New [item type] (from blank)** link. The new template opens.
2. Complete item-related fields and click the **Submit** button to save the new item.

See the following sections for detailed information on completing item-related fields:

- Add Product
- Add Orderable Item
- Add NDC

Create New from Blank Link

63,511 items found, displaying 1 to 10.
[First/Prev] 1, 2, 3, 4, 5, 6, 7, 8 [Next/Last]
Export: CSV Excel

Select All Edit Items

Save As: Notes: Save At: Personal Template ▾ Change Search Results Template

Create New Product (from blank) ▶

3.1.11. Add Product

Whether you used a blank template or an existing product as a template, the system starts the Add New National Product wizard. The wizard contains a number of areas organized into field sets, that is, sections that are logical groupings. The field sets include:

- Define VA Product
- Define VA Drug Classes
- Define Schedule and Handling
- Define Copay Tier
- Define Miscellaneous

Each of these field sets contains fields that you might or might not complete. Fields with a red asterisk are required fields that you must complete.

The template header consists of a few empty fields just below the title Add New National Product. As you complete the template, the system updates these view-only fields.

The screenshot shows the 'Add New National Product' template. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there are several tabs: Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. On the right side of the header, there are links for Page Help and Provide Feedback. The main content area has a title 'Add New National Product'. It includes fields for Product and PPS OI Name, and Category with a 'Select OI' button. A note says 'Fields marked with * are required'. The 'Define the VA Product' section contains a table for Active Ingredient, with columns for Ingredient Name, Strength, Drug Unit, and Remove. There's also an 'Add New Row' button. Below this, there are fields for Generic Name*, VA Product Name*, VA Print Name*, National Formulary Name*, Product Strength, Product Unit, and VA Dispense Unit. The 'Product Unit' and 'VA Dispense Unit' fields have dropdown menus with green plus signs next to them.

Figure 13: New Product Template - Define VA Product

Field List Header

Fields with a red asterisk are required fields that you must complete.

Product

The view-only name of the Product. This field is completed when you click the **Generate Name Fields Below** button to complete product-related data fields.

Category

The view-only Category for the product: Compound; Investigational; Medication; Supply. This field is completed when you Select a Parent for the product.

PPS OI Name

The Pharmacy Product System Orderable Item Name for the product and the parent of the product. This field is completed when you Select a Parent for the product.

Field List Define the VA Product

Active Ingredient Table

Click the **Add New Row** button to add a new row of enabled fields to the Active Ingredient table.

Ingredient Name

Select an Ingredient Name from the drop-down list.

If you don't find the ingredient name you need, click . The system opens the Add Ingredient Name page that you can use to add the ingredient.

Drug Unit

Select a Drug Unit from the drop-down list.

If you don't find the unit you need, click . The system opens the Add Drug Unit Name page that you can use to add the ingredient.

Remove

Click the **Remove** button to remove the active ingredient from the table.

Generic Name *

Select a Generic Name from the drop-down list.

If you don't find the name you need, click . The system opens the Add Generic Name page that you can use to add the name.

Generate Name Fields Below Button

Click this button to complete fields below automatically. To use this shortcut, you must have already, selected a parent, added active ingredients, and selected a generic name.

VA Product Name *

Enter the VA Product Name.

VA Print Name *

Enter the VA Print Name.

National Formulary Name *

Enter the National Formulary Name.

Product Strength *

Enter the Product Strength.

Product Unit

Select a Product Unit from the drop-down list.

If you don't find the unit you need, click  . The system opens the Add Drug Unit Name page that you can use to add the ingredient.

VA Dispense Unit *

Select a VA Dispense Unit from the drop-down list.

If you don't find the unit you need, click  . The system opens the Add Dispense Unit Name page that you can use to add the ingredient.

To Define VA Product:

1. In the header, click the **Select OI** button to select a parent for the new product.
2. In **Active Ingredient**, click the **Add New Row** button to add active ingredients.
3. For **product**, add product-related data.
4. Define VA Drug Classes.

To Select a Parent:

1. Click the **Select OI** button. The Orderable Item Search page opens.
2. In **Search For**, enter search text.
3. In **Dosage Form**, enter a dosage form.
4. In **Item Status**, click one or more statuses.
5. In **New Item Request**, click one or more states.
6. Click the **Search** button. The system displays results in a list below.
7. Locate the orderable item you want to add as the parent to the new product you are creating.
8. Click the link in the **PPS OI Name** column. The system re-displays the template with completed fields based on the parent you selected.
9. Notice that the header includes the parent name and category, and the system updated the button name to **Change OI**.
10. Add Active Ingredients.

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files

Simple Search > Add Product > selectParent Page Help Provide Feedback

Orderable Item Search

Search Criteria for Orderable Item Search

Search For*: bisaco Search Field: PPS OI Name Dosage Form: Item Status New Item Request

Active Approved
 Inactive Pending Rejected

Search Cancel

SEARCH RESULTS

15 items found, displaying all items.

Create	PPS OI Name	OI Type	Dosage Form	OI Synonym	New Item Request	Item Status	Cat	Products
+	BAGENEMA/BISACODYL/CASTILE SOAP/CASTOR O KIT	National	KIT		Approved	Active	Medication	1
+	BAGENEMA/BISACODYL TAB/CASTILE SOAP/PHOS KIT	National	KIT		Approved	Active	Medication	1
+	BISACODYL/CASTOR OIL KIT	National	KIT		Approved	Active	Medication	3
+	BISACODYL/DOCUSATE/SENNNA CONCENTRATE/SEN KIT	National	KIT		Approved	Active	Medication	1
+	BISACODYL/ELECTROLYTES/PEG-3350 KIT	National	KIT		Approved	Active	Medication	2
+	BISACODYL/MAGNESIUM CITRATE/MAGNESIUM SU KIT	National	KIT		Approved	Active	Medication	1
+	BISACODYL/MAGNESIUM CITRATE/PHENOLPHTHAL KIT	National	KIT		Approved	Active	Medication	1
+	BISACODYL/MAGNESIUM CITRATE KIT	National	KIT		Approved	Active	Medication	4
+	BISACODYL/PHOSPHO SODA KIT	National	KIT		Approved	Active	Medication	1
+	BISACODYL/PHOSPHO-SODA KIT	National	KIT		Approved	Active	Medication	1
+	BISACODYL/TANNIC ACID ENEMA	National	ENEMA		Approved	Active	Medication	1
+	BISACODYL ENEMA	National	ENEMA		Approved	Active	Medication	1
+	BISACODYL ENEMA RTL	National	ENEMA_RTL		Approved	Active	Medication	1
+	BISACODYL SUPP RTL	National	SUPP_RTL		Approved	Active	Medication	3
+	BISACODYL TAB EC	National	TAB(EC		Approved	Active	Medication	3

Export: CSV | Excel | XML

Create New OI (from blank)

Figure 14: Select Parent Page

Field List Select Parent Page

Create

Click the add icon  to open the Add New Orderable Item template. See Add Orderable Item for more information on completing this task.

PPS OI Name

Click the link in this column to select the orderable item as the parent of the new product you are adding.

OI Type

The view-only Orderable Item Type

Dosage Form

The view-only Dosage Form

OI Synonym

The view-only Orderable Item Synonym

New Item Request

The view-only state of the New Item Request: Approved, Pending, Rejected

Item Status

The view-only status of the Item Status: Active or Inactive

Cat

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

The view-only Category: Compound; Investigational; Medication; Supply

Products

The view-only number of Products associated with the PPS OI Name

Buttons and Links

Search

Update search fields and click this button again to continue searching for a parent.

Cancel

Click this button discard changes and return to the previous page.

CSV or Excel

Click the CSV or Excel link to export search results.

To Add Active Ingredients:

1. Click the **Add New Row** button to add the new row to the Active Ingredient table.
2. In **Ingredient Name**, select a name from the drop-down list. Or, click the add icon  to add an ingredient. See Add Ingredient Name for more information.
3. In **Strength**, enter strength.
4. In **Drug Unit**, select a drug unit from the drop-down list. Or, click the add icon  to add a drug unit name. See Add Drug Unit Name for more information.
5. Click the **Add New Row** button to add additional rows if you need to add additional active ingredients.
6. Click the **Remove** button beside any ingredients you want to remove from the list.
7. Add Product-Related Data.

To Complete Fields Automatically:

If you want to use the **Generate Name Fields Below** button to complete fields automatically, you must:

- Select a parent so that the field PPS OI Name is complete in the header.
- Add active Ingredients.
- Enter a Generic Name.

Otherwise, you can use the field list to add product-related data.

To Add Product-Related Data:

1. Select a generic name from the drop-down list.
2. Click the **Generate Name Fields Below** button to have the system complete fields automatically based on the active ingredient(s) and generic name.
3. Define VA Drug Classes.

To Define VA Drug Classes:

1. Click the **Add New Row** button to add a new drug class line to the table.
2. Select a VA drug class from the drop-down list.
3. Repeat steps 1–2 if you need to add additional drug classes.
4. Click the **Primary** check box beside the primary class.

5. Define Schedule and Handling.

VA Drug Class	Primary	Remove
<input type="text"/>	<input checked="" type="checkbox"/>	<input type="button" value="Remove"/>

Figure 15: New Product Template - Define VA Drug Classes

Field List Define VA Drug Classes

Add New Row Button

Click the **Add New Row** button to add a new row of enabled fields to the VA Drug Class table.

VA Drug Class

Select a VA Drug Class from the drop-down list.

If you don't find the class you need, click . The system opens the Add VA Drug Class page that you can use to add the class.

Primary

Click the check box beside the class that is primary to add a check mark to the box.

Remove Button

Click the **Remove** button to remove the drug class from the table.

To Define Schedule and Handling:

1. Complete this field set using the field list below.
2. Define Copay Tier.

CS Federal Schedule * :	<input type="text"/>	DEA Schedule * :	<input type="text"/>
Single/Multi Source :	<input type="text"/>	NCPDP Dispense Unit * :	<input type="text"/>
GCNSEQNO :	<input type="text"/>	NCPDP Quantity Multiplier * :	<input type="text"/>
Sub-Category		Special Handling	
Chemotherapy	<input type="checkbox"/>	<input type="button" value="Special Handling"/>	<input type="button" value="Remove"/>
Herbal	<input type="checkbox"/>		
OTC	<input type="checkbox"/>		
Veterinary	<input type="checkbox"/>		

Figure 16: New Product Template - Define Schedule and Handling

Field List Define Schedule and Handling

Fields with a red asterisk are required fields that you must complete.

CS Federal Schedule *

Select a Controlled Substance Federal Schedule from the drop-down list. When you make a selection in this field, the system completes the DEA Schedule field.

Single/Multi Source

Select a source from the drop-down list: M - Multi Source; S - Single Source; B -Both; N - Neither.

GCNSEQNO

Enter a Generic Code Number Sequence Number that represents a generic formulation, specific non generic ingredient(s), drug strength, dose form, and route of administration.

Sub-Category Box

Click one or more of the check boxes to indicate a Sub-Category for the product: Chemotherapy; Herbal; OTC; Veterinary.

DEA Schedule *

This field is automatically completed when you select a CS Federal Schedule. You can select another option from the drop-down list: 0 - Unscheduled; 1 - Schedule 1 Item; 2 - Schedule 2 Item; 3 - Schedule 3 Item; 4 - Schedule 4 Item; 5 - Schedule 5 Item; 6 - Legend Item; 9 - Over the Counter.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

NCPDP Dispense Unit *

This field defaults to EA-EACH. Select a National Council for Prescription Drug Programs (NCPDP) Dispense Unit from the drop-down list.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

NCPDP Quantity Multiplier *

This field defaults to 1. Enter a National Council for Prescription Drug Programs Quantity Multiplier.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Special Handling

Click the **Add New Row** button add a new row to the Special Handling table.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Special Handling

Select a Special Handling option from the drop-down list. See Add Special Handling Code for more information on the source of this list.

Remove Button

Click the **Remove** button beside a special handling code to remove it from the table.

To Define Miscellaneous:

1. Use the field list below to complete the miscellaneous fields.
2. Submit Product-Related Data.

The screenshot shows a software interface for defining product templates. On the left, there's a section titled 'Miscellaneous' with several configuration options. These include checkboxes for 'National Formulary Indicator' and 'Override DF Check Exclusion', and dropdown menus for 'Formulary Designator' (with a plus sign icon for adding new entries) and 'Product Package'. There are also fields for 'CMOP Dispense (National)' (with a checked checkbox), 'Exclude DDI Check' (unchecked), and 'FDA Med Guide' (empty). On the right, there are sections for 'Auto-Create Possible Dosage' (checked) and 'Possible Dosages To Create' (dropdown menu). At the bottom right are 'Cancel' and 'Submit' buttons.

Figure 17: New Product Template - Define Miscellaneous

Field List Define Miscellaneous

National Formulary Indicator

Click the check box to add a check mark to turn on the National Formulary Indicator.

Formulary Designator

Click the drop down menu to select the pre-defined formulary designator, or click to open text box to enter a different formulary designator and description.

CMOP Dispense (Nation)

Click the check box to add a check mark to turn on the Consolidated Mail Outpatient Pharmacy Dispense indicator.

Override DF Check Exclusion

Click the check box to add a check mark to turn on the Override Drug File Check Exclusion indicator.

Exclude DDI Check

Click the check box to add a check mark to turn on the exclude Drug-Drug Interaction Check indicator.

FDA Med Guide

Enter the name of the Food and Drug Administration Medication Guide.

Auto-Create Possible Dosage

Click the check box to add a check mark to turn on the Auto-Create Possible Dosage indicator.

Possible Dosages To Create

Select a Possible Dosage To Create option from the drop-down list.

Product Package

Select a Product Package from the drop-down list.

To Submit Product-Related Data:

1. After completing all field sets, click the **Submit** button. The system audits the page and displays the Confirmation page.
2. Review the information on the confirmation page. Any warning messages appear at the top of the Confirmation page. Warnings are for informational purposes only, meaning that the data in the page has been saved to the system.
3. If you need to make changes, click the **Return** button to return to the previous page and make changes.

4. Click the **Submit** button. The system audits the page and displays the Confirmation page again.

Complete any of these actions:

- Click the **Accept Changes** button to save the item to the database. The system saves the item and re-displays the Search Results page.
- Click the **Add More Details** button to save the item to the database. The system saves the item and opens the Edit tabs where you can add additional information about this item.
- Click the **Accept Changes to Product & Create Blank NDC** button save the item to the database. The system saves the item, and opens a blank child template that you can use to create a child using this item as its parent.

3.1.12. Add Orderable Item

Whether you used a blank template or an existing product as a template, the system starts the Add New Orderable Item wizard. The wizard contains a set of fields that defines the uniqueness of the orderable item.

The template header consists of a few empty fields just below the title Add New Orderable Item. As you complete the template, the system updates these view-only fields. Header fields include: PPS OI Name; New Item Request (Status).

To Add New Orderable Item:

1. Complete fields using the field list below.
2. Click the **Submit** button to have the system audit the page and display the confirmation page. Any warning messages appear at the top of the confirmation screen. Warnings are for informational purposes only, meaning that the data in the page has been saved to the system.
3. If you need to make changes, click the **Return** button to return to the previous page and make changes.
4. Click the **Submit** button to have the system audit the page and display the Confirmation page again.

Complete any of these actions:

- Click the **Accept Changes** button. The system saves the orderable item to the database and opens the Search Results page.
- Click the **Add More Details** button. The system saves the orderable item to the database and opens the Edit tabs (Details, Safety, Labs & Vitals, Product, History, and A–Z) where you can add additional information about this orderable item.
- Click the **Accept Changes to Product & Create New Product (from blank)** button. The system saves the orderable item to the database and opens a blank child template that you can use to create a child using this orderable item as its parent.

Figure 18: New Orderable Item Template

Field List Header

The system completes header fields.

PPS OI Name

The view-only name of the orderable item

New Item Request

The view-only status of the request

Field List OI Uniqueness Fields

Fields with a red asterisk are required fields that you must complete.

OI Type

The view-only Orderable Item Type; for example, National

Generic Name

Select a Generic Name from the drop-down list. Click the add icon to add a new generic name. See Add Generic Name for more information.

Dosage Form *

Select a Dosage Form from the drop-down list. Click the add icon to add a new dosage form. See Add Dosage Form Name for more information.

Generate OI Names Button

Click this button to generate entries for the remaining fields automatically.

VistA Orderable Item Name *

Enter a VistA Orderable Item Name.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

PPS OI Name *

Enter a Pharmacy Product System Orderable Item Name.

National Formulary Indicator

Click this check box to add a check mark for orderable items that have a national formulary.

Formulary Designator

Select the Formulary Designator from the drop-down list. Click the add icon  to add a new formulary designator.

Note: After the National Formulary Indicator and Formulary Designator fields are entered, that these two fields are independent of each other.

Standard Medication Route

Select a Standard Medication Route from the drop-down list. See Edit Standard Med Route Name for more information on entries in this list.

Category Box *

Click the check box beside the appropriate Category Box: Compound; Investigational; Medication; Supply.

Sub-Category Box

Click one or more of the check boxes to indicate a Sub-Category for the orderable item: Chemotherapy; Herbal; OTC; Veterinary.

3.1.13. Add NDC

Whether you used a blank template or an existing product as a template, the system starts the Add New NDC wizard. The wizard contains a number of areas organized into field sets, that is, sections that are logical groupings. The field sets include:

- NDC Information
- Pill Information

The template header consists of a few empty fields just below the title Add New NDC. As you complete the template, the system updates these view-only fields. Header fields include: NDC; Request Status; Product; Generic Name.

To Add NDC:

1. Click the **Select Product** button. The system opens the Product Search page.
2. Search for and select a product as the parent for the NDC. The system re-displays the template with completed fields based on the parent you selected.
3. Complete fields for NDC and Pill Information using the field lists below.
4. Click the **Submit** button. The system displays the Confirmation page. Any warning messages appear at the top of the confirmation screen. Warnings are for informational purposes only, meaning that the data in the page has been saved to the system.
5. If you need to make changes, click the **Return** button to return to the previous page and make changes.
6. Click the **Submit** button to have the system audit the page and display the Confirmation page again.

Complete any of these actions:

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

- Click the **Accept Changes** button. The system saves the NDC to the database and opens the Search Results page.
- Click the **Add More Details** button. The system saves the NDC to the database and opens the Edit tabs (Main, Price, History, and A–Z) where you can add additional information about this NDC.

The screenshot shows the 'Add New NDC' form. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation is a breadcrumb trail: Simple Search > Add NDC. On the right side of the header are links for Page Help and Provide Feedback.

NDC Information: This section contains fields for NDC, UPC/UPN, Trade Name, Order Unit, Package Type, Package Size, Manufacturer, OTC/RX Indicator, and Single/Multi Source. Most fields have dropdown menus or input boxes. To the right of these fields is a 'Sub-Category' section with checkboxes for Chemotherapy, Herbal, OTC, and Veterinary.

Pill Information: This section includes fields for Product Number, Scored, Color, Shape, Imprint, and Imprint2. It also has checkboxes for Protect from Light and Refrigeration, and a link to view a larger image.

Footer: The footer contains two buttons: 'Cancel' and 'Submit'.

Figure 19: New NDC Template

Field List Header

The system completes header fields.

NDC

The view-only National Drug Code

Request Status

The view-only status of the request

Product

The view-only name of the parent Product

Generic Name

The view-only Generic Name for the drug

Select Product

Click this button to open Product Search page, which you can use to search for and select a parent for the NDC.

Field List NDC Information

Fields with a red asterisk are required fields that you must complete.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

NDC *

Enter a National Drug Code.

UPC/UPN

Enter a Universal Product Code or Universal Product Number.

Trade Name *

Enter a Trade Name.

Order Unit

Select an Order Unit from the drop-down list. Click the add icon to add a new order unit. See Add Order Unit Abbreviation for more information.

Package Type *

Select a Package Type from the drop-down list. Click the add icon to add a new package type. See Add Package Type Name for more information.

Package Size *

Enter a Package Size.

Manufacturer *

Select a Manufacturer name from the drop-down list. Click the add icon to add a new manufacturer name. See Add Manufacturer Name for more information.

OTX/RX Indicator *

Select a type from the drop-down list: Over the Counter (OTX) or Prescription (Rx).

Single/Multi Source

Select a source from the drop-down list: M - Multi Source; S - Single Source; B -Both; N - Neither.

Sub-Category Box

Click one or more of the check boxes to indicate a Sub-Category for the NDC: Chemotherapy; Herbal; OTC; Veterinary.

Field List Pill Information

Product Number

Enter a Product Number.

Click the lock icon to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Scored

Select a fraction that the drug can be scored by from the drop-down list: 0.25, 0.33, and 0.5.

Click the lock icon to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Color

Select a Color for the drug from the drop-down list.

Shape

Select a Shape for the drug from the drop-down list.

Imprint

Enter the Primary imprint for the drug.

Imprint 2

Enter the Secondary imprint for the drug.

NDC Item Inactivation Date

Enter an Inactivation Date using the format DD-Mon-YYYY.

Product from Light

Click this check box if the NDC should be protected from light.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Refrigeration

Select an option for the drug from the drop-down list: Do Not Refrigerate; Refrigerate.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Image

The uploaded Image of the NDC. Click the **Click to view larger image** link to open a larger image of the label.

3.1.14. Perform Advanced Search


This function allows you to search using customized and multiple search criteria.

To Search:

1. Click the **Enter/Edit Items** tab. The system opens the Simple Search page.
2. Click the **Advanced Search** link. The Advanced Search page opens.

Complete any of these actions:

- Retrieve Saved Search Template
- Complete an Advanced Search



The screenshot shows the 'Advanced Search' interface. At the top, there's a navigation bar with tabs: Home, Manage PPS (which is selected), Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar are several search input fields: 'Search For *:' with the value 'abc', 'Item Type:' dropdown set to 'Product', 'Search Field:' dropdown set to 'VA Product Name', 'Strength:' input field, 'Category' checkboxes (Medication is checked, others are unchecked), and 'Sub-Category' checkboxes (Herbal, Chemotherapy, OTC, Veterinary are unchecked). There are also radio buttons for search operators ('Contains' is selected, 'Begins With' and 'Is Exactly' are unselected) and a 'Search' button. A large double-headed arrow points between the 'Advanced Search' link and the search form.

Figure 20: Advanced Search Link

The screenshot shows the 'Advanced Search' page with the following search criteria:

- Item Type:** Product
- Category:** Medication, Investigational, Compound, Supply
- Sub-Category:** Herbal, Chemotherapy, OTC, Veterinary
- Item Status:** Active (checked), Inactive
- New Item Request:** Approved (checked), Pending, Rejected
- Search Filter:** where [None] Contains []
- Buttons:** Add, Search

Figure 21: Advanced Search Page

The screenshot shows the 'Advanced Search' page with the 'where' dropdown menu expanded, displaying a long list of product-related fields:

- None
- All Designated Fields
- Active Ingredient
- Approved for Splitting
- AR/WS Amis Category
- AR/WS Amis Conversion Number
- Auto-Create Possible Dosage
- CMOP Dispense (National)
- Copay Tier
- CS Federal Schedule
- DAW Code
- Day (ND) or Dose (NL) Limit
- DEA Schedule
- Default Mail Service
- Dispense Days Supply Limit
- Dispense Limit for Order
- Dispense Limit Schedule
- Dispense Override
- Dispense Override Reason
- Dispense Override Reason Entered By
- Dispense Quantity Days Limit
- Dispense Quantity Dose Limit
- Dispense Quantity Override
- Dispense Quantity Override Reason
- Dispense Units per Order Unit
- Do Not Handle If Pregnant
- Do Not Mail
- DOT Shipping Name
- Drug Drug Interaction
- Exclude Drug-Drug Interaction Check

Figure 22: Advanced Search Product Drop Down Menu

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files

[Simple Search](#) > [Advanced Search](#)

Retrieve Search Templates OR

Search For:

Item Type: <input type="button" value="Product"/>	Category <input type="checkbox"/> Medication <input type="checkbox"/> Investigational <input type="checkbox"/> Compound <input type="checkbox"/> Supply	Sub-Category <input type="checkbox"/> Herbal <input type="checkbox"/> Chemotherapy <input type="checkbox"/> OTC <input type="checkbox"/> Veterinary	Item Status <input checked="" type="checkbox"/> Active <input type="checkbox"/> Inactive	New Item Request <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Pending <input type="checkbox"/> Rejected
---	---	---	--	---

where

[Back to](#)

Figure 23: Advanced Search Product Drop Down Menu

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files

[Simple Search](#) > [Advanced Search](#)

[Page Help](#) [Provide Feedback](#)

Retrieve Search Templates OR

Search For:

Item Type: <input type="button" value="Orderable Item"/>	Category <input type="checkbox"/> Medication <input type="checkbox"/> Investigational <input type="checkbox"/> Compound <input type="checkbox"/> Supply	Sub-Category <input type="checkbox"/> Herbal <input type="checkbox"/> Chemotherapy <input type="checkbox"/> OTC <input type="checkbox"/> Veterinary	Item Status <input checked="" type="checkbox"/> Active <input type="checkbox"/> Inactive	New Item Request <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Pending <input type="checkbox"/> Rejected
--	---	---	--	---

where

[Back to](#)

3.1.15. Retrieve Saved Search Template

If a personal or national search template has been added to the system, you can complete your search using the save search template.

To Retrieve Saved Search Template:

1. On the Advance Search page, click the **Retrieve Search Templates** button. The system opens the Search Templates page and displays the available search templates in a table.
2. To open a template and perform the search, click the hyper linked template name in Change Search Results Template the Template Name column. The system opens the template.
3. Click the **Search** button. The system displays results in a table list below.

After you have search results, complete any of these tasks:

- View Search Results
- Export Search Results
- Edit Product
- Edit Orderable Item
- Edit NDC
- Add New Items
- Save Search Template (if this search is one that you will do repeatedly)
- Change Search Results Template

The screenshot shows a web-based application interface. At the top is a navigation bar with links: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar is a breadcrumb trail: Simple Search > Advanced Search > Manage Search Templates. The main content area is titled "Search Templates". It contains a table with four columns: "Select", "Template Name", "Access Level", and "Notes". A single row is visible, showing a checkbox in the "Select" column, a link "VA Product Name" in the "Template Name" column, "Personal Template" in the "Access Level" column, and an empty "Notes" column. Below the table are three buttons: "Remove", "Set As Default", and "Remove as Default". At the bottom left of the content area is a link "Back to Advanced Search".

Select	Template Name	Access Level	Notes
<input type="checkbox"/>	VA Product Name	Personal Template	

Figure 24: Search Template Page

Field List Template Page

Select

Click this check box to add a check mark beside a template and use a button below to complete a task. For example, click the **Remove** button to delete the template.

Template Name

Click the hyper linked Template Name to open the search results template. When adding a template, be sure to use a descriptive name that enables you to find the template again easily.

(Default) displays after the template name when the template has been selected as the default. The default template displays automatically when you open the Advanced Search page.

Access Level

This view-only field describes the type of template.

- Personal Template - A user-created template, which is available only to the user who created the template.
- National System Template - A supervisor-created template, which is available to all users.

Notes

This view-only field show notes that further describe the template.

Buttons

Remove

Click the check box beside a template in the Select column, and then click the **Remove** button to remove a personal template.

Set As Default

Click the check box beside a template in the Select column, and then click the **Set as Default** button. The system adds (Default) to the template name and opens the template automatically when you open the Advanced Search page. You are able to make changes after the default template opens.

Remove as Default

Click the check box beside the default template in the Select column, and then click the **Remove as Default** button. The system disables the automatic display of the default template. The Advance Search page opens. This action does not delete the template.

3.1.16. Complete Advanced Search

If you do not have a saved search template, you can perform an advanced search. If the search is one that you will do repeatedly, you can save the search as a template.

To Complete a Search:

1. On the Advance Search page, select an Item Type from the drop-down list: Product, Orderable Item, or NDC.
2. Select filters to further restrict search results. Select options from lists: Category, Sub-Category, Item Status, and New Item Request.
3. Select search parameters. Make selections in the Item-Type-based fields displaying below the filters.
4. Click the **Search** button. They system displays the search results in a table below.

If the system returns too many results, add parameters to refine the search.

1. Click the **Add** button. The system adds a set of parameter fields.
2. Select **AND** or **OR** from the drop-down list at the end of the first set of parameter fields.
3. Set the additional search parameters in the second set of parameter fields.
4. Click the **Search** button. The system displays the search results in a table below.

After you have search results, complete any of these tasks:

- View Search Results
- Export Search Results
- Edit Product
- Edit Orderable Item
- Edit NDC
- Add New Items

- Save Search Template (if this search is one that you will do repeatedly)
- Change Search Results Template

The screenshot shows the 'Advanced Search' page with the following search criteria:

- Item Type:** Product
- Category:** Medication, Investigational, Compound, Supply
- Sub-Category:** Herbal, Chemotherapy, OTC, Veterinary
- Item Status:** Active (selected), Inactive
- New Item Request:** Approved (selected), Pending, Rejected
- Search Parameters:** where [None] Contains []
- Buttons:** Add, Search, Back to Simple Search

Figure 25: Advanced Search Page

3.1.17. Save Search Template

Look for additional buttons and fields at the bottom of the results page. You can use the buttons and fields to save the advanced search as a search template.

- Users with the role of Supervisor can save National Templates.
- Users with other roles can save Personal Templates.

To Save:

1. In **Save As**, enter a name for the search template. Be descriptive.
2. In **Notes**, enter additional text related to the template.
3. In **Save At**, select a template type from the drop-down list: Personal Template or National Template. To save a National Template, you must have the PPS-N Supervisor role assigned to you.
4. Click the **Save Template** button to save the template or click the **Set As Default** button to save the template and set it as the default template to open when you select the **Advanced Search** link.
5. In addition, you can click the Change Search Results Template to pick the columns you want to display in the search results table.

The screenshot shows the 'Save Search Template' interface with the following fields:

- Export:** CSV | Excel
- Select All** | **Edit Items**
- Save As:** []
- Notes:** []
- Save At:** Personal Template (selected)
- Buttons:** Save Template, Set As Default, Change Search Results Template, Create New Product (from blank)

Figure 26: Save Search Template Buttons and Fields

3.1.18. Change Search Results Template


You can pick the columns you want to display in the search results table for the associated search template.

To Pick Columns:

1. On the Save Search Template page, click the **Change Search Results Template** button. The system opens the Manage Print Templates page.
2. To add fields to the results template, select an entry in the Available Fields list, and click the **Right** move button to move the entry to the Selected Fields list.

3. To remove fields from the results template, select an entry in the Selected Fields list, and click the **Left** move button to move the entry to the Available Fields list.

4. To reposition columns in the Selected Field list, select the item in the Selected Fields list, and click the **Up** or **Down** button to move the item up or down in the list.
5. Click the **Submit** button. The system updates the results template with changes.
6. Be sure to note that changes to the Print Template associated with the Search Template are not permanently saved until the Search Template is saved.



Available Fields:

- Approved for Splitting
- AR/WS Amis Category
- AR/WS Amis Conversion Number
- Auto-Create Possible Dosage
- CS Federal Schedule
- DAW Code
- Day (ND) or Dose (NL) Limit
- DEA Schedule
- Default Mail Service
- Dispense Days Supply Limit
- Dispense Limit for Order
- Dispense Limit Schedule
- Dispense Override
- Dispense Override Reason
- Dispense Quantity Dose Limit
- Dispense Quantity Days Limit
- Dispense Quantity Override
- Dispense Quantity Override Reason
- Active Ingredient
- Ingredient Strength

Selected Fields:

- VA Product Name
- VA Print Name
- Generic Name
- Product Strength
- Product Unit
- VA Dispense Unit
- Dosage Form
- VA Product ID
- Drug Drug Interaction
- PPS OI Name
- VA Drug Class
- CMOP Dispense (National)
- New Item Request
- Item Status
- National Formulary Indicator
- Category
- # of NDCs

Buttons:

- > (Right move button)
- < (Left move button)
- Up (Up move button)
- Down (Down move button)
- Submit
- Cancel

Figure 27: Change Search Results Template Page

3.1.19. Requests Tab

After a new item, such as a Product, has been created and saved to the database, its approval state is *Pending*, indicating that it needs to be reviewed and approved. This status also applies when you make item modifications to an existing item and that change requires review and approval. These items are now considered approval requests and are made available to users with appropriate permissions to approve such requests.

3.1.19.1. Search Requests

To Search for Pending Requests:

1. Select the **Requests** tab. The system displays a page with various filters that you can use when you perform a search for pending requests. See Request Type Filters for more information.
2. Click a check box beside one or more filters.
3. Click the **Search** button. The system displays a table below with the requests that match the filter(s). If the system returns no results, select filters again and click the **Search** button.

After you have search results, complete any of these tasks:

- Approve Request
- Reject Modification Request
- Place Request Under Review
- Place Request in Pending State

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

The screenshot shows a web-based application interface for managing requests. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar is a toolbar with buttons for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. To the right of the toolbar are links for Page Help and Provide Feedback. The main content area is titled "Search Requests". It contains several filter options: "Pending Addition", "Pending Modification", "Pending 2nd Approval Addition", "Pending 2nd Approval Modification", "All Requests" (which is checked), "Under Review", "Marked for PSR", "Not Last Reviewer", and "Change Request". A "Search" button is located at the bottom left of the filter section. Below the filters is a table titled "Pending Requests". The table has columns for Name/NDC, Generic Name, Str, Unit, Dosage Form, Dispense Unit, Type, Cat, Request Type, Request Status, Date Submitted, Reviewed By, Under Review, and PSR Name. One row is visible in the table, showing details for a request related to FLUCONAZOLE.

Name/NDC	Generic Name	Str	Unit	Dosage Form	Dispense Unit	Type	Cat	Request Type	Request Status	Date Submitted	Reviewed By	Under Review	PSR Name
FLUCONAZOLE 2MG/ML/ACL INJ BAG,200ML	FLUCONAZOLE	2	MG/ML	INJ,SOLN	BAG	Product	Medication	Modification	Pending Second Approval	12-Jul-2017 17:13	200-TEST PPSNATSUP	No	just a dummy request - DT

Figure 28: Pending Requests Results Page

Request Type Filters

All Requests

This filter is the default check box selection, and it displays all requests that are pending action. If you want to apply other filters, click this check box to remove the check mark.

Pending Action

Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Approval.

Pending 2nd Approval Addition

Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Second Approval.

Pending Modification

Choose this filter to display those pending requests with a Request Type of Modification and a Request Status of Pending Approval.

Pending 2nd Approval Modification

Choose this filter to display those pending requests with a Request Type of Modification (an existing item was changed) and a Request Status of Pending Second Approval.

Under Review

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Choose this filter to display those requests that were placed Under Review.

Marked for PSR

Choose this filter to display those requests that were marked for PSR (PPS Second Reviewer).

Change Request

Choose this filter to display those requests that were marked as a Change Request.

Not Last Reviewer

Choose this filter to display those requests for which you were not the last reviewer, meaning you can approve any of those that are displayed.

3.1.19.2. Approve Request

To Approve Request:

1. In the **Name/NDC** column of the Pending Request Results page, click a link to display a request. The system opens an edit page that includes additional tab(s) and buttons.
2. Review the information. Be sure to notice the additional tabs that display. In addition, you can click the **Show All Tabs** link to open all tabs.
3. In the **Action** column, select **Approved**.
4. In **Comment**, add comments as necessary.
5. Click the **Accept Actions** button. The system opens the Confirmation page.
6. In **New Comments**, enter any comments you may have.
7. In **PSR Name**, enter the name of the Pharmacy Product System Second Reviewer.
8. Click the **Accept Actions** button. The system updates the status.

Status Update

- If the request has no second review fields, the system sets the status to **Approved**.
- If the add request includes any second review fields, the system sets the status to **Pending** so that the item can be reviewed by a second reviewer.

The screenshot shows a web-based application interface for managing product requests. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation is a breadcrumb trail: Search Requests > Edit Product Request. The main content area displays product details for 'TERAZOSIN HCL 10MG CAP' (Primary Class: CV150 - ALPHA BLOCKERS/RELATED, Category: Medication). To the right, there are fields for PPS OI Name (TERAZOSIN CAP,ORAL), Application Package Use (X), Item Status (Active), and New Item Request (Approved). Below this, a table titled 'Product Modification Request' lists two rows of actions:

Action	Field Name	Current Value	Requested Value	Reason	Request to Modify Field Values	Request to Make Field Editable	Requested By	Reviewed By	Comments
Approved	National Formulary Name	TERAZOSIN CAP,ORAL	TAPE CAP,ORAL		<input checked="" type="checkbox"/>	<input type="checkbox"/>	200-TEST PPSNATMGR	200-TEST PPSNATMGR	
Approved	Generic Name	TERAZOSIN	TAPE		<input checked="" type="checkbox"/>	<input type="checkbox"/>	200-TEST PPSNATMGR	200-TEST PPSNATMGR	

At the bottom of the table, there are buttons for Cancel, Save Work in Progress, Change OI, Under Review, and Accept Actions. A link 'Create New Product (from existing)' is also present.

Figure 29: Product Pending Modification Tab

The page can have multiple entries in the table. You can select different actions in the Action drop-down list for each entry on the page. When you click the **Accept Actions** button, the system cycles through each action.

Field List Product Addition Request Confirmation Page

Action

Select a state from the drop-down list: Approved, Rejected, Pending.

Field Name

The view-only name of the field where the change was made.

Current Value

The view-only original value of the field

Requested Value

The view-only modified value of the field

Reason

The view-only reason that the change is being submitted

Request to Modify Field Values

If the box is checked, the field can be edited.

If the box is unchecked, the field is view-only.

This field is completed by a local manager and it will not be useful until PPS-L is released.

Request to Make Field Editable

If the box is checked, the request is to enable the field so that it can be edited.

If the box is unchecked, the request is to disable the field so that it cannot be edited.

This field is completed by a local manager and it will not be useful until PPS-L is released.

Requested By

The view-only role name of the user who made the request

Requires Second Approval

This field is checked if a change to this row requires a second review of the change.

Reviewed By

The view-only role name of the user who reviewed the request

Comments

Enter additional information as necessary.

Home	Manage PPS	Reports	COTS Services	User Preferences	Help						
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests	Manage Update Files	Rematch					
Search Requests > Edit Product Request > Request Summary						Page Help	Provide Feedback				
Summary for Product : WARFARIN NA 15MG TAB											
New Comments :				Old Comments :							
<div style="border: 1px solid #ccc; height: 100px; width: 100%;"></div>				<div style="border: 1px solid #ccc; background-color: #ffffcc; height: 100px; width: 100%;"></div>							
Field names marked with [conflict] and light yellow highlight indicate a field with conflicting values.											
Request Summary											
Action	Field Name	Current Value	Requested Value	Reason	Request to Modify Field Values	Request to Make Field Editable	Requested By	Requires Second Approval	Reviewed By	Comments	
Approved <input checked="" type="checkbox"/>	VA Drug Classes	VV901 - VTEST	XX000 - MISCELLANEOUS AGENTS	<input checked="" type="checkbox"/>	<input type="checkbox"/>	200:National Manager Only	<input checked="" type="checkbox"/>	200:National Manager Only		<div style="border: 1px solid #ccc; height: 40px; width: 100%;"></div>	
<input type="button" value="Cancel"/> <input type="button" value="Accept Actions"/>											

Figure 30: Product Addition Request Confirmation Page

To Reject Request:

1. In the **Name/NDC** column of the Pending Request Results page, click a link to display a request. The system opens an edit page that includes additional tab(s) and buttons.
2. Review the information.
3. Click the **Reject Product** button. The system opens the rejection details page.
4. In **Request Rejection Reason**, select a reason from the drop-down list.
5. In **Rejection Reason Comment**, enter a reason.
6. In **Enter any optional comments here**, enter any comments you may have.
7. Click the **Submit** button. The system updates the database.

To Reject a Few Entries in a Request:

1. In the **Name** column on the Pending Request Results page, click a link to display a request. The system opens an edit page with several entries and includes additional tab(s) and buttons.
2. Review the information.
3. In the **Action** column, select **Reject** from the drop-down list beside the entries you want to reject.
4. Click the **Accept Actions** button. The system opens a rejection details page.
5. In **Request Rejection Reason**, select a reason from the drop-down list.
6. In **Rejection Reason Comment**, enter a reason.
7. In **Enter any optional comments here**, enter any comments you may have.
8. Click the **Submit** button. The system updates the database.

The screenshot shows a web-based application interface for product rejection. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation is a secondary menu with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A breadcrumb trail at the top indicates the user is at Search Requests > Edit Product Request > Confirm Reject. On the right side of the header, there are links for Page Help and Provide Feedback.

The main content area is titled "Provide Details for the Rejection". It contains several form fields:

- A note: "Fields marked with * are required".
- A dropdown menu labeled "Request Rejection Reason".
- A text input field labeled "Rejection Reason Comment *".
- A text area labeled "Old Comments" with a scroll bar.
- A text area labeled "Enter any optional comments here" with a scroll bar.
- At the bottom are two buttons: "Cancel" and "Submit".

Figure 31: Product Rejection Detail Page

To Place Request Under Review:

1. In the **Name/NDC** column of the Pending Request Results page, click a link to display a request. The system opens an edit page that includes additional tab(s) and buttons.
2. Click the **Under Review** button to take no action at this time other than to place the item in the Under Review status. You can return to the Requests tab later and use the Under Review filter to locate the item.

To Place Request in Pending State:

1. In the **Name/NDC** column of the Pending Request Results page, click a link to display a request. The system opens an edit page that includes additional tab(s) and buttons.
2. In the **Action** column, select **Pending** to leave the request in the pending state.
3. In **Comments**, add a comment if necessary.
4. Click the **Accept Actions** button. The system updates the status to Pending.

3.2. Saved Work in Progress Tab

When you are modifying an item, you can be interrupted and need to save your work by clicking the **Saved Work in Progress** button during various processes. Later, you can use this tab to retrieve saved work in progress.

In addition, the system automatically saves work in progress upon system time-out. The system adds the name AUTO-LOGOUT AUTO-SAVE and includes a date-time stamp for the work in progress.

Saved work in progress appears in two locations in the system and can be retrieved from either location.

- The body of the Home page
- The Saved Work in Progress tab

To Save Work:

1. On a page with a **Save Work in Progress** button, click the button. The system opens a comments page.
2. In the comment field, enter a comment to reference your work in progress. Be descriptive.
3. Click the **Submit** button. The system adds an entry to the Saved Work in Progress table. No changes are made to the item in the database and no request is generated.

The screenshot shows a web application interface. At the top is a red navigation bar with white text and icons for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below this is a blue header bar with a back arrow and the text "Edit Product > Comment". The main content area has a white background. It features a title "Save Your Work in Progress" and a text input field with a placeholder message: "Please enter a title and/or a comment to reference your work in progress.". At the bottom of this section are two buttons: "Cancel" on the left and "Submit" on the right. The entire form is enclosed in a light gray border.

Figure 32: Saved Work in Progress Comment Page

To Retrieve Work:

1. Click the **Saved Work in Progress** tab. The system opens the tab.
2. To open a work in progress item, click the link In the Comment Column. The system opens the appropriate edit page and you can continue to make more changes.

To Delete Work:

1. To delete a few items, click the check box beside one or more items in the Select column, and then click the **Delete** button.
2. To delete all items, click the **Select All** button, and then click the **Delete** button.

Home	Manage PPS	Reports	COTS Services	User Preferences	Help	
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests	Manage Update Files	Rematch
Saved Work in Progress						Page Help Provide Feedback
Work in Progress						
Select	Saved Work in Progress Category	Comment	Created By	Date Modified		
<input type="checkbox"/>	PRODUCT MODIFICATION	AUTO-LOGOUT AUTO-SAVE	Supervisor Only	DD-Mon-YYYY HH:MM		
<input type="checkbox"/>	PRODUCT MODIFICATION	AUTO-LOGOUT AUTO-SAVE	National Manager Only	DD-Mon-YYYY HH:MM		
<input type="checkbox"/>	PRODUCT MODIFICATION	AUTO-LOGOUT AUTO-SAVE	National Manager Only	DD-Mon-YYYY HH:MM		
<input type="checkbox"/>	PRODUCT MODIFICATION	AUTO-LOGOUT AUTO-SAVE	National Manager Only	DD-Mon-YYYY HH:MM		
<input type="checkbox"/>	PRODUCT MODIFICATION	AUTO-LOGOUT AUTO-SAVE	National Manager Only	DD-Mon-YYYY HH:MM		
<input type="checkbox"/>	PRODUCT MODIFICATION	AUTO-LOGOUT AUTO-SAVE	National Manager Only	DD-Mon-YYYY HH:MM		
<input type="checkbox"/>	NDC MODIFICATION	AUTO-LOGOUT AUTO-SAVE	Supervisor Only	DD-Mon-YYYY HH:MM		

Figure 33: Saved Work in Progress Tab

3.3. PPS Data Elements Tab

Rather than enter text for every data field in PPS-N, the system includes a number of drop-down lists that make it easier for users to select the appropriate entry while ensuring consistency from user to user and drug to drug. These drop-down lists involve what PPS-N terms drug domains, which are lists of related data elements. These drug domains are available in the PPS Data Elements tab.

Data elements that are added or edited have a status of Pending and must be approved, edited, or rejected. See PPS Data Requests Tab for more information.

3.3.1. Search for Domains

This page allows you to search for domains in the system. The results table provides a link for editing the returned items. In addition, the page includes an Open Blank Template link that you can use to add a new item.

To Search:

1. Select the **PPS Data Elements** tab. The system opens the PPS Search Domains page.
2. In **Search Field**, select a domain from the drop-down list. You can manage multiple domain lists within PPS-N. The Search Field drop-down list shows the types of domains that can be viewed and edited. Of note, Standard Med Route Name items are view-only; you cannot edit them.
3. In **For**, enter search criteria text. For example, enter amino.
4. Make selections in the following filter list: Item Status and New Item Request.
5. Click the **Search** button. The system displays results in a table list below.

After you have search results, complete any of these tasks:

- View and Edit Domain Fields
- Delete Domain
- Inactivate Domain
- Handle Domain Item Modification Errors
- Create New Domain Items

The screenshot shows the PPS-N interface with a sidebar on the left containing a list of domain names. The main area features a search form with fields for 'For:' (set to 'Drug Class Classification'), 'Item Status' (checkboxes for Active, Approved, Pending, Rejected), and a 'Search' button.

- Drug Class Classification
- Drug Class Code
- Drug Drug Interaction Name**
- Dispense Unit Name
- Dosage Form Name
- Dose Unit Name
- Drug Text Name
- Drug Unit Name
- Formulary Designator
- Generic Name
- Copay Tier
- Ingredient Name
- Order Unit Abbreviation
- Manufacturer Name
- Package Type Name
- Special Handling Code
- Standard Med Route Name

Figure 34: PPS Data Elements Search Field

The screenshot shows the search results page with a search bar set to 'AMINO'. Below the search bar is a table of results:

Name	New Item Request	Item Status	Inactivation Date
AM112 - (INACTIVE) PENICILLINS, AMINO DERIVATIVES	Approved	Active	
TN500 - AMINO ACIDS/PROTEINS	Approved	Active	
TN503 - AMINO ACIDS/PROTEINS, ORAL	Approved	Active	
TN509 - AMINO ACIDS/PROTEINS, OTHER	Approved	Active	
TN502 - AMINO ACIDS/PROTEINS, PARENTERAL, WITH ADDED ELECTROLYTES	Approved	Active	
TN501 - AMINO ACIDS/PROTEINS, PARENTERAL, WITHOUT ADDED ELECTROLYTES	Approved	Active	
AM300 - AMINOGLYCOSIDES	Approved	Active	
AM111 - PENICILLINS, AMINO DERIVATIVES	Approved	Active	

[Open Blank Template](#)

Figure 35: PPS Data Elements Search Results

3.3.2. View and Edit Domain Fields

To View and Edit Domain Fields:

1. In the Search for Domains results page, click the item link in the Name column. The system displays the A-Z tab, which lists all the related data fields with current values.
2. To edit a data field, click the link in the Field Name column. The system displays a pop-up window with current values for that field. The system displays a pop-up window with current values for that field. See the List of Domains below for links to pages that provide field details for each domain item.
3. In the pop-up window, make changes in the editable value fields, and then click the **Save Changes** button. The system closes the pop-up window and updates the Current Value for the field in the A-Z tab.
4. Continue making and saving changes as necessary.

5. After you are finished making changes to fields, click the **Submit** button on the A–Z tab. The system displays a Confirmation page that includes a table with a summary of the changes you made.
6. Review the changes in the table.
7. If the changes are correct, click the **Accept Changes** button to save changes to the database. The status of the item is Pending and it must be approved, edited, or rejected. See PPS Data Requests for more information.
8. If the changes need to be undone or edited, click the **Cancel** button. The system displays the A–Z tab, where you can continue making changes.

Reference

See the following topics for more information on tabs:

- A–Z tab
- History tab

List of Domains

Edit Drug Class	Edit Generic Name
Edit Dispense Unit Name	Edit Ingredient Name
Edit Dosage Form Name	Edit Manufacturer Name
Edit Dose Unit Name	Edit Order Unit Abbreviation
Edit Drug Text Name	Edit Package Type Name
Edit Drug Unit Name	Edit Special Handling Code
Edit Formulary Designator	Edit Standard Med Route Name
Edit Copay Tier	

To Delete Domain:

1. In the Search for Domains results page, click the item link in the Name column. The system displays the A–Z tab, which lists all the related data fields with current values.
2. Click the **Delete** button below the current value table. The system deletes the domain.

You cannot delete a domain that has already been synchronized with the National Drug File.

To Inactive Domain:

1. In the Search for Domains results page, click the item link in the Name column. The system displays the A–Z tab, which lists all the related data fields with current values.
2. Click the **Inactivate** button below the current value table. The system updates the domain status to Inactive with the current date.
3. If you need to change the inactivation date, click the Inactivation Date link. The system opens a pop-up.
4. Enter a date, and then click the **Save Changes** button. The system closes the pop-up and updates the inactivation date.
5. Click the **Submit** button. The system displays the modification summary.
6. If the changes are correct, click the **Accept Changes** button to save changes to the database. The status of the item is Pending and it must be approved, edited, or rejected. See PPS Data Requests for more information.
7. If the changes need to be undone or edited, click the **Cancel** button. The system displays the A–Z tab, where you can continue making changes.

3.3.3. Handle Domain Item Modification Errors

When the PPS Domain Confirmation page display, it can display with an error message that prevents the modification. For example, if you attempted to deactivate a Dosage Form that has other orderable items dependent on it, the system displays the following error:

The system is unable to deactivate this Dosage Form because 10 Orderable Items(s) including ACETAMINOPHEN-N TAB depend on it being active.

Click **Cancel** to cancel the modification. Before the domain item can be deactivated, you must revise the affected items. In the case of the example, you would edit the 10 Orderable Items(s) that include ACETAMINOPHEN-N TAB.

3.3.4. Create New Domain Item

If the system does not return the domain item you are searching for, you can create a new domain item using a template. Each of the domain templates is different. Some templates are short, while others, like the Dosage Form Name template, have many fields. When the page appears, complete the relevant fields, and as a minimum, complete all required fields.

To Create New Domain Item:

1. In the Search for Domains results page, click the **Open Blank Template** link at the bottom of the page. The system opens a domain template based on the Search Field selection.
2. Complete the domain template. Click a link in the List of Domains below to see a field list for the domain.
3. Click the **Submit** button. The system saves the domain item to the database with a Pending status and it must be approved, edited, or rejected. See PPS Data Requests for more information.

List of Domains

Add Drug Class	Add Generic Name
Add Dispense Unit Name	Add Ingredient Name
Add Dosage Form Name	Add Manufacturer Name
Add Dose Unit Name	Add Order Unit Abbreviation
Add Drug Text Name	Add Package Type Name
Add Drug Unit Name	Add Special Handling Code
Add Formulary Designator	

The additional domain menu option **Standard Med Route Name** has no add function. Standard Medication Routes are added through the STS web services. See the System Data tab for more information.

3.4. PPS Data Requests Tab

3.4.1. View Pending Domain Item Requests

To Search for Requests:

1. Select the **PPS Data Requests** tab. The system displays a page with various filters that you can use when you perform a search for pending requests. See Request Type Filters for more information.
2. Click a check box beside one or more filters.

- Click the **Search** button. The system displays a table below with the requests that match the filter(s). If the system returns no results, select filters again and click the **Search** button.

After you have search results, complete any of these tasks:

- Approve Addition Request
- Approve Modification Request
- Reject Addition or Modification Request
- Place Request Under Review
- Place Request in Pending State
- Inactivate Request

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

Name	Request Type	Type	Request Status	Date Submitted	Reviewed By	Under Review	PSR Name
TEST DOSAGE FORM	Addition	Dosage Form	Pending Second Approval	12-Jul-2017 17:25	200:TEST PPSNATSUP	No	

Figure 36: Pending Domain Item Requests Results Page

Request Type Filters

All Requests

This filter is the default check box selection, and it displays all requests that are pending action. If you want to apply other filters, click this check box to remove the check mark.

Pending Action

Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Approval.

Pending 2nd Approval Addition

Choose this filter to display those pending requests with a Request Type of Addition and a Request Status of Pending Second Approval.

Pending 2nd Approval Modification

Choose this filter to display those pending requests with a Request Type of Modification (an existing item was changed) and a Request Status of Pending Second Approval.

Under Review

Choose this filter to display those requests that were placed Under Review.

Marked for PSR

Choose this filter to display those requests that were marked for PSR (PPS Second Reviewer).

Change Request

Choose this filter to display those requests that were marked as a Change Request.

Not Last Reviewer

Choose this filter to display those requests for which you were not the last reviewer, meaning you can approve any of those that are displayed.

3.4.2. Approve Pending Domain Item Addition Request

To Approve Addition:

1. In the **Name** column on the Pending Domain Item Requests Results page, click a link to display a request. The system opens a domain item page.
2. Review the information. Be sure to notice the additional tabs that display.
3. To edit a data field, click the link in the **Field Name** column. The system displays a pop-up window with current values for that field. See the List of Domains below for links to pages that provide field details for each domain item.
4. In the pop-up window, make changes in the editable value fields, and then click the **Save Changes** button. The system closes the pop-up window and updates the Current Value for the field in the A-Z tab.
5. Click the **Approve** button. The system updates the status.

Status Update

- If the request has no second review fields, the system sets the status to **Approved**.
- If the add request includes any second review fields, the system sets the status to **Pending** so that the item can be reviewed by a second reviewer.

The screenshot shows a web-based application interface for managing domain items. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, a sub-menu bar includes Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A search bar at the top right contains the text 'Search Domain Requests > Edit Ingredient Request'. On the right side of the search bar are links for Page Help and Provide Feedback. The main content area is titled 'Ingredient Name'. Below the title, there are three tabs: History (selected), Change Request, and A - Z. A legend indicates that '*' is required, 'L' is local-only, and 'R' is read-only. The central part of the screen is a table with two columns: 'Field Name' and 'Current Value'. The table rows include:
- Effective Dates [R]: Click link for details
- Inactivation Date [R]
- Ingredient Name [*]: Warfarin test
- Item Status [*]: Active
- Master Entry For VUID
- NDF Ingredient ID [R]
- Primary Ingredients
- VUID [R]: 2-PHENYLBENZIMIDAZOLE-5-SULFONIC ACID
At the bottom of the table are buttons for Cancel, Inactivate, Delete, Approve, Reject, Under Review, and Open Blank Template.

Figure 37: Domain Item Page

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

List of Domains

Edit Drug Class

Edit Dispense Unit Name

Edit Dosage Form Name

Edit Dose Unit Name

Edit Generic Name

Edit Ingredient Name

Edit Manufacturer Name

Edit Order Unit Abbreviation

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Edit Drug Text Name
Edit Drug Unit Name
Edit Formulary Designator
Edit Copay Tier

Edit Package Type Name
Edit Special Handling Code
Edit Standard Med Route Name

To Approve Modification:

1. In the **Name** column of the Pending Domain Item Requests page, click the link for a request type of Modification. The system opens the Pending Modification Request page or the A-Z Tab.
2. Review the information and make edits as necessary. Be sure to notice the additional tabs that display.
3. In the **Action** column, select **Approved** from the drop-down list.
4. In **Comments**, add a comment if necessary.
5. Click the **Accept Actions** button to save the changes. The system updates the status.

Status Update

- If the request has no second review fields, the system sets the status to **Approved**.
- If the add request includes any second review fields, the system sets the status to **Pending** so that the item can be reviewed by a second reviewer.

The screenshot shows a web-based application interface for managing domain item requests. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, there is a breadcrumb trail: Search Domain Requests > Edit Generic Name Request. On the right side of the header, there are links for Page Help and Provide Feedback. The main content area is titled "Generic Name". Below the title, there is a table with a single row of data. The table has columns for Action, Field Name, Current Value, Requested Value, Reason, Request to Modify Field Values, Request to Make Field Editable, Requested By, Reviewed By, and Comments. The "Action" column contains a dropdown menu with "Approved" selected. The "Field Name" column is "Item Status", "Current Value" is "ACTIVE", "Requested Value" is "INACTIVE", "Reason" is "VC deactivate", and "Request to Modify Field Values" has a checked checkbox. The "Request to Make Field Editable" checkbox is empty. The "Requested By" and "Reviewed By" columns both show "200:National Manager Only". The "Comments" column is empty. At the bottom of the table, there are buttons for Cancel, Activate, Delete, Under Review, Accept Actions, and Open Blank Template. There is also a note indicating "* = required fields".

Figure 38: Pending Modification Request Page

The page can have multiple entries in the table. You can select different actions in the Action drop-down list for each entry on the page. When you click the **Accept Actions** button, the system cycles through each action.

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

To Reject Request:

1. In the **Name** column on the Pending Domain Item Requests Results page, click a link to display a request. The system opens a domain item page.
2. Review the information.
3. Click the **Reject** button. The system opens a rejection details page.
4. In **Request Rejection Reason**, select a reason from the drop-down list.
5. In **Rejection Reason Comment**, enter a reason.
6. In **Enter any optional comments here**, enter any comments you may have.

- Click the **Submit** button. The system updates the database.

To Reject a Few Entries in a Request:

- In the **Name** column on the Pending Domain Item Requests Results page, click a link to display a request. The system opens an edit page with several entries and includes additional tab(s) and buttons.
- Review the information.
- In the **Action** column, select **Reject** from the drop-down list beside the entries you want to reject.
- Click the **Accept Actions** button. The system opens a rejection details page.
- In **Request Rejection Reason**, select a reason from the drop-down list.
- In **Rejection Reason Comment**, enter a reason.
- In **Enter any optional comments here**, enter any comments you may have.
- Click the **Submit** button. The system updates the database.

Action	Field Name	Current Value	Requested Value	Reason	Request to Modify Field Values	Request to Make Field Editable	Requested By	Reviewed By	Comments
Rejected	Item Status	ACTIVE	INACTIVE	VC deactivate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	200:National Manager Only	200:TEST PPSNATMGR	

Buttons at the bottom include: Cancel, Activate, Delete, Under Review, Accept Actions, and Open Blank Template.

Figure 39: Domain Item Rejection Detail Page

To Place Request Under Review:

- In the **Name** column on the Pending Domain Item Requests Results page, click a link to display a request. The system opens a domain item page.
- Click the **Under Review** button to take no action at this time other than to place the item in the Under Review status. You can return to the Requests tab later and use the Under Review filter to locate the item.

To Place Request in Pending State:

- In the **Name** column on the Pending Domain Item Requests Results page, click a link to display a request. The system opens a domain item page. See Note below.
- In the **Action** column, select **Pending** to leave the request in the pending state.
- In **Comments**, add a comment if necessary.
- Click the **Accept Actions** button. The system opens a Summary page.
- In **PSR Name**, enter the name of the Pharmacy Product System Second Reviewer.
- Click the **Accept Actions** button. The system updates the status to Pending.

The page can have multiple entries in the table. You can select different actions in the Action drop-down list for each entry on the page. When you click the Accept Actions button, the system cycles through each action.

To Inactivate Request:

- In the **Name** column on the Pending Domain Item Requests Results page, click a link to display a request. The system opens a domain item page.
- Click the **Inactivate** button. The system adds the current date as the inactivation date and changes the status to Inactive. The system places the inactivation request in a Pending status and the inactivation must be approved.

3.5. Manage Update Files Tab

Use this tab to transfer and verify any updated files. Using this tab you can see both the successful and unsuccessful PPS/NDF Update Test File statuses in the Manage Update Files History section. Updates can be done manually or automatically by scheduled process.

To use this tab, you must have the role of National Manager or National Supervisor assigned to you.

To Create Update File Manually:

1. Run the Preview Update File Report to see a list of what will be included in the update file.
2. Make any edits to PPS-N files as needed.
3. Click the **Create Update File** button. The system displays a status message, disables the **Create Update File** button, and starts the update file process. Processing can take several minutes. You can complete other tasks while processing is occurring.

As the system processes an update request, it automatically sends details of changes to the Update File to PBM designated PPS-N users and Local VistA users via Microsoft Outlook. See Update File messages for more information.

After the creation process is complete, the file is in a Pending Status. The system opens the Pending File box automatically and you can complete any of these tasks:

- Accept or Reject File
- Search for File in History

The screenshot shows the 'Manage Update Files' tab in a web application. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. Below the navigation bar, a header bar has 'Manage Update Files' on the left and 'Page Help Provide Feedback' on the right. A large 'Create Update File' button is centered above a 'History' section. The 'History' section includes a 'Filter by:' dropdown and date range inputs for Beginning Date Range (mm/dd/yyyy) and Ending Date Range (mm/dd/yyyy), along with 'Status' and filter buttons for 'Apply Filters' and 'Clear Filters'. Below the filters is a page navigation bar with buttons for 1 through 7 and 'Next'. A table lists update files with columns for File, Status, Status Change Date, and Comments. The table contains 12 rows of data. At the bottom is another page navigation bar with buttons for 1 through 7 and 'Next'.

File	Status	Status Change Date	Comments
PPS_48PRV_49NEW.DAT	Transmitted to Production Vista	2017-06-22 07:20:03:141	Testing Story 529504
PPS_47PRV_48NEW.DAT	Transmitted to Production Vista	2017-06-21 10:27:08:352	Testing Story 529504
PPS_46PRV_47NEW.DAT	Transmitted to Production Vista	2017-06-21 07:12:26:211	Testing Story 529504
PPS_45PRV_46NEW.DAT	Transmitted to Production Vista	2017-06-13 07:53:49:601	Testing Story 378584
PPS_44PRV_45NEW.DAT	Transmitted to Production Vista	2017-06-08 09:51:16:727	Testing Story 378584
PPS_43PRV_44NEW.DAT	Transmitted to Production Vista	2017-06-07 14:21:58:113	Testing defect 508784 (Dosage Form)
PPS_42PRV_43NEW.DAT	Transmitted to Production Vista	2017-06-05 13:58:07:774	Test Hazardous Waste Story 290944
PPS_41PRV_42NEW.DAT	Transmitted to Production Vista	2017-06-02 14:36:53:253	Testing rematch story 498720
PPS_40PRV_41NEW.DAT	Transmitted to Production Vista	2017-06-02 06:53:08:192	Test Hazardous Waste Story 290944
PPS_39PRV_40NEW.DAT	Transmitted to Production Vista	2017-05-24 21:22:13:371	testing story 378721 (part 2)

Figure 40: Manage Update Files Tab

Failure Scenarios

- Scenario 1 - User attempts to create an update file while an update file is in process
- Scenario 2 - The process fails during file creation or transmission to sFTP server
- Scenario 3 - Process fails during approval
- Scenario 4 - Process fails during rejection

To Accept or Reject File:

1. In the Pending File area of the page, select a status from the **Action** drop-down list: Accept or Reject.
2. In **Comments**, add any necessary comments.
3. Click the **Submit** button. The system updates the file status. For rejected files, the system renames the file and moves it to a rejected folder on the FTP server.

To Search for File in History:

1. In **Beginning Date Range**, enter a beginning date using the format mm/dd/yyyy.
2. In **Ending Date Range**, enter an ending date using the format mm/dd/yyyy.
3. In **Status**, select a status from the drop-down list.
4. Click the **Apply Filters** button. The system updates the list below based on your filter criteria.
5. After you are finished, click the **Clear Filters** button to restore all entries in the History list below.

Filter fields work independently of each other. Therefore, you can select a status and search based on the status alone.

File	Status	Status Change Date	Comments
PPS_133PRV_134NEW.DAT	Transmitted to Production Vista	2015-10-13 11:58:39.976	
PPS_132PRV_133NEW.DAT	Transmitted to Production Vista	2015-10-08 21:53:27.358	
PPS_129PRV_130NEW.DAT	Transmitted to Production Vista	2015-10-08 20:54:40.951	Test
PPS_128PRV_129NEW.DAT	Transmitted to Production Vista	2015-10-08 18:09:20.462	test
PPS_127PRV_128NEW.DAT	Transmitted to Production Vista	2015-10-08 15:44:19.667	test
PPS_127PRV_128NEW_REJECTED_20151008_1540.DAT	PPS-N/NDF Update Test File Rejected By PBM	2015-10-08 15:40:53.065	test
PPS_127PRV_128NEW.DAT	NDF Update Process Error in PPS-N	2015-10-08 15:29:53.363	PPS-N/NDF Update Test File Creation Failed. Log a CA ticket
PPS_126PRV_127NEW.DAT	Transmitted to Production Vista	2015-10-08 12:29:03.020	

Figure 41: Manage Update Files History Tab

Field List Pending NDF Update File

File

The view-only name of the file.

Status Change Date

The view-only date of the change in status

Action

Select an action from the drop-down list for a test file: Approve or Reject.

Comments

Enter any comments necessary in reference to the update file.

Submit Button

Click this button to submit the action and comments.

Field List History

Filter By

Use these fields to narrow the list of results.

Beginning Date Range

Enter a beginning date for a search using the format mm/dd/yyyy

Ending Date Range

Enter an ending date for a search using the format mm/dd/yyyy

Status

Select a Status from the drop-down list.

Initiated

Update processing has started.

Created

Processing is complete and the update file has been created.

PPS-N/NDF Update Test File Transmitted to the test sFTP

The update file has been placed in QA test directory.

Start of National VistA Processing

The update file installation process has started manually or by scheduled process.

PPS-N/NDF Update Test File Install Successful

The update file has been installed in the National Test account.

PPS-N/NDF Update Test File Approved by PBM

The update file has been approved on the PPS-N Mange Update Files page.

PPS-N/NDF Update Test File Rejected by PBM

The update file has been rejected on the PPS-N Mange Update Files page.

Transmitted to Production VistA

The approved update file has been moved to the Production directory.

NDF Update Process Error in VistA

The update file cannot be installed in the National Test account. In addition, if the current file status is not PPS-N/NDF Update Test File Transmitted to the test sFTP or Start of National VistA Processing, PPS-N ignores the status update sent from VistA.

NDF Update Process Error in PPS-N

The update file cannot be transmitted to QA test directory. Or, the Approved Update File cannot be moved to the approved directory in the FTP Server.

Apply Filters

Click this button to narrow the list of results based on a date range and/or status.

Clear Filters

Click this button to clear filter fields and restore all entries in the results list.

Manage Update Files Library

Numbered Buttons (Files Library)

The ten most recent files appear in the results list sorted by the year and month they were generated. To see older files, use the number buttons above the result list to display older Data Update Files in descending order; that is, current to oldest file. You cannot open and view the data in the Update File on this tab. As the system processes an update request, it automatically sends details of changes to the Update File to PBM designated PPS-N users and Local VistA users via Microsoft Outlook. See Update File messages for more information.

Field List Results List

File

The view-only name of the File

Status

The view-only Status of the file. Statuses can have associated comments, which are generated by the system automatically.

Status Change Date

The view-only date and time of the status change for the file in the format YYYY-MM-DD HH:MM:SS.Tenths

Comments

The view-only Comments associated with the file. Some statuses generate comments automatically.

Status: NDF Update Process Error in VistA

Comment: Automatically Rejected: Unable to Install Update File in the Test Account.

Status: NDF Update Process Error in PPS-N

Comment: PPS-N/NDF Update Test File Creation Failed. Log a CA ticket.

Comment: PPS-N/NDF Update Test File Transmission Failed. Log a CA ticket.

Comment: PPS-N/NDF Update Production File Transmission Failed. Log a CA ticket.

The system generates messages associated with a successful or unsuccessful file update. See Update File messages for more information.

3.5.1. Update File Messages

As the system processes an update request, it automatically sends details of changes to the Update File to PBM designated PPS-N users and Local VistA users via Microsoft Outlook.

When an update starts, the system sends messages to coordinate and ensure that local VistA systems are paused until updates are processed so that updates are completely and accurately added to local systems consistent with the PPS-N database. In addition, the system pauses the following menu options automatically (disable at the start of an update file installation and enabled after update file installation is complete):

- Print a PMI Sheet
- Patient Prescription Processing
- Release Medication
- Reprint an Outpatient Rx label

In addition, a Local VistA user can use the CONF option to add Scheduled Options, Menu Options, or Protocols that need to be paused during the update file install. A Local VistA user can only add or delete options. The pre-defined menu options noted above cannot be deleted.

When the system is paused, the system sends the following message to local site users:

The NDF Update file [File Name & File Size] is ready for Local VistA installation via the scheduled or manual process utilized at your site. The following VistA options will be placed out of order while the NDF Update file is installed: Print PMI Sheet, Patient Prescription Processing, Release Medication, and Reprint an Outpatient Rx label.

When the update is complete, the system sends the following message to local site users:

The NDF Data Update file [File Name & File Size] has been installed successfully. All VistA options placed out of order are now available.

3.5.1.1. Unable to Install Update

When the system is unable to install the update, the system sends the local system Automated Data Processing Applications Coordinators (ADPAC), and other designated users a message via

the current VistA Mailman Message functionality and Outlook so that all relevant stakeholders are informed when there are problems with the installation of updates.

Error condition messages contain the following information about the error (if available):

- .DAT file name being processed
- Error Date/Time
- Global (Vista file being processed when the error occurred) IEN – (IEN being processed when the error occurred)
- Update File Section (.DAT file section being processed when the error occurred)
- Error Message
- Steps to Correct the Error

Messages are sent in the following instances:

- Unable to Download Update File
- Missing or Incomplete Data
- National Email Report Issue
- Local Email Report Issue
- Unknown Error
- Restart

In addition, VistA identifies update file process errors in the PPS-N Update Control File (GLOBAL MAP DATA DICTIONARY #57.23). The file will contain the following fields:

- Name
- Directory Path
- Version
- Email Group Name
- Install in Progress – Flag indicating install is in progress.
- Current Global – Vista file currently being updated (i.e. 50.416, 50.68)
- Current IEN – The current IEN being processed
- Current Update File Section – The section of the .DAT currently being processed (i.e. PMIDATA, DATANT, DATAN, MESSAGE)
- DAT file Name – The name of the .DAT being processed.
- Install Begin Date/Time – Date/Time the .DAT file processing began
- Restart Date/Time – Date/Time a restart began. (if restarted)
- Restart Completion Date/Time – Date/Time restart completed (if restarted)
- Beginning IEN – initial IEN to install
- Beginning Update File Section – initial .DAT file section to install
- Error Date/Time – Date/Time of error
- Global – Vista file being processed when error occurred

- IEN – IEN being processed when error occurred
- Update File Section - .DAT file section processing when error occurred
- Error Message – Descriptive text of the error condition
- File Number – NDF File Number (50.68, 50.605, etc.)
- Completion Date/Time – Date/Time update completed

3.5.1.1.1. Unable to Download Update File

VistA processes files in sequential order only. When a site needs to retrieve multiple files and the next file to be processed is not retrieved, VistA will be unable to install until the correct file is retrieved. In this instance, the site might have been unable to connect to the SFTP Server. The system sends the following message:

```
Subj: PPSN NDF UPDATE ERROR - PPS_12PRV_14NEW.DAT [#163063] 07/27/15@11:00
157 lines
From: NDF_MANAGER In 'IN' basket. Page 1
-----
*****
*** An error occurred during install of the following Update file(s): ***
*****
The following file(s) could not be installed:
Update file Name
-----
PPS_12PRV_14NEW.DAT
An error occurred for:
File:
IEN:
Entry Name:
Update file section:
Error Message: Unable to download and install the update file.
How to correct your error:
1. Validate that the CONF settings are correct.
2. Validate that the update file name PRV version matches the last installed version in the Update Control File (57.23).
3. Rerun the UPDT option to re-attempt retrieval.
4. Contact the National Help Desk (self-server CA Ticket)
```

3.5.1.1.2. Missing or Incomplete Data

The system sends a message when it encounters missing or invalid data; for example, an assigned drug does not have a drug class in the file. The system sends the following message:

```
Subj: PPSN NDF UPDATE ERROR - PPS_12PRV_14NEW.DAT [#163063] 07/27/15@11:00
157 lines
From: NDF_MANAGER In 'IN' basket. Page 1
-----
*****
*** An error occurred during install of the following Update file(s): ***
```

The following file(s) could not be installed:

Update file Name

PPS_12PRV_14NEW.DAT

An error occurred for:

File: 50.68

IEN: 21210

Entry Name: WARFARIN NA (GOLDEN STATE) 2.5MG TAB

Update file section: DATAO

Error Message: Missing or Incomplete data in the Update file.

How to correct your error:

1. Contact the National Help Desk (self-server CA Ticket)

Further details can be found on the Update Control File (57.23) by selecting the UCF option in the National Drug File Menu Inquiry Options.

3.5.1.1.3. National Email Report Issue

The system sends a message when it cannot generate the national email reports (Update for NDF Report or Updated Interactions and FDA Med Guides Report). In this instance, the processed .DAT file does not contain the message section for one or both reports. The system sends the following message:

Subj: PPSN NDF UPDATE ERROR - PPS_12PRV_14NEW.DAT [#163063] 07/27/15@11:00

157 lines

From: NDF_MANAGER In 'IN' basket. Page 1

**** An error occurred during install of the following Update file(s): ****

The following file(s) were installed but one or messages did not generate:

Update file Name

PPS_12PRV_14NEW.DAT

Error Message: The system was unable to read or create a national report.

1. UPDATE FOR NDF REPORT or

2. UPDATED INTERACTIONS AND FDA MED GUIDES REPORT

How to correct your error:

1. Contact the National Help Desk (self-server CA Ticket)

Further details can be found on the Update Control File (57.23) by selecting the UCF option in the National Drug File Menu Inquiry Options.

3.5.1.1.4. Local Email Report Issue

The system sends a message when it cannot generate local email reports (Interactions and Allergies, Drugs Unmatched from NDF, or Local Drugs Rematched to NDF). In this instance, no data was received in the .DAT that would populate the report or the report encounters an error during generation. The system sends the following message:

*Subj: PPSN NDF UPDATE ERROR - PPS_12PRV_14NEW.DAT [#163063] 07/27/15@11:00
157 lines
From: NDF_MANAGER In 'IN' basket. Page 1*

*** An error occurred during install of the following Update file(s): ***

*The following file(s) were installed but one or messages did not generate:
Update file Name*

PPS_12PRV_14NEW.DAT

Error Message: The system was unable to create local reports.

- 1. INTERACTIONS AND ALLERGIES or*
- 2. DRUGS UNMATCHED FROM NDF or*
- 3. LOCAL DRUGS REMATCHED TO NDF*

How to correct your error:

- 1. Contact the National Help Desk (self-server CA Ticket)*

Further details can be found on the Update Control File (57.23) by selecting the UCF option in the National Drug File Menu Inquiry Options.

3.5.1.1.5. Unknown Error

The system sends a message when the system has encountered an unknown error. Error conditions might occur that do not fit into one of the above pre-defined error messages. In that instance, the system sends the following message:

*Subj: PPSN NDF UPDATE ERROR - PPS_12PRV_14NEW.DAT [#163063] 07/27/15@11:00
157 lines
From: NDF_MANAGER In 'IN' basket. Page 1*

*** An error occurred during install of the following Update file(s): ***

*The following file(s) could not be installed:
Update file Name*

PPS_12PRV_14NEW.DAT

An error occurred for:

File:

IEN:

Entry Name:

Update file section: PMI DATA 50.621

Error Message: Unknown Error. The update file stopped processing in the above listed section.

How to correct your error:

- 1. Contact the National Help Desk (self-server CA Ticket)*

Further details can be found on the Update Control File (57.23) by selecting the UCF option in the National Drug File Menu Inquiry Options.

3.5.1.1.6. Restart

The system sends a message when a stopped installation is restarted. The message contains restart information in addition to the error file details:

- .DAT file name being processed
- Restart IEN
- Restart VistA File
- Restart Date/Time
- Restart Completion Date/Time

The system sends the following message:

*Subj: PPSN NDF UPDATE RESTART - PPS_12PRV_14NEW.DAT [#163063] 07/27/15@11:00
157 lines
From: NDF_MANAGER In 'IN' basket. Page 1*

*** An update file stopped processing and was restarted ***

The following file Installation was stopped and restarted:

Update file Name

PPS_12PRV_14NEW.DAT

An error occurred for:

File: 50.68

IEN: 21210

Entry Name: WARFARIN NA (GOLDEN STATE) 2.5MG TAB

Update file section: DATA0

Restart Information:

Restart IEN: 21210

File: 50.68

Restart Date/Time: 07/27/15@10:30

Restart Completion Date/Time: 07/27/15@10:59

Further details can be found on the Update Control File (57.23) by selecting the UCF option in the National Drug File Menu Inquiry Options.

3.5.2. Failure Scenarios

3.5.2.1. Introduction

This document describes the testing of five PPS-N error scenarios that could occur during the Update File Process. It includes descriptions of each error scenario, and screen shots that were taken when the error scenario was executed.

3.5.2.2. Failure Scenario 1 – User Attempts to Create an Update File while an Update File is in Process

In this scenario, a user initiates the Update File Process while the process is already running. Typically, when the Update Process is running, the “Create Update File” button is disabled so this won’t happen. However, it can happen in the following scenario:

- Two users are on the Manage Update File screen at the same time
- User A clicks the Create Update File button
- If User B hasn’t refreshed his screen, the button will still be enabled, allowing him to attempt to create another update file.

Or in this scenario

- The user is on the Manage Update File screen at the moment when the scheduled job kicks off. If the user hasn't refreshed the screen, the Create Update File button will still be enabled, allowing him to attempt to create another update file.

In either case, the system did not allow the creation of an update file while an update file is in progress. The user was presented with the following error message:

The screenshot shows the PPS-N Pharmacy Product System - NATIONAL Manager interface. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, Manage Update Files, and Rematch. On the right, it says "Welcome, NATIONAL . Logout . PPS-National Manager - 200". Below the navigation, a sub-menu for "Manage Update Files" is open, showing a single button labeled "Create Update File". A yellow box highlights an "Error Messages:" section containing the message: "Another file is still in process. File creation is not allowed until the previous file has been approved or rejected." At the bottom left, there's a "History" link.

Figure 42: Failure Scenario 1 - Error Message

3.5.2.3. Failure Scenario 2 – The Process Fails during File Creation or Transmission to sFTP Server

In this case, the user was presented with the following:

1	2	3	4	5	6	7	8	9	10	Next
---	---	---	---	---	---	---	---	---	----	------

File	Status	Status Change Date	Comments
PPS_170PRV_171NEW.DAT	NDF Update Process Error in PPS-N	2015-11-25 09:47:01:571	PPS-N/NDF Update Test File Creation Failed. Log a CA ticket

Figure 43: Failure Scenario 2 - Process Failure

The “Create Update File” button was automatically re-enabled, which eliminates the need for the support team to manually manipulate the status of the update file once the problem is corrected. At that point, the user can simply create another update file.

3.5.2.3.1. File was Successfully Created and Transmitted to sFTP Server, but the Email Notifications Fail

In this case, the user was presented with the following:

1	2	3	4	5	6	7	8	9	10	Next
---	---	---	---	---	---	---	---	---	----	------

File	Status	Status Change Date	Comments
PPS_173PRV_174NEW.DAT	PPS-N/NDF Update Test File Transmitted to the test sFTP	2015-12-01 22:26:35.038	PPS-N/NDF Update Test File Transmission Successful, but subsequent errors encountered sending email. Log a CA ticket.

Figure 44: Failure Scenario 2 - Created & Transmitted, but Email Notification Failed

Note: This is not an error status. The process moves along as usual but the user is informed that the emails did not go out.

3.5.2.4. Failure Scenario 3 – Process Fails during Approval

This failure occurs while moving the file from the pending directory to the approved directory. In this case, the user was presented with the following:

The screenshot shows the PPS-N application interface. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. On the right, it says "Welcome, SUPERVISOR . Logout . PPS-National Supervisor - 200". Below the navigation, there's a sub-navigation bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, Manage Update Files, and Rematch. The main content area has a title "Pending NDF Update File". It shows a file entry: "File : PPS_166PRV_167NEW.DAT" and "Status Change Date : 2015-11-20 16:21:46.282". To the right, there's a dropdown for "Action :" set to "Approved" and a "Comments" field containing "TFM". A "Submit" button is at the bottom right. Below this, there's a yellow box titled "Error Messages:" containing a single bullet point: "An error was encountered approving and moving the PPS-N/NDF Update File to production. Please try again or log a CA ticket." At the bottom, there's a "History" section with filter options for Beginning Date Range, Ending Date Range, Status, and buttons for "Apply Filters" and "Clear Filters".

Figure 45: Failure Scenario 3 - Failure Moving Directory

The ability to approve or reject remained enabled, so the user could try again or log a CA ticket.

3.5.2.4.1. File was Successfully Approved and Moved to the Approved Directory, but the Email Notifications Fail

In this case, the user was presented with the following:

1	2	3	4	5	6	7	8	9	10	Next
---	---	---	---	---	---	---	---	---	----	------

File	Status	Status Change Date	Comments
PPS_166PRV_167NEW.DAT	Transmitted to Production Vista	2015-11-20 18:29:40.496	PPS-N/NDF Update Production File Transmission Successful, but subsequent errors encountered sending email. Log a CA ticket.

Figure 46: Failure Scenario 3 - Approved & Moved, but Email Notification Failed

Note: This is not an error status. The process moves along as usual but the user is informed that the emails did not go out.

3.5.2.5. Failure Scenario 4 – Process Fails during Rejection

This failure occurs while renaming the file and moving it to the archive directory.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

In this case, the user was presented with the following:

The screenshot shows the PPS-N interface with a red banner at the top. The banner includes the United States Department of Veterans Affairs logo, the PPS-N logo, and the text "PHARMACY PRODUCT SYSTEM - NATIONAL". On the right side of the banner, it says "Welcome, SUPERVISOR. Logout. PPS-National Supervisor - 200". Below the banner, there is a navigation menu with links like Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, Help, Enter / Edit Items, Requests, Saved Work In Progress, PPS Data Elements, PPS Data Requests, Manage Update Files, and Rematch. A sub-menu for "Manage Update Files" is open, showing a "Pending NDF Update File" entry. The entry details are: File: PPS_166PRV_167NEW.DAT, Status Change Date: 2015-11-20 16:21:46.282, Action: Rejected, and Comments: TFM. There is a "Submit" button below the comments field. Below this, a yellow box titled "Error Messages" contains the message: "An error was encountered rejecting and archiving the rejected PPS-N/NDF Update File. Please try again or log a CA ticket." At the bottom of the page, there is a "History" section with filter options for Beginning Date Range, Ending Date Range, and Status, along with "Apply Filters" and "Clear Filters" buttons.

Figure 47: Failure Scenario 4 - Failure Renaming & Moving Directory

The ability to approve or reject remained enabled, so the user could try again or log a CA ticket.

3.5.2.5.1. File was Successfully Rejected, Renamed, and Moved to the Archived Directory, but the Email Notifications Fail

In this case, the user was presented with the following:

A table showing a single row of data. The columns are: File, Status, Status Change Date, and Comments. The data is: File: PPS_175PRV_176NEW_REJECTED_20151201_2348.DAT, Status: PPS-N/NDF Update Test File Rejected By PBM, Status Change Date: 2015-12-01 23:48:37:420, and Comments: PPS-N/NDF Update Reject File Rename/Move Successful, but subsequent errors encountered sending email. Log a CA ticket.

Figure 48: Failure Scenario 4 - Rejected, Renamed, & Moved, but Email Notification Failed

Note: This is not an error status. The process moves along as usual but the user is informed that the emails did not go out.

3.6. Rematch

When the user edits a product in PPS-N it causes a potential un-match at the local level due to an Inactivation, Proposed Inactivation or “Other” modification such as changing the VA Print Name. The PPS system then provides the user the ability to select products as suggestions or automatic rematches to replace the edited product.

The Data NDF update Report will display to the user the products whose edits cause the potential un-match along with products that are suggested for rematch, products that will be automatically rematched, or an indicator that there are no alternatives.

From the edit product page the user can select the **Rematch** button to navigate to the Rematch page. See image below.

To Access Rematch Page:

1. Navigate to the **Manage PPS page**.
2. Under **Enter/Edit Items tab** search for an active product, and select that product for editing.
3. Change any of the above-listed item attributes that cause an un-match (e.g., changing **Item Status** to Inactive).
4. Click the **Submit** button.
5. The Rematch page displays with possible matches, the user can either mark possible matches as suggested or automatic.
6. The user can then either click **Cancel, Skip, or Submit** the changes.

If I click Skip, the current Modification Summary for Product page displays.

If I click Submit, the Modification Summary for Product page that includes the product(s) I selected for rematch displays.

If I click Cancel, I am able to edit the product again.

If I click Accept Changes, the confirmation page displays.

To Define an Automatic Rematch:

1. In **Automatic**, click the radio button beside a VA product name that matches the unmatched product.
2. Click the **Submit** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Automatic.

To Define One or More Suggested Rematch:

1. In **Suggestion**, click the radio button beside a VA product(s) name that is a possible match to the unmatched product.
2. Click the **Submit** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Suggest.

To Search for Product:

1. If none of the suggestions is a good match, click the **Product Search** button. They system opens the Associate Product search page.
2. In **Search for**, enter text.
3. In **Search Field**, select a field from the drop-down list.
4. In **Strength**, enter strength.
5. Click the **Search** button. The system displays a list of possible matches.
6. In **VA Product Name**, click the link of a possible match. The system closes the search page and re-displays the Possible Matches with the product you selected added to the list.
7. To add more products, click the Internet Explorer **Back** button and click the link of another possible match in the **VA Product Name**.
8. Complete the match process by selecting **Automatic** or **Suggestion** radio button.

Field List Rematch

VA Product Name

The name of the VA product. Click the link to open the Possible Rematches page.

VA Product ID

The view-only VA Product Identification

Rematched VA Product Name

The view-only name of the Rematched VA product

Rematched Status

The view-only Rematched Status: Active or Inactive

Rematched VA Product ID

Rematch Type

The view-only Rematch Type for the product: Suggest or Automatic.

A horizontal row of buttons at the top of a form. From left to right, they are: Cancel, Rematch, Save Work in Progress, Change OI, and Submit. Below this row, the text "Create New Product (from existing)" is displayed in purple.

Figure 49: Rematch Button

The screenshot shows a user interface for rematching a product. At the top is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. Below the navigation bar is a breadcrumb trail: Simple Search > Edit Product > Rematch. On the right side of the header are links for Page Help and Provide Feedback.

Modified Product:

Modified Product	
VA Product Name	VA Product ID
BABY SHAMPOO	B0260

Possible Matches:

Possible Matches				
VA Product Name	VA Product ID	Status	Suggestion	Automatic
NO-RINSE SHAMPOO/BODY WASH	N0271	ACTIVE	<input type="checkbox"/>	<input checked="" type="radio"/>

At the bottom right of the page are four buttons: Cancel, Search, Skip, and Submit.

Figure 50: Rematch Page with Possible Matches

Modification Summary for Product: SARGRAMOSTIM 250MCG/VIL INJ

Modification Summary for Data Fields
No Data Fields were modified!

Rematch
Reason:
If there is a pre-existing rematch it will be deleted.

Figure 51: Figure: Rematch Modification Screen

Product : BABY SHAMPOO
Primary Class : DE400 - SOAPS/SHAMPOOS/SOAP-FREE CLEANSERS
Category : Medication

PPS OI Name : SHAMPOO SHAMPOO
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data **Drug Data** **Quick Actions** **Application Data** **Dispense Data** **Administration Data** **NDCs** **History** **A - Z** **Hide All Tabs** * = required fields

VA Product Name :	BABY SHAMPOO	GCNSEQNO :	<input type="text" value="006167"/>
Generic Name * :	SHAMPOO		
Product Strength :		VUID :	4012609
Product Unit :		CS Federal Schedule * :	0 - UNSCHEDULED
VA Dispense Unit * :	ML	National Formulary Indicator :	<input type="checkbox"/>
VA Print Name * :	BABY SHAMPOO	National Formulary Name :	SHAMPOO SHAMPOO
VA Product ID :	B0260	Formulary Designator :	<input type="text"/>
CMOP Dispense (National) :	<input checked="" type="checkbox"/>	Item Status * :	<input type="text" value="Active"/>
Exclude DDI Check :	<input checked="" type="checkbox"/>	Proposed Inactivation Date :	<input type="text" value="06/26/2017"/> 26-Jun-2017
Override DF Check Exclusion :	<input type="checkbox"/>	Copay Tier	
Auto-Create Possible Dosage :	<input checked="" type="checkbox"/>	<input type="button" value="Add New Row"/>	
Possible Dosages To Create :	<input type="text"/>		
Product Package :	<input type="text"/>		
Product Text :	<input type="text"/>		

FDA Med Guide :

Figure 52: Proposed Inactivation for Product for Rematch

4. Reports Tab

This tab allows you to generate reports. Two types of reports are possible:

- Download Only Reports, which are reports that can only be downloaded based on the size of the report.
- Non-Download Reports, which can be run immediately

The system uses the comma-separated value (.CSV) format and you can view reports using a third-party tool such as Microsoft Excel.

To convert a download only report to display without the delimiters, go to the Control Panel. Select Clock, Language and Region, then select Change the date, time, or number format. Click the Additional settings button and enter ^ for the List Separator option.

You can request reports and continue working while the system processes your request.

On this tab, you can complete any of these tasks:

- Select Report
- Open or Save Report

4.1. Select Report

To Select Report:

1. Click the **Reports** tab. The system opens the tab.
2. From the **Select a Report** drop-down list, select a report type. Depending on the type of report you select, additional field may open and different buttons may appear.
3. Complete any additional fields.
4. Click buttons to download the current version of the report or create or run a new version of the report.

Download Only Reports

Use these instructions for reports that include (download only) after the report name.

To Download Current Version:

1. Click the **Get Status** button. The system displays the current report status below and enables buttons.
2. Review the status, and if the report is recent enough for your needs and is not running, click the **Download Current** button to download the current version of the report. The system opens a dialog at the bottom of the page.
3. To continue, see Open or Save a Report.

To Create New Version:

1. Click the **Get Status** button. The system displays the current report status below and enables buttons.
2. Click the **Generate New** button to generate a new report. The system opens a pop-up window with a message indicating how long the process will take.
3. Click the **OK** button to start the process. The system generates a new report. While the system generates the new report, it disables buttons and shows a status of running. After generation is complete, the system re-enables the button.
4. Click the **Download Current** button. The system opens a dialog at the bottom of the page.
5. To continue, see Open or Save a Report.

When you click the **Get Status** button, the system displays the status (Running, Not Running) and indicates when the process was started and completed.

Run Reports

Use these instructions for reports that do not include (download only) after the report name.

To Download Current Version:

1. Click the **Download Current** button to download the current version of the report. The system opens a dialog at the bottom of the page.
2. To continue, see Open or Save a Report.

To Run New Report:

1. Click the **Run Report** button to generate a new report below.
2. Click the **Download Current** button to download the report. The system opens a dialog.

3. To continue, see Open or Save Report.

Available Reports

See the following topics for more information on report access pages:

- Capture NDF Data (download only)
- Ingredients List (download only)
- Products and Warning Labels (download only)
- Data Update Compliance (download only)
- VA Drug Classifications
- Products with Exclusion from Drug-Drug Interactions
- Active Products with No Active NDCs
- Active Products with Proposed Inactive Date
- VUID Approvals
- Products with Copay Tier Level Changes (download only)
- FDB Copay Change
- Preview Update File




Figure 53: Reports Tab

4.2. Open or Save Report

All report pages include a **Download Current** button that allows you to open or save the report, or cancel the request. For reports, the system uses the CSV format and you can view reports using a third party tool such as Microsoft Excel.

To Open or Save Current Version of Report:

1. Click the **Download Current** button. The system opens a dialog.
2. Click a button.

Buttons

- Click the **Open** button to view the CSV report.

- Click the **Save** button to save the file. The system displays a Save As dialog. Navigate to a location on your system and save the file.
- Click **Cancel** to cancel the report.



Figure 54: Open or Save Report Dialog

4.3. Types of Reports

The following types of reports are available:

- Capture NDF Data (download only)
- Ingredients List (download only)
- Products and Warning Labels (download only)
- Data Update Compliance (download only)
- VA Drug Classifications
- Products with Exclusion from Drug-Drug Interactions
- Active Products with No Active NDCs
- Active Products with Proposed Inactive Date
- VUID Approvals
- Products with Copay Tier Level Changes (download only)
- FDB Copay Change
- Preview Update File

Reports that include the notation (download only) after the name are too large to be viewed online and must be downloaded to a file to view.

4.3.1. Capture NDF Data Report

The report provides a complete listing of the Active NDCs in PPS-N EPL as well as a large number of their attributes.

Buttons

- Click the **Get Status** button to open the current status of the report and enable buttons.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.
- Click the **Generate New** button. The system opens a pop-up window with a message indicating how long the process will take. Click the **OK** button to start the process. The system generates a new report. After generation is complete, click the **Download Current** button. To continue, see Open or Save a Report.




Figure 55: Access Page for Capture NDF Data Report

4.3.2. Ingredients List Report

This report provides a complete list of the Active products in PPS-N EPL with each of their ingredients.

Buttons

- Click the **Get Status** button to open the current status of the report and enable buttons.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.
- Click the **Generate New** button. The system opens a pop-up window with a message indicating how long the process will take. Click the **OK** button to start the process. The system generates a new report. After generation is complete, click the **Download Current** button. To continue, see Open or Save a Report.




Figure 56: Access Page for Ingredients List Report

4.3.3. Products and Warning Labels Report

This report provides a complete list of the Active products in PPS-N with the warning labels for each product that is retrieved from the FDB MedKnowledge.

Buttons

- Click the **Get Status** button to open the current status of the report and enable buttons.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.
- Click the **Generate New** button. The system opens a pop-up window with a message indicating how long the process will take. Click the **OK** button to start the process. The system generates a new report. After generation is complete, click the **Download Current** button. To continue, see Open or Save a Report.

Home | Manage PPS | **Reports** | COTS Services | Manage Application | User Preferences | Help

Reports

Select a Report : Products and Warnings Labels (download only)

Get Status | Generate New | Download Current

Products and Warnings Labels Report Download Status

Once reports are generated, they will be available for download.

Process Status: Not Running

Started: YYYY-MM-DD HH:MM:SS Completed: YYYY-MM-DD HH:MM:SS

Figure 57: Access Page for Products and Warning Labels Report

4.3.4. Data Update Compliance Report

Data Update Compliance Report

This report provides a list of all sites with the most current update file from PPS-N.

Sites statuses are listed in the sections below.

Buttons

Click the Get Status button to open the current status of the report and enable buttons.

Click the Download Current button to download the current report. To continue, see Open or Save a Report.

Click the Generate New button. The system opens a pop-up window with a message indicating

how long the process will take. Click the OK button to start the process. The system generates a new report. After generation is complete, click the Download Current button. To continue, see Open or Save a Report.

The screenshot shows a web-based application interface. At the top, there is a navigation bar with links: Home, Manage PPS, Reports (which is the active tab), COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there is a sub-navigation bar with links: Reports, Page Help, and Provide Feedback. A dropdown menu labeled "Select a Report" is open, showing the option "Data Update Compliance (download only)". Below the dropdown are three buttons: "Get Status", "Generate New", and "Download Current". In the main content area, there is a section titled "Data Update Compliance Report Download Status" with the following text: "Once reports are generated, they will be available for download." Below this, there is a "Process Status: Not Running" message. Underneath, there are two time-related fields: "Started: YYYY-MM-DD HH:MM:SS" and "Completed: YYYY-MM-DD HH:MM:SS".

Figure 58: Access Page for Data Update Compliance Report

4.3.4.1. Data Update Compliance Report Content

Sites Up to Date

A site will be listed in the Up to Date section of the Data Update Compliance report if it has installed the latest update file.

FILE:	PPS_7PRV_8NEW.DAT	
RELEASE DATE:	DD-MM-YY	
COMPLIANCE DATE:	DD-MM-YY	
Sites up to date	Install Date	# Days to install

Figure 59: Data Update Compliance Report - Sites Up to Date

Field List Up to Date:

File

The name of the latest report

Release Date

The date the file became available to the local sites

Compliance Date

The date updates need to be applied to the local file(s) to be in compliance (compliance date)

Sites up to Date

The list of sites that have installed the latest update file

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

Install Date

The date sites installed the update

of Days to Install

The given number of days to install to be considered in compliance

Sites out of Date

A site will be listed in the Out of Date section of the Data Update Compliance report if the site has not installed the latest update file.

Sites not up to date	Last file successfully installed	Install date	Installed previous file?

Figure 60: Data Update Compliance Report - Not Up to Date

Field List Not Up to Date

Sites out of Date

The list of sites that have not installed the update

Last file successfully installed

The name of the last update file successfully installed

Install Date

The date sites installed the update

Installed previous file?

Populated by Y if the previous update file was installed successfully or N if the previous update has not yet been installed.

4.3.5. VA Drug Classifications Report

This report provides a complete list of the VA Drug Classes displayed in a hierarchical format with the option of including the Description field by clicking the check box **with Description**.

Buttons

- Click the **Run Report** button to generate a new version of the report. To continue, see Open or Save a Report.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.

AA000	INTRODUCTION ABBREVIATION INTERPRETATION NDC NATIONAL DRUG CODE NEC NOT ELSEWHERE CLASSIFIED Descriptive comments are included only when the classification system itself is not self-explanatory. The VA Drug Classification system classifies drug products, not generic ingredients. Drug products with local effects are classified by route of administration (e.g., dermatological, ophthalmic). If a product is not classified by route of administration, it is classified in most instances under a specific chemical or pharmacological classification (e.g., beta-blockers, cephalosporins). If a product is not classified by route of administration, or chemical or pharmacological subclassification, it may be classified under a therapeutic category (e.g., antilipemic agents, antiparkinson agents). Most combination products are found in the "other" subclassification under each major classification unless a specific subcategory for combination products exists or a descriptive comment indicates inclusion elsewhere. In addition, products which are not adequately described by a minor category or subcategory within the major classification are classified as "other" (e.g., metronidazole, vancomycin). The "notes" included in the following classification file define assignment of codes for primary classifications only. These notes may or may not be applicable to any secondary classifications.
AA151	INTRODUCTION
AA100	ATP New Drug class entry test - modify
AA200	ATP new drug class entry test
SH999	TEST DRUG

Figure 61: Access Page for VA Drug Classifications Report with Sample Report

4.3.6. Products with Exclusions from Drug-Drug Interactions Report

This report provides a list of the products that have been created in PPS-N (during the start and stop dates time period) and shows VA Product Names and a letter indicating whether or not the product is marked for exclusion -N for No and Y for Yes.

Buttons

- Click the **Run Report** button to generate a new version of the report. To continue, see Open or Save a Report.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.

VA Product Name	Excluded
BANDAGE TUBULAR ELASTIC SZ L C#151442	Y
TAPE,FABRIC MEFIX 8IN X 11YD	Y
HEAT & MOISTURE EXCHANGER,PROVOX #7710	Y
LARYNGEAL PROSTHESIS CLEANING BRUSH,PROVOX 12-18MM #7225	Y
LARYNGEAL PROSTHESIS CLEANING BRUSH,PROVOX 6-10MM #7204	Y
LARYNGEAL PROSTHESIS FLUSHING DEVICE,PROVOX #8109	Y
ARNICA OINT,TOP	Y
DILTAZEM (PAR) 180MG SA CAP	N
MIRABEGRON 50MG SA TAB	N

Figure 62: Access Page for Products with Exclusions from Drug-Drug Interactions Report with Sample Report

4.3.7. Active Products with No Active NDCs Report

This report provides a list of all the Active Products in PPS-N that do not have any active NDCs. To view a product, select the hyperlinked VA Product Name.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Click the **Print Friendly Version** link to open a file. Right-click the file and select the **Print** option. The system opens a print dialog that you can use to print the report.

Buttons

- Click the **Run Report** button to generate a new version of the report. To continue, see Open or Save a Report.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.

The screenshot shows a web-based application interface. At the top, there is a navigation bar with links: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there is a header section with a dropdown menu labeled "Select a Report" containing the option "Active Products with No Active NDCs". On the right side of this header, there are links for "Page Help" and "Provide Feedback". Below the header, there are two buttons: "Run Report" and "Download Current". A "Print Friendly Version" link is located above the main content area. The main content area is titled "Active Products with No Active NDCs Report". It contains a table with two columns: "VA Product Name" and "Proposed Inactivation Date". The table lists several product names, all of which have a proposed inactivation date of "12/31/2018".

VA Product Name	Proposed Inactivation Date
VANCOMYCIN HCL 250MG/5ML (50MG/ML) SOLN ORAL SYR	12/31/2018
VANCOMYCIN HCL 125MG/2.5ML (50MG/ML) SOLN ORAL SYR	12/31/2018
SIMVASTATIN 10MG/SITAGLIPTIN 50MG TAB ORAL	12/31/2018
SIMVASTATIN 20MG/SITAGLIPTIN 50MG TAB ORAL	12/31/2018
SIMVASTATIN 40MG/SITAGLIPTIN 50MG TAB ORAL	12/31/2018
HEPARIN NA 100U/ML INJ	12/31/2018
CEFUROXIME NA 15MG/ML INJ	12/31/2018
DIATRIZOATE NA PWD ORAL	12/31/2018
DAILY MUL VITAMIN TAB	12/31/2018

Figure 63: Access Page for Active Products with No Active NDCs Report with Sample Report

4.3.8. Active Products with Proposed Inactive Date Report

This report provides a list of all the active products in PPS-N that have a Proposed Inactivation Date. Optionally, you can enter a Start Date to filter the results from the start date to the current date.

Entries for this report come from the system Inactivation job. See System Data tab for more information.

Buttons

- Click the **Run Report** button to generate a new version of the report. To continue, see Open or Save a Report.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.

Figure 64: Access Page for Active Products with Proposed Inactive Date Report

4.3.9. VUID Approvals Report

This report provides a list of all products, ingredients, generic names, and drug classes with VA Unique Identifiers (VUIDs) that have been approved, inactivated, or reactivated in PPS-N. Before running this report, you must enter a Start Date. Without a date, no results appear.

Buttons

- Click the **Run Report** button to generate a new version of the report. To continue, see Open or Save a Report.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.

IEN	VA Product Name	VUID
10006	ALCLOMETASONE DIPROPIONATE .08% CREAM, TOP	4033028
10007	ACAI 2% CREAM	4033029
10008	ALCLOMETASONE 0.09% OINT, TOP	4033030
10014	WARFARIN NA (GOLDEN STATE) 5.5MG TAB	
10015	WARFARIN NA (GOLDEN STATE) 5.6MG TAB	
10016	WARFARIN NA (GOLDEN STATE) 4.5MG TAB	
10017	ALCLOMETASONE 0.02% CREAM, TOP	4033044

Figure 65: Access Page for VUID Approvals Report with Sample Report

4.3.10. Preview Update File Report

This report provides a list of what will be included in the update file. Use this report to see if there are any edits that need to be made in PPS-N before the update file is generated. When you download the report, it opens in Microsoft Word. The report format includes the messages that make up the Data Update for NDF Report and show the changes that have been made since the update file was last generated.

Buttons

- Click the **Run Report** button to generate a new version of the report. To continue, see Open or Save a Report.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.

The screenshot shows a web-based application interface. At the top is a red horizontal bar containing several menu items: 'Home', 'Manage PPS', 'Reports', 'COTS Services' (which is currently selected and highlighted in red), 'Manage Application', 'User Preferences', and 'Help'. Below this is a blue horizontal bar with links: 'Reports', 'Page Help', and 'Provide Feedback'. The main content area is white and contains a dropdown menu labeled 'Select a Report : Preview Update File'. At the bottom of this area are two buttons: 'Run Report' and 'Download Current'.

Figure 66: Access Page for Preview Update File Report Page

5. COTS Services Tab

This tab allows you to use COTS services to perform a number of operations dealing with the FDB MedKnowledge. When you select the COTS Services tab, the system opens the following secondary tabs:

- FDB Search Tab -Use this tab to search the FDB database for drug information.
- FDB Add Tab -Use this tab to see the FDB packaged drugs that were added to FDB but not automatically added to PPS-N during the last scheduled FDB Add process.
- FDB Update Tab -Use this tab to see the FDB items that were updated in FDB but not updated in PPS-N during the last scheduled FDB Update process.
- Added Report Tab -Use this tab to see a list of FDB items that were automatically added to PPS-N during the last scheduled FDB Add process.
- Updated Report Tab -Use this tab to see a list of FDB items that were automatically updated in PPS-N during the last scheduled FDB Update process.

5.1. FDB Search Tab

Use this tab to search the FDB Information Framework database for drug information. Each search returns a list of FDB packaged drugs even if the search criteria is for another drug concept. For example, a generic-based search searches the FDB Generic Drug concept for matches and returns a list of all packaged drugs associated with the matched generic drugs.

FDB search options are controlled on the User Preferences page. Altering preferences can cause any particular search to return different results.

To Search:

1. Click the **COTS Services** tab. The system opens the FDB Search tab.
2. In **FDB Search Option Type**, select an option from the drop-down list. See the list below for information on each type.
3. In **FDB Search String**, enter search text.
4. Click the **Perform FDB Search** button. The system displays first 501 items that match the query in a results table below.

5. Click the **Hide Existing PPS** button below the results table to compare all of the NDCs in the search results and remove those that match NDCs that are already present in PPS-N.

After you have search results, complete any of these tasks:

- Print FDB Search Results to print NDC search results (or export to CSV or Excel spreadsheet)
- Review NDC Details to see NDC details
- Match Results to match selected NDCs to existing items in PPS-N

FDB Search Option Type List

All

Select this option to search all FDB entries.

NDC

Enter at least five digits to search based on the NDC number. The system searches the first five digits of the 11-digit NDC number of the FDB Packaged Drug. The normal PPS-N data entry validation rules apply (numeric and correct format). The system displays an error message if your entry does not comply with the rules.

Label

Select this option to search based on the FDB Label Name Field.

Generic

Select this option to search based on the FDB Generic Drug Name Field.

GCNSEQNO

Select this option to search based on the Generic Code Number Sequence Number, which is a numeric value that corresponds to the Generic Code Number Sequence Number of an FDB generic drug. The normal PPS-N data entry validation rules apply (numeric only). The system displays an error message if your entry does not comply with the rules.

Drug Class

Select this option to search based on the FDB Drug Class.

The grouping of drug products is based on various criteria, which can include similarity of chemical structure, clinical indications, pharmacology, and therapeutic activity. Drug class includes fields for both the FDB Generic and the FDB Dispensable Drug.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help																																								
FDB Search	FDB Add	FDB Update	Added Report	Updated Report																																										
FDB Search Page Help Provide Feedback																																														
<p>FDB Information:</p> <p>FDB Search Option Type: <input type="button" value="All"/> <input type="button" value="All"/></p> <p>FDB Search String: <input type="text" value="00077"/></p> <p><input type="button" value="Perform FDB Search"/></p> <p>RESULTS</p> <p>Print Export to CSV</p> <p>3 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th>Select</th> <th>NDC</th> <th>GCNSEQNO</th> <th>Package Size</th> <th>Package Type</th> <th>Manufacturer</th> <th>Fdb Generic Name</th> <th>Label Name</th> <th>Additional Description</th> <th>Obsolete Date</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td>27808003301</td> <td>77</td> <td>473</td> <td>BOTTLE</td> <td>TRIS PHARMA INC</td> <td>THEOPHYLLINE</td> <td>THEOPHYLLINE 80 MG/15 ML SOLN</td> <td>A/F</td> <td></td> </tr> <tr> <td><input type="checkbox"/></td> <td>51862013116</td> <td>77</td> <td>473</td> <td>BOTTLE</td> <td>LIBERTAS PHARMA</td> <td>THEOPHYLLINE</td> <td>THEOPHYLLINE 80 MG/15 ML SOLN</td> <td>A/F</td> <td>01-Jul-2014 00:00</td> </tr> <tr> <td><input type="checkbox"/></td> <td>54838055680</td> <td>77</td> <td>473</td> <td>BOTTLE</td> <td>SILARX PHARM</td> <td>THEOPHYLLINE</td> <td>THEOPHYLLINE 80 MG/15 ML SOLN</td> <td>A/F</td> <td></td> </tr> </tbody> </table> <p>Select All Match Results Hide Existing PPS</p>							Select	NDC	GCNSEQNO	Package Size	Package Type	Manufacturer	Fdb Generic Name	Label Name	Additional Description	Obsolete Date	<input type="checkbox"/>	27808003301	77	473	BOTTLE	TRIS PHARMA INC	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F		<input type="checkbox"/>	51862013116	77	473	BOTTLE	LIBERTAS PHARMA	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F	01-Jul-2014 00:00	<input type="checkbox"/>	54838055680	77	473	BOTTLE	SILARX PHARM	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F	
Select	NDC	GCNSEQNO	Package Size	Package Type	Manufacturer	Fdb Generic Name	Label Name	Additional Description	Obsolete Date																																					
<input type="checkbox"/>	27808003301	77	473	BOTTLE	TRIS PHARMA INC	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F																																						
<input type="checkbox"/>	51862013116	77	473	BOTTLE	LIBERTAS PHARMA	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F	01-Jul-2014 00:00																																					
<input type="checkbox"/>	54838055680	77	473	BOTTLE	SILARX PHARM	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F																																						

Figure 67: FDB Search Tab with Results

To Print Search Results:

1. Above the table in the FDB Search results table, click the **Print** link. The system opens a selection page.
2. Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.
3. Click the **Print** button. The system prints selected records.

To Export Search Results:

1. Above the table in the FDB Search results table, click the **Export to CSV** link. The system opens a selection page.
2. Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.
3. Click the **Export to CSV** button. The system exports the results to CSV or Excel format.
4. Use the buttons in the resulting dialog box to open or save the results.

FDB ADD									
Close	Print	Record Count: 3							
Select All	NDC	GCNSeqNo	Package Size	Package Type	Manufacturer	FDB Product Name	Label Name	Additional Description	Obsolete Date
<input type="checkbox"/>	27808003301	000077	473	BOTTLE	TRIS PHARMA INC	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F	
<input type="checkbox"/>	51862013116	000077	473	BOTTLE	LIBERTAS PHARMA	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F	01-Jul-2014 00:00
<input type="checkbox"/>	54838055680	000077	473	BOTTLE	SILARX PHARM	THEOPHYLLINE	THEOPHYLLINE 80 MG/15 ML SOLN	A/F	

Figure 68: Print FDB Selection Page Sample for Print

To Review NDC Details:

1. With the FDB Search results table displaying, click a hyperlink in the NDC column. The system opens a Details pop-up.
2. Click the **Print** button to print the Details pop-up page.
3. Click the **Close** button to close the pop-up.

PPS-N - FDB Search - Internet Explorer

Details		
NDC:	27808003301 5-03-2 NDC	
Brand Name:	THEOPHYLLINE	
ManDistrib:	TRIS PHARMA INC	
Label Name:	THEOPHYLLINE 80 MG/15 ML SOLN	
Label Name25:		
Generic Name:	THEOPHYLLINE	
Drug Strength	80mg/15 mL	
Description:		
Dose Form Description:	solution	
Unit Dose Indicator:	false	
GCN Sequence Number:	77	
Drug Form Code:	2	
Drug Class:	RESPIRATORY SMOOTH MUSCLE RELAXANTS, DIURETICS, MISCELLANEOUS (HYPOTENSIVE), DIURETICS, MISCELLANEOUS, XANTHINE DERIVATIVES	
Duplicate Therapy Classes:	Xanthines	
Color:	COLORLESS	
Shape:		
Flavor:	orange	
Top 200 Rank:		
Top 50 Gen Rank:		
Replacement NDC:		
Previous NDC:		
Obsolete Date:		
Close	Print	

Figure 69: NDC Details Pop-Up

Match Results

The system matches selected NDCs to existing items in PPS-N. The matches must have the same Generic Code Number Sequence Number (GCNSEQNO column) or the system generates an error.

To Match Results:

- With the FDB Search results table displaying, locate the NDCs you want to match.
- In the **Select** column, click the check box beside a few of the NDCs that you want to match. Or, click the **Select All** button to select all entries in the results table.
- Confirm that all of your selections have the same Generic Code Number Sequence Number in the GCNSEQNO column. If the numbers are not the same, the system generates an error.
- Click the **Match Results** button below the table. The system starts a process that matches selected NDCs to existing items in PPS-N. The system opens the matching page, copies the selected NDC items into the FDB NDCs table on the left of the page, and on the right, and displays any products in PPS-N that matches the GCNSEQNO.
- Select a parent.

To Select Parent:

- In FDB NDCs results, click a few NDCs to be used as children. Or, click the **Select All** button to select all NDCs.

2. In **VA Products results**, click the **Use** radio button beside any matching VA product to use that product as the parent to select FDB NDCs.
3. Click the Add to Product button to add the product to serve as the parent for the selected NDCs.

If you find no suitable product to select as a parent, use the following buttons to create a parent or complete additional actions:

- Blank Template -If no products are suitable as a parent for the selected NDCs
- Use Existing -To use the product as a template to create a new product to serve as the parent for the selected NDCs
- Complete Product Search -If no products matched the selected NDCs. The system displays the product (parent).
- Click the **Cancel** button to return to the FDB Search Results page.

The screenshot shows a web-based application interface for managing pharmaceutical products. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there are buttons for FDB Search, FDB Add, FDB Update, Added Report, and Updated Report. The main content area is divided into two tables: 'FDB NDCs' and 'VA PRODUCTS'. The 'FDB NDCs' table lists three entries with columns for Select All, NDC, Label Name, Package Size, Package Type, GcnSeq No, and Fdb Generic Name. The 'VA PRODUCTS' table lists one entry with columns for Product, Item Status, GCN Sequence No, and Use. At the bottom of the page are five buttons: Blank Template, Add To Product, Use Existing, Product Search, and Cancel.

FDB NDCs							VA PRODUCTS			
Select All	NDC	Label Name	Package Size	Package Type	GcnSeq No	Fdb Generic Name	Product	Item Status	GCN Sequence No	Use
<input type="checkbox"/>	27808003301	THEOPHYLLINE 80 MG/15 ML SOLN	473	BOTTLE	000077	THEOPHYLLINE	THEOPHYLLINE ANHYDROUS 80MG/15ML (AF) SOLN ORAL	ACTIVE	000077	<input type="radio"/>
<input type="checkbox"/>	51862013116	THEOPHYLLINE 80 MG/15 ML SOLN	473	BOTTLE	000077	THEOPHYLLINE				
<input type="checkbox"/>	5493805660	THEOPHYLLINE 80 MG/15 ML SOLN	473	BOTTLE	000077	THEOPHYLLINE				

Blank Template	Add To Product	Use Existing	Product Search	Cancel
--------------------------------	--------------------------------	------------------------------	--------------------------------	------------------------

Figure 70: NDC Match Results Page

Field List FDB NDCs

Select All

Click the check box beside an entry to select it for matching. Or click the **Select All** check box at the top to select all entries.

NDC

The National Drug Code for the FDB packaged drug. Click a hyperlinked entry to open a page with additional information about the FDB packaged drug.

Label Name

The view-only FDB name on the label

Package Size

The view-only FDB size of the package

Package Type

The view-only FDB type of package

GcnSeq No

The view-only Generic Code Sequence Number

Fdb Generic Name

The view-only FDB Generic Name

Field List VA Products

Product

Click a hyperlinked entry to open a page with additional information about the VA product.

Item Status

The view-only status of the product: Approved, Pending, Rejected

GcnSeq No

The view-only Generic Code Sequence Number

Use Button

Click this button to use the product as the parent for matching.

To Use Blank Template:

1. On the **Match Results** page, click the **Blank Template** button if no products are suitable as a parent for the selected NDCs. The system opens a blank product template.
2. Complete the form. See Add Product for more information.
3. Submit the product.
4. Associate the NDCs with the product.
5. Save the NDCs to the PPS-N database.

To Add Product as Parent:

1. On the **Match Results** page, select products in the FDB NDC list.
2. Click the **Add to Product** button.
3. Associate the selected NDCs to the product and save them to the PPS-N database.

To Use Existing as Template:

1. On the **Match Results** page, after you have selected products in the FDB NDCs list, click the **Use Existing** button to use the product as a template to create a new product that will serve as the parent for the selected NDCs.
2. Create a template using the selected product.
3. Make changes. See Edit Product for more information.
4. Save the product to the database.
5. Associate the NDCs to the new product.
6. Save the NDCs to the database.

To Complete Product Search:

1. On the **Match Results** page, click the **Product Search** button if no products matched the selected NDCs. The system displays the product (parent) search page.
2. Search for an appropriate product.
3. Select the product from the search results. The system displays the previous matching page, and the VA Products table now shows the selected product.
4. Select the product in the result table.

After you select a product, use these buttons complete tasks:

- **Add to Product** -To add the product to serve as the parent for the selected NDCs
- **Use Existing** -To use the product as a template to create a new product to serve as the parent for the selected NDCs

5.2. FDB Add Tab

Use this tab to see the FDB packaged drugs that were added to FDB MedKnowledge since the last update occurred and **could not be automatically** added to the PPS-N EPL because the packaged drug did not meet specific requirements.

The system updates the FDB on a periodic basis. A background job queries the FDB database to see if any new products have been added to the FDB since the last running of the background job. For more information, see System Data tab.

To Display:

1. Click the **COTS Services** tab. The system opens the FDB Search tab.
2. Click the **FDB Update** tab. The system displays the report.

To Match Results:

1. Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.
2. Click the **Match Results** button. The system opens a Match Results page that you can use to match results.

To Print:

1. Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.
2. Click the **Print** link to open search results page. The system opens a file. Right-click the file and select the **Print** option. The system prints the page.

To See Details:

Click a hyperlink in the NDC column to display the NDC item in the PPS-N EPL. The system displays the Main tab along with the Price, History, and A–Z tabs.

To Export Entries to CSV:

1. Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.
2. Click the **Export to CSV** link to export the entries in either CSV or Excel format, and then use the buttons in the resulting dialog box to open or save the results.

To Delete Entries:

1. Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.
2. Click the **Delete** button. The system removes any selected entries.

FDB Add																																																																																																																								
Home		Manage PPS		Reports		COTS Services		Manage Application		User Preferences	Help																																																																																																													
FDB Search	FDB Add	FDB Update	Added Report	Updated Report																																																																																																																				
FDB Add										Page Help Provide Feedback																																																																																																														
RESULTS																																																																																																																								
Print Export to CSV																																																																																																																								
18 items found, displaying 1 to 10. [First/Prev] 1 2 [Next/Last]																																																																																																																								
<table border="1"> <thead> <tr> <th>Select</th> <th>NDC</th> <th>GCNSEQNO</th> <th>Package Size</th> <th>Package Type</th> <th>Manufacturer</th> <th>Fdb Generic Name</th> <th>Label Name</th> <th>Additional Description</th> <th>Creation Date</th> </tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td> <td>38779-1561-03</td> <td>24413</td> <td>5.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>RIBOFLAVIN 5-PHOSPHATE SODIUM</td> <td>RIBOFLAVIN-5-PHOS SOD POWDER</td> <td>USP</td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1561-04</td> <td>24413</td> <td>25.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>RIBOFLAVIN 5-PHOSPHATE SODIUM</td> <td>RIBOFLAVIN-5-PHOS SOD POWDER</td> <td>USP</td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1561-05</td> <td>24413</td> <td>100.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>RIBOFLAVIN 5-PHOSPHATE SODIUM</td> <td>RIBOFLAVIN-5-PHOS SOD POWDER</td> <td>USP</td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1561-06</td> <td>24413</td> <td>500.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>RIBOFLAVIN 5-PHOSPHATE SODIUM</td> <td>RIBOFLAVIN-5-PHOS SOD POWDER</td> <td>USP</td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1561-09</td> <td>24413</td> <td>1000.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>RIBOFLAVIN 5-PHOSPHATE SODIUM</td> <td>RIBOFLAVIN-5-PHOS SOD POWDER</td> <td>USP</td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1708-05</td> <td>64895</td> <td>100.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>ZINC PICOLINATE (BULK)</td> <td>ZINC PICOLINATE POWDER</td> <td></td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1708-06</td> <td>64895</td> <td>500.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>ZINC PICOLINATE (BULK)</td> <td>ZINC PICOLINATE POWDER</td> <td></td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1708-09</td> <td>64895</td> <td>1000.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>ZINC PICOLINATE (BULK)</td> <td>ZINC PICOLINATE POWDER</td> <td></td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>38779-1708-04</td> <td>64895</td> <td>25.0</td> <td>JAR</td> <td>MEDISCA INC.</td> <td>ZINC PICOLINATE (BULK)</td> <td>ZINC PICOLINATE POWDER</td> <td></td> <td>DD-Mon-YYYY HH:MM</td> </tr> <tr> <td><input type="checkbox"/></td> <td>51552-1402-02</td> <td>67280</td> <td>5.0</td> <td>JAR</td> <td>FAGRON INC</td> <td>CETYL MYRISTOLEATE (BULK)</td> <td>CETYL MYRISTOLEATE POWDER</td> <td></td> <td>DD-Mon-YYYY HH:MM</td> </tr> </tbody> </table>											Select	NDC	GCNSEQNO	Package Size	Package Type	Manufacturer	Fdb Generic Name	Label Name	Additional Description	Creation Date	<input type="checkbox"/>	38779-1561-03	24413	5.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1561-04	24413	25.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1561-05	24413	100.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1561-06	24413	500.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1561-09	24413	1000.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1708-05	64895	100.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1708-06	64895	500.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1708-09	64895	1000.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM	<input type="checkbox"/>	38779-1708-04	64895	25.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM	<input type="checkbox"/>	51552-1402-02	67280	5.0	JAR	FAGRON INC	CETYL MYRISTOLEATE (BULK)	CETYL MYRISTOLEATE POWDER		DD-Mon-YYYY HH:MM
Select	NDC	GCNSEQNO	Package Size	Package Type	Manufacturer	Fdb Generic Name	Label Name	Additional Description	Creation Date																																																																																																															
<input type="checkbox"/>	38779-1561-03	24413	5.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1561-04	24413	25.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1561-05	24413	100.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1561-06	24413	500.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1561-09	24413	1000.0	JAR	MEDISCA INC.	RIBOFLAVIN 5-PHOSPHATE SODIUM	RIBOFLAVIN-5-PHOS SOD POWDER	USP	DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1708-05	64895	100.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1708-06	64895	500.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1708-09	64895	1000.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	38779-1708-04	64895	25.0	JAR	MEDISCA INC.	ZINC PICOLINATE (BULK)	ZINC PICOLINATE POWDER		DD-Mon-YYYY HH:MM																																																																																																															
<input type="checkbox"/>	51552-1402-02	67280	5.0	JAR	FAGRON INC	CETYL MYRISTOLEATE (BULK)	CETYL MYRISTOLEATE POWDER		DD-Mon-YYYY HH:MM																																																																																																															
<input type="button" value="Select All"/> <input type="button" value="Match Results"/> <input type="button" value="Delete"/>																																																																																																																								

Figure 71: FDB Add Tab with Results

5.3. FDB Update Tab

Use this tab to see the FDB packaged drugs that were updated in FDB MedKnowledge since the last update occurred and **could not be automatically** updated in the PPS-N EPL because the packaged drug did not meet specific requirements.

The system updates the FDB on a periodic basis. A background job queries the FDB database to see if any products were updated in the FDB since the last running of the background job. For more information, see System Data tab.

To Display:

Click the **COTS Services** tab. The system opens the FDB Search tab.

Click the **FDB Update** tab. The system displays the report.

To See Details:

Click a hyperlink in the NDC column to display the NDC item in the PPS-N EPL. The system displays the Main tab along with the Price, History, and A-Z tabs.

To Export Entries to CSV:

Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.

Click the **Export to CSV** link to export the entries in either CSV or Excel format, and then use the buttons in the resulting dialog box to open or save the results.

To Delete Entries:

Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.

Click the **Delete** button. The system removes any selected entries.

RESULTS						
Page Help Provide Feedback						
Export to CSV						
42 items found, displaying 1 to 10. [First/Prev] 1, 2, 3, 4, 5 [Next/Last]						
Select	NDC	VA Product Name	Fdb Generic Name	GCNSEQNO	RX Message	Date Submitted
<input type="checkbox"/>	00944-2700-08	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G (IGG)-GLY-IGA 50+	19103	FDB GcnSeqNo was updated from 19103 to 73594.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	00944-2700-09	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G (IGG)-GLY-IGA 50+	19103	FDB GcnSeqNo was updated from 19103 to 73594.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	00944-2700-10	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G (IGG)-GLY-IGA 50+	19103	FDB GcnSeqNo was updated from 19103 to 73594.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	44206-0436-05	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G(IGG)-PRO-IGA 0-50	19103	FDB GcnSeqNo was updated from 19103 to 73595.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	44206-0437-10	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G(IGG)-PRO-IGA 0-50	19103	FDB GcnSeqNo was updated from 19103 to 73595.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	44206-0438-20	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G(IGG)-PRO-IGA 0-50	19103	FDB GcnSeqNo was updated from 19103 to 73595.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	44206-0439-40	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G(IGG)-PRO-IGA 0-50	19103	FDB GcnSeqNo was updated from 19103 to 73595.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	00944-2700-13	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G (IGG)-GLY-IGA 50+	19103	FDB GcnSeqNo was updated from 19103 to 73594.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	59730-6502-01	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G (IGG)-GLY-IGA 50+	19103	FDB GcnSeqNo was updated from 19103 to 73592.	DD-Mon-YYYY HH:MM
<input type="checkbox"/>	59730-6503-01	GLOBULIN,IMMUNE (IV) 10% INJ	IMMUN GLOB G (IGG)-GLY-IGA 50+	19103	FDB GcnSeqNo was updated from 19103 to 73592.	DD-Mon-YYYY HH:MM

[Select All](#) [Delete](#)

Figure 72: FDB Updated Tab with Results

5.4. Added Report Tab

Use this tab to see the report for the FDB packaged drugs that were added to FDB MedKnowledge since the last update occurred and were **automatically** added to the PPS-N EPL because the packaged drug met specific requirements.

Managers need not take any additional actions. Entries remain in the list for 90 days unless deleted. Entries on this list were added by a user and have met the criteria for automatic update.

The system updates the FDB on a periodic basis. A background job queries the FDB database to see if any new products have been added to the FDB since the last running of the background job. For more information, see System Data tab.

To Display:

Click the **COTS Services** tab. The system opens the FDB Search tab.

Click the **Added Report** tab. The system displays the report.

Be sure to note the record count above the table.

To See Details:

Click a hyperlink in the NDC column to display the NDC item in the PPS-N EPL. The system displays the Main tab along with the Price, History, and A-Z tabs.

To Export Entries to CSV:

Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.

Click the **Export to CSV** link to export the entries in either CSV or Excel format, and then use the buttons in the resulting dialog box to open or save the results.

To Delete Entries:

Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.

Click the **Delete** button. The system removes any selected entries.

FDB Added Report																																																																																																																							
Home Manage PPS Reports COTS Services Manage Application User Preferences Help FDB Search FDB Add FDB Update Added Report Updated Report																																																																																																																							
FDB Update > Add Report Page Help Provide Feedback																																																																																																																							
Export to CSV Record Count: 417																																																																																																																							
417 items found, displaying 1 to 10. [First/Prev] 1 , 2 , 3 , 4 , 5 , 6 , 7 , 8 [Next/Last]																																																																																																																							
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Select</th><th>NDC</th><th>Package Size</th><th>Package Type</th><th>Additional Description</th><th>GcnSeqNo</th><th>VA Product Name</th><th>Label Name</th><th>Fdb Generic Name</th><th>Date Submitted</th></tr> </thead> <tbody> <tr> <td><input type="checkbox"/></td><td>00006412101</td><td>0.5</td><td>SYRINGE</td><td>P/F, LATEX-FREE, INNER</td><td>73200</td><td>PAPILLOMAVIRUS HUMAN 9-VALENT VACCINE INJ, SYRINGE, 0.5ML</td><td>GARDASIL 9 SYRINGE</td><td>HUMAN PAPILLOMAVAC,9-VAL (PF)</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00006417100</td><td>0.5</td><td>VIAL</td><td>OUTER, LATEX-FREE, P/F</td><td>59690</td><td>MEASLES/MUMPS/RUBELLA/VARICELLA VIRUS VACCINE, LIVE INJ</td><td>PROQUAD VIAL</td><td>MEASLES,MUMPS,RUB,VARICEL (PF)</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00006417101</td><td>0.5</td><td>VIAL</td><td>INNER, LATEX-FREE, P/F</td><td>59690</td><td>MEASLES/MUMPS/RUBELLA/VARICELLA VIRUS VACCINE, LIVE INJ</td><td>PROQUAD VIAL (PF)</td><td>MEASLES,MUMPS,RUB,VARICEL (PF)</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00006483702</td><td>0.5</td><td>SYRINGE</td><td>LATEX-FREE</td><td>9679</td><td>PNEUMOCOCCAL 23-VALENT POLYSACCHARIDE VACCINE, SYRINGE, 0.5ML</td><td>PNEUMOVAX 23 SYRINGE</td><td>PNEUMOCOCCAL 23-VAL PS VACCINE</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00009780701</td><td>300.0</td><td>BAG</td><td>INNER, LATEX-FREE</td><td>45134</td><td>LINEZOLID 2MG/ML INJ, BAG, 300ML</td><td>ZYVOX 600 MG/300 ML IV SOLN</td><td>LINEZOLID</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00009780702</td><td>300.0</td><td>BAG</td><td>OUTER, LATEX-FREE</td><td>45134</td><td>LINEZOLID 2MG/ML INJ, BAG, 300ML</td><td>ZYVOX 600 MG/300 ML IV SOLN</td><td>LINEZOLID</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>0003763015</td><td>15.0</td><td>CAN</td><td></td><td>37044</td><td>HYDROCORTISONE ACETATE 10% FOAM, RTL</td><td>CORTIFOAM 10% AEROSOL</td><td>HYDROCORTISONE ACETATE</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00051846201</td><td>2.5</td><td>PACKET</td><td>INNER</td><td>70129</td><td>TESTOSTERONE (ANDROGEL) 1.62% 2.5GM/PKT GEL, TOP</td><td>ANDROGEL 1.62% (2.5G) GEL PKT</td><td>TESTOSTERONE</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00051846212</td><td>1.25</td><td>PACKET</td><td>INNER</td><td>70128</td><td>TESTOSTERONE (ANDROGEL) 1.62% 1.25GM/PKT GEL, TOP</td><td>ANDROGEL 1.62% (1.25G) GEL PKT</td><td>TESTOSTERONE</td><td>DD-Mon-YYYY HH:MM</td></tr> <tr> <td><input type="checkbox"/></td><td>00054010031</td><td>1000.0</td><td>BOTTLE</td><td></td><td>16925</td><td>AMLODIPINE BESYLATE 2.5MG TAB</td><td>AMLODIPINE BESYLATE 2.5 MG TAB</td><td>AMLODIPINE</td><td>DD-Mon-YYYY HH:MM</td></tr> </tbody> </table>										Select	NDC	Package Size	Package Type	Additional Description	GcnSeqNo	VA Product Name	Label Name	Fdb Generic Name	Date Submitted	<input type="checkbox"/>	00006412101	0.5	SYRINGE	P/F, LATEX-FREE, INNER	73200	PAPILLOMAVIRUS HUMAN 9-VALENT VACCINE INJ, SYRINGE, 0.5ML	GARDASIL 9 SYRINGE	HUMAN PAPILLOMAVAC,9-VAL (PF)	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00006417100	0.5	VIAL	OUTER, LATEX-FREE, P/F	59690	MEASLES/MUMPS/RUBELLA/VARICELLA VIRUS VACCINE, LIVE INJ	PROQUAD VIAL	MEASLES,MUMPS,RUB,VARICEL (PF)	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00006417101	0.5	VIAL	INNER, LATEX-FREE, P/F	59690	MEASLES/MUMPS/RUBELLA/VARICELLA VIRUS VACCINE, LIVE INJ	PROQUAD VIAL (PF)	MEASLES,MUMPS,RUB,VARICEL (PF)	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00006483702	0.5	SYRINGE	LATEX-FREE	9679	PNEUMOCOCCAL 23-VALENT POLYSACCHARIDE VACCINE, SYRINGE, 0.5ML	PNEUMOVAX 23 SYRINGE	PNEUMOCOCCAL 23-VAL PS VACCINE	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00009780701	300.0	BAG	INNER, LATEX-FREE	45134	LINEZOLID 2MG/ML INJ, BAG, 300ML	ZYVOX 600 MG/300 ML IV SOLN	LINEZOLID	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00009780702	300.0	BAG	OUTER, LATEX-FREE	45134	LINEZOLID 2MG/ML INJ, BAG, 300ML	ZYVOX 600 MG/300 ML IV SOLN	LINEZOLID	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	0003763015	15.0	CAN		37044	HYDROCORTISONE ACETATE 10% FOAM, RTL	CORTIFOAM 10% AEROSOL	HYDROCORTISONE ACETATE	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00051846201	2.5	PACKET	INNER	70129	TESTOSTERONE (ANDROGEL) 1.62% 2.5GM/PKT GEL, TOP	ANDROGEL 1.62% (2.5G) GEL PKT	TESTOSTERONE	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00051846212	1.25	PACKET	INNER	70128	TESTOSTERONE (ANDROGEL) 1.62% 1.25GM/PKT GEL, TOP	ANDROGEL 1.62% (1.25G) GEL PKT	TESTOSTERONE	DD-Mon-YYYY HH:MM	<input type="checkbox"/>	00054010031	1000.0	BOTTLE		16925	AMLODIPINE BESYLATE 2.5MG TAB	AMLODIPINE BESYLATE 2.5 MG TAB	AMLODIPINE	DD-Mon-YYYY HH:MM
Select	NDC	Package Size	Package Type	Additional Description	GcnSeqNo	VA Product Name	Label Name	Fdb Generic Name	Date Submitted																																																																																																														
<input type="checkbox"/>	00006412101	0.5	SYRINGE	P/F, LATEX-FREE, INNER	73200	PAPILLOMAVIRUS HUMAN 9-VALENT VACCINE INJ, SYRINGE, 0.5ML	GARDASIL 9 SYRINGE	HUMAN PAPILLOMAVAC,9-VAL (PF)	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00006417100	0.5	VIAL	OUTER, LATEX-FREE, P/F	59690	MEASLES/MUMPS/RUBELLA/VARICELLA VIRUS VACCINE, LIVE INJ	PROQUAD VIAL	MEASLES,MUMPS,RUB,VARICEL (PF)	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00006417101	0.5	VIAL	INNER, LATEX-FREE, P/F	59690	MEASLES/MUMPS/RUBELLA/VARICELLA VIRUS VACCINE, LIVE INJ	PROQUAD VIAL (PF)	MEASLES,MUMPS,RUB,VARICEL (PF)	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00006483702	0.5	SYRINGE	LATEX-FREE	9679	PNEUMOCOCCAL 23-VALENT POLYSACCHARIDE VACCINE, SYRINGE, 0.5ML	PNEUMOVAX 23 SYRINGE	PNEUMOCOCCAL 23-VAL PS VACCINE	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00009780701	300.0	BAG	INNER, LATEX-FREE	45134	LINEZOLID 2MG/ML INJ, BAG, 300ML	ZYVOX 600 MG/300 ML IV SOLN	LINEZOLID	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00009780702	300.0	BAG	OUTER, LATEX-FREE	45134	LINEZOLID 2MG/ML INJ, BAG, 300ML	ZYVOX 600 MG/300 ML IV SOLN	LINEZOLID	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	0003763015	15.0	CAN		37044	HYDROCORTISONE ACETATE 10% FOAM, RTL	CORTIFOAM 10% AEROSOL	HYDROCORTISONE ACETATE	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00051846201	2.5	PACKET	INNER	70129	TESTOSTERONE (ANDROGEL) 1.62% 2.5GM/PKT GEL, TOP	ANDROGEL 1.62% (2.5G) GEL PKT	TESTOSTERONE	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00051846212	1.25	PACKET	INNER	70128	TESTOSTERONE (ANDROGEL) 1.62% 1.25GM/PKT GEL, TOP	ANDROGEL 1.62% (1.25G) GEL PKT	TESTOSTERONE	DD-Mon-YYYY HH:MM																																																																																																														
<input type="checkbox"/>	00054010031	1000.0	BOTTLE		16925	AMLODIPINE BESYLATE 2.5MG TAB	AMLODIPINE BESYLATE 2.5 MG TAB	AMLODIPINE	DD-Mon-YYYY HH:MM																																																																																																														
<input type="button" value="Select All"/> <input type="button" value="Delete"/>																																																																																																																							

Figure 73: FDB Added Report Tab with Results

Field List FDB Added Report Tab with Results

Select

Click the check box beside entries to select it. Selected entries can be exported to CSV or deleted.

NDC

Click the link to open the NDC item in the PPS-N EPL.

Package Size

The view-only size of the package

Package Type

The view-only type of package

Additional Description

Any additional information that needs to be known about the drug.

GcnSeqNo

The view-only Generic Code Number Sequence Number, which is a numeric value that corresponds to the Generic Code Number Sequence Number of an FDB generic drug

Label Name

The view-only name of the drug that appears on the label

Fdb Generic Name

The view-only Generic Name used in the FDB.

Date Submitted

The view-only date and time the item was added to the PPS-N EPL

5.5. Updated Report Tab

Use this tab to see the report for the FDB packaged drugs that were updated in the FDB MedKnowledge since the last update occurred and were **automatically** updated in the PPS-N EPL because the packaged drug met specific requirements.

Managers need not take any additional actions. Entries remain in the list for 90 days unless deleted. Entries on this list were updated by a user and have met the criteria for automatic update. Not all FDB changes are logged in this file. The report includes only those changes that the NDF Managers have determined could have a potential impact on VA operations.

The system updates the FDB on a periodic basis. A background job queries the FDB database to see if any new products have been added to the FDB since the last running of the background job. For more information, see System Data tab.

To Display:

Click the **COTS Services** tab. The system opens the FDB Search tab.

Click the **Updated Report** tab. The system displays the report.

To See Details:

Click a hyperlink in the NDC column to display the NDC item in the PPS-N EPL. The system displays the Main tab along with the Price, History, and A–Z tabs.

To Export Entries to CSV:

Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.

Click the **Export to CSV** link to export the entries in either CSV or Excel format, and then use the buttons in the resulting dialog box to open or save the results.

To Delete Entries:

Click the check box beside entries to select a few entries. Or, click the **Select All** button to select all entries in the report.

Click the **Delete** button. The system removes any selected entries.

Field List Updated Report Tab

Select

Click the check box beside entries to select it. Selected entries can be exported to CSV or deleted.

NDC

Hyperlinked field that shows the NDC item in the PPS-N EPL. This field may be blank if the update affects an FDB Dispensable Drug but not a specific FDB Packaged Drug.

VA Product Name

Hyperlinked name of the VA Product item in the PPS-N EPL

FDB Generic Name

The Generic Name used in the FDB

GcnSeqNo

The Generic Code Number Sequence Number, which is a numeric value that corresponds to the Generic Code Number Sequence Number of an FDB generic drug

Rx Message

Message containing the attribute that updated and the value to which it has been updated. To see the old value, click the NDC hyperlink and then look at the audit history record.

Date Submitted

Date and time the item was added to the PPS-N EPL

6. User Preferences Tab

This tab allows you to specify individual settings for your user experience within the application.

To Update User Preferences:

1. Click the **User Preferences** tab. The system opens the User Preferences page.
2. In the **Date/Time Format** box, click an option to select a date format and a time format.
3. In the **Default Login Page** box, click an option: Home Page or Search Page.
4. In the **Table Display Format** box, enter the number of lines you want to display in search result table: 10 to 100.
5. In the **FDB Filter** box, make selections. Note that if you make changes to FDB preferences, you can affect search results that appear when you search the FDB database.
6. Click the **Set Preferences** button.

User Preferences Tab

The screenshot shows the User Preferences page with the following sections and settings:

- Date/Time Format:**
 - Date Format:
○ 1/9/12
○ 1/9/2012
○ 1/09/2012
○ 1/09/12
○ 01/09/12
○ 01/09/2012
● 09-JAN-2012
○ Mon, Jan 9, 2012
 - Time Format:
○ 1:00 PM
● 13:00
- Default Login Page:**
 - Home Page
○ Search Page
- Table Display Format:**

The number of rows displayed by default in a results table:
10 (10-100)
- FDB Filter Settings:**

FDB Status Code Format	Other Settings
Active: <input checked="" type="checkbox"/>	Devices: <input checked="" type="checkbox"/>
Retired: <input checked="" type="checkbox"/>	Single Ingredient: <input type="checkbox"/>
Replaced: <input checked="" type="checkbox"/>	Obsolete Drugs: <input checked="" type="checkbox"/>
Inactive: <input checked="" type="checkbox"/>	Private Labelers: <input checked="" type="checkbox"/>
Unassociated: <input checked="" type="checkbox"/>	Repackagers: <input checked="" type="checkbox"/>
- FDB RX OTC Format:** ● BOTH
○ OTC
○ RX
- FDB Name Type Format:** ● BOTH
○ BRAND ONLY
○ GENERIC ONLY
- FDB Packaged Drug Format:** ● BOTH
○ EQUIVALENT PACKAGE DRUG ONLY
○ PACKAGE DRUG ONLY
- FDB Phonetic Search Format:** ● LITERAL
○ LITERAL AND PHONETIC
○ PHONETIC
- FDB Search Methods Format:** ○ BEGINS WITH EACH STRING
● BEGINS WITH LITERAL
○ CONTAINS EACH STRING
○ CONTAINS LITERAL

Buttons at the bottom: Undo Changes, Set Preferences.

Date and Time Formats

- | | |
|-----------|---|
| 1/9/12 | Non-zero-padded month and day with two-digit year |
| 1/9/2012 | Non-zero-padded month and day with four-digit year |
| 1/09/2012 | Non-zero-padded month, zero-padded day with four-digit year |
| 1/09/12 | Non-zero-padded month, zero-padded day with two-digit year |

01/09/12 Zero-padded month and day with two-digit year

01/09/2012 Zero-padded month and day with four-digit year

09-Jan-2012 Zero padded day, three-letter short form of month spelled out with four-digit year

Mon, Jan 9, 2012 Three-letter short form of day of week and month spelled out, non-zero-padded day with four-digit year

Within Time Formats

1:00 PM Standard U.S. time designation with AM or PM (before or after noon)

13:00 24 hour time designation

6.1.1. Search Preferences Tab

This page allows you to specify how search results are displayed for each search type. Each search type is set to a default, but you can alter the column that display and their order for each search. Search Preferences are only used when **All Fields** is the selected search field.

To Update Search Preferences:

1. Click the **User Preferences** tab. The system opens the User Preferences page.
2. Click the **Search Preferences** tab. The system opens the Search Preferences page.
3. Select Appropriate Search Template using the drop down menu, the options are: Personal Product Search, Personal Orderable Item Search, and Personal NDC Search.
4. To add fields to the results template, select an entry in the Available Fields list, and click the **Right** move button to move the entry to the Selected Fields list.

5. To remove fields from the results template, select an entry in the Selected Fields list, and click **Left** the move button to move the entry to the Available Fields list.

6. To reposition columns in the Selected Field list, select the item in the Selected Fields list, and click the **Up** or **Down** button to move the item up or down in the list.
7. Click the **Submit** button. The system updates the results template with changes.

[Home](#) | [Manage PPS](#) | [Reports](#) | [COTS Services](#) | [Manage Application](#) | [User Preferences](#) | [Help](#)
[User Preferences](#) | [Search Preferences](#) | [Search Preferences](#)
[Page Help](#) | [Provide Feedback](#)

Select Appropriate Search Template:

Personalize the Search Results Table Template

Available Fields:	Selected Fields:
VA Product Name VA Print Name Generic Name Copay Tier Product Strength Product Unit Dosage Form VA Product ID PPS OI Name VA Drug Class CMOP Dispense (National) New Item Request Item Status National Formulary Indicator VA Dispense Unit Category Drug Drug Interaction # of NDCs Formulary Designator	<input type="button" value=""/> > <input type="button" value=""/> < <input type="button" value="Up"/> <input type="button" value="Down"/>

Note! If your changes don't show up, you can click F5 on your keyboard to refresh the list

Figure 74: Search Preferences Tab- Product

[Home](#) | [Manage PPS](#) | [Reports](#) | [COTS Services](#) | [Manage Application](#) | [User Preferences](#) | [Help](#)
[User Preferences](#) | [Search Preferences](#) | [Search Preferences](#)
[Page Help](#) | [Provide Feedback](#)

Select Appropriate Search Template:

Personalize the Search Results Table Template

Available Fields:	Selected Fields:
PPS OI Name OI Type Dosage Form OI Synonym New Item Request Item Status Category Product Count Formulary Designator	<input type="button" value=""/> > <input type="button" value=""/> < <input type="button" value="Up"/> <input type="button" value="Down"/>

Note! If your changes don't show up, you can click F5 on your keyboard to refresh the list

Figure 75: Search Preferences Tab- Orderable Item

7. Help Tab

Click the **Help** tab to open the Help file. The topic Home Page Tab opens. In addition, the following navigational elements are available: Table of Contents, Search, and Glossary.

Table of Contents

The Table of Contents includes books with related topics. Be sure to notice that the books and topics follow the flow of the application. If the table does not open automatically, click the **Show** link in the upper left of a topic page to open it.

To Display Topics:

1. Click the **Help** tab to open the Help file.
2. Click a book to see related sub-books and topics.
3. Click a topic to display related information.

Search

The search element enables you to search for words or strings of text. The search is literal so that if you include a common word like *the* in your search text, the system will return every instance of the word *the* in results.

To Search:

1. Click the **Help** tab to open the Help file.
2. Click the **Search** button.
3. In **Type in the word(s) to search for**, enter a word or text string.
4. Click **Go**. Search results appear in the column below.
5. Click an entry in the results to open a topic page.

Glossary

The Glossary includes definitions for words, abbreviations, and terms used throughout the Help file.

To Search:

1. Click the **Help** tab to open the Help file.
2. Click the **Glossary** button.
3. Scroll through the alphabetized list to the word, abbreviation, or term you need, and click it. The definition displays in the Definition column below.

Conventions Used in Help File

- Links -Links to other topics appear as blue underlined text. Click the link and a new topic opens. Here is an example: Home Page Tab.
- Bread Crumbs -Links to where you are in the Help file appear in the upper right of each topic page. Click a link and you will return to that page.
- Glossary Pop-ups -Pop-ups appear a *blue italic text*. Click the link and a pop-up with the definition of a word, abbreviation, or term opens.

7.1. Accessing Help

If you are having difficulties with opening the Help file using an Internet Explorer 11 browser, complete the following steps to resolve the problem.

To Reset Compatibility:

1. Open an instance of an **Internet Explorer 11** browser.
2. Click the wheel shaped Tools icon in the upper-right of the page. A pop-up menu opens.



3. Click **Compatibility View settings**. The system opens the Compatibility View Settings dialog.
4. In **Add this website**, enter **adobe.com**, and then click the **Add** button. The system adds adobe.com to the website list below that allows a compatibility view.
5. Click the **Close** button.
6. Open **PPS-N**, and click the **Help** tab. The Help file opens.

8. Manage Application Tab

This tab allows you to manage the application. Using this tab, you can manage:

- Domain Mapping
- System Data
- User Roles
- Home Page

To see this tab, you must be assigned the role of National Supervisor. See Identity Management for more information on roles.

8.1. Domain Mapping Tab

This tab allows you to match FDB concepts to VA Drug Concepts. The system uses these matches to create better auto matching and updating algorithms.

To see this tab, you must be assigned the role of National Supervisor. See Identity Management for more information on roles.

To Match:

1. Click the **Domain Mapping** tab. The system opens the page.
2. In **Domain**, select a domain from the drop-down list. See the Drug Concept Type list below for more information.
3. In **Entry Date**, enter a date using the format DD-Mon-YYYY. Only terms added after this date appear in results.
4. Click the **Search** button. The system displays results below.
5. In the **FDB Term List**, click an Associated PPS-N Term to select that term to match the FDB term. The system highlights the selected term.
6. In the **PPS-N Term List**, click a term to match. The system adds the selected term to the Associated PPS-N Term field.
7. Repeat steps 5 and 6 to match additional terms.

8. Click the **Submit** button. The system saves changes to the database.
9. To make corrections, click the **Clear** button to reload the page from the database. Any changes you have made since the **Submit** button was pressed are lost.

FDB Term List	Entry Date	Associated PPS-N Term
ADHESIVE PATCH, MEDICATED	MM/DD/YYYY	
AEROSOL	MM/DD/YYYY	
AEROSOL BREATH ACTIVATED	MM/DD/YYYY	
AEROSOL POWDER	MM/DD/YYYY	
AEROSOL POWDR BREATH ACTIV/	MM/DD/YYYY	
AEROSOL, SPRAY	MM/DD/YYYY	
ALLERGEN	MM/DD/YYYY	
BANDAGE	MM/DD/YYYY	
CONCENTRATE	MM/DD/YYYY	
CONTRACEPTIVE SPONGE	MM/DD/YYYY	

PPS-N Term List
1,1 TRICHLOROETHANE
ABACAVIR
ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE
ABACAVIR/LAMIVUDINE
ABACAVIR/LAMIVUDINE/ZIDOVUDINE
ABARELIX
ABATACEPT
ABCIXIMAB
ACETAMINOPHEN/BUTALBITAL/CODEINE
ACETAMINOPHEN/CAFFEINE

Clear **Submit**

Figure 76: Domain Mapping Tab

Drug Concept Types

Drug Class

A Drug Class is a group of medications that may work in the same way, have a similar chemical structure, or are used to treat the same health condition.

Drug Ingredient

The Drug Ingredient is the substance in a pharmaceutical drug that is biologically active. Some medications may contain more than one active ingredient.

Drug Unit

The unit of measure of a drug.

Dosage Form

The Dosage Form is the physical form of a dose of a chemical compound used as a drug or medication intended for administration or consumption. The route of administration for drug delivery is dependents on the dosage form of the substance.

Generic Name

The term Generic Name has several meanings.

- The chemical name of the drug
- A term referring to the chemical makeup of a drug rather than the advertised brand name under which the drug is sold
- A term referring to any drug marketed under its chemical name without advertising

8.2. Domain Mapping Tab

This tab allows you to match FDB concepts to VA Drug Concepts. The system uses these matches to create better auto matching and updating algorithms.

To see this tab, you must be assigned the role of National Supervisor. See Identity Management for more information on roles.

To Match:

1. Click the **Domain Mapping** tab. The system opens the page.
2. In **Domain**, select a domain from the drop-down list. See the Drug Concept Type list below for more information.
3. In **Entry Date**, enter a date using the format DD-Mon-YYYY. Only terms added after this date appear in results.
4. Click the **Search** button. The system displays results below.
5. In the **FDB Term List**, click an Associated PPS-N Term to select that term to match the FDB term. The system highlights the selected term.
6. In the **PPS-N Term List**, click a term to match. The system adds the selected term to the Associated PPS-N Term field.
7. Repeat steps 5 and 6 to match additional terms.
8. Click the **Submit** button. The system saves changes to the database.
9. To make corrections, click the **Clear** button to reload the page from the database. Any changes you have made since the **Submit** button was pressed are lost.

FDB Term List	Entry Date	Associated PPS-N Term
ADHESIVE PATCH, MEDICATED	MM/DD/YYYY	
AEROSOL	MM/DD/YYYY	
AEROSOL BREATH ACTIVATED	MM/DD/YYYY	
AEROSOL POWDER	MM/DD/YYYY	
AEROSOL POWDR BREATH ACTIV	MM/DD/YYYY	
AEROSOL, SPRAY	MM/DD/YYYY	
ALLERGEN	MM/DD/YYYY	
BANDAGE	MM/DD/YYYY	
CONCENTRATE	MM/DD/YYYY	
CONTRACEPTIVE SPONGE	MM/DD/YYYY	

PPS-N Term List
1,1,1 TRICHLOROETHANE
ABACAVIR
ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE
ABACAVIR/LAMIVUDINE
ABACAVIR/LAMIVUDINE/ZIDOVUDINE
ABARELIX
ABATACEPT
ABCIXIMAB
ACETAMINOPHEN/BUTALBITAL/CODEINE
ACETAMINOPHEN/CAFFEINE

Figure 77: Domain Mapping Tab

Drug Concept Types

Drug Class

A Drug Class is a group of medications that may work in the same way, have a similar chemical structure, or are used to treat the same health condition.

Drug Ingredient

The Drug Ingredient is the substance in a pharmaceutical drug that is biologically active. Some medications may contain more than one active ingredient.

Drug Unit

The unit of measure of a drug.

Dosage Form

The Dosage Form is the physical form of a dose of a chemical compound used as a drug or medication intended for administration or consumption. The route of administration for drug delivery is dependent on the dosage form of the substance.

Generic Name

The term Generic Name has several meanings.

- The chemical name of the drug
- A term referring to the chemical makeup of a drug rather than the advertised brand name under which the drug is sold
- A term referring to any drug marketed under its chemical name without advertising

8.3. System Data Tab

This tab allows you to schedule when background tasks run. Each of these tasks runs independently. For performance reasons, the tasks should be scheduled to run during the system's down time. In addition, they should be spaced out so that they do not run at the same time. Generally, each task runs in less than five minutes. Therefore, they do not need to be spread out significantly.

To see this tab, you must be assigned the role of National Supervisor. See Identity Management for more information on roles.

To Refresh Data or Pause/Resume:

1. To refresh data, click the **Refresh** button in the upper right of the page.
2. To stop job processing, click the **Pause** button in the Controls column beside a job.
3. To start job processing, click the **Resume** button in the Controls column beside a job.

To Schedule Job:

1. Locate the job you want to schedule. See Job Types for more information on jobs.
2. Click the **Pause** button in the Controls column. The system enables buttons and fields.
3. In **Hrs**, select an hour from the drop-down list: 1–23.
4. In **Mins**, select a minute from the drop-down list: 1–59.
5. Click the **Schedule** button to save changes.

Fdb Control Process								
System Time: Mar-07-2016 11:33:12 Scheduler Status: RUNNING								
Jobs	Controls	Day Of Wk	Hrs	Mins	Job Status	Next Fire Time	Last Success Run	Process Status
NDF Update	Resume <input type="button" value="Pause"/>	Saturday	2	10	RUNNING	Mar-08-2016 02:10:00	Mar-05-2016 02:10:00	COMPLETED
	Schedule <input type="button" value=""/>							
Fdb Add	Resume <input type="button" value="Pause"/>		6	0	RUNNING	Mar-04-2016 06:00:00	Feb-27-2014 00:00:00	COMPLETED
	Schedule <input type="button" value=""/>							
Inactivation Job	Resume <input type="button" value="Pause"/>		1	0	RUNNING	Mar-04-2016 01:00:00	Mar-07-2016 01:00:00	COMPLETED
	Schedule <input type="button" value=""/>							
RxNorm Update	Resume <input type="button" value="Pause"/>		4	10	RUNNING	Mar-08-2016 04:10:00	Mar-07-2016 05:17:26	COMPLETED
	Schedule <input type="button" value=""/>							
Fdb Update	Resume <input type="button" value="Pause"/>		5	0	RUNNING	Mar-08-2016 05:00:00	Feb-27-2014 00:00:00	COMPLETED
	Schedule <input type="button" value=""/>							
STS	Resume <input type="button" value="Pause"/>		3	0	RUNNING	Mar-04-2016 03:00:00	Mar-07-2016 03:00:00	COMPLETED
	Schedule <input type="button" value=""/>							
FSS	Resume <input type="button" value="Pause"/>		2	0	RUNNING	Mar-08-2016 02:00:00	Mar-07-2016 02:00:00	COMPLETED
	Schedule <input type="button" value=""/>							
Messaging Status		FDA Host Name	Messages on Queue		Messaging Running	Error Messages		
On <input type="button" value=""/>	Off <input type="button" value=""/>	https://www.cmopnation.com	Update <input type="button" value=""/>	0	false			

Figure 78: System Data Tab

Field List System Data Tab

System Time

Current date and time of the application server that will be processing the request. The application server can be in a different time zone than the client machine on which you are working.

Scheduler Status

The status should always be **Running**. If this field is set to anything other than running, a serious error has occurred. Notify System Administrators immediately.

Jobs

The name of the job. For more information on each type of job, see Job Types.

Controls

Click the **Pause** button to stop the job from running at the specified time and put the job in a hold mode. The system enables the **Resume** and **Schedule** buttons.

Click the **Resume** button to restart job processing if it was paused for some reason.

Click the **Schedule** button to schedule a job to run once they have set the hours and minutes.

Hrs

The server time hours for the job to run. For example, selecting 1 would have the job run in the 1 a.m. hour. This field is used in conjunction with the Mins column.

Mins

The server time minutes for the job to run. For example, selecting 30 would have the job run at the bottom of the hour. This field is used in conjunction with the Hrs column.

Job Status

The status of the job

PAUSED indicates that the job is not currently scheduled to run.

RUNNING indicates that the job will run at the time in the Next Fire Time field.

Next Fire Time

The next scheduled time for the job to run

Last Successful Run

For the Inactivation, FSS, and STS jobs, this field shows the date and time the job finished on its last run.

For the FDB Add and Update jobs, this field shows the latest value in the AddDate or UpdateDate field in the FDB Packaged Drug table.

Process Status

The status of processing

STOPPED indicates the job has not been executed since the code was deployed.

COMPLETED indicates that the job has executed and the Last success Run holds the date and time the job last completed.

RUNNING indicates the job is currently running.

Field List Messaging

Messaging Status

The button indicates the current status of messaging. Click a button to change the status.

A status of Off indicates that messages are being queued as they are generated. Click **Off** to turn on system messaging.

A status of On indicates that messages are being sent to NDF as they are generated. Click **On** to turn off system messaging.

FDA Host Name

The host name of the FDA Server that holds the FDB Med guides. The host name is used in conjunction with the name of the medical guide in the product attribute to display the appropriate medical guide.

Messages on Queue

The integer count of the number of message in the NDF message queue.

Messages Running

Used in conjunction with the **Massage Status** button, this field indicates status.

If True, messaging is turned on.

If False, messaging is turned off.

Error Messages

If errors occur during processing of the NDF Messages from the queue, the error displays in this field. When errors occur, the system automatically turns off messaging.

8.3.1. Job Types

Inactivation Job

This job looks at the Product and NDC proposed inactivation date.

If there are any NDCs that are Active and have a proposed Inactivation date earlier than the current date, the system inactivates the NDC.

If there are any Products that are Active and have a proposed Inactivation date earlier than the current date, the system adds a Request to Inactivate the product to the request list.

FDB Update

This job searches the FDB Packaged Drugs Update Date field for all entries greater than the Last Successful Run date. When a match is found, the system checks the FDB Drug against its VA equivalent to see if any fields that are currently monitored by the VA were updated.

If yes, the job adds an entry to the FDB Update list (if the system could not automatically process the update) or the Update Report (if the system automatically processed the update),

FDB Add

This job searches the FDB Packaged Drugs Add Date field for all entries greater than the Last Successful Run date. When a match is found, the system adds the Packaged Drug to the PPS-N EPL (if criteria for auto add are met) and places the Packaged Drug on the FDB Add list for NDF Managers to process,

NDF Update Job

This job automatically creates the file of updates to the National Data File that will be distributed to the local VistA sites. This file may also be created manually using the Create Update File button found on the Manage Update Files page.

FSS

This job searches the FSS database for any updates that have occurred since the Last Success Run time. The system automatically updates any PPS-N EPL NDCs that have corresponding updates in FSS.

STS

This job calls the Standard Terminology Web Service (STS) to retrieve the up-to-date list of Standard Medication Routes. The system adds any newly added routes to the PPS-N EPL. You can view Standard Med Route Names to see detailed information.

RxNorm

This job searches the National Library of Medicine (NLM) for the RxCUID file, which includes product-related normal prescription data. If the job finds the file or returns data, the process updates the product(s) in PPS-N.

The update of normal prescription data can be suppressed using the **RxNorm Suppress** and/or the **Exclude from AutoUpdate** fields on the Product Quick Actions Tab RxNorm.

8.4. User Roles Tab

This tab allows you to assign roles to users, which enables them to do more than view system data.

To see this tab, you must be assigned the role of National Supervisor. See Identity Management for more information on roles.

To Grant Permissions:

1. Click the **User Roles** tab. The system opens the page.
2. Find the user in the Username list. Users with roles that have additional permissions have check boxes available for selection based on their assigned role. To see more information on user roles, see Identity Management.
3. Click a check box to grant the associated set of permissions.
4. Click the **Submit** button. The system processes changes and updates permissions for the user.

The screenshot shows a web-based application interface for managing user roles. At the top, there is a navigation bar with links: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there are tabs: Domain Mapping, System Data, User Roles (which is the active tab), and Edit Home Page. A sub-header 'User Roles' is displayed above a table. The table has columns: Username, DUZ, Location, PPS-National Migration User, PPS-National Second Approver, PPS-National Manager, and PPS-National Supervisor. Each row lists a user's details and checkboxes for each role. Alice has checkboxes for all roles except Supervisor. Betty has checkboxes for Manager and Supervisor. Calvin has a checkbox for Manager. David has checkboxes for Manager and Supervisor. Edward has a checkbox for Second Approver. George has a checkbox for Manager. Howard has a checkbox for Manager. Joyce has checkboxes for Second Approver and Manager. Linda has a checkbox for Manager. Michelle has a checkbox for Manager. At the bottom of the table are 'Submit' and 'Cancel' buttons.

Username	DUZ	Location	PPS-National Migration User	PPS-National Second Approver	PPS-National Manager	PPS-National Supervisor
Alice	4590	502	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Betty	3751	636				<input checked="" type="checkbox"/>
Calvin	504	541			<input checked="" type="checkbox"/>	
David	3805	764			<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Edward	150453	578		<input checked="" type="checkbox"/>		
George	133318	578				
Howard	22564	649	<input checked="" type="checkbox"/>			
Joyce	69304	596	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Linda	242387	578				
Michelle	3037053	688				

Figure 79: User Roles Tab

8.5. Edit Home Page Tab

You can use this tab to change the image and text on the Home page of the application.

To see this tab, you must be assigned the role of National Supervisor. See Identity Management for more information on roles.

To Change Image:

1. Click the **Edit Home Page** tab. The system opens the page.
2. Select an option from the image drop-down list: Default System Image or Current Custom Image. They system updates the image.
3. Click the **Save Changes** button. The system processes the request and displays the image on the Home page.

To Upload New Image:

1. Click the **Edit Home Page** tab. The system opens the page.
2. In the image drop-down list, select **Upload New Image**. The system opens the Upload Image field with a **Browse** button.
3. Click the **Browse** button to open a navigational dialog, and select an image to upload. The system adds the image name in the Upload Image field.
4. Click the **Save Changes** button. The system processes the request and displays the image on the Home page.

Image Options

Default System Image

The default image that comes bundled with the application. To change the default image, the application must be updated and reinstalled.

Current Custom Image

A custom image that a Supervisor uploaded. If a custom image has not been uploaded, the default image displays. After you select an image and click the **Save Changes** button, the system submits the form. After the system processes the submission, the custom image field automatically changes to the Current Custom Image and a preview of the image displays below.

Upload New Image

This option allows a Supervisor to upload a custom image to the server. This action over-writes the previous custom image. A form field allowing file selection appears below when this option is selected. Images are restricted to a maximum height or width of 500 pixels. Larger images can become scaled.

To Update Message:

1. Click the **Edit Home Page** tab. The system opens the page.
2. In **Title**, update the page title.
3. In **Body**, update the text in the body of the Home page.
4. In **Link Title**, enter text for the link a user presses to see the remainder of the body.
5. In **Link**, enter the link page address (URL -Uniform Resource Locator). Or, enter a value of # and the link does not display another page.
6. Click the **Save Changes** button. The system processes the request and displays the message on the Home page.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Domain Mapping	System Data	User Roles	Edit Home Page			
Edit Home Page						
<p>Home Page Image</p> <p>Select image: <input type="button" value="Current Custom Image"/></p> 		<p>Announcement Information</p> <p>Title: <input type="text" value="Don't Return Controlled Substance"/></p> <p>Body: (2000 character limit)</p> <p>No provisions in Controlled Substances Act or Code of Federal Regulations for pharmacy take back of controlled substances from patients. Pharmacists should be aware that no provisions exist in the Controlled Substances Act or Code of Federal Regulations (CFR) for a DEA registrant, such as a community pharmacy, to take back controlled substances from a non-registrant (i.e., individual patient). However, patients may return an unused controlled substance medication</p> <p>Link Title: <input type="text" value="Full Story..."/></p> <p>Link: <input type="text" value="#"/></p>				
<input type="button" value="Undo Changes"/> <input type="button" value="Save Changes"/>						

Figure 80: Home Page Message (Editing)

9. Migration Tab

This tab allows you to complete the migration tasks. Using this tab, you can:

- Migrate DDI (Drug-Drug Interaction file)
- Migrate Package Size
- Migrate Copay Tier Data
- Migrate Formulary Designator Data
- Migrate Hazardous Waste Data

To see this tab, you must be assigned the role of National Migrator. See Identity Management for more information on roles.

9.1. Migrate Package Size Tab

Use this tab to migrate the package size file.

To Migrate:

1. Click the **Migration** tab, and then click the **Migrate Package Size** tab.
2. Click the **Browse** button. The system opens a navigation dialog.
3. Navigate to and select the package size file you want to migrate.
4. Click the **Open** button. The system adds the file name to the Package Size file field.
5. Click the **Upload** button. The system uploads the file.

9.2. Migrate Copay Tier Data

Migrate Copay Tier Data - this allows the user to import a file to populate the Copay Tier Level Fields for associated PPS-N Files.

The structure of the file should be in the following format:

- VUID
- VA_Product_Name
- Tier
- Effective Date
- Migrate Copay Tier Data

Use this tab to migrate the copay tier level fields.

To Migrate:

1. Click the Migration tab, and then click the Migrate Copay Tier Data tab.
2. Click the Browse button. The system opens a navigation dialog.
3. Navigate to and select the file you want to migrate.
4. Click the Open button. The system adds the file name to the Copay Tier Data file field.
5. Click the Upload button. The system uploads the file.
6. Once the migration process has completed, click the Download button to view the migration results.

9.3. Migrate DDI Tab

Use this tab to migrate the Drug-Drug Interaction file.

To Migrate:

1. Click the Migration tab, and then click the Migrate DDI tab.
2. Click the Browse button. The system opens a navigation dialog.
3. Navigate to and select the drug-drug interaction file you want to migrate.
4. Click the Open button. The system adds the file name to the Drug Drug Interaction file field.
5. Click the Upload button. The system uploads the file.

9.4. Migrate Formulary Designator Data

Use this tab to migrate formulary designator data.

If the user tries to import a file and a required field is left blank, the user will see this error message: "The import file data is formatted incorrectly: for input string 'xx'".

If the user exports the file from the database, please the instructions below:

1. Export the file into a comma separated file (CSV).
2. Open an Excel file that will be the import spreadsheet and go to the Data tab and select From Text.
3. Pick the CSV file in the Import Text File popup window.
4. After the file has been selected, it will ask for a delimiter (comma) and then another page will let the user select each column and specify the data type.

Note: The EPL_ID column in the import spreadsheet must be formatted as "text" in Excel, not as a number, to ensure that the correct values are imported (Excel rounds any number longer than 15 digits to zero in right-most digits, which makes the EPL IDs invalid).

The structure of the file should be in the following format:

- Column A = EPL ID
- Column B = Orderable Item Name
- Column C = Formulary Designator
- Column D = Orderable Item Text

To Migrate:

1. Click the Migration tab, and then click the Migrate Formulary Designator Data tab.
2. Click the Browse button. The system opens a navigation dialog.
3. Navigate to and select the file you want to migrate.
4. Click the Open button. The system adds the file name to the Formulary Designator Data file field.
5. Click the Upload button. The system uploads the file.
6. Once the migration process has completed, click the Download button to view migration results.

9.5. Migrate Hazardous Waste Data

Use this tab to migrate hazardous waste data.

If the user tries to import a file and a required field is left blank, the user will see this error message: "The import file data is formatted incorrectly: for input string 'xx'".

If the user exports the file from the database, please the instructions below:

1. Export the file into a comma separated file (CSV).
2. Open an Excel file that will be the import spreadsheet and go to the Data tab and select From Text.
3. Pick the CSV file in the Import Text File popup window.
4. After the file has been selected, it will ask for a delimiter (comma) and then another page will let the user select each column and specify the data type.

Note: The EPL_ID column in the import spreadsheet must be formatted as "text" in Excel, not as a number, to ensure that the correct values are imported (Excel rounds any number longer than 15 digits to zero in right-most digits, which makes the EPL IDs invalid).

The structure of the file should be in the following format:

- VUID
- EPL_ID
- CMOP_ID
- NDF_Product_IEN
- VA_Product_Name

- Generic_Name
- Schedule_Name
- DF_Name
- Hazardous_To_Handle
- Hazardous_To_Dispose
- Primary_EPA
- Waste_Sort_Code
- DOT_Shipping_Name

To Migrate:

1. Click the Migration tab, and then click the Migrate Hazardous Waste Data tab.
2. Click the Browse button. The system opens a navigation dialog.
3. Navigate to and select the file you want to migrate.
4. Click the Open button. The system adds the file name to the Hazardous Waste Data file field.
5. Click the Upload button. The system uploads the file.
6. Once the migration process has completed, click the Download button to view the migration results.

To run the query to dump the products from the database to generate the input file for hazardous waste is below. After creating the file, the user will have to modify the values in the hazardous waste columns of the file to reflect what the products should have and then they can feed it into the migration.

- select p.VUID as VUID, p.EPL_ID as EPL_ID, CMOP_ID, NDF_PRODUCT_IEN, VA_PRODUCT_NAME,
- gn.GENERIC_NAME as GENERIC_NAME, fs.SCHEDULE_NAME as SCHEDULE_NAME, DF.DF_NAME as DF_NAME, HAZARDOUS_TO_HANDLE, HAZARDOUS_TO_DISPOSE, PRIMARY_EPA, WASTE_SORT_CODE,
- DOT_SHIPPING_NAME from ppsnepl.epl_products p, ppsnepl.epl_orderable_items oi, ppsnepl.epl_usage_forms
- df, ppsnepl.EPL_CS_FED_SCHEDULES fs, ppsnepl.EPL_VA_GEN_NAMES gn where oi.epl_id
- =P.EPL_ID_OI_FK AND df.epl_id =OI.USAGE_FORM_ID_FK AND fs.epl_id =P.CS_FED_SCHED_ID_FK
- AND gn.epl_id = P.VA_GEN_NAME_ID_FK;

10. Additional Help

11. Appendix

This section includes some helpful information that is referenced from many topics.

A-Z Tab	NDC Edit Tabs
----------------	----------------------

<p>History Tab</p> <p>Icon and Button List</p> <p>Add Domain Pages</p> <ul style="list-style-type: none"> • Add Drug Class • Add Dispense Unit Name • Add Dosage Form Name • Add Dose Unit Name • Add Drug Text Name • Add Drug Unit Name • Add Generic Name • Add Copay Tier • Add Ingredient Name • Add Manufacturer Name • Add Order Unit Abbreviation • Add Package Type Name • Add Special Handling Code • Add Standard Med Route Name <p>Edit Domain Pages</p> <ul style="list-style-type: none"> • Edit Drug Class • Edit Dispense Unit Name • Edit Dosage Form Name • Edit Dose Unit Name • Edit Drug Text Name • Edit Drug Unit Name • Edit Generic Name • Edit Copay Tier • Edit Ingredient Name • Edit Manufacturer Name • Edit Order Unit Abbreviation • Edit Package Type Name • Edit Special Handling Code • Edit Standard Med Route Name 	<ul style="list-style-type: none"> • Header • Main Tab • Price Tab <p>Orderable Item Edit Tabs</p> <ul style="list-style-type: none"> • Header • Details Tab • Labs & Vitals Tab • Products Tab • Safety Tab <p>Product Edit Tabs</p> <ul style="list-style-type: none"> • Header • National Data Tab • Drug Data Tab <p>Product Quick Actions Tab</p> <ul style="list-style-type: none"> • CMOP Mark / Unmark • Enter / Edit Dosages • Print PMI • Print Warning Labels • RxNorm <p>Product Application Data Tab</p> <ul style="list-style-type: none"> • Controlled Substance • Drug Accountability • Inpatient - Unit Dose • IV • Non-VA Med • Outpatient • Surgery • Ward Stock • Dispense Data Tab • Administration Data Tab • NDCs Tab <p>Product Change Request Tab</p> <p>Product Pending Modification Tab</p>
---	---

11.1. A–Z Tab

This tab appears frequently. The tab includes a list of all attributes for the applicable Product, Orderable Item, or NDC in a table format. Many fields are editable.

The following restrictions can appear beside field labels:

L - This label indicates the field is Local Only and cannot be modified by National Users.

* - This label indicates a mandatory field; that is, a field you must complete.

R | This label indicates a read-only field. Read-only fields are fields that can be entered when an Orderable Item is created but cannot be modified after the creation.

To Edit Fields

1. Click the link in the Field Name column. The system displays a pop-up window with current values for that field.
2. In the pop-up window, make changes in the editable value fields, and then click the **Save Changes** button. The system closes the pop-up window and updates the Current Value for the field in the A-Z tab.
3. After making all changes, click the **Submit** button to save all changes made to the Product, Orderable Item, or NDC. The system opens a Modification Summary.
4. Click **Accept Changes**. A confirmation message appears: Your changes have been committed.
5. Click **OK** to acknowledge the message. The system displays the Request Tab.

Field List A–Z Tab Headers

See the following topics for information about header fields.

NDC Header

Orderable Item Header

Product Header

Field List A–Z Tab Table

Field Name

Click the link to open the pop-up for the Field Name. Data in the fields on this page comes from many sources. For more information on a specific field, search for the field label in the Help file.

If the field is editable, the pop-up includes an entry field and buttons. See edit instructions above.

If the field is editable with restrictions, the pop-up includes current data and restrictions. For example, the pop-up might include the following statement: *This field is local-only, and cannot be edited by National*. Therefore, while the field is editable, only a local user can edit it. A user with a National role has read-only access.

If the field cannot be edited, the pop-up includes current data and restrictions. The pop-up will include the following statement: *This field is read-only, and cannot be edited*.

Current Value

The view-only Current Value for the associated field name

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Submit

Click this button to submit the additions or changes you have made.

Simple Search > Edit Product

Product :	ACAI CAP/TAB	PPS OI Name :	ACAI CAP/TAB	Page Help	Provide Feedback																																																																																																																																																																																																																																																																																																						
Primary Class :	HAD00 - HERBS/ALTERNATIVE THERAPIES	Application Package Use :	X																																																																																																																																																																																																																																																																																																								
Category :	Medication	Item Status :	Active																																																																																																																																																																																																																																																																																																								
New Item Request :		New Item Request :	Approved																																																																																																																																																																																																																																																																																																								
National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs																																																																																																																																																																																																																																																																																																											
Legend: * Is required, L Is local-only, R Is read-only																																																																																																																																																																																																																																																																																																											
<table border="1"> <thead> <tr> <th>Field Name</th> <th>Current Value</th> <th>Field Name</th> <th>Current Value</th> <th>Field Name</th> <th>Current Value</th> </tr> </thead> <tbody> <tr> <td>Action Profile Message (OP) [L]</td> <td>Click link for details</td> <td>High Risk Follow-Up</td> <td>No</td> <td>Previously Marked for Local Use [L]</td> <td>No</td> </tr> <tr> <td>Active Ingredient [L]</td> <td>Click link for details</td> <td>High Risk Follow-Up Time Period</td> <td></td> <td>Price per Dispense Unit [L]</td> <td></td> </tr> <tr> <td>Application Package Use [L]</td> <td>Click link for details</td> <td>High Risk Med</td> <td>No</td> <td>Price per Order Unit [L]</td> <td></td> </tr> <tr> <td>Approved for Splitting</td> <td></td> <td>IEN [L]</td> <td></td> <td>Primary EPA Code</td> <td></td> </tr> <tr> <td>AR/WS Amls Category</td> <td></td> <td>IFCAP Item Number [L]</td> <td>Click link for details</td> <td>Product Dispense Units per Order Unit</td> <td></td> </tr> <tr> <td>AR/WS Amls Conversion Number</td> <td></td> <td>Inpatient Medication Expired Orders</td> <td></td> <td>Product Inactivation Date [R]</td> <td></td> </tr> <tr> <td>ATC Canister [L]</td> <td>Click link for details</td> <td>Max Time</td> <td></td> <td>Product Package</td> <td></td> </tr> <tr> <td>ATC Canisters [L]</td> <td>Click link for details</td> <td>Inpatient Medication Expired Orders</td> <td></td> <td>Product Strength</td> <td></td> </tr> <tr> <td>ATC Choice [L]</td> <td>Click link for details</td> <td>Min Time</td> <td></td> <td>Product Text</td> <td></td> </tr> <tr> <td>ATC Mnemonic [L]</td> <td>Click link for details</td> <td>Inpatient Pharmacy Location [L]</td> <td></td> <td>Product Unit</td> <td></td> </tr> <tr> <td>Auto-Create Possible Dosage</td> <td>Yes</td> <td>Item Status [*]</td> <td>Active</td> <td>Proposed Inactivation Date</td> <td></td> </tr> <tr> <td>Category [* R]</td> <td>Click link for details</td> <td>Lab Monitor Mark</td> <td>No</td> <td>Protect from Light</td> <td></td> </tr> <tr> <td>CMOP Dispense (National)</td> <td>No</td> <td>Lab Test Monitor [L]</td> <td></td> <td>Quantity Dispense Message</td> <td></td> </tr> <tr> <td>Copay Tier</td> <td>Click link for details</td> <td>Labs during Administration [L]</td> <td>Click link for details</td> <td>Recall Level</td> <td></td> </tr> <tr> <td>Corresponding Inpatient Drug [L]</td> <td></td> <td>Labs during Finishing an Order [L]</td> <td>Click link for details</td> <td>Ratiopharm</td> <td></td> </tr> <tr> <td>Corresponding Outpatient Drug [L]</td> <td></td> <td>Last RxNorm Update</td> <td>Click link for details</td> <td>Rejection Reason Comment [R]</td> <td></td> </tr> <tr> <td>CS Federal Schedule [*]</td> <td>0 - UNSCHEDULED</td> <td>Local Drug Text Entry [L]</td> <td>Click link for details</td> <td>Reorder Level [L]</td> <td></td> </tr> <tr> <td>Current Inventory [L]</td> <td>0</td> <td>Local Non-Formulary [L]</td> <td>No</td> <td>Request Rejection Reason [R]</td> <td></td> </tr> <tr> <td>DAW Code</td> <td>0-NO PRODUCT SELECTION INDICATED</td> <td>Local Possible Dosages [L]</td> <td>Click link for details</td> <td>RX Message</td> <td></td> </tr> <tr> <td>Day (ND) or Dose (NI) Limit</td> <td></td> <td>Local Print Name [L]</td> <td></td> <td>RXCLUI</td> <td></td> </tr> <tr> <td>DEA Schedule [*]</td> <td>O-Unscheduled</td> <td>Local Special Handling [L]</td> <td></td> <td>RxNorm Language</td> <td></td> </tr> <tr> <td>Default Mail Service</td> <td></td> <td>Local Use [L]</td> <td>No</td> <td>RxNorm Name</td> <td></td> </tr> <tr> <td>Dispense Days Supply Limit</td> <td></td> <td>Long Term Out of Stock</td> <td>No</td> <td>RxNorm Suppress</td> <td></td> </tr> <tr> <td>Dispense Limit for Order</td> <td></td> <td>Low Safety Margin</td> <td>No</td> <td>RxNorm Synonym</td> <td></td> </tr> <tr> <td>Dispense Limit Schedule</td> <td></td> <td>Master Entry For VUID [R]</td> <td>Yes</td> <td>RxNorm TTY</td> <td></td> </tr> <tr> <td>Dispense Override</td> <td></td> <td>Max Dispense Limit</td> <td></td> <td>RxNorm UMLSCUI</td> <td></td> </tr> <tr> <td>Dispense Override Reason</td> <td></td> <td>Maximum Dose per Day</td> <td></td> <td>Service Code [R]</td> <td>620716</td> </tr> <tr> <td>Dispense Override Reason Entered By</td> <td></td> <td>Monitor Max Date</td> <td></td> <td>Single/Multi Source</td> <td>M - Multi Source</td> </tr> <tr> <td>Dispense Quantity Limit</td> <td>0, 0</td> <td>Monitor Routine</td> <td></td> <td>Special Handling</td> <td>Click link for details</td> </tr> <tr> <td>Dispense Quantity Override</td> <td></td> <td>National Drug Text Entry</td> <td>Click link for details</td> <td>Specimen Type [L]</td> <td></td> </tr> <tr> <td>Dispense Quantity Override Reason</td> <td></td> <td>National Formulary Indicator</td> <td>No</td> <td>Sub-Category</td> <td>Click link for details</td> </tr> <tr> <td>Do Not Handle If Pregnant</td> <td>No</td> <td>National Formulary Name [* R]</td> <td>ACAI CAP/TAB</td> <td>Synonyms</td> <td>Click link for details</td> </tr> <tr> <td>Do Not Mail</td> <td>No</td> <td>NCPDP Dispense Unit [*]</td> <td>EA-EACH</td> <td>Tallman Lettering</td> <td></td> </tr> <tr> <td>DOT Shipping Name</td> <td></td> <td>NCPDP Quantity Multiplier [*]</td> <td>1</td> <td>Total Dispense Quantity</td> <td></td> </tr> <tr> <td>Effective Dates [R]</td> <td>Click link for details</td> <td>NDC by Outpatient Site [L]</td> <td>Click link for details</td> <td>Transmit to CMOP (Local) [L]</td> <td>No</td> </tr> <tr> <td>Exclude Drug-Drug Interaction Check</td> <td>No</td> <td>NDF Product IEN [R]</td> <td>20716</td> <td>Unit Dose Schedule</td> <td></td> </tr> <tr> <td>Exclude from AutoUpdate</td> <td>No</td> <td>New Item Request [R]</td> <td>Approved</td> <td>Unit Dose Schedule Type</td> <td></td> </tr> <tr> <td>FDA Med Guide</td> <td></td> <td>Non-Renewable</td> <td>No</td> <td>VA Dispense Unit [*]</td> <td>CAP/TAB</td> </tr> <tr> <td>Follow-Up Time</td> <td>No</td> <td>Normal Amount To Order [L]</td> <td>0</td> <td>VA Drug Classes [*]</td> <td>Click link for details</td> </tr> <tr> <td>Formulary [L]</td> <td>NF</td> <td>Number of Associated Labs [L]</td> <td></td> <td>VA Print Name [*]</td> <td>ACAI CAP/TAB</td> </tr> <tr> <td>Formulary Alternative</td> <td></td> <td>Number of Doses</td> <td></td> <td>VA Product ID [* R]</td> <td>A1494</td> </tr> <tr> <td>Formulary Designator</td> <td></td> <td>Number of Lab Instances Displayed [L]</td> <td></td> <td>VA Product Name [R]</td> <td>ACAI CAP/TAB</td> </tr> <tr> <td>FSN/NSN</td> <td></td> <td>OP External Dispense [L]</td> <td>No</td> <td>Vitals during Administration [L]</td> <td>Click link for details</td> </tr> <tr> <td>GCNSEQNO</td> <td>065029</td> <td>Order Unit</td> <td></td> <td>Vitals during Finishing an Order [L]</td> <td>Click link for details</td> </tr> <tr> <td>Generic Name [*]</td> <td>ACAI</td> <td>Override Dose Form Dose Check Exclusion</td> <td>No</td> <td>Vitals during Order Entry [L]</td> <td>Click link for details</td> </tr> <tr> <td>Hazardous to Dispose</td> <td>No</td> <td>Patient Specific Label</td> <td>No</td> <td>VUID [R]</td> <td>4023755</td> </tr> <tr> <td>Hazardous to Handle</td> <td>No</td> <td>Possible Dosages [L]</td> <td>Click link for details</td> <td>Waste Sort Code</td> <td></td> </tr> <tr> <td>Hazardous to Patient</td> <td>No</td> <td>Possible Dosages To Create</td> <td></td> <td>Witness Required</td> <td>No</td> </tr> </tbody> </table>						Field Name	Current Value	Field Name	Current Value	Field Name	Current Value	Action Profile Message (OP) [L]	Click link for details	High Risk Follow-Up	No	Previously Marked for Local Use [L]	No	Active Ingredient [L]	Click link for details	High Risk Follow-Up Time Period		Price per Dispense Unit [L]		Application Package Use [L]	Click link for details	High Risk Med	No	Price per Order Unit [L]		Approved for Splitting		IEN [L]		Primary EPA Code		AR/WS Amls Category		IFCAP Item Number [L]	Click link for details	Product Dispense Units per Order Unit		AR/WS Amls Conversion Number		Inpatient Medication Expired Orders		Product Inactivation Date [R]		ATC Canister [L]	Click link for details	Max Time		Product Package		ATC Canisters [L]	Click link for details	Inpatient Medication Expired Orders		Product Strength		ATC Choice [L]	Click link for details	Min Time		Product Text		ATC Mnemonic [L]	Click link for details	Inpatient Pharmacy Location [L]		Product Unit		Auto-Create Possible Dosage	Yes	Item Status [*]	Active	Proposed Inactivation Date		Category [* R]	Click link for details	Lab Monitor Mark	No	Protect from Light		CMOP Dispense (National)	No	Lab Test Monitor [L]		Quantity Dispense Message		Copay Tier	Click link for details	Labs during Administration [L]	Click link for details	Recall Level		Corresponding Inpatient Drug [L]		Labs during Finishing an Order [L]	Click link for details	Ratiopharm		Corresponding Outpatient Drug [L]		Last RxNorm Update	Click link for details	Rejection Reason Comment [R]		CS Federal Schedule [*]	0 - UNSCHEDULED	Local Drug Text Entry [L]	Click link for details	Reorder Level [L]		Current Inventory [L]	0	Local Non-Formulary [L]	No	Request Rejection Reason [R]		DAW Code	0-NO PRODUCT SELECTION INDICATED	Local Possible Dosages [L]	Click link for details	RX Message		Day (ND) or Dose (NI) Limit		Local Print Name [L]		RXCLUI		DEA Schedule [*]	O-Unscheduled	Local Special Handling [L]		RxNorm Language		Default Mail Service		Local Use [L]	No	RxNorm Name		Dispense Days Supply Limit		Long Term Out of Stock	No	RxNorm Suppress		Dispense Limit for Order		Low Safety Margin	No	RxNorm Synonym		Dispense Limit Schedule		Master Entry For VUID [R]	Yes	RxNorm TTY		Dispense Override		Max Dispense Limit		RxNorm UMLSCUI		Dispense Override Reason		Maximum Dose per Day		Service Code [R]	620716	Dispense Override Reason Entered By		Monitor Max Date		Single/Multi Source	M - Multi Source	Dispense Quantity Limit	0, 0	Monitor Routine		Special Handling	Click link for details	Dispense Quantity Override		National Drug Text Entry	Click link for details	Specimen Type [L]		Dispense Quantity Override Reason		National Formulary Indicator	No	Sub-Category	Click link for details	Do Not Handle If Pregnant	No	National Formulary Name [* R]	ACAI CAP/TAB	Synonyms	Click link for details	Do Not Mail	No	NCPDP Dispense Unit [*]	EA-EACH	Tallman Lettering		DOT Shipping Name		NCPDP Quantity Multiplier [*]	1	Total Dispense Quantity		Effective Dates [R]	Click link for details	NDC by Outpatient Site [L]	Click link for details	Transmit to CMOP (Local) [L]	No	Exclude Drug-Drug Interaction Check	No	NDF Product IEN [R]	20716	Unit Dose Schedule		Exclude from AutoUpdate	No	New Item Request [R]	Approved	Unit Dose Schedule Type		FDA Med Guide		Non-Renewable	No	VA Dispense Unit [*]	CAP/TAB	Follow-Up Time	No	Normal Amount To Order [L]	0	VA Drug Classes [*]	Click link for details	Formulary [L]	NF	Number of Associated Labs [L]		VA Print Name [*]	ACAI CAP/TAB	Formulary Alternative		Number of Doses		VA Product ID [* R]	A1494	Formulary Designator		Number of Lab Instances Displayed [L]		VA Product Name [R]	ACAI CAP/TAB	FSN/NSN		OP External Dispense [L]	No	Vitals during Administration [L]	Click link for details	GCNSEQNO	065029	Order Unit		Vitals during Finishing an Order [L]	Click link for details	Generic Name [*]	ACAI	Override Dose Form Dose Check Exclusion	No	Vitals during Order Entry [L]	Click link for details	Hazardous to Dispose	No	Patient Specific Label	No	VUID [R]	4023755	Hazardous to Handle	No	Possible Dosages [L]	Click link for details	Waste Sort Code		Hazardous to Patient	No	Possible Dosages To Create		Witness Required	No
Field Name	Current Value	Field Name	Current Value	Field Name	Current Value																																																																																																																																																																																																																																																																																																						
Action Profile Message (OP) [L]	Click link for details	High Risk Follow-Up	No	Previously Marked for Local Use [L]	No																																																																																																																																																																																																																																																																																																						
Active Ingredient [L]	Click link for details	High Risk Follow-Up Time Period		Price per Dispense Unit [L]																																																																																																																																																																																																																																																																																																							
Application Package Use [L]	Click link for details	High Risk Med	No	Price per Order Unit [L]																																																																																																																																																																																																																																																																																																							
Approved for Splitting		IEN [L]		Primary EPA Code																																																																																																																																																																																																																																																																																																							
AR/WS Amls Category		IFCAP Item Number [L]	Click link for details	Product Dispense Units per Order Unit																																																																																																																																																																																																																																																																																																							
AR/WS Amls Conversion Number		Inpatient Medication Expired Orders		Product Inactivation Date [R]																																																																																																																																																																																																																																																																																																							
ATC Canister [L]	Click link for details	Max Time		Product Package																																																																																																																																																																																																																																																																																																							
ATC Canisters [L]	Click link for details	Inpatient Medication Expired Orders		Product Strength																																																																																																																																																																																																																																																																																																							
ATC Choice [L]	Click link for details	Min Time		Product Text																																																																																																																																																																																																																																																																																																							
ATC Mnemonic [L]	Click link for details	Inpatient Pharmacy Location [L]		Product Unit																																																																																																																																																																																																																																																																																																							
Auto-Create Possible Dosage	Yes	Item Status [*]	Active	Proposed Inactivation Date																																																																																																																																																																																																																																																																																																							
Category [* R]	Click link for details	Lab Monitor Mark	No	Protect from Light																																																																																																																																																																																																																																																																																																							
CMOP Dispense (National)	No	Lab Test Monitor [L]		Quantity Dispense Message																																																																																																																																																																																																																																																																																																							
Copay Tier	Click link for details	Labs during Administration [L]	Click link for details	Recall Level																																																																																																																																																																																																																																																																																																							
Corresponding Inpatient Drug [L]		Labs during Finishing an Order [L]	Click link for details	Ratiopharm																																																																																																																																																																																																																																																																																																							
Corresponding Outpatient Drug [L]		Last RxNorm Update	Click link for details	Rejection Reason Comment [R]																																																																																																																																																																																																																																																																																																							
CS Federal Schedule [*]	0 - UNSCHEDULED	Local Drug Text Entry [L]	Click link for details	Reorder Level [L]																																																																																																																																																																																																																																																																																																							
Current Inventory [L]	0	Local Non-Formulary [L]	No	Request Rejection Reason [R]																																																																																																																																																																																																																																																																																																							
DAW Code	0-NO PRODUCT SELECTION INDICATED	Local Possible Dosages [L]	Click link for details	RX Message																																																																																																																																																																																																																																																																																																							
Day (ND) or Dose (NI) Limit		Local Print Name [L]		RXCLUI																																																																																																																																																																																																																																																																																																							
DEA Schedule [*]	O-Unscheduled	Local Special Handling [L]		RxNorm Language																																																																																																																																																																																																																																																																																																							
Default Mail Service		Local Use [L]	No	RxNorm Name																																																																																																																																																																																																																																																																																																							
Dispense Days Supply Limit		Long Term Out of Stock	No	RxNorm Suppress																																																																																																																																																																																																																																																																																																							
Dispense Limit for Order		Low Safety Margin	No	RxNorm Synonym																																																																																																																																																																																																																																																																																																							
Dispense Limit Schedule		Master Entry For VUID [R]	Yes	RxNorm TTY																																																																																																																																																																																																																																																																																																							
Dispense Override		Max Dispense Limit		RxNorm UMLSCUI																																																																																																																																																																																																																																																																																																							
Dispense Override Reason		Maximum Dose per Day		Service Code [R]	620716																																																																																																																																																																																																																																																																																																						
Dispense Override Reason Entered By		Monitor Max Date		Single/Multi Source	M - Multi Source																																																																																																																																																																																																																																																																																																						
Dispense Quantity Limit	0, 0	Monitor Routine		Special Handling	Click link for details																																																																																																																																																																																																																																																																																																						
Dispense Quantity Override		National Drug Text Entry	Click link for details	Specimen Type [L]																																																																																																																																																																																																																																																																																																							
Dispense Quantity Override Reason		National Formulary Indicator	No	Sub-Category	Click link for details																																																																																																																																																																																																																																																																																																						
Do Not Handle If Pregnant	No	National Formulary Name [* R]	ACAI CAP/TAB	Synonyms	Click link for details																																																																																																																																																																																																																																																																																																						
Do Not Mail	No	NCPDP Dispense Unit [*]	EA-EACH	Tallman Lettering																																																																																																																																																																																																																																																																																																							
DOT Shipping Name		NCPDP Quantity Multiplier [*]	1	Total Dispense Quantity																																																																																																																																																																																																																																																																																																							
Effective Dates [R]	Click link for details	NDC by Outpatient Site [L]	Click link for details	Transmit to CMOP (Local) [L]	No																																																																																																																																																																																																																																																																																																						
Exclude Drug-Drug Interaction Check	No	NDF Product IEN [R]	20716	Unit Dose Schedule																																																																																																																																																																																																																																																																																																							
Exclude from AutoUpdate	No	New Item Request [R]	Approved	Unit Dose Schedule Type																																																																																																																																																																																																																																																																																																							
FDA Med Guide		Non-Renewable	No	VA Dispense Unit [*]	CAP/TAB																																																																																																																																																																																																																																																																																																						
Follow-Up Time	No	Normal Amount To Order [L]	0	VA Drug Classes [*]	Click link for details																																																																																																																																																																																																																																																																																																						
Formulary [L]	NF	Number of Associated Labs [L]		VA Print Name [*]	ACAI CAP/TAB																																																																																																																																																																																																																																																																																																						
Formulary Alternative		Number of Doses		VA Product ID [* R]	A1494																																																																																																																																																																																																																																																																																																						
Formulary Designator		Number of Lab Instances Displayed [L]		VA Product Name [R]	ACAI CAP/TAB																																																																																																																																																																																																																																																																																																						
FSN/NSN		OP External Dispense [L]	No	Vitals during Administration [L]	Click link for details																																																																																																																																																																																																																																																																																																						
GCNSEQNO	065029	Order Unit		Vitals during Finishing an Order [L]	Click link for details																																																																																																																																																																																																																																																																																																						
Generic Name [*]	ACAI	Override Dose Form Dose Check Exclusion	No	Vitals during Order Entry [L]	Click link for details																																																																																																																																																																																																																																																																																																						
Hazardous to Dispose	No	Patient Specific Label	No	VUID [R]	4023755																																																																																																																																																																																																																																																																																																						
Hazardous to Handle	No	Possible Dosages [L]	Click link for details	Waste Sort Code																																																																																																																																																																																																																																																																																																							
Hazardous to Patient	No	Possible Dosages To Create		Witness Required	No																																																																																																																																																																																																																																																																																																						
<input type="button" value="Cancel"/> <input type="button" value="Save Work In Progress"/> <input type="button" value="Change OI"/> <input type="button" value="Submit"/> Create New Product (from existing)																																																																																																																																																																																																																																																																																																											

Figure 81: Edit Product A-Z Tab

Simple Search > Edit Orderable Item

Page Help Provide Feedback

PPS OI Name : ABACAVIR TAB

Item Status : Active Dosage Form : TAB

OI Safety Indicator : NO

Details Safety Labs & Vitals Products History A - Z

Legend: * is required, L is local-only, R is read-only

Field Name	Current Value
Application Package Use [L]	Click link for details
Category [*]	Click link for details
Day (ND) or Dose (NL) Limit	
Dosage Form [* R]	TAB
Formulary Designator	
High Alert	
Item Status [*]	Active
Labs during Administration [L]	Click link for details
Labs during Finishing an Order [L]	Click link for details
Labs during Order Entry [L]	Click link for details
Lifetime Cumulative Dosage	No
Local Medication Route [L]	Click link for details
Local OI-Drug Text Entry [L]	Click link for details
Local Use [L]	No
National Formulary Indicator	Yes
National OI-Drug Text Entry	Click link for details
New Item Request [R]	Approved
Non-VA Med [R]	No
OI Inactivation Date [R]	
OI IV Flag	No
OI Synonym	Click link for details
OI Text	
OI Type [R]	National
Other Language Instructions	
Patient Instructions	
PPS OI Name [* R]	ABACAVIR TAB

Field Name **Current Value**

Previously Marked for Local Use [L]	No
Proposed Inactivation Date	
Rejection Reason Comment [R]	
Request Rejection Reason [R]	
Schedule [L]	Click link for details
Schedule Type [* L]	ORAL
Special Instructions	
Standard Medication Route	Click link for details
Sub-Category	
Vista Orderable Item Name [* R]	ABACAVIR
Vitals during Administration [L]	Click link for details
Vitals during Finishing an Order [L]	Click link for details
Vitals during Order Entry [L]	Click link for details

Create New OI (from existing)

Cancel **Save Work in Progress** **Submit**

Figure 82: A-Z Tab

11.2. History Tab

This tab appears in many instances. The History tab contains information about changes that were made since the product, orderable item, or NDC was updated or approved. This tab contains several attributes, and then a table listing the changes that were made. There are several different history tabs, see examples below. The history tab will display item/product modifications including copay tier changes, VA Drug class changes, formulary designator modifications, and product units.

Field List History Tab Headers

See the following topics for information about header fields.

NDC Header

Orderable Item Header

Product Header

Field List Request Details

New Item Request

The view-only status of a new item: Approved, Pending, or Rejected.

A request is a user action that a PPS (Pharmacy Product System) Item (OI, Product Item, or NDC Item) addition or modification be considered by the PNM for updates within the PPS enterprise database. See Select Search Field for more information.

Request Rejection Reason

The view-only reason a domain was rejected

Rejection Reason Comment

The view-only additional comments that were made for a rejected domain

Field List Audit History

Event Category

The view-only major category for why the change occurred. For example, a System Event occurs based on an automated action of the system while a National Modification occurs based on a user action.

An event is an occurrence that can be synchronous or asynchronous and to which an application must respond in some manner.

Detail Event Category

The view-only details. When multiple attributes are changed at the same time, there is a single event that captures the change but each change is listed separately in this field.

Field Name

The view-only Field Name of the attribute that was modified

Reason

The view-only Reason for the change. In most cases, this is optional free text that is entered by the user.

Old Value

The view-only original value

New Value

The view-only modified value

Date/Time Modified

The view-only date and time the change was made

Username

The view-only role of the user who modified or approved the request. See Identity Management for more information.

Home Manage PPS Reports COTS Services Manage Application User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files

Simple Search > Edit Product Page Help Provide Feedback

Product : FLUCONAZOLE 2MG/ML/NACL INJ BAG,200ML
 Primary Class : AM700 - ANTIFUNGALS
 Category : Medication

PPS OI Name : FLUCONAZOLE INJ,SOLN
 Application Package Use : X
 Item Status : Active
 New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs. * = required fields

Request Details

New Item Request : Approved
 Request Rejection Reason :
 Rejection Reason Comment :

Product Item Audit History

Event Category	Detail Event Category	Field Name	Reason	Old Value	New Value	Date/Time Modified	Username
National Modification	National Modification	Rematch	delete rematch reason	Suggested rematch to FLUCONAZOLE 2MG/ML INJ; FLUCONAZOLE 2MG/ML/DEXTRROSE INJ BAG,100ML; FLUCONAZOLE 2MG/ML/DEXTRROSE INJ BAG,200ML	No Value Specified	03-Jul-2017 20:05	TEST PPSNATMGR
National Modification	National Modification	Rematch	manual rematch reason test	No Value Specified	Suggested rematch to FLUCONAZOLE 2MG/ML INJ; FLUCONAZOLE 2MG/ML/DEXTRROSE INJ BAG,100ML; FLUCONAZOLE 2MG/ML/DEXTRROSE INJ BAG,200ML	03-Jul-2017 20:05	TEST PPSNATMGR
National Modification	National Modification	Copay Tier		No Selection Made	Copay Tier: 2, Effective Date: 2017-02-27	03-Jul-2017 20:05	TEST PPSNATMGR
Approved Request						28-Dec-2016 12:12	Deborah L Coulter
Request to Add						28-Dec-2016 12:12	Deborah L Coulter
						13-Feb-2015 10:20	Todd Schippers
						13-Feb-2015 09:52	Don Lees

Create New Product (from existing) Cancel Rematch Save Work in Progress Change OI Submit

Figure 83: Figure: History Tab- Edit Product

Home Manage PPS Reports COTS Services User Preferences Migration Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests

Search Domains > Edit Drug Class

VA Drug Class

History A - Z * = required fields

Request Details

New Item Request : Approved
 Request Rejection Reason :
 Rejection Reason Comment :

Drug Class Item Audit History

Event Category	Detail Event Category	Field Name	Reason	Old Value	New Value	Date/Time Modified	Username
System Event			MIGRATED			16-Oct-2012 17:47	MIGRATOR

Figure 84: History Tab for PPS Data Elements- Edit Drug Class

[Skip to main content](#)

UNITED STATES DEPARTMENT OF VETERANS AFFAIRS
PPS-N PHARMACY PRODUCT SYSTEM - NATIONAL

Welcome, SUPERVISOR - Logout · PPS-National Supervisor - 200

Home Manage PPS Reports COTS Services Manage Application User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files Rematch

Simple Search > [Edit Orderable Item](#)

Page Help Provide Feedback

PPS OI Name : ECALLANTIDE INJ

Item Status : Active Dosage Form : INJ

OI Safety Indicator : NO

Details Safety Labs & Vitals Products History A - Z * = required fields

Request Details

New Item Request:	Approved
Request Rejection Reason:	
Rejection Reason Comment:	

[Orderable Item](#) [Item Audit History](#)

Event Category	Detail Event Category	Field Name	Reason	Old Value	New Value	Date/Time Modified	Username
National Modification	National Modification	OI Text		No Value Specified	testing, testing, 1,2,3	19-Apr-2017 13:35	National Manager Only
National Modification	National Modification	Formulary Designator		No Value Specified	AB-C	19-Apr-2017 13:35	National Manager Only
National Modification	National Modification	Sub-Category		No Selection Made	OTC	19-Apr-2017 13:35	National Manager Only
National Modification	National Modification	National Formulary Indicator	MIGRATED	No	Yes	19-Apr-2017 13:35	National Manager Only
System Event						16-Oct-2012 17:50	MIGRATOR

[Create New OI \(from existing\)](#) [Cancel](#) [Save Work in Progress](#) [Submit](#)

Figure 85: Edit OI- History Tab

11.3. Icon and Button List

The PPS-N application contains many buttons and links. The table below shows the buttons used in PPS-N and their meanings. This list is alphabetical, not by window or function, as the buttons can display on many different windows and it depends upon user authority whether a button is visible.

List of Icons and Buttons

- Click this button to move an entry from the right-side list to the left-side list.
- Click this button to move an entry from the left-side list to the right-side list.
- Click this icon to add a new item to a list.
- Click this icon to lock a field. The system changes the icon . For example, when you click this icon beside the Proposed Inactivation Date field, the system disables the field so that it cannot be changed. The lock is a toggle, which can be clicked to lock or unlock the field.
- Click this icon to display data in the Medication Guide.

- A -

Accept Changes

When a user makes changes to an item, those changes are displayed in a modification summary table so they can review and confirm the changes. This button provides that confirmation.

Accept Changes to Product & Create Blank NDC

After a user creates a new product and views the changes on the confirmation page, the user has the option to accept those changes and also launch a blank NDC template form for creating a new NDC to be associated with the product they just created.

Activate

Activate an item that was previously inactive.

Add

Add a new search filter in Advanced Search.

Add More Details

After a user creates a new item using a template (which only contains the primary information fields), the user has an option to proceed to the edit table, which provides access to all available data fields for that type item.

Add New Row

Add a new row in one of the multiple select boxes.

Apply Changes to All Items

When editing multiple items at the same time, as part of a single process, the user can apply changes to all items in the process.

Apply Changes to Just This Item

When editing multiple items at the same time, as part of a single process, the user can apply changes to a single item.

Approve

Approve any or all changes made to an item.

- C -

Cancel

Cancels the current action or process and returns to the previous page.

Change OI

Each product has an associated OI. When the OI for a product already exists, the user can search for and select a different OI.

Change Product

Each NDC has an associated Product. When the Product for an NDC already exists, the user can search for and select a different Product.

Change Search Results Template

Select the current advanced search template for editing or to create a new template.

Create New NDC (from blank)

Create a new NDC from scratch by using a blank NDC template form.

Create New NDC (from existing)

Use an existing NDC and its details as a template for creating a new NDC.

Create New OI (from blank)

Create a new OI from scratch by using a blank OI template form.

Create New OI (from existing)

Use an existing OI and its details as a template for creating a new OI.

Create New Product (from blank)

Create a new product from scratch by using a blank product template form.

Create New Product (from existing)

Use an existing product and its details as a template for creating a new product.

- D -

Delete

Delete an item, typically by removing it from a list.

Delete Change Request

Delete a change request.

Down

Move an item down in the list.

Download

Download a file, typically in a CSV format.

- E -

Edit Items

Select to edit multiple items as part of a single process.

- G -

Generate Name Fields Below

When creating a new product, the user can automatically generate the VA Product Name, VA Print Name, and National Formulary Name.

Generate New

When viewing some report types, the user can create a new CSV file, which can then be downloaded for viewing and/or saving.

Generate OI Names

When creating a new OI, this permits the user to automatically generate the PPS OI Name and VistA Orderable Item Name.

Get Status

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Permits the user to view the status of a report generation process.

- I -

Ignore

In certain instances, the user will receive a warning about the item they have just submitted. This warning is for information purposes only.

Inactivate

Choose to deactivate an item that is currently active.

- L -

Load Print Template

Search preferences permit a user to personalize All Fields search templates for each Item Type. This action loads the appropriate fields for selection, based on the Item Type, and also loads an existing template when a template exists.

Login

Log in to PPS-N

- M -

Match Results

After performing an FDB search, select to match the NDCs with an existing PPS-N product.

- N -

Next Item

Advance to the next item in the process, typically when performing edits on more than one item at a time.

- O -

OK

Final confirmation that an item has been saved to the database.

Open Blank Template

Create a new domain item using a blank form template.

Overwrite

Replace an existing item with a new item.

- P -

Perform FDB Search

Send a search query to FDB.

Previous Item

Back up to the previous item in the process, typically when performing edits on more than one item at a time.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

- R -

Reject

Reject any or all changes made to an item.

Remove

Remove an item.

Remove As Default

Unmark the existing default advanced search template.

Remove Row

Some data fields can have multiple entries and these are displayed as rows within a table. This action allows the user to remove an item (row) from the table.

Retrieve Search Templates

Change the current advanced search template by selecting another one from the list of available saved templates.

Return

Return to the previous page, typically so the user can make more changes.

Run Report

When viewing some report types, the user can create a new report.

- S -

Save Changes

Save all changes.

Save Template

After a user has created a new advanced search template or changed an existing template, they will assign a name for that template, and then use this button to save the template to the database.

Save Work in Progress

When a user is not done editing, the user can use this button to save their work and return to it later.

Search

Perform a search using the defined search criteria.

Select All

When viewing a table, you can use this button to select all of the items displaying in the table; that is, add a check mark to the check boxes in the table (usually in a Select column).

Select OI

When creating a new product using a blank product template form, this action is used to search for and select an OI.

Select Product

When creating a new NDC using a blank NDC template form, this action is used to search for and select a Product.

Set As Default

Define one advanced search template as the default template.

Set Preferences

After a user has set or changed their user preferences, this action will save those preferences to the database.

Submit

Start the confirmation process for a new item or revisions to an existing item. In some cases, this also saves the item to the database.

- U -

Under Review

Place an item under review.

Undo Changes

Undo all changes made since the last time this item was saved.

Up

Move an item up in a list.

- V -

View PMI

View the Patient Medication Instructions for a specific drug.

11.4. Add Domain Pages

11.4.1. Add VA Drug Class

Use this template to add drug class classifications or drug class codes. A drug class is a grouping of drug products based on various criteria that can include similarity of chemical structure, clinical indications, pharmacology, and therapeutic activity.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Drug Class Code *

Enter a Drug Class Code.

Drug Class Classification *

Enter a Drug Class Classification.

Drug Class Type *

Select a Drug Class Type from the drop-down list.

Drug Class Description

Enter a Drug Class Description.

Drug Class Parent

Select a Drug Class Parent from the drop-down list.

If the parent you need is not on the list, click the add button  to add a parent. Complete the fields, and then click the **Submit** button.

Check box if excluded.

Excluded

Drug classes marked as excluded will default to tier 0 when a copay tier record is added to the associated product, to change a product to be excluded check the excluded box and click the Save Changes button.

PSR Name

Enter the name of the Pharmacy Product System Second Reviewer. See PPS Data Requests Tab for more information on second reviewers.




Figure 86: Add Drug Class Template

11.4.2. Add Dispense Unit Name

Use this template to add dispense units. A dispense unit is a unit of measure for dispensing. For example, GM, EA, CANNISTER, and so forth.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Dispense Unit Name *

Enter a name for the dispense unit.

PSR Name

Enter the name of the Pharmacy Product System Second Reviewer.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add VA Dispense Unit						
Add Dispense Unit						
<i>Fields marked with * are required</i>						
Dispense Unit Name * : <input type="text"/>						
PSR Name : <input type="text"/>						
<input type="button" value="Cancel"/> <input type="button" value="Submit"/>						

Figure 87: Add Dispense Unit Template

11.4.3. Add Dosage Form Name

Use this template to add a dosage form. A dosage form is the medium used to administer the active ingredient(s) in health products. Dosage forms include, but are not limited to capsules, tablets, injectables, oral solutions, drops, creams, ointments, and patches.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Dosage Form Name *

Enter a Dosage Form Name.

Exclude from Dosage Checks

Accept the default of No or select Yes from the drop-down list.

Verb

Enter a Verb. This field is local-only and cannot be edited by National.

Other Language Verb

Enter a verb for another language. This field is local-only and cannot be edited by National.

Preposition

Enter a Preposition. This field is local-only and cannot be edited by National.

Other Language Preposition

Enter a preposition for another language. This field is local-only and cannot be edited by National.

Conjunction

Enter a Conjunction. This field is local-only and cannot be edited by National.

Med Route for Dosage Form

Enter a standard medical route. This field is local-only and cannot be edited by National.

Dosage Form Nouns

Enter a Dosage Form Noun. This field is local-only and cannot be edited by National.

Dosage Form Units Box

To add, click the **Add New Row** button and the system adds a new row.

- In **Drug Unit**, enter the unit.
- In **Possible Dosages Package**, select an option: I-Inpatient or Outpatient.
- Click the **Save Changes** button.

To remove, click the **Remove** button beside a unit that is not valid.

Dispense Units per Dose Box

To add, click the Add New Row button and the system adds a new row.

- In **Dispense Unit per Dose**, enter the dispensing unit.
- In **Possible Dosages Package**, select an option: I-Inpatient or Outpatient.
- Click the **Save Changes** button.

To remove, click the **Remove** button beside a unit that is not valid.

PSN Name

Enter the name of the Pharmacy Product System Second Reviewer.

Fields marked with * are required

Dosage Form Name * :

Exclude from Dosage Checks :

Verb :

Other Language Verb :

Preposition :

Other Language Preposition :

Conjunction :

Med Route for Dosage Form :

Dosage Form Nouns :

Dosage Form Units

Drug Unit	Possible Dosages Package	Remove
<input type="button" value="Add New Row"/>		

PSR Name :

Figure 88: Add Dosage Form Template

11.4.4. Add Dose Unit Name

Use this template to add dose units.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Dose Unit Synonym Box

Synonym Name

Click the **Add New Row** button. The system adds a new line to the Dose Unit Synonyms field group. In **Synonym Name**, enter a synonym for the dose unit.

COTS Dose Unit *

Enter a Commercial-Off-the-Shelf (COTS) Dose Unit.

Replaced by VHA Standard Terms

Select a term from the drop-down list.

Dose Indicator

Click this box to add a check mark if you want the system to allow for different dosages for different disease states as well as for different Patient conditions. For example, the dose for Megestrol used for anorexia is 800mg daily, whereas the dose for Megestrol used for breast cancer is 40mg four times daily. Additionally, doses for Patients with impaired renal or hepatic clearances may have to be adjusted.

Dose Unit Name *

Enter a Dose Unit Name.

PSR Name

Enter the name of the Pharmacy Product System Second Reviewer.

The screenshot shows a web-based application interface for adding a new dose unit. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, a secondary menu bar includes links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail indicates the current location: Search Domains > Add Dose Unit. The main content area is titled "Add Dose Unit". A note at the top left states "Fields marked with * are required". Below this, there is a section for "Dose Unit Synonyms" which includes a "Synonym Name" input field and a "Remove" button. An "Add New Row" button is also present. Further down, there are fields for "COTS Dose Unit *:", "Replaced By VHA Standard Terms", "Dose Indicator", "Dose Unit Name *:", and "PSR Name". At the bottom of the form are "Cancel" and "Submit" buttons.

Figure 89: Add Dose Unit Template

11.4.5. Add Drug Text Name

Use this template to add drug text.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Drug Text Name *

Enter a text name for the drug.

National Text *

Enter a National Text name for the drug. National text name is associated with information on drug restrictions, guidelines, and protocols to help assure medications are being used according to formulary specifications.

Synonyms Box

Drug Text Synonym

To add, click the **Add New Row** button and the system adds a new row.

- In **Drug Text Synonym**, enter the Synonym.
- Click the **Save Changes** button.

To remove, click the **Remove** button beside a synonym that is not valid.

The screenshot shows a software application window titled 'Add Drug Text'. At the top, there is a navigation bar with tabs: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there are several buttons: Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail indicates the current location: Search Domains > Add Drug Text. The main content area contains the following fields:

- Drug Text Name ***: An input field for entering the drug's text name.
- National Text ***: An input field for entering the drug's national text name, accompanied by up and down arrow buttons for selection.
- Synonyms**: A section containing a table with two columns: 'Drug Text Synonym' and 'Remove'. There is also a 'Add New Row' button below the table.
- Buttons at the bottom**: 'Cancel' and 'Submit' buttons.

A note at the top left states: 'Fields marked with * are required'.

Figure 90: Add Drug Text Template

11.4.6. Add Drug Unit Name

Use this template to add drug units.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Drug Unit Name *

Enter a name for the drug unit.

PSR Name

Enter the name of the Pharmacy Product System Second Reviewer.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Ingredient Drug Unit						
Add Drug Unit						
<i>Fields marked with * are required</i>						
Drug Unit Name * :		<input type="text"/>				
PSR Name :		<input type="text"/>				
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 91: Add Drug Unit Template

11.4.7. Add Generic Name

Use this template to add generic names for drugs.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Generic Name *

Enter a Generic Name for the drug.

PSR Name

Enter the name of the Pharmacy Product System Second Reviewer.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Generic Name						
Add Generic Name						
Fields marked with * are required						
Generic Name * :		<input type="text"/>				
PSR Name :		<input type="text"/>				
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 92: Add Generic Name Template

11.4.8. Add Ingredient Name

Use this template to add ingredients.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Ingredient Name *

Enter an Ingredient Name.

Primary Ingredients

Select a Primary Ingredient from the drop-down list. Or, click the add icon  to add a new primary ingredient. In Ingredient Name, enter the new primary ingredient, and then click the **Submit** button.

PSR Name

Enter the name of the Pharmacy Product System Second Reviewer.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Ingredient Name						
Add Ingredient						
Fields marked with * are required						
Ingredient Name * :		<input type="text"/>				
Primary Ingredients :		<input type="text"/> 				
PSR Name :		<input type="text"/>				
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 93: Add Ingredient Template

11.4.9. Add Manufacturer Name

Use this template to add manufacturer names for drugs.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Manufacturer Name *

Enter the name of a manufacturer.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Manufacturer						
Add Manufacturer						
<i>Fields marked with * are required</i>						
Manufacturer Name * : <input type="text"/>						
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 94: Add Manufacturer Name Template

11.4.10. Add Order Unit Abbreviation

Use this template to add order units.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Order Unit Abbreviation *

Enter an abbreviation for the order unit. For example, enter AM for ampul.

Order Unit Expansion

Enter the full text for the abbreviation for the order unit. For example, enter AMPUL.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Order Unit						
Add Order Unit						
<i>Fields marked with * are required</i>						
Order Unit Abbreviation * : <input type="text"/>						
Order Unit Expansion : <input type="text"/>						
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 95: Add Order Unit Template

11.4.11. Add Package Type Name

Use this template to add package types.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Package Type Name *

Enter a name for the package type.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Package Type						
Add Package Type						
Fields marked with * are required						
Package Type Name * : <input type="text"/>						
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 96: Add Package Type Template

11.4.12. Add Special Handling Code

Use this template to add special handling instructions.

Field List Template

Fields with a red asterisk are required fields that you must complete.

Description *

Enter a Description of the special handling instructions. For example, enter NARCOTICS AND ALCOHOL.

Special Handling Code *

Enter a code for the special handling. For example, enter A.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Add Special Handling						
Add Special Handling						
Fields marked with * are required						
Description * : <input type="text"/>						
Special Handling Code * : <input type="text"/>						
<input type="button" value="Cancel"/>		<input type="button" value="Submit"/>				

Figure 97: Add Special Handling Template

11.4.13. Add Standard Med Route Name

The additional domain menu option **Standard Med Route Name** has no add function. Standard Medication Routes are added through the STS web services.

- To see details for a med route, see Edit Standard Med Route Name.
- To see more information on STS web services, see the System Data tab.

11.5. Edit Domain Pages

11.5.1. Edit VA Drug Class

Use this form to edit a drug class classifications or drug class code domain. A drug class is a grouping of drug products based on various criteria that can include similarity of chemical structure, clinical indications, pharmacology, and therapeutic activity.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Classification [* R]

The drug class Classification. Read-only field.

Code [* R]

The drug class Code .Read-only field.

Description

Enter a drug class Description and click the Save Changes button.

Parent Class

Enter a drug class parent and click the Save Changes button.

Type *

Select a drug class Type from the drop-down list and click the Save Changes button.

VUID [R]

Enter a VA Unique Identifier. Read-only field.

Effective Dates [R]

The Effective Date related to the status in the Status file. Read-only field.

Excluded

Drug classes marked as excluded will default to tier 0 when a copay tier record is added to the associated product, to change a product to be excluded check the excluded box and click the Save Changes button.

Item Status [* R]

The status of the item. Read-only field.

Master Entry for VUID [R]

The Master Entry for the VA Unique Identifier. Read-only field.

NDF IEN [R]

The National Drug File (NDF) Internal Entry Number (IEN). Read-only field.

The screenshot shows the 'Edit VA Drug Class Sample' page. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. Below the navigation bar, a search bar contains 'Search Domains > Edit Drug Class'. On the right, there are links for 'Page Help' and 'Provide Feedback'. The main content area is titled 'VA Drug Class'. It features a 'History' tab and an 'A - Z' tab (which is selected). A legend at the top indicates that '*' is required, 'L' is local-only, and 'R' is read-only. The form itself has two columns: 'Field Name' and 'Current Value'. Fields include: Classification [* R] (INACTIVE) BETA-LACTAM ANTIMICROBIALS; Code [* R] (AM114); Description; Parent Class; Type [*] (1-Minor); VUID [R] (4022084); Effective Dates [R] (Click link for details); Excluded; Item Status [* R] (No, Active, Yes); Master Entry For VUID [R]; and NDFIEN [R] (635). At the bottom, there are buttons for Cancel, Delete, Submit, and Open Blank Template.

Figure 98: Edit VA Drug Class Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.2. Edit VA Dispense Unit Request

Use this form to manage a dispense unit request that another user has entered. This same page is used to manage Addition Requests as well as Modification Requests and the screen is altered a little differently depending on which type of request is being handled.

The Edit Dispense Form Request page will allow the user to view the history of the ingredient, the change request, and the A-Z Tab. The user can cancel, deactivate, delete, approve, reject or place the ingredient under review.

Complete the steps to Search for Requests.

After you have search results, complete any of these tasks:

- Approve Request
- Reject Modification Request
- Place Request Under Review
- Place Request in Pending State

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Dispense Unit Name [*]

Enter the name of the dispense unit. For example, canister.

Inactivation Date [R]

The inactivation date. This is a read only field.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See Section 3.4 for more information.

NDF Dispense Unit IEN [R]

The National Drug File (NDF) dispense unit Internal Entry Number (IEN). Read-only field.

The screenshot shows a web-based application interface for editing a VA Dispense Unit Request. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, a breadcrumb trail shows 'Search Domain Requests > Edit Dispense Unit Request'. On the right side of the header, there are links for 'Page Help' and 'Provide Feedback'. The main content area is titled 'VA Dispense Unit'. It features a legend: '*' is required, 'L' is local-only, and 'R' is read-only. There are four tabs at the top of the form: History, Change Request, A-Z (which is selected), and another tab that is partially visible. The form contains several input fields in a table format:

Field Name	Current Value
Dispense Unit Name [*]	TEST
Inactivation Date [R]	
Item Status [*]	Active
NDF Dispense Unit IEN [R]	68

At the bottom of the form, there are several buttons: Cancel, Inactivate, Delete, Approve, Reject, Under Review, and Open Blank Template. The 'Approve' button is highlighted in blue.

Figure 99: Edit VA Dispense Unit Request

Reference

See the following topics for more information on tabs:

- A–Z tab
- History tab

11.5.3. Edit Dosage Form Name

Use this form to edit a dosage form domain. A dosage form is the medium used to administer the active ingredient(s) in health products. Dosage forms include, but are not limited to capsules, tablets, injectables, oral solutions, drops, creams, ointments, and patches.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Conjunction [L]

Enter a Conjunction and click the **Save Changes** button.

This field is local-only and cannot be edited by National.

Dispense Units Per Dose

To add, click the **Add New Row** button and the system adds a new row.

- In **Dispense Unit per Dose**, enter the dispensing unit.
- In **Possible Dosages Package**, select an option: I-Inpatient or Outpatient.
- Click the **Save Changes** button.

To remove, click the **Remove** button beside a unit that is not valid and click the **Save Changes** button.

Dosage Form Name [* R]

The name of the dosage form. Read-only field.

This field requires a second approval. See PPS Data Requests Tab for more information.

Dosage Form Nouns [L]

Enter a noun that describes the medium used to administer the active ingredient(s) in health products.

This field is local-only and cannot be edited by National.

Dosage Form Units

To add, click the **Add New Row** button and the system adds a new row.

- In **Drug Unit**, enter the unit.
- In **Possible Dosages Package**, select an option: I-Inpatient or Outpatient.
- Click the **Save Changes** button.

To remove, click the **Remove** button beside a unit that is not valid and click the **Save Changes** button.

Exclude from Dosage Checks

Select an option from the drop-down list (Yes, No) and click the **Save Changes** button.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See PPS Data Requests Tab for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

Read-only field.

This field requires a second approval. See PPS Data Requests Tab for more information.

Med Route for Dosage Form [L]

Enter the method in which the product is to be administered (e.g., oral, injection).

This field is local-only and cannot be edited by National.

NDF Dosage Form IEN [R]

The National Drug File (NDF) dosage form Internal Entry Number (IEN). Read-only field.

Other Language Preposition [L]

Enter a preposition for another language and click the **Save Changes** button.

This field is local-only and cannot be edited by National.

Other Language Verb [L]

Enter a verb for another language and click the **Save Changes** button.

This field is local-only and cannot be edited by National.

Preposition [L]

Enter a Preposition and click the **Save Changes** button.

This field is local-only and cannot be edited by National.

Verb [L]

Enter a Verb and click the **Save Changes** button.

This field is local-only and cannot be edited by National.

The screenshot shows a software application window titled "Edit Dosage Form". At the top, there is a navigation bar with tabs: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there is a secondary set of tabs: Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail indicates the current location: Search Domains > Edit Dosage Form. The main content area is titled "Dosage Form". It contains two tabs: "History" (selected) and "A - Z". A legend at the top of the data grid states: "*" is required, "L" is local-only, and "R" is read-only. Below the legend is a table with columns "Field Name" and "Current Value". The table lists various dosage form properties, many of which are marked as local-only (L). At the bottom of the table are buttons for Cancel, Inactivate, Delete, and Submit, along with a link to "Open Blank Template".

Field Name	Current Value
Conjunction [L]	
Dispense Units Per Dose	Click link for details
Dosage Form Name [* R]	AEROSOL
Dosage Form Nouns [L]	Click link for details
Dosage Form Units	Click link for details
Exclude from Dosage Checks	Yes
Inactivation Date [R]	
Item Status [*]	Active
Med Route for Dosage Form [L]	
NDF Dosage Form IEN [R]	1
Other Language Preposition [L]	
Other Language Verb [L]	
Preposition [L]	
Verb [L]	

Buttons at the bottom: Cancel, Inactivate, Delete, Submit, Open Blank Template.

Figure 100: Edit Dosage Form Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.4. Edit Dose Unit Name

Use this form to edit the dose unit domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

COTS Dose Unit [* R]

Enter a Commercial-Off-the-Shelf (COTS) Dose Unit and click the **Save Changes** button.

Dose Indicator

For Yes, click the Dose Indicator check box to add a check mark and click the **Save Changes** button.

For No, click the check box to remove a check mark and click the **Save Changes** button.

Dose Unit Name [* R]

The name of the dose unit. Read-only field.

This field requires a second approval. See PPS Data Requests Tab for more information.

Dose Unit Synonyms

To add, click the **Add New Row** button and the system adds a new row. In Synonym Name, enter a name and click the **Save Changes** button.

To remove, click the **Remove** button beside a synonym that is no longer valid and click the **Save Changes** button.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See PPS Data Requests Tab for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See Section 3.4 for more information.

Replaced by VHA Standard Terms

Select a term from the drop-down list and click the **Save Changes** button.

The screenshot shows a web-based application with a navigation bar at the top containing links for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar is a secondary menu with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail indicates the current location: Search Domains > Edit Dose Unit. The main content area is titled "Dose Unit". It features two tabs: "History" (selected) and "A - Z". A legend below the tabs specifies that an asterisk (*) indicates a required field, 'L' indicates a local-only field, and 'R' indicates a read-only field. The central part of the screen displays a table of current values for various fields. At the bottom are buttons for Cancel, Inactivate, and Submit, along with a link to "Open Blank Template".

Field Name	Current Value
COTS Dose Unit [* R]	APPFUL
Dose Indicator	Yes
Dose Unit Name [* R]	APPFUL
Dose Unit Synonyms	Click link for details
Inactivation Date [R]	
Item Status [*]	Active
Replaced By VHA Standard Terms	

Figure 101: Edit Dose Unit Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.5. Edit Drug Text Name

Use this form to edit a drug text domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Drug Text Name [* R]

The text name of the drug. Read-only field.

Drug Text Type [R]

The text type of the drug. Read-only field.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

Local Text [L]

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

The Local Text for the drug.

This field is local-only and cannot be edited by National.

National Text [*]

The National Text for the drug.

Synonyms

To add, click the **Add New Row** button and the system adds a new row.

- In **Drug Text Synonym**, enter the Synonym.
- Click the **Save Changes** button.

To remove, click the **Remove** button beside a synonym that is not valid.

The screenshot shows the 'Edit Drug Text' page. At the top is a navigation bar with links: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar are several buttons: Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail 'Search Domains > Edit Drug Text' is visible. The main content area has a title 'Drug Text'. Below it are two tabs: 'History' (selected) and 'A - Z'. A legend states: '*' is required, 'L' is local-only, 'R' is read-only. A table lists fields and their current values:

Field Name	Current Value
Drug Text Name [* R]	HIV/AIDS TAG
Drug Text Type [R]	National
Inactivation Date [R]	
Item Status [*]	Active
Local Text [L]	Refer to HIV/AIDS TAG treatment guidelines
National Text [*]	Refer to HIV/AIDS TAG treatment guidelines
Synonyms	Click link for details

At the bottom are buttons for Cancel, Inactivate, and Submit, along with a link 'Open Blank Template'.

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.6. Edit Drug Unit Name

Use this form to edit a drug unit domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Drug Unit Name [* R]

The name of the drug unit. Read-only field.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See PPS Data Requests Tab for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See PPS Data Requests Tab for more information.

NDF Drug Unit IEN [R]

The National Drug File (NDF) dispense unit Internal Entry Number (IEN). Read-only field.

Field Name		Current Value
Drug Unit Name [* R]	CAL/GM	
Inactivation Date [R]		
Item Status [*]	Active	
NDF Drug Unit IEN [R]	806	

Figure 102: Edit Drug Unit Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.7. Edit Generic Name

Use this form to edit generic name domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Effective Dates [R]

The Effective Dates for when the generic name was used. Read-only field.

Generic Name [* R]

The Generic Name for the drug. Read-only field.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See PPS Data Requests Tab for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See PPS Data Requests Tab for more information.

Master Entry For VUID [R]

The Master Entry For VA Unique Identifier. Read-only field.

NDF Generic IEN [R]

The National Drug File (NDF) Generic name Internal Entry Number (IEN). Read-only field.

VUID [R]

The VA Unique Identifier. Read-only field.

Field Name	Current Value
Effective Dates [R]	Click link for details
Generic Name [* R]	1,1,1 TRICHLOROETHANE
Inactivation Date [R]	
Item Status [*]	Active
Master Entry For VUID [R]	Yes
NDF Generic IEN [R]	2510
VUID [R]	4019979

Figure 103: Edit Generic Name Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.8. Edit Ingredient Name

Use this form to edit an ingredient domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Effective Dates [R]

The Effective Dates for when the ingredient name was used. Read-only field.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See PPS Data Requests Tab for more information.

Ingredient Name [* R]

The name of the ingredient. Read-only field.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See PPS Data Requests Tab for more information.

Master Entry For VUID [R]

The Master Entry For VA Unique Identifier. Read-only field.

NDF Generic IEN [R]

The National Drug File (NDF) Generic ingredient name Internal Entry Number (IEN). Read-only field.

Primary Ingredients

Enter the name of the primary ingredients and click the **Save Changes** button.

VUID [R]

The VA Unique Identifier. Read-only field.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests		
Search Domains > Edit Ingredient						
Ingredient Name						
History	A - Z					
Legend: * is required, L is local-only, R is read-only						
Field Name	Current Value					
Effective Dates [R]	Click link for details					
Inactivation Date [R]						
Ingredient Name [* R]	1,1,1 TRICHLOROETHANE					
Item Status [*]	Active					
Master Entry For VUID [R]	Yes					
NDF Ingredient IEN [R]	2605					
Primary Ingredients	TRICHLOROETHANE					
VUID [R]	4019979					
Cancel	Inactivate	Delete	Submit			
Open Blank Template						

Figure 104: Edit Ingredient Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.9. Edit Manufacturer Name

Use this form to edit a manufacturer domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See PPS Data Requests Tab for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See PPS Data Requests Tab for more information.

Manufacturer Name [* R]

The name of the manufacturer. Read-only field.

NDF Generic IEN [R]

The National Drug File (NDF) Generic manufacturer name Internal Entry Number (IEN). Read-only field.

The screenshot shows a software application window titled "Edit Manufacturer". At the top, there is a navigation bar with tabs: Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there are two sub-tabs: Enter / Edit Items and Requests. Under Enter / Edit Items, there are three sub-options: Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail at the top left indicates the path: Search Domains > Edit Manufacturer. The main content area is titled "Manufacturer". It contains two tabs: "History" (selected) and "A - Z". A legend below the tabs states: "*" is required, "L" is local-only, "R" is read-only. A table displays current values for four fields:

Field Name	Current Value
Inactivation Date [R]	
Item Status [*]	Active
Manufacturer Name [* R]	1ST CLASS PHARM
NDF Manufacturer IEN [R]	4602

At the bottom of the form, there are three buttons: Cancel, Inactivate, and Submit. To the right of the "Submit" button is a link labeled "Open Blank Template".

Figure 105: Edit Manufacturer Name Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.10. Edit Order Unit Abbreviation

Use this form to edit order unit abbreviation domain

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Item Status [* R]

The status of the item: Active or Inactive. Read-only field.

Order Unit Abbreviation [* R]

The abbreviation for the order unit. Read-only field.

Order Unit Expansion

Enter the full text for the abbreviation of the order unit and click the **Save Changes** button.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help																																										
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests																																												
Search Domains > Edit Order Unit																																																
Order Unit																																																
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">History</td> <td style="width: 10%; padding: 2px;">A - Z</td> <td colspan="5"></td> </tr> <tr> <td colspan="7" style="font-size: small; color: #808080; padding: 2px;">Legend: * is required, L is local-only, R is read-only</td> </tr> <tr> <th style="width: 30%; text-align: left; padding: 2px;">Field Name</th> <th colspan="5" style="text-align: left; padding: 2px;">Current Value</th> <th style="width: 10%;"></th> </tr> <tr> <td style="padding: 2px;">Item Status [* R]</td> <td colspan="5" style="padding: 2px;">Active</td> <td style="width: 10%;"></td> </tr> <tr> <td style="padding: 2px;">Order Unit Abbreviation [* R]</td> <td colspan="5" style="padding: 2px;">AM</td> <td style="width: 10%;"></td> </tr> <tr> <td style="padding: 2px;">Order Unit Expansion</td> <td colspan="5" style="padding: 2px;">AMPUL</td> <td style="width: 10%;"></td> </tr> </table>							History	A - Z						Legend: * is required, L is local-only, R is read-only							Field Name	Current Value						Item Status [* R]	Active						Order Unit Abbreviation [* R]	AM						Order Unit Expansion	AMPUL					
History	A - Z																																															
Legend: * is required, L is local-only, R is read-only																																																
Field Name	Current Value																																															
Item Status [* R]	Active																																															
Order Unit Abbreviation [* R]	AM																																															
Order Unit Expansion	AMPUL																																															
<input type="button" value="Cancel"/> <input type="button" value="Submit"/> Open Blank Template																																																

Figure 106: Edit Order Unit Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.5.11. Edit Package Type Name

Use this form to edit a package type domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Inactivation Date [R]

The date the item was inactivated. After you change the Item Status to Inactive, the system inserts the current date. You can edit the date. In Inactivation Date, enter a date using the format DD-Mon-YYYY and click the **Save Changes** button. See the Job Types for more information.

This field requires a second approval. See Section 3.4 for more information.

Item Status [*]

The status of the item: Active or Inactive. If you select **Inactive** from the drop-down list, the system updates the status and changes the **Inactivate** button below to **Activate**.

This field requires a second approval. See PPS Data Requests Tab for more information.

NDF Package Type IEN [R]

The National Drug File (NDF) Package Type Internal Entry Number (IEN). Read-only field.

Package Type Name [* R]

The name of the package type. Read-only field.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help														
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests																
Search Domains > Edit Package Type																				
Package Type																				
<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 10%; padding: 2px;">History</td> <td style="width: 90%; padding: 2px;">A - Z</td> </tr> <tr> <td colspan="2">Legend: * is required, L is local-only, R is read-only</td> </tr> <tr> <th style="background-color: #cccccc;">Field Name</th> <th style="background-color: #cccccc;">Current Value</th> </tr> <tr> <td>Inactivation Date [R]</td> <td></td> </tr> <tr> <td>Item Status [*]</td> <td>Active</td> </tr> <tr> <td>NDF Package Type IEN [R]</td> <td>986</td> </tr> <tr> <td>Package Type Name [* R]</td> <td>AER BR.ACT</td> </tr> </table>							History	A - Z	Legend: * is required, L is local-only, R is read-only		Field Name	Current Value	Inactivation Date [R]		Item Status [*]	Active	NDF Package Type IEN [R]	986	Package Type Name [* R]	AER BR.ACT
History	A - Z																			
Legend: * is required, L is local-only, R is read-only																				
Field Name	Current Value																			
Inactivation Date [R]																				
Item Status [*]	Active																			
NDF Package Type IEN [R]	986																			
Package Type Name [* R]	AER BR.ACT																			
Cancel	Inactivate	Submit	Open Blank Template																	

Figure 107: Edit Package Type Sample

Reference

See the following topics for more information on tabs:

- A–Z tab
- History tab

11.5.12. Edit Special Handling Code

Use this form to edit a special handling domain.

Field List Current Values

Fields with a red asterisk are required fields that you must complete.

Description [*]

Enter the full Description of the code.

Item Status [* R]

The status of the item: Active or Inactive. Read-only field.

Special Handling Code [* R]

The code associated with the full description. Read-only field.

Field Name		Current Value
Description [*]	ALLOW REFILL	
Item Status [* R]	Active	
Special Handling Code [* R]	B	

Cancel Submit Open Blank Template

Figure 108: Edit Special Handling Sample

Reference

See the following topics for more information on tabs:

- A–Z tab
- History tab

11.5.13. Edit Standard Med Route Name

Use this view-only form to see data for a standard medication route domain. Standard Medication Routes cannot be added or edited. Instead, they are updated using the Standard Terminology Web Service (STS) job on the System Data tab. The job calls STS to retrieve an up-to-date list of standard medication routes. The system adds any newly added routes to the PPS-N EPL.

Field List Current Values

COTS Med Route [^{*} R]

The view-only Commercial-Off-the-Shelf (COTS) Medical Route. Read-only field.

Effective Dates [R]

The view-only dates that the medical route were effective. Read-only field.

Item Status [^{*} R]

The view-only status of the item: Active or Inactive. Read-only field.

Master Entry For VUID [R]

The view-only Master Entry For VA Unique Identifier. Read-only field.

Route Replaced By VHA Standard Term [R]

The view-only VHA standard term for the replacement route. Read-only field.

Standard Med Route Name [^{*} R]

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

The view-only Standard Medical Route Name. Read-only field.

VUID [R]

The view-only VA Unique Identifier. Read-only field.

The screenshot shows a web-based application interface for managing medical routes. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, Manage Application, User Preferences, and Help. Below the navigation bar, there are several tabs: Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, and PPS Data Requests. A breadcrumb trail indicates the current location: Search Domains > Edit Standard Med Route. The main content area is titled "Standard Medication Route". Within this area, there are two tabs: "History" (which is selected and highlighted in blue) and "A - Z". A legend below the tabs states: "*" is required, "L" is local-only, and "R" is read-only. A table displays various fields and their current values:

Field Name	Current Value
COTS Med Route [* R]	TBD
Effective Dates [R]	Click link for details
Item Status [* R]	Active
Master Entry For VUID [R]	Yes
Route Replaced By VHA Standard Term [R]	
Standard Med Route Name [* R]	BUCCAL
VUID [R]	4706230

At the bottom of the form, there are two buttons: "Cancel" and "Submit".

Figure 109: Edit Standard Med Route Sample

Reference

See the following topics for more information on tabs:

- A-Z tab
- History tab

11.6. NDC Edit Tabs

11.6.1. NDC Header

When you edit an NDC, NDC-related tabs appear with a consistent header. This topic provides details for fields appearing in that header.

The screenshot shows a web-based application interface for editing an NDC. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, there are several tabs: Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A breadcrumb trail indicates the current location: Simple Search > Edit Ndc. The main content area is titled "Edit Ndc". Within this area, there are three tabs: "Main" (selected and highlighted in blue), "Price", and "History". A note at the bottom of the tabs says "* = required fields". The page displays various NDC-related fields and their values:

NDC :	59148-0011-13	Trade Name :	ABILIFY	<input checked="" type="checkbox"/> NDC Picture Click to view larger image
VA Product Name :	ARIPIPRAZOLE 30MG TAB	Manufacturer :	OTSUKA AMERICA	
VA Print Name :	ARIPIPRAZOLE 30MG TAB	Item Status :	Active	
VA Dispense Unit :	TAB			

Figure 110: NDC Header

Field List Header

NDC

The view-only National Drug Code

VA Product Name

Click to open a page to view the description and strength of drug to be dispensed.

VA Print Name

The view-only VA Print Name

VA Dispense Unit

The view-only dispensing unit for the product

Trade Name

The view-only Trade Name for the product

Manufacturer

The view-only name of the Manufacturer of the product

Item Status

The view-only status of the drug: Active or Inactive

Image

The view-only uploaded Image of the product

11.6.2. NDC Main Tab

This tab appears when you edit an NDC and select the Main tab. Use this tab to edit NDC-related main data.

The screenshot shows the 'NDC Information' section of the PPS system. At the top, it displays the NDC number 59148-0011-13 and the product name ARIPIPRAZOLE 30MG TAB. Below this, there are tabs for 'Main', 'Price', 'History', and 'A - Z'. The 'Main' tab is selected. Required fields are indicated by a red asterisk (*). The 'NDC Information' section includes fields for NDC, Trade Name, Manufacturer, and UPC/UPN. The 'Physical Characteristics' section includes fields for Color, Imprint, Imprint2, Scored, and Shape. The 'Local Pricing Information' section includes fields for Order Unit, Unit Price, NDC Dispense Unit/Order Unit, NDC Price per Dispense Unit, Package Size, Package Type, Vendor, and VSN. The 'Other Information' section includes fields for OTC/RX Indicator, Protect from Light, Refrigeration, Application Package Use, Item Status, Proposed Inactivation Date, NDC Item Inactivation Date, Category, Single/Multi Source, Source, and Product Number. The 'Medication' section includes fields for Medication, S - Single Source, and VA. The 'Sub-Category' section includes fields for Sub-Category (Chemotherapy, Herbal, OTC, Veterinary) and checkboxes for each. At the bottom, there are buttons for 'Cancel', 'Save Work in Progress', 'Change Product', and 'Submit'.

Figure 111: NDC Main Tab

Field List Header

See NDC Header.

Field List Main Tab

Fields with a red asterisk are required fields that you must complete.

NDC Information

NDC

Click the link to open a page with National Drug Code details.

Trade Name *

Enter Trade Name for the national drug code.

Manufacturer *

Select a Manufacturer for the national drug code from the drop-down list.

UPD/UPN

Enter the Universal Product Code (UPC) or Universal Product Number (UPN) for the national drug code.

Local Pricing Information

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Order Unit

The view-only order unit for the national drug code

Unit Price

The view-only unit price for the national drug code

NDC Dispense Unit/Order Unit

Enter the Dispense Unit/Order Unit (DUOU) for the national drug code.

NDC Price per Dispense Unit *

Enter the Price per Dispense Unit (PPDU) for the national drug code.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Package Size *

Enter the Package Size for the national drug code.

Package Type *

Select a Package Type for product from the drop-down list for the national drug code.

Vendor

Enter Vendor for the national drug code.

VSN

Enter the Vendor Stock Number (VSN) for the national drug code.

Sub-Category Box

Click one or more of the check boxes to indicate a sub-category for the national drug code: Chemotherapy; Herbal; OTC; Veterinary.

Physical Characteristics

Color

Select a Color for the product from the drop-down list for the national drug code.

Imprint

Enter the Imprint on product for the national drug code.

Imprint2

Enter an additional Imprint for the national drug code if applicable.

Scored

Select a fraction that the drug can be scored by from the drop-down list: 0.25, 0.33, and 0.5.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Shape

Select a Shape for the drug from the drop-down list.

Other Information

OTC/RX Indicator *

Select an indicator for the national drug code from the drop-down list: over the counter (OTC) or requires a prescription (RX).

Protect from Light

Click the check box to indicate that the drug is light sensitive.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Refrigeration

Select an option for the drug from the drop-down list: Do Not Refrigerate or Refrigerate.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Application Package Use

The view-only application package indicator. If marked (X), the drug is part of an application package.

Item Status *

Select an option for the national drug code from the drop-down list: Active and Inactive.

Proposed Inactivation Date

Enter the Proposed Inactivation Date for the national drug code.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

NDC Item Inactivation Date

The view-only inactivation date for the national drug code

Category

The view-only Category for the national drug code: Compound; Investigational; Medication; Supply

Single/Multi Source

Select an option for the national drug code from the drop-down list: M - Multi Source; S - Single Source; B -Both; N - Neither.

Source

Select an option for the type of Source for the national drug code from the drop-down list: COTS; FDA; VA.

Product Number

Enter the Product Number for the national drug code.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Previous Entries

Previous NDC

Enter the Previous National Drug Code(s) if applicable.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Previous UPC/UPN

Enter the Previous Universal Product Code (UPC) or Universal Product Number (UPN) for the NDC if applicable.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change Product

Click this button to start a new product search and change the product.

Submit

Click this button to submit the additions or changes you have made.

Create New NDC (from existing)

Click this link to open the Add New NDC page where you can edit the current NDC for the selected product or change product.

11.6.3. NDC Price Tab

This tab appears when you edit an NDC and select the Price tab. Use this tab to edit NDC-related price data.

Simple Search > Add NDC > Edit Ndc Page Help Provide Feedback

NDC : 16590-0745-60 VA Product Name : ARIPIRAZOLE 5MG TAB VA Print Name : ARIPIRAZOLE 5MG TAB VA Dispense Unit : TAB * = required fields	Trade Name : ABILIFY Manufacturer : STAT RX USA Item Status : Active																																					
<input type="button" value="Main"/> <input type="button" value="Price"/> <input type="button" value="History"/> <input type="button" value="A - Z"/>																																						
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> Local Pricing Information <table border="0" style="width: 100%;"> <tr><td>Order Unit :</td><td>BT</td></tr> <tr><td>Unit Price :</td><td>0</td></tr> <tr><td>NDC Dispense Units per Order Unit :</td><td>60</td></tr> <tr><td><input checked="" type="checkbox"/> NDC Price per Dispense Unit * :</td><td>0.0</td></tr> <tr><td>Package Size * :</td><td>60</td></tr> <tr><td>Package Type * :</td><td>BOTTLE</td></tr> <tr><td>Vendor :</td><td></td></tr> <tr><td>VSN :</td><td></td></tr> </table> </div> <div style="width: 45%;"> National Pricing Information <table border="0" style="width: 100%;"> <tr><td>FSS Covered Items :</td><td></td></tr> <tr><td>FSS Prime Vendor :</td><td>No</td></tr> <tr><td>FSS Contract Number :</td><td></td></tr> <tr><td>FSS Price End Date :</td><td></td></tr> <tr><td>FSS Price :</td><td>0.0</td></tr> <tr><td>FSS VA Price :</td><td>0.0</td></tr> <tr><td>FSS BIG4 Price :</td><td>0.0</td></tr> <tr><td>FSS BPA Price :</td><td>0.0</td></tr> <tr><td>FSS Incentive BPA Available :</td><td>No</td></tr> <tr><td>FSS National Contract Price :</td><td>0.0</td></tr> </table> </div> </div>			Order Unit :	BT	Unit Price :	0	NDC Dispense Units per Order Unit :	60	<input checked="" type="checkbox"/> NDC Price per Dispense Unit * :	0.0	Package Size * :	60	Package Type * :	BOTTLE	Vendor :		VSN :		FSS Covered Items :		FSS Prime Vendor :	No	FSS Contract Number :		FSS Price End Date :		FSS Price :	0.0	FSS VA Price :	0.0	FSS BIG4 Price :	0.0	FSS BPA Price :	0.0	FSS Incentive BPA Available :	No	FSS National Contract Price :	0.0
Order Unit :	BT																																					
Unit Price :	0																																					
NDC Dispense Units per Order Unit :	60																																					
<input checked="" type="checkbox"/> NDC Price per Dispense Unit * :	0.0																																					
Package Size * :	60																																					
Package Type * :	BOTTLE																																					
Vendor :																																						
VSN :																																						
FSS Covered Items :																																						
FSS Prime Vendor :	No																																					
FSS Contract Number :																																						
FSS Price End Date :																																						
FSS Price :	0.0																																					
FSS VA Price :	0.0																																					
FSS BIG4 Price :	0.0																																					
FSS BPA Price :	0.0																																					
FSS Incentive BPA Available :	No																																					
FSS National Contract Price :	0.0																																					
<input type="button" value="Cancel"/> <input type="button" value="Save Work in Progress"/> <input type="button" value="Change Product"/> <input type="button" value="Submit"/>																																						
Create New NDC (from existing)																																						

Figure 112: NDC Price Tab

Field List Header

See NDC Header.

Field List Price Tab

Fields with a red asterisk are required fields that you must complete.

Local Pricing Information

Order Unit

The view-only Order Unit

Unit Price

The view-only Unit Price

NDC Dispense Units per Order Unit

Enter the National Drug Code Dispense Units per Order Unit (DUOU).

NDC Price per Dispense Unit *

Enter the National Drug Code Price per Dispense Unit (PPDU).

Click the lock icon to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Package Size *

Enter the Package Size.

Package Type *

Select a Package Type for the national drug code from the drop-down list.

Vendor

Enter Vendor for the national drug code.

VSN

Enter the Vendor Stock Number (VSN) for the national drug code.

National Pricing Information

Data for fields in this section comes from a scheduled background task. See the System Data Tab and Job Types for more information.

FSS Covered Items

The view-only Federal Supply Schedule (FSS) Covered Items

FSS Prime Vendor

The view-only Federal Supply Schedule (FSS) Prime Vendor

FSS Contract Number

The view-only Federal Supply Schedule (FSS) Contract Number

FSS Price End Date

The view-only Federal Supply Schedule (FSS) Price End Date

FSS Price

The view-only Federal Supply Schedule (FSS) Price

FSS VA Price

The view-only Federal Supply Schedule (FSS) VA Price

FSS BIG4 Price

The view-only Federal Supply Schedule (FSS) BIG4 Price

FSS BPA Price

The view-only Federal Supply Schedule (FSS) Blanket Purchase Agreement (BPA) Price

FSS Incentive BPA Available

The view-only Federal Supply Schedule (FSS) Incentive Blanket Purchase Agreement (BPA) Available

FSS National Contract Price

The view-only Federal Supply Schedule (FSS) National Contract Price

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change Product

Click this button to enter new product search

Submit

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Click this button to submit the additions or changes you have made.

Create New NDF (from existing)

Click this link to open the Add New NDC page where you can edit the NDC for selected product or change product.

11.7. Orderable Item Edit Tabs

11.7.1. OI Header

When you edit an orderable item, orderable-item-related tabs appear with a consistent header. This topic provides details for fields appearing in that header.

The screenshot shows a web-based application interface for editing an orderable item. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, there's a secondary menu with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A search bar at the top right includes links for Simple Search and Edit Orderable Item. On the right side of the header, there are links for Page Help and Provide Feedback. The main content area displays the following information:

PPS OI Name :	ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE
TAB	Item Status : Active
Dosage Form :	TAB OI Safety Indicator : NO

At the bottom of the form, there are several tabs: Details, Safety, Labs & Vitals, Products, History, and A - Z. A note indicates that the asterisk (*) = required fields.

Figure 113: OI Header

Field List Header

PPS OI Name

The view-only name of the Pharmacy Product System Orderable Item

Dosage Form

The view-only form of the dosage

Item Status

The view-only status of the drug: Active or Inactive

OI Safety Indicator

The view-only status of the Orderable Item Safety Indicator: Yes or No

11.7.2. OI Details Tab

This tab appears when you edit an orderable item and select the Details tab. Use this tab to edit OI-related details data.

Simple Search > Edit Orderable Item

PPS OI Name : WARFARIN TAB

Item Status : Active Dosage Form : TAB

OI Safety Indicator : NO

Details Safety Labs & Vitals Products History A - Z * = required fields

Setup	Schedule / Duration
Application Package Use : X	Schedule Type :
Non-VA Med : <input type="checkbox"/>	Schedule :
OI IV Flag : No	Day (ND) or Dose (NL) Limit : <input type="text"/>
Item Status * : Active	Standard Medication Route : ORAL
Category / Sub-Category	Formulary
Category * Compound Investigational Medication Supply	Sub-Category Chemotherapy Herbal OTC Veterinary
<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>
OI Synonyms	National Formulary Indicator : <input checked="" type="checkbox"/>
OI Synonym	Formulary Designator : <input type="text"/>
<input type="button" value="OI Synonym"/>	<input type="button" value="Remove"/>
<input type="button" value="Add New Row"/>	<input type="button" value="Create New OI (from existing)"/>
<input type="button" value="Cancel"/> <input type="button" value="Save Work in Progress"/> <input type="button" value="Submit"/>	

Figure 114: OI Details Tab

Field List Header

See OI Header.

Field List Details Tab

Fields with a red asterisk are required fields that you must complete.

Setup

Application Package Use

The view-only Application Package Use indicator. If marked (X), the orderable item is part of an application package.

Non-VA Med

Click the check box if the orderable item is a non-VA medication.

If a check mark appears (Yes), the orderable item is a non-VA medication.

If no check mark appears (No), the orderable item is a VA medication.

OI IV Flag

Click the check box if the orderable item is an IV medication.

If a check mark appears (Yes), the orderable item is an IV medication.

If no check mark appears (No), the orderable item is an IV medication.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Item Status *

The view-only status of the drug: Active or Inactive

Category / Sub-Category

Category *

Click check box to select a Category: Compound; Investigational; Medication; Supply.

Sub-Category

Click check box to select a Sub-Category: Chemotherapy; Herbal; OTC; Veterinary.

OI Synonym

Click the **Add New Row** button to add a row to the OI Synonym table.

In **OI Synonym**, enter a synonym.

Click the **Remove** button beside an entry to remove it.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Schedule / Duration

Schedule Type

Enter a unit dose Schedule Type for the orderable item.

Schedule

Enter a unit dose Schedule type: OC - On Call; O - One-time; P - PRN; R - Fill on Request

Day (ND) or Dose (NL) Limit

Enter a whole number (no decimal) between 0 and 99 followed by a D (Day) or L (Limit) for the Number of Days (ND) or Dose Limit (NL) for the orderable item. For example, enter 5D for a limit of five days for the administration of the orderable item.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Standard Medication Route

Select a Standard Medication Route for the orderable item from the drop-down list.

Formulary

National Formulary Indicator

Click to add a check mark If the orderable item is part of the national formulary.

Formulary Designator

Use the drop down menu to select a formulary designator, or use the add icon  to add a new formulary designator.

OI Text

Use the text box to add OI text to an existing orderable item. Note the OI Text field displays only the first 36 characters of the OI Text. The user can navigate into that field, which will expand to show the full text. When the user is finished making edits to this field, click the Save Changes button, which would allow the user to continue making edits to the other orderable item fields.

This field requires a second approval. See Section 3.4 for more information.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Submit

Click this button to submit the additions or changes you have made.

Create New OI (from existing)

Click this link to open the Add Orderable Item page and create a new orderable item from an existing orderable item.

11.7.3. OI Safety Tab

This tab appears when you edit an orderable item and select the Safety tab. Use this tab to edit OI-related safety data.

The screenshot shows the 'Safety' tab of the Orderable Item (OI) edit screen. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. Below the navigation bar, the OI Name is listed as ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE TAB. The 'Safety' tab is selected. On the left, there are tabs for Details, Safety (which is active), Labs & Vitals, Products, History, and A - Z. A note says '* = required fields'. The main area has sections for Precautions / Alerts (with High Alert and Special Instructions fields), Guidelines (with National OI-Drug Text Entry and a table for National Drug Text Entry), and Patient Specific (with fields for Patient Instructions, Other Language Instructions, and Lifetime Cumulative Dosage). At the bottom, there are buttons for Cancel, Save Work in Progress, and Submit, along with a link to Create New OI (from existing).

Figure 115: OI Safety Tab

Field List Header

See OI Header.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

156

December 2018

Field List Safety Tab

Precautions / Alerts

High Alert

Enter medication alert.

Special Instructions

Enter Special Instructions for medication.

Guidelines

National OI-Drug Text Entry

Click the **Add New Row** button to add a row to the National Drug Text Entry table.

- In **National Drug Text Entry**, enter National Drug Text.
- Click the **Remove** button beside an entry to remove it.

Patient Specific

Patient Instructions

Enter Patient Instructions.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Other Language Instructions

Enter patient instructions in preferred language.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Lifetime Cumulative Dosage

Click the check box to display the Lifetime Cumulative Dosage of the drug.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Submit

Click this button to submit the additions or changes you have made.

Create New OI (from existing)

Click this link to open the Add Orderable Item page and create a new orderable item from an existing orderable item.

11.7.4. OI Labs & Vitals Tab

This tab appears when you edit an orderable item and select the Labs & Vitals tab. Use this tab to edit OI-related laboratory and vital readings data.

The screenshot shows a web-based application interface for managing orderable items. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, there are links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A simple search bar is located at the top left, and links for Page Help and Provide Feedback are at the top right. The main content area displays the following information:

- PPS OI Name :** ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE
- TAB**
- Item Status :** Active
- OI Safety Indicator :** NO
- Dosage Form :** TAB
- Details** | **Safety** | **Labs & Vitals** (highlighted) | **Products** | **History** | **A - Z**
- * = required fields**
- Labs** section:
 - Labs during Order Entry :
 - Labs during Finishing an Order :
 - Labs during Administration :
- Vitals** section:
 - Vitals during Order Entry :
 - Vitals during Finishing an Order :
 - Vitals during Administration :

At the bottom of the form, there are buttons for Create New OI (from existing), Cancel, Save Work in Progress, and Submit.

Figure 116: OI Lab Vitals

Field List Header

See OI Header.

Field List Labs & Vitals Tab

Labs

Labs during Order Entry

Enter the laboratory tests required during order entry for the orderable item.

Labs during Finishing an Order

Enter the laboratory tests required during order entry finishing for the orderable item.

Labs during Administration

Enter the laboratory tests required during administration for the orderable item.

Vitals

Vitals during Order Entry

Enter the vitals monitoring required during order entry for the orderable item.

Vitals during Finishing an Order

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Enter the vitals monitoring required during order entry finishing for the orderable item.

Vitals during Administration

Enter the vitals monitoring required during administration for the orderable item.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Submit

Click this button to submit the additions or changes you have made.

Create New OI (from existing)

Click this link to open the Add Orderable Item page and create a new orderable item from an existing orderable item.

11.7.5. OI Products Tab

This tab appears when you edit an orderable item and select the Products tab. Use this tab to edit OI-related product data.

The screenshot shows the 'Products' tab for an orderable item named 'ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE TAB'. The table lists one item: 'ABACAVIR SO4 600MG/DOLUTEGRAVIR 50MG/LAMIVUDINE 300MG TAB'. The table includes columns for Select, VA Product Name, Print Name, Generic Name, Copay Tier, Primary Class, CMOP (National), New Item Request, NFI, Formulary Designator, NDCs, and Inactivation Date. At the bottom, there are buttons for Select All, Move Products, Create New Product (from blank), Cancel, Save Work in Progress, and Submit.

Select	VA Product Name	Print Name	Generic Name	Copay Tier	Primary Class	CMOP (National)	New Item Request	NFI	Formulary Designator	NDCs	Inactivation Date
<input type="checkbox"/>	ABACAVIR SO4 600MG/DOLUTEGRAVIR 50MG/LAMIVUDINE 300MG TAB	ABACAV/DOLUTEGRAV/LAMI/UD 600/50/300MG TAB	ABACAVIR/DOLUTEGRAVIR/LAMIVUDINE	AM800	Yes	Approved	Yes			2	

Figure 117: OI Products Tab

Field List Header

See OI Header.

Field List Products Tab

Select

Click the check box beside an orderable item to select it for additional handling.

VA Product Name

Click the link to open the National Data Tab for the product.

Print Name

The view-only Print Name of the orderable item

Generic Name

The view-only Generic Name of the orderable item

Primary Class

The view-only Primary Class of the orderable item

CMOP (National)

The view-only status of the Consolidated Mail Out Pharmacy National for the orderable item:
Yes or No

New Item Request

The view-only status of the New Item Request for the orderable item

NFI

The view-only status of the Non-formulary Indicator (NFI) for the orderable item: Yes or No

Formulary Designator

The view-only formulary designator for each product associated with the orderable item.

NDCs

The view-only National Drug Code(s) (NDCs) for the orderable item

Inactivation Date

The view-only Inactivation Date for the orderable item in the format DD-MMM-YYYY
HH:MM

Buttons and Links

Select All

Click this button to select all entries in the Select column of the table for further handling.

Move Products

Click this button to remove selected products from the orderable item. See Remove Product from Orderable Item for more information.

Create New Product (from blank)

Click this link to open the Add Product Item page and create a new product.

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Submit

Click this button to submit the additions or changes you have made.

Create New OI (from existing)

Click this link to open the Add Orderable Item page and create a new orderable item from an existing orderable item.

11.8. Product Edit Tabs

11.8.1. Product Header

When you edit a product, product-related tabs appear with a consistent header. This topic provides details for fields appearing in that header.

The screenshot shows a web-based application interface for editing a product. At the top, there's a red navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below this is a blue header bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A search bar says 'Simple Search > Edit Product'. On the right of the header are links for Page Help and Provide Feedback. The main content area has a grey background. It displays product information: Product : SACCHARIN SODIUM PWDR, Primary Class : PH000 - PHARMACEUTICAL AIDS/REAGENTS, Category : Medication. To the right, it shows PPS OI Name : SACCHARIN SODIUM POWDER, Application Package Use : X, Item Status : Active, and New Item Request : Approved. At the bottom, there are tabs for National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, and A - Z. A note says 'Hide All Tabs' and includes a reminder that asterisks (*) indicate required fields.

Figure 118: Product Header

Field List Header

Product

The view-only name of the Product

Primary Class

The view-only Primary Class of the product

Category

The view-only Category of the product: Compound; Investigational; Medication; Supply

PPS OI Name

Click the link to open the Pharmacy Product System Orderable Item information on product.

Application Package Use

The view-only Application Package Use indicator. If marked (X), the orderable item is used as part of an application package.

Item Status

The view-only status of the drug: Active or Inactive

New Item Request

The state of the new item request: Pending, Approved, Rejected

11.8.2. Product National Data Tab

This tab appears when you edit a product and select the National Data tab. Use this tab to edit product-related national data.

The screenshot displays the 'Product National Data Tab' for editing a product. At the top, there's a header with 'Simple Search > Edit Product' and links for 'Page Help' and 'Provide Feedback'. Below the header, product details are listed: Product Name (RIVAROXABAN 10MG TAB,UD), Primary Class (BL110 - ANTICOAGULANTS), Category (Medication), PPS OI Name (RIVAROXABAN TAB), Application Package Use (X), Item Status (Active), and New Item Request (Approved). A 'National Data' tab is selected, indicated by a blue border. A note says '* = required fields'. The main area contains several input fields and dropdown menus for product information like Strength (10 MG TAB), Form (TAB), and Print Name (RIVAROXABAN 10MG UD TAB). To the right, there are sections for VUID (4030880), CS Federal Schedule (0 - UNSCHEDULED), National Formulary Indicator (checked), National Formulary Name (RIVAROXABAN TAB), Formulary Designator (PA-F), Item Status (Active), and Proposed Inactivation Date. Below these are 'Copy Tier' and 'Copy' buttons. Further down, there's a section for 'VA Drug Classes' with a table showing BL110 - ANTICOAGULANTS as the primary class. Other sections include 'Active Ingredient' (with RIVAROXABAN) and 'Synonyms' (with XARELTO). At the bottom, there are buttons for 'Cancel', 'Save Work in Progress', 'Change OI', and 'Submit', along with a link to 'Create New Product (from existing)'.

Figure 119: Product National Data Tab

Field List Header

See Product Header.

Field List National Data Tab

Fields with a red asterisk are required fields that you must complete.

VA Product Name

The view-only name of the VA product. The name is derived based on the following criteria.

If the product has more than one Ingredient Name in Ingredients multiple, the system sorts Ingredient Names in alphabetical order. Each Ingredient Name is followed by Ingredient Strength and Ingredient Unit.

If the product has more than one Ingredient Name in Ingredients multiple, the system inserts a slash (/) after each Ingredient Unit with the exception of the last Ingredient Unit. Further, the system insert Dosage Form after the last Ingredient Unit. The system truncates the value if it exceeds the max limit of 64 characters.

If Not For Human Use is marked and Category does not equal Investigational, then the system starts the VA Product Name with the prefix AML. For example, a VA Product Name of Tylenol 325 mg Tab, SA becomes AML Tylenol 325 mg SA Tab.

Generic Name *

Select a Generic Name for the product from the drop-down list.

Click the  to add a new generic name. The system opens the Add Generic Name page, which you can use to add a new generic name for the product.

Product Strength

Enter the strength of the product.

Product Unit

Select a unit for the product from the drop-down list.

Click the  to add a new unit for the product. The system opens the Add Dose Unit Name page, which you can use to add a new unit for the product.

VA Dispense Unit *

Select a VA Dispense Unit for the product from the drop-down list.

Click the  to add a new dispense unit for the product. The system opens the Add Dispense Unit Name page, which you can use to add a new dispense unit for the product.

VA Print Name *

Enter the VA Print Name for the product. The name is derived based on the following criteria.

If the product has more than one Ingredient Name in Ingredients multiple, the system sorts Ingredient Names in alphabetical order. Each Ingredient Name is followed by Ingredient Strength and Ingredient Unit.

If the product has more than one Ingredient Name in Ingredients multiple, the system inserts a slash (/) after each Ingredient Unit with the exception of the last Ingredient Unit. Further, the system insert Dosage Form after the last Ingredient Unit. In addition, if the Dosage for value is composed of two parts separated by a comma, the system reverses the two parts and removes the comma. The system truncates the value if it exceeds the max limit of 40 characters.

If Not For Human Use is marked and Category does not equal Investigational, then the system starts the VA Product Name with the prefix AML. For example, a VA Product Name of Tylenol 325 mg Tab, SA becomes AML Tylenol 325 mg SA Tab.

If the product item has more than one Ingredient Name in Ingredients multiple, Ingredient Names must be in alphabetical order.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

VA Product ID

The view-only Consolidated Mail Outpatient Pharmacy (CMOP) identification. This field is required after the product has been approved or after the VA Print Name of an existing product has been edited and approved.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

CMOP Dispense (National)

Click this check box to indicate that the product is to be dispensed via the national Consolidated Mail Outpatient Pharmacy (CMOP).

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

Exclude DDI Check

Click this check box to indicate that the product is to be excluded from the system Drug-Drug Interaction (DDI) check.

Override DF Check Exclusion

Click this check box to indicate that the product is included in the national Drug File (DF) check.

Auto-Create Possible Dosage

Click this check box to indicate that the system should suggest a possible dosage automatically.

Possible Dosages to Create

This field is required when Auto-Create Possible Dosage is selected.

Select a possible dosage from the drop-down list to auto-create for the dispense drugs: N - No Possible Dosages; O - Only 1x Possible Dosage; B - Both 1x and 2x Possible Dosages.

Product Package

This field is required when Auto-Create Possible Dosage is selected.

Select a possible package description for the product from the drop-down list.

Product Text

This field is to enter any text for notes relating to the product.

Note the Text field displays only the first 36 characters of the OI Text. The user can navigate into that field, which will expand to show the full text.

FDA Med Guide

The view-only name of the Federal Drug Administration (FDA) medical guide in which the product is detailed.

Click the PDF icon  to open the FDA Medical Guide.

GCNSEQNO

Enter the Generic Sequence Number (GCNSEQNO) for the product.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

VUID

The view-only VA Unique Identifier.

CS Federal Schedule *

Select a federal controlled substance schedule from the drop-down list: 0 - Unscheduled; 1 - Schedule 1; 2 - Schedule II; 2n - Schedule II Non-Narcotic; 3 - Schedule 3; 3n - Schedule III Non-Narcotics; 4 - Schedule IV; 5 - Schedule 5.

National Formulary Indicator

Click this check box to indicate that the product is part of the national formulary.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

National Formulary Name

The view-only name of the product in the national formulary

Formulary Designator

This field shows the formulary designator being added to an existing product.

Item Status *

Select a status for the product: Active or Inactive.

Proposed Inactivation Date

Enter a Proposed Inactivation Date using the format DD-Mon-YYYY.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Copay Tier

Click the **Add New Row** button to add a row to the Copay Tier.

- Select the Copay Tier from the drop-down menu.
- **Effective Date** will auto-populate with today's date, the user can also a start date for the start of the copay period.
- For the **End Date**, the user can enter an end date for the end of the copay period, or if the user adds another row and sets a new copay tier the end date will auto-populate with a day before the new row's effect date.
- Click the **Remove** button beside an entry to remove the copay range.

Sub-Category Box

Click one or more of the check boxes to indicate a Sub-Category for the product: Chemotherapy; Herbal; OTC; Veterinary.

VA Drug Class *

Click the **Add New Row** button to add a row to the VA Drug Class table.

In **VA Drug Class**, enter the name of the class for the VA drug. Click the to add a new drug class for the product. The system opens the Add Drug Class page, which you can use to add a new drug class for the product.

In **Primary**, click the check box to indicate that this drug class is primary. When the product includes more than one VA Drug Class, you must select one as primary. If the product includes only one VA Drug Class, the system automatically selects it as primary.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

Click the **Remove** button beside an entry to remove the drug class.

Active Ingredient

Click the **Add New Row** button to add a row to the Ingredient Name table.

In **Ingredient Name**, enter the name of the active ingredient. Click the to add a new active ingredient for the product. The system opens the Add Ingredient Name page, which you can use to add a new active ingredient for the product.

In **Strength**, enter a strength for the active ingredient.

In **Drug Unit**, enter a drug unit for the active ingredient. Click the to add a new drug unit for the active ingredient. The system opens the Add Drug Unit Name page, which you can use to add a new drug unit name for the active ingredient.

Click the **Remove** button beside an entry to remove it.

Synonyms

Click the **Add New Row** button to add a row to the Synonyms table.

In **Synonym**, enter a synonym for the product.

In **Use**, enter medication use: 0 - Trade Name; 1 - Quick Code; D - Drug Accountability; C - Controlled Substance.

In **NDC Code**, enter a National Drug Code (NDC) for the product synonym.

In **VSN**, enter the Vendor Stock Number (VSN) for the product synonym.

In **Order Unit**, enter order unit type for the product synonym. Click the to add a new order unit for the synonym. The system opens the Add Order Unit Abbreviation page, which you can use to add a new order unit abbreviation for the synonym.

In **PPOU**, enter a Product Price per Order Unit (PPOU) for the product synonym.

In **DUOU**, enter a Drug Units per Order Unit (DUOU) for product synonym.

In **PPDU**, enter a Product Price per Dispense Unit (PPDU) for the product synonym.

In **Vendor**, enter a vendor name for the product synonym.

--Click the **Remove** button beside an entry to remove the synonym.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.3. Product Drug Data Tab

This tab appears when you edit a product and select the Drug Data tab. Use this tab to edit product-related drug data.

Simple Search > Edit Product

Product :	AZACITIDINE 100MG/VI INJ,SUSP	PPS OI Name :	AZACITIDINE INJ,SUSP								
Primary Class :	AN300 - ANTOINEOPLASTICS,ANTIMETABOLITES	Application Package Use :	X								
Category :	Medication	Item Status :	Active								
New Item Request :	Approved										
National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields											
Generic Name : AZACITIDINE VA Product Name : AZACITIDINE 100MG/VI INJ,SUSP VA Print Name : AZACITIDINE 100MG/VI SUSP INJ Local Print Name :		Active Ingredient (1) AZACITIDINE National Formulary Name : AZACITIDINE INJ,SUSP <input checked="" type="checkbox"/> Proposed Inactivation Date : <input type="text"/>									
Local Use : <input type="checkbox"/> Special Handling <table border="1"> <tr> <td>Special Handling</td> <td>Remove</td> </tr> <tr> <td colspan="2">Add New Row</td> </tr> <tr> <td>CS Federal Schedule * :</td> <td>0 - UNSCHEDULED</td> </tr> <tr> <td><input checked="" type="checkbox"/> DEA Schedule * :</td> <td>0-Unscheduled</td> </tr> </table>				Special Handling	Remove	Add New Row		CS Federal Schedule * :	0 - UNSCHEDULED	<input checked="" type="checkbox"/> DEA Schedule * :	0-Unscheduled
Special Handling	Remove										
Add New Row											
CS Federal Schedule * :	0 - UNSCHEDULED										
<input checked="" type="checkbox"/> DEA Schedule * :	0-Unscheduled										
Local Non-Formulary : No National Formulary Indicator : <input checked="" type="checkbox"/> Formulary Designator : <input type="text"/> + Formulary : F Formulary Alternative : <input type="text"/> National Drug Text Entry		VA Drug Classes (1) GCNSEQNO : 054660 VUID : 4017105 Sub-Category : <input type="checkbox"/> Chemotherapy <input type="checkbox"/> Herbal <input type="checkbox"/> OTC <input type="checkbox"/> Veterinary									
RX Message : <input type="text"/>		Synonyms (1) VIDAZA Order Unit : Price per Order Unit : VA Dispense Unit * : VI + <input checked="" type="checkbox"/> Product Dispense Units per Order Unit : <input type="text"/> Price per Dispense Unit : IFCAP Item Number : <input checked="" type="checkbox"/> NCPDP Dispense Unit * : EA-EACH <input checked="" type="checkbox"/> NCPDP Quantity Multiplier * : 1 <input checked="" type="checkbox"/> FSN/NSN : <input type="text"/> <input checked="" type="checkbox"/> Refrigeration : <input type="text"/> <input checked="" type="checkbox"/> Protect from Light : <input type="checkbox"/>									
<input type="checkbox"/> DAW Code : <input type="text"/> 0-NO PRODUCT SELECTION INDICATED											
Create New Product (from existing) Cancel Save Work in Progress Change OI Submit											

Figure 120: Product Drug Data Tab

Field List Header

See Product Header.

Field List Drug Data Tab

Fields with a red asterisk are required fields that you must complete.

Generic Name

The view-only Generic Name for the product

VA Product Name

The view-only VA Product Name for the product

VA Print Name

The view-only VA Print Name for the product

Local Print Name

The view-only Local Print Name for the product

Local Use

Click this check box to restrict the product for local use. When this box is checked, it cannot be edited by National. See A-Z Tab for more information.

Special Handling

Click the **Add New Row** button add a new row to the Special Handling table.

In **Special Handling**, select a special handling option from the drop-down list. See Add Special Handling Code for more information on the source of this list.

Click the **Remove** button beside a special handling code to remove it from the table.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

CS Federal Schedule *

Select a federal controlled substance schedule from the drop-down list. When you make a selection in this field, the system completes the DEA Schedule field.

DEA Schedule *

This field is automatically completed when you select a CS Federal Schedule. You can select another option from the drop-down list: 0 - Unscheduled; 1 - Schedule 1 Item; 2 - Schedule 2 Item; 3 - Schedule 3 Item; 4 - Schedule 4 Item; 5 - Schedule 5 Item; 6 - Legend Item; 9 - Over the Counter.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Local Non-Formulary

The view-only status of the local non-formulary product: Yes or No

National Formulary Indicator

Click this check box to indicate that the product is part of the national formulary.

Formulary Designator

Select the Formulary Designator for the drug from the drop-down list.

Click the  to add a new Formulary Designator to the product.

Formulary

The view-only status of the Formulary

Formulary Alternative

Enter an alternative for the formulary for this product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

National Drug Text Entry

Click the **Add New Row** button add a new row to the National Drug Text Entry table.

In **National Drug Text Entry**, select a text option from the drop-down list.

Click the **Remove** button beside a special handling code to remove it from the table.

Click the add icon  to add new text. See Add Drug Text Name for more information on the source of this list.

RX Message

Enter any additional instructions for the pharmacy for this product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

DAW Code

Select dispensing substitution directions from the drop-down list for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Active Ingredient

Click this link to display the Active Ingredient pop-up to view a list of active ingredients.

- In the pop-up, click the **Add New Row** button add a new row to the list of active ingredients.
- In **Ingredient Name**, select an ingredient from the drop-down list.
- In **Strength**, enter the strength for the active ingredient.
- In **Drug Unit**, select a unit from the drop-down list.
- Click **Save Changes** to save the active ingredient.

Click the **Remove** button beside an active ingredient to remove it from the table.

National Formulary Name

The view-only name associated with the national formulary

Proposed Inactivation Date

Enter a Proposed Inactivation Date using the format DD-Mon-YYYY.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

VA Drug Classes

Click this link to open the VA Drug Class pop-up to view a list of classes.

- In the pop-up, click the **Add New Row** button add a new row to the list of classes.
- In **VA Drug Class**, select a class from the drop-down list.
- In **Primary**, click the check box if the class is primary for the product.
- Click **Save Changes** to save the class.
- Click the **Remove** button beside a class to remove it from the table.

GCNESQNO

The view-only Generic Code Number Sequence Number, which is a numeric value that corresponds to the Generic Code Number Sequence Number of an FDB generic drug.

UUID

The view-only VA Unique Identifier

Sub-Category

Click one or more of the check boxes to indicate a Sub-Category for the product: Chemotherapy; Herbal; OTC; Veterinary.

Synonyms

Click this link to open the Synonyms pop-up to view a list of synonyms for the product.

- In **Synonym**, enter a synonym for the product.
- In **Use**, enter medication use: 0 - Trade Name; 1 - Quick Code; D - Drug Accountability; C - Controlled Substance.
- In **NDC Code**, enter a National Drug Code (NDC) for the product synonym.
- In **VSN**, enter the Vendor Stock Number (VSN) for the product synonym.
- In **Order Unit**, enter order unit type for the product synonym.
- In **PPOU**, enter a Product Price per Order Unit (PPOU) for the product synonym.
- In **DUOU**, enter a Drug Units per Order Unit (DUOU) for product synonym.
- In **PPDU**, enter a Product Price per Dispense Unit (PPDU) for the product synonym.
- In **Vendor**, enter a vendor name for the product synonym.
- Click the **Remove** button beside an entry to remove the synonym.

Order Unit

The view-only Order Unit for the product synonym

Price per Order Unit

The view-only Price per Order Unit (PPOU) for the product synonym

VA Dispense Unit *

Select a VA Dispense Unit for the product synonym from the drop-down list.

Click the  to add a new dispense unit for the product synonym. The system opens the Add Dispense Unit Name page, which you can use to add a new dispense unit for the product synonym.

Product Dispense Units per Order Unit

Enter the dispense units per order unit for the product synonym.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Price per Dispense Unit

The view-only the Price per Dispense Unit (PPDU) for the product synonym

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

IFCAP Item Number

The view-only Integrated Funds Distribution, Control Point Activity, Accounting, and Procurement number

NCPDP Dispense Unit *

Select National Council for Prescription Drug Program (NCPDP) Dispense Unit for the drug from the drop-down list.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

NCPDP Quantity Multiplier *

Enter the National Council for Prescription Drug Program (NCPDP) Quantity Multiplier.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

FSN/NSN

Enter the Federal Stock Number (FSN) or National Stock Number (NSN) for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Refrigeration

Select an option from the drop-down list: Refrigerate or Do Not Refrigerate.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Protect from Light

Click this check box if the product should be protected from exposure to light.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.4. Product Quick Actions Tab: CMOP Mark / Unmark

This tab appears when you edit a product and select the Quick Actions tab menu option CMOP (Consolidated Mail Outpatient Pharmacy) Mark / Unmark. Use this tab to edit product-related CMOP mark and unmark data.

The screenshot shows the Product Quick Actions Tab: CMOP Mark / Unmark screen. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. Below the navigation bar, there's a simple search field and links for Page Help and Provide Feedback. The main content area displays product details: Product: SACCHAROMYCES BOULARDII CAP/TAB, Primary Class: HA000 - HERBS/ALTERNATIVE THERAPIES, Category: Medication. To the right, there are fields for PPS OI Name (SACCHAROMYCES BOULARDII CAP/TAB), Application Package Use (X), Item Status (Active), and New Item Request (Approved). Below this, there are tabs for National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, and A - Z. A note indicates that * = required fields. On the left, there's a sidebar with links for CMOP Mark / Unmark, Enter / Edit Dosages, Print PMI, Print Warning Labels, and Coding System. The main form area contains fields for VA Print Name (SACCHAROMYCES BOULARDII CAP/TAB), VA Drug Classes (HA000 - HERBS/ALTERNATIVE THERAPIES), VA Dispense Unit (CAP/TAB), VA Product ID (S0480), and Transmit to CMOP (Local) (No). There are also fields for Quantity Dispense Message, Price per Order Unit, Product Dispense Units per Order Unit, and Local Print Name. At the bottom, there are buttons for Cancel, Rematch, Save Work in Progress, Change OI, and Submit, along with a link to Create New Product (from existing).

Figure 121: Product Quick Actions Tab-CMOP Mark / Unmark

Field List Header

See Product Header.

Field List CMOP Mark / Unmark

VA Print Name

The view-only VA Print Name. For more information about the field, see the National Data Tab.

VA Drug Class

The view-only VA Drug Class. For more information about the field, see the National Data Tab.

VA Dispense Unit

The view-only VA Dispense Unit. For more information about the field, see the National Data Tab.

VA Product ID

The view-only VA Product Identification. For more information about the field, see the National Data Tab.

Transmit to CMOP (Local)

The view-only Transmit to Consolidated Mail Outpatient Pharmacy (CMOP) (Local) indicator when applicable. For more information about the field, see the National Data Tab.

Quantity Dispense Message

Enter Quantity Dispense Message for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Price per Order Unit

The view-only Price per Order Unit (PPOU).

Products Dispense Unit per Order Unit

Enter Products Dispense Unit per Order Unit.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Local Print Name

The view-only Local Print Name when applicable.

Order Limit

Products Dispense Unit per Order Unit

The view-only dispense units per order unit for the product.

Application Package Use

The view-only Application Package Use indicator field. If marked (X), the product is part of an application package.

Price Per Dispense Unit

The view-only Price Per Dispense Unit (PPDU).

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.5. Product Quick Actions Tab: Enter / Edit Dosages

This tab appears when you edit a product and select the Quick Actions tab menu option Enter / Edit Dosages. Use this tab to edit product-related dosages data.

Figure 122: Product Quick Actions Tab-Enter / Edit Dosages

Field List Header

See Product Header.

Field List Enter / Edit Dosages

Approved for Spitting

Select Yes or No from the drop-down list to indicate if product can be split.

Ingredient Strength

Enter Ingredient Strength of product.

National Possible Dosages

The view-only field displaying the National Possible Dosages available

Local Possible Dosages

The view-only field displaying the Local Possible Dosages available

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.6. Product Quick Actions Tab: Print PMI

This tab appears when you edit a product and select the Quick Actions tab menu option Print PMI (Patient Medication Information). Use this tab to edit product-related patient medication information data.

Product : SACCHAROMYCES BOULARDII CAP/TAB

Primary Class : HA000 - HERBS/ALTERNATIVE THERAPIES

Category : Medication

PPS OI Name : SACCHAROMYCES BOULARDII CAP/TAB

Application Package Use : X

Item Status : Active

New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

CMOP Mark / Unmark
Enter / Edit Dosages
Print PMI
Print Warning Labels
Coding System

Patient Medication Information

Language Version : English

View PMI

Create New Product (from existing)

Cancel Rematch Save Work in Progress Change OI Submit

Figure 123: Product Quick Actions Tab-Print PMI

Field List Header

See Product Header.

Field List Print PMI

Language Version

Select a language from the drop-down list: **English** or **Spanish**.

View PMI Button

Click the PMI button to display Patient Medication Information (PMI) for selected product.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.7. Product Quick Actions Tab: Print Warning Labels

This tab appears when you edit a product and select the Quick Actions tab menu option Print Warning Labels. Use this tab to edit product-related printed warning labels data.

The screenshot shows the 'Print Warning Labels' tab selected within the Product Quick Actions interface. At the top, product details are displayed: Product: BABY OIL, TOP; Primary Class: DE350 - EMOLLIENTS; Category: Medication. To the right, PPS OI Name is set to BABY OIL OIL, TOP, Application Package Use is marked as X, Item Status is Active, and New Item Request is Approved. Below this, a table lists a single warning label entry: Code 0020 and Text 'For external use only.'. A sidebar on the left contains links for CMOP Mark / Unmark, Enter / Edit Dosages, Print PMI, Print Warning Labels (which is selected), and Coding System. At the bottom, standard application buttons are available: Create New Product (from existing), Cancel, Rematch, Save Work in Progress, Change OI, and Submit.

Figure 124: Product Quick Actions Tab-Print Warning Labels

Field List Header

See Product Header.

Field List Print Warning Labels

Language Version

Select a language from the drop-down list: English or Spanish.

Code

The view-only a four digit number to print on warning labels

Text

The view-only text description to print on warning labels

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.8. Product Quick Actions Tab: Coding System

This tab appears when you edit a product and select the Quick Actions tab menu option RxNorm. Use this tab to edit product-related normal prescription data.

The screenshot displays the 'Product Quick Actions Tab: Coding System' interface. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, Help, Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. Below the navigation bar, a breadcrumb trail shows 'Simple Search > Edit Product'. The main content area shows product details: Product : SACCHAROMYCES BOULARDII CAP/TAB, Primary Class : HA000 - HERBS/ALTERNATIVE THERAPIES, Category : Medication. To the right, there are fields for PPS OI Name (SACCHAROMYCES BOULARDII CAP/TAB), Application Package Use (X), Item Status (Active), and New Item Request (Approved). A sidebar on the left contains links for CMOP Mark / Unmark, Enter / Edit Dosages, Print PMI, Print Warning Labels, and Coding System. The main form area contains fields for Coding System (RxNorm), Code (484637), String Name (SACCHAROMYCES BOULARDII CAP/TAB [VA Product]), TTY, and Suppress. At the bottom, there are buttons for Cancel, Rematch, Save Work in Progress, Change OI, Submit, and Create New Product (from existing).

Figure 125: Product Quick Actions Tab-Coding System

Field List Header

See Product Header.

Field List RxNorm

RxNorm Name

Enter the product-related normal prescription name.

RXCUI

Enter the product-related normal prescription Concept Unique Identifier (CUI).

RxNorm TTY

Enter the product-related normal prescription term type.

RxNorm Language

Enter the product-related normal prescription language.

RxNorm Suppress

Select a product-related normal prescription type of suppressibility from the drop-down list: O - Obsolete; Y - Suppressed; E - Editor- Assigned Suppressibility; N - Not Suppressible. See FDB Update for more information on the update process, which is affected by this selection.

RxNorm UMLSCUI

Enter the product-related normal prescription Unified Medical Language System Concept Unique Identifier (UML SCUI).

RxNorm Synonym

Enter the product-related normal prescription synonym.

Last RxNorm Update

The view-only last update date for the product-related normal prescription

Exclude from AutoUpdate

Click the check box to exclude the product-related normal prescription from the automatic update process. See FDB Update for more information on the update process, which is affected by this selection.

You must be logged in with the role of Manager, Second Approver, or Supervisor to use this field. See Identity Management for more information.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.9. Product Application Data Tab: Outpatient

This tab appears when you edit a product and select the Application Data tab menu option Outpatient. Use this tab to edit product-related outpatient data.

Figure 126: Product Application Data Tab-Outpatient

Field List Header

See Product Header.

Field List Outpatient

Local Non-Formulary

The view-only status of the Local Non-Formulary product: Yes or No. If Yes, the product is non-formulary and administered from the local pharmacy.

Lab Monitor Mark

Click this check box to indicate that laboratory monitoring is required when this drug is administered.

Click the lock icon to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Lab Test Monitor

Click this check box to indicate that laboratory testing is required when this drug is administered.

Correspondence Inpatient Drug

The view-only inpatient pharmacy correspondence indicator: Yes or No. If Yes, the product has inpatient correspondence associated with it.

Maximum Does per Day

Enter the maximum dose limit per day from 0 to 999.

Max Dispense Unit

Enter the maximum dispense limit for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Total Dispense Quantity

Enter the Total Dispense Quantity from 1 to 120.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

OP External Dispense

The view-only Outpatient Pharmacy (OP) External Dispense indicator: Yes or No. If Yes, the product is eligible for external dispensing.

Quantity Dispense Message

Enter quantity dispense message for the product

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Specimen Type

The view-only Specimen Type

Action Profile Message (OP)

The view-only Outpatient Pharmacy (OP) action profile message

Normal Amount to Order

The view-only amount to order normally for the selected product

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.10. Product Application Data Tab: Inpatient - Unit Dose

This tab appears when you edit a product and select the Application Data tab menu option Unit Dose. Use this tab to edit product-related unit dose data.

Simple Search > Edit Product

Product : ABACAVIR SO4 100MG/5ML SOLN,ORAL
Primary Class : AM800 - ANTIVIRALS
Category : Medication

PPS OI Name : ABACAVIR SOLN,ORAL
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

Outpatient
 Inpatient - Unit Dose
 IV
 Surgery
 Ward Stock
 Drug Accountability
 Controlled Substance
 Non-VA Med

Corresponding Outpatient Drug :

Create New Product (from existing) Cancel Save Work in Progress Change OI Submit

Figure 127: Product Application Data Tab-Inpatient - Unit Dose

Field List Header

See Product Header.

Field List Inpatient - Unit Dose

Corresponding Outpatient Drug

The view-only Corresponding Outpatient Drug if applicable.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.11. Product Application Data Tab: IV

This tab appears when you edit a product and select the Application Data tab menu option IV. Use this tab to edit product-related IV data.

Simple Search > Edit Product

Product : ABACAVIR SO4 100MG/5ML SOLN,ORAL
Primary Class : AM800 - ANTI VIRALS
Category : Medication

PPS OI Name : ABACAVIR SOLN,ORAL
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

Outpatient
 Inpatient - Unit Dose
 IV
 Surgery
 Ward Stock
 Drug Accountability
 Controlled Substance
 Non-VA Med

The details for this option have not yet been defined

Create New Product (from existing) Cancel Save Work in Progress Change OI Submit

Figure 128: Product Application Data Tab-IV

Field List Header

See Product Header.

Field List IV

For future development, and not in use at the moment.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.12. Product Application Data Tab: Surgery

This tab appears when you edit a product and select the Application Data tab menu option Surgery. Use this tab to edit product-related surgery data.

Simple Search > Edit Product

Product : ABACAVIR SO4 100MG/5ML SOLN,ORAL
Primary Class : AM600 - ANTIVIRALS
Category : Medication

PPS OI Name : ABACAVIR SOLN,ORAL
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

Outpatient
 Inpatient - Unit Dose
 IV
 Surgery
 Ward Stock
 Drug Accountability
 Controlled Substance
 Non-VA Med

Cancel Save Work in Progress Change OI Submit

Figure 129: Product Application Data Tab-Surgery

Field List Header

See Product Header.

Field List Surgery

For future development, and not in use at the moment.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.13. Product Application Data Tab: Ward Stock

This tab appears when you edit a product and select the Application Data tab menu option Ward Stock. Use this tab to edit product-related ward stock data.

The screenshot shows the 'Product Application Data Tab: Ward Stock' interface. At the top, product details are listed: ABACAVIR SO4 100MG/5ML SOLN,ORAL, Primary Class: AM800 - ANTI VIRALS, Category: Medication. To the right, PPS OI Name: ABACAVIR SOLN,ORAL, Application Package Use: X, Item Status: Active, and New Item Request: Approved. Below this, tabs include National Data, Drug Data, Quick Actions, Application Data (selected), Dispense Data, Administration Data, NDCs, History, and A - Z. A note says Hide All Tabs. A required fields indicator (* = required fields) is present. On the left, a sidebar lists categories with checkboxes: Outpatient, Inpatient - Unit Dose, IV, Surgery, Ward Stock (selected), Drug Accountability, Controlled Substance, and Non-VA Med. The main panel shows Inpatient Pharmacy Location, AR/WS Amis Category (locked), and AR/WS Amis Conversion Number. At the bottom, buttons include Create New Product (from existing), Cancel, Save Work in Progress, Change OI, and Submit.

Figure 130: Product Application Data Tab-Ward Stock

Field List Header

See Product Header.

Field List Ward Stock

Inpatient Pharmacy Location

The view-only location of the inpatient pharmacy

AR/WS Amis Category

Select an Automatic Replenishment/Ward Stock (AR/WS) Category from the drop-down list: 0-DOSE BY TYPE; 1-UNITS OF ISSUE; 2-FLUIDS AND ADMIN SETS; 3-BLOOD PRODUCT.

Click the lock icon to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

AR/WS Amis Conversion Number

Enter the Automatic Replenishment/Ward Stock (AR/WS) Amis Conversion Number.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit


Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.14. Product Application Data Tab: Drug Accountability

This tab appears when you edit a product and select the Application Data tab menu option Drug Accountability. Use this tab to edit product-related drug accountability data.



Simple Search > Edit Product

Product : ABACAVIR SO4 100MG/5ML SOLN,ORAL
Primary Class : AM800 - ANTI VIRALS
Category : Medication

PPS OI Name : ABACAVIR SOLN,ORAL
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

ABACAVIR SO4 100MG/5ML SOLN,ORAL. Synonym Multiple									
Synonyms									
Synonym Name	Use	NDC Code	VSN	Order Unit	PPOU	DUOU	PPDU	Vendor	Remove
ZIAGEN	0-TR	00173-0664-00		BT	240	0			Remove

Add New Row

Cancel Save Work in Progress Change OI Submit

Create New Product (from existing)

Figure 131: Product Application Data Tab-Drug Accountability

Field List Header

See Product Header.

Field List Drug Accountability

IFCAP Item Number

The view-only Integrated Funds Distribution, Control Point Activity, Accounting, and Procurement (IFCAP) item number.

Synonym Name

Enter or edit the product synonym.

Use

Select a medication use from the drop-down list: 0 - Trade Name; 1 - Quick Code; D - Drug Accountability; C - Controlled Substance.

NDC Code

Enter the National Drug Code (NDC) number.

VSN

Enter or edit the Vendor Stock Number (VSN) for the product synonym.

Order Unit

Select an Order Unit type from the drop-down list for the product synonym.

Click the add button  to open the Add Order Unit page and add an order unit abbreviation.

PPOU

Enter or edit the Product Price per Order Unit (PPOU) for the product synonym.

DUOU

Enter or edit the Drug Units per Order Unit (DUOU) for product synonym.

PPDU

Enter or edit the Product Price per Dispense Unit (PPDU) for the product synonym.

Vendor

Enter or edit a Vendor name for the product synonym.

Remove

Click this button to remove the product synonym.

Add New Row

Click this button to add a new row to the list and add another product synonym.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.15. Product Application Data Tab: Controlled Substance

This tab appears when you edit a product and select the Application Data tab menu option Controlled Substance. Use this tab to edit product-related controlled substance data.

The screenshot shows the 'Product Application Data Tab: Controlled Substance' interface. At the top, product details are listed: ABACAVIR SO4 100MG/5ML SOLN,ORAL, Primary Class: AM800 - ANTI VIRALS, Category: Medication. To the right, PPS OI Name: ABACAVIR SOLN,ORAL, Application Package Use: X, Item Status: Active, and New Item Request: Approved. Below this, a navigation bar includes National Data, Drug Data, Quick Actions, Application Data (selected), Dispense Data, Administration Data, NDCs, History, A - Z, and Hide All Tabs. A note indicates '*' = required fields. On the left, a sidebar lists categories with checkboxes: Outpatient, Inpatient - Unit Dose, IV, Surgery, Ward Stock, Drug Accountability, Controlled Substance (which is checked), and Non-VA Med. The main content area shows a table for Special Handling. It includes a lock icon and the text 'DEA Schedule *: D-Unscheduled'. A 'Special Handling' row is shown with a 'Remove' button. Below it is an 'Add New Row' button. At the bottom, there are buttons for Create New Product (from existing), Cancel, Save Work in Progress, Change OI, and Submit.

Figure 132: Product Application Data Tab-Controlled Substance

Field List Header

See Product Header.

Field List Controlled Substance

Fields with a red asterisk are required fields that you must complete.

DEA Schedule *

Select a Drug Enforcement Administration (DEA) Schedule from the drop-down list: 0 - Unscheduled; 1 - Schedule 1 Item; 2 - Schedule 2 Item; 3 - Schedule 3 Item; 4 - Schedule 4 Item; 5 - Schedule 5 Item; 6 - Legend Item; 9 - Over the Counter.

Click the lock icon to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Special Handling

Click the Add New Row button add a new row to the Special Handling table.

In **Special Handling**, select a special handling option from the drop-down list. See Add Special Handling Code for more information on the source of this list.

Click the **Remove** button beside a special handling code to remove it from the table.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit


Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.16. Product Application Data Tab: Non-VA Med

This tab appears when you edit a product and select the Application Data tab menu option Non-VA Med. Use this tab to edit product-related non-Veterans Administration medication data.



Simple Search > Edit Product

Product : ABACAVIR SO4 100MG/5ML SOLN,ORAL
Primary Class : AM800 - ANTI VIRALS
Category : Medication

PPS OI Name : ABACAVIR SOLN,ORAL
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

Outpatient
 Inpatient - Unit Dose
 IV
 Surgery
 Ward Stock
 Drug Accountability
 Controlled Substance
 Non-VA Med

Create New Product (from existing) Cancel Save Work in Progress Change OI Submit

Figure 133: Product Application Data Tab-Non-VA Med

Field List Header

See Product Header.

Field List Non-VA Med

For future development, and not in use at the moment.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.17. Product Dispense Data Tab

This tab appears when you edit a product and select the Dispense Data tab. Use this tab to edit product-related dispensing data.

Home Manage PPS Reports COTS Services User Preferences Help

Enter / Edit Items Requests Saved Work in Progress PPS Data Elements PPS Data Requests Manage Update Files

Simple Search > Edit Product Page Help Provide Feedback

Product : BABY OIL, TOP
Primary Class : DE350 - EMOLLIENTS
Category : Medication

PPS OI Name : BABY OIL,OIL, TOP
Application Package Use : X
Item Status : Active
New Item Request : Approved

National Data Drug Data Quick Actions Application Data Dispense Data Administration Data NDCs History A - Z Hide All Tabs * = required fields

Dispensing Data

Enter / Edit Dosages

Day (ND) or Dose (NL) Limit:

Maximum Dose per Day:

Quantity Dispense Message:

Dispense Quantity Override:

Dispense Quantity Limit

Dispense Quantity Dose Limit: 0

Dispense Quantity Days Limit: 0

Dispense Days Supply Limit:

Dispense Limit for Order:

Dispense Limit Schedule:

Max Dispense Limit:

Total Dispense Quantity:

Dispense Override:

Dispense Override Reason:

Dispense Override Reason Entered By:

Specialty Mail Settings

Do Not Mail:
 Default Mail Service:

Cancel Rematch Save Work in Progress Change OI Submit

Create New Product (from existing)

Figure 134: Product Dispense Data Tab

Field List Header

See Product Header.

Field List Dispense Data Tab

Dispensing Data

Enter/Edit Dosages

Click this link to open a pop-up that allows you to enter or edit dosages. See Edit Dosage Form Name for more information.

Day (ND) or Dose (NL) Limit

Enter the day or dose limit for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Maximum Dose per Day

Enter the maximum dose limit per day from 0 to 999.

Quantity Dispense Message

Enter Quantity Dispense Message for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Quantity Override

Enter the Dispense Quantity Override for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Quantity Limit

Dispense Quantity Dose Limit

Enter a limit for the dispense quantity dose for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Quantity Days Limit

Enter a limit for the dispense quantity days for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Days Supply Limit

Enter a limit for the dispense days supply for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Limit for Order

Enter a limit for the Dispense for Order for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Limit Schedule

Enter a limit for the dispense schedule for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Max Dispense Limit

Enter a limit for the maximum dispense limit for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Total Dispense Quantity

Enter a total for the dispense quantity for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Override

Enter the Dispense Override for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Override Reason

Enter the Dispense Override Reason for the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Dispense Override Reason Entered By

Enter the name of the user who entered the dispense override reason.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Specialty Mail Settings

Do Not Mail

Click the check box to indicate no mail notifications.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Default Mail Service

Enter a Default Mail Service.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Buttons and Links

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.18. Product Administration Data Tab

This tab appears when you edit a product and select the Administration Data tab. Use this tab to edit product-related administration data.

Figure 135: Product Administration Data Tab

Field List Header

See Product Header.

Field List Administration Data Tab

High Risk / Hazardous Administration Data

Patient Specific Label

Click this check box to indicate the need for a Patient Specific Label.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Do Not Handle If Pregnant

Click this check box to indicate that the product should not be handled by a pregnant woman.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Witness Required

Click this check box to indicate that a witness is required when the product is administered to a patient.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Follow-Up Time

Click this check box to indicate that patient follow-up monitoring is required after the administration of the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Monitor Max Days

Enter the number of days to monitor the patient after the administration of the product from 0 to 999.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

High Risk Med

Click this check box to indicate that the mediation is high risk.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

High Risk Follow-Up

Click this check box to indicate that patient follow-up monitoring is required after the administration of the product.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

High Risk Follow-Up Time Period

Enter the number of days to monitor the patient after the administration of the product from 0 to 120.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Hazardous to Handle

Click this check box to indicate that this product is hazardous to handle. Precautions should be taken.

Hazardous to Dispose

Click this check box to indicate that the product is Hazardous to Dispose. The system enables the following additional fields:

- In **Primary EPA Code**, enter the Primary Environmental Protection Agency (EPA) Code.
- In **Waste Sort Code**, enter the Waste Sort Code.
- In **DOT Shipping Name**, enter Department of Transportation (DOT) shipping code.

You must be logged in with the role of Manager, Second Approver, or Supervisor to use these fields. See Identity Management for more information.

Hazardous to Patient

Click this check box to indicate that the product is hazardous to the patient.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Lab/Vital Look-Up Data

See the Labs & Vitals Tab for the source for entries in the field set.

Labs during Order Entry

The view-only laboratory tests required during order entry for the orderable item

Labs during Finishing an Order

The view-only laboratory tests required during order entry finishing for the orderable item

Labs during Administration

The view-only laboratory tests required during administration for the orderable item

Vitals during Order Entry

The view-only vitals monitoring required during order entry for the orderable item

Vitals during Finishing an Order

The view-only vitals monitoring required during order entry finishing for the orderable item

Vitals during Administration

The view-only vitals monitoring required during administration for the orderable item

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.8.19. Product NDCs Tab

This tab appears when you edit a product and select the NDCs tab. Use this tab to edit product-related NDC data.

The screenshot shows the 'Edit Product' screen with the 'NDCs' tab selected. At the top, product details are listed: ABACAVIR SO4 100MG/5ML SOLN,ORAL, Primary Class: AM800 - ANTI VIRALS, Category: Medication. To the right, PPS OI Name is ABACAVIR SOLN,ORAL, Application Package Use is X, Item Status is Active, and New Item Request is Approved. Below this is a toolbar with tabs: National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs (selected), History, A - Z, and Hide All Tabs. A note indicates '*' = required fields. The main area contains input fields for Normal Amount To Order (0), Single/Multi Source (B - Both), Reorder Level, VA Dispense Unit (ML), and a checkbox for Show Inactive NDCs. Below is a table showing 2 items found, displaying all items. The table columns are: Select, NDC, Trade Name, VSN, Package Size, Package Type, PPOU, PPDU, Manufacturer, Item Status, and UPC/UPN. Two rows are shown: one for 54569-5390-00 (ZIAGEN) and another for 49702-0222-48 (ZIAGEN). At the bottom are buttons for Select All, Move NDCs, Copy NDCs to New Product, Create New NDC (from blank), Cancel, Save Work in Progress, Change OI, and Submit.

Figure 136: Product NDCs Tab

Field List Header

See Product Header.

Field List NDCs Tab

Normal Amount to Order

The view-only Normal Amount to Order for selected product

Reorder Level

The view-only product Reorder Level

Single/Multi Source

The view-only source status: M - Multi Source; S - Single Source; B - Both; N - Neither

Long Term Out of Stock

Click this check box to indicate the product is out of stock for the long term.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

VA Dispense Unit

The view-only product VA Dispense Unit

Show Inactive NDCs

Click this check box to display inactive national drug code(s) (NDCs) in the list below.

Field List NDCs List**Select**

Click the check box to view additional details of product.

NDC

Click this link to open the NDC Main Tab where you can edit the National Drug Code (NDC) for the selected product.

Trade Name

The view-only product Trade Name

VSN

The view-only Vendor Stock Number (VSN) for the product. See Application Data Tab: Drug Accountability for the original entry.

Package Size

The view-only Package Size for the product

Package Type

The view-only Package Type for the product

PPOU

The view-only Product Price per Order Unit (PPOU) for the product. See Application Data Tab: Drug Accountability for the original entry.

PPDU

The view-only Product Price per Dispense Unit (PPDU) for the product. See Application Data Tab: Drug Accountability for the original entry.

Manufacturer

The view-only name of the Manufacturer for the product

Item Status

The view-only the Item Status for the product: Active or Inactive

UPC/UPN

The view-only Universal Product Code (UPC) or Universal Product Number (UPN) for the product

Buttons and Links

Select All

Click this button to select all entries in the Select column of the table for further handling.

Move NDCs

Use this button to remove NDCs from the product. See Remove NDCs from Product for more information.

Copy NDCs to New Product

Use this button to copy the NDCs for the displayed product to a new product. See Copy NDCs to New Product for more information.

Create New NDC (from existing) Link

Click this link to open the Add New NDC page. See Add NDC for more information.

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.9. Product Change Request Tab

After you submit product changes, this tab appears. Select the Change Request tab and use the tab to request changes.

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

This page also appears when you approve, reject, or place a request in an under review or a pending state.

The screenshot shows a web-based application for managing product requests. At the top, there's a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation is a sub-navigation bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A breadcrumb trail indicates the user is at Simple Search > Edit Product Request. The main content area displays product details for 'ACETAMINOPHEN 500MG/PSEUDOEPHEDRINE 50MG TAB'. It includes fields for Primary Class (RES99 - COLD REMEDIES, OTHER), Category (Medication), PPS OI Name (ACETAMINOPHEN/PSEUDOEPHEDRINE TAB), Application Package Use (X), Item Status (Active), and New Item Request (Pending). Below this, a section titled 'Product Addition Request' contains tabs for National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, Change Request, and a search field (A - Z). A 'Hide All Tabs' link is also present. The main form area has two columns: 'Requested By' (containing 'NATIONAL ONLY') and 'Comment' (a large text area). At the bottom of the form are several buttons: Cancel, Save Work in Progress, Change OI, Accept Product, Reject Product, and Under Review. A link 'Create New Product (from existing)' is also visible.

Figure 137: Product Change Request Tab

Field List Header

See Product Header.

Field List Change Request Tab

Requested By

The view-only name of the user requesting the change to the product

Comment

Enter Comments to request changes to the product.

Buttons and Links

Cancel Button

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.10. Product Pending Modification Tab

After you submit product changes, this tab appears. Select the Pending Modification tab and use the tab to approve, reject, or place the change in a pending state.

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

This page also appears when you approve, reject, or place a request in an under review or a pending state.

The screenshot shows a web-based application interface for managing product changes. At the top, there's a header with links for 'Simple Search', 'Edit Product Request', 'Page Help', and 'Provide Feedback'. Below the header, product details are listed: Product: ABACAVIR SO4 300MG/LAMIVUDINE 150MG/ZIDOVUDINE 300MG TAB, Primary Class: AM800 - ANTI VIRALS, Category: Medication. To the right, PPS OI Name: ABACAVIR/LAMIVUDINE/ZIDOVUDINE TAB, Application Package Use: X, Item Status: Active, New Item Request: Approved. A 'Product Modification Request' section follows, featuring tabs for National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, Pending Modification (which is selected), Change Request, A-Z, and Hide All Tabs. A note indicates '* = required fields'. The main content area contains a table titled 'Pending Modification Request' with columns: Action, Field Name, Current Value, Requested Value, Reason, Request to Modify Field Values, Request to Make Field Editable, Requested By, Reviewed By, and Comments. Three rows of data are shown:

Action	Field Name	Current Value	Requested Value	Reason	Request to Modify Field Values	Request to Make Field Editable	Requested By	Reviewed By	Comments
Approved	CMOP Dispense (National)	true	false		<input checked="" type="checkbox"/>	<input type="checkbox"/>	200:National Manager Only	200:National Manager Only	<input type="text"/>
Approved	Exclude Drug-Drug Interaction Check	false	true		<input checked="" type="checkbox"/>	<input type="checkbox"/>	200:National Manager Only	200:National Manager Only	<input type="text"/>
Approved	VA Print Name	ABACAVIR300/LAMIVUDINE150/ZDV 300MG TAB	ABACAVIR300/LAMIVUDINE150/ZDV 300MG TAB1		<input checked="" type="checkbox"/>	<input type="checkbox"/>	200:National Manager Only	200:National Manager Only	<input type="text"/>

At the bottom, there are buttons for 'Create New Product (from existing)', 'Cancel', 'Save Work in Progress', and 'Change OI'.

Figure 138: Product Pending Modification Tab

Field List Header

See Product Header

Field List Pending Modification Table

Action

Select a state from the drop-down list: Approved, Rejected, Pending.

Field Name

The view-only name of the field where the change was made.

Current Value

The view-only original value of the field

Requested Value

The view-only modified value of the field

Reason

The view-only reason that the change is being submitted

Request to Modify Field Values

If the box is checked, the field can be edited.

If the box is unchecked, the field is view-only.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

This field is completed by a local manager and it will not be useful until PPS-L is released.

Request to Make Field Editable

If the box is checked, the request is to enable the field so that it can be edited.

If the box is unchecked, the request is to disable the field so that it cannot be edited.

This field is completed by a local manager and it will not be useful until PPS-L is released.

Requested By

The view-only role name of the user who made the request

Reviewed By

The view-only role name of the user who reviewed the request

Comments

Enter any comments about the change.

Buttons and Links

Cancel Button

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI Button

Click this button to change the orderable item.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

11.11. Rematch

When the user navigates to the Enter/Edit Items tab on the Manage PPS page, selects a one or product for editing, and is looking at the National Data tab, the user is able to deactivate a product or propose a future inactivation date. When the user edits a product in PPS-N it causes a potential un-match at the local level due to an Inactivation, Proposed Inactivation or “Other” modification. The PPS system then provides the user the ability to select products as suggestions or automatic rematches to replace the edited product.

The Data NDF update Report will display to the user the products whose edits cause the potential un-match along with products that are suggested for rematch, products that will be automatically rematched, or an indicator that there are no alternatives.

From the edit product page the user can select the **Rematch** button to navigate to the Rematch page. See image below.

To Access Rematch Page:

1. Navigate to the **Manage PPS** page.

2. Under **Enter/Edit Items tab** search for an active product, and select that product for editing.
3. **Change the Item Status by** selecting an option from the drop-down list: Active, Inactive.
4. Once the item status is set to Inactive, click the **Submit** button.
5. The Rematch page displays with possible matches, the user can either mark possible matches as suggested or automatic.
6. The user can then either click **Cancel, Skip, or Submit** the changes.

If I click Skip, the current Modification Summary for Product page displays.

If I click Submit, the Modification Summary for Product page that includes the product(s) I selected for rematch displays.

If I click Cancel, I am able to edit the product again.

If I click Accept Changes, the confirmation page displays.

To Define an Automatic Rematch:

1. In **Automatic**, click the radio button beside a VA product name that matches the unmatched product.
2. Click the **Submit** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Automatic.

To Define One or More Suggested Rematch:

1. In **Suggestion**, click the radio button beside a VA product(s) name that is a possible match to the unmatched product.
2. Click the **Submit** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Suggest.

To Search for Product:

1. If none of the suggestions is a good match, click the **Product Search** button. They system opens the Associate Product search page.
2. In **Search for**, enter text.
3. In **Search Field**, select a field from the drop-down list.
4. In **Strength**, enter strength.
5. Click the **Search** button. The system displays a list of possible matches.
6. In **VA Product Name**, click the link of a possible match. The system closes the search page and re-displays the Possible Matches with the product you selected added to the list.
7. To add more products, click the Internet Explorer **Back** button and click the link of another possible match in the **VA Product Name**.
8. Complete the match process by selecting **Automatic** or **Suggestion** radio button.

Field List Rematch

VA Product Name

The name of the VA product. Click the link to open the Possible Rematches page.

VA Product ID

The view-only VA Product Identification

Rematched VA Product Name

The view-only name of the Rematched VA product

Rematched Status

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

The view-only Rematched Status: Active or Inactive

Rematched VA Product ID

Rematch Type

The view-only Rematch Type for the product: Suggest or Automatic.

Rematch Button

The screenshot shows a web-based application interface for managing VA products. At the top, there is a navigation bar with links for Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, a breadcrumb trail indicates the current location: Simple Search > Edit Product > Rematch. On the right side of the header, there are buttons for Cancel, Rematch, Save Work in Progress, Change OI, and Submit. A link to Create New Product (from existing) is also present. The main content area is divided into two sections: 'Modified Product' and 'Possible Matches'. The 'Modified Product' section contains a table with two rows: 'VA Product Name' (BABY SHAMPOO) and 'VA Product ID' (B0260). The 'Possible Matches' section contains a table with one row: NO-RINSE SHAMPOO/BODY WASH, N0271, ACTIVE, with a suggestion radio button selected. At the bottom right of the page, there are buttons for Cancel, Search, Skip, and Submit.

Figure 139: Rematch Page with Possible Matches

The screenshot shows a 'Modification Summary for Product' page. The title at the top is 'Modification Summary for Product: SARGRAMOSTIM 250MCG/VIL INJ'. Below the title, a message states 'Modification Summary for Data Fields' and 'No Data Fields were modified!'. There is a 'Rematch' section with a 'Reason:' input field and a note: 'If there is a pre-existing rematch it will be deleted.' At the bottom, there are 'Cancel' and 'Accept Changes' buttons.

Figure 140: Rematch Modification Screen

The screenshot shows a software interface for managing pharmaceutical products. At the top, there's a navigation bar with links like Home, Manage PPS, Reports, COTS Services, User Preferences, and Help. Below the navigation bar, there's a sub-navigation bar with links for Enter / Edit Items, Requests, Saved Work in Progress, PPS Data Elements, PPS Data Requests, and Manage Update Files. A simple search bar is also present.

The main content area displays product information for "BABY SHAMPOO". Product details include Primary Class (DE400 - SOAPS/SHAMPOOS/SOAP-FREE CLEANSERS), Category (Medication), and various identifiers like PPS OI Name (SHAMPOO SHAMPOO), Application Package Use (X), Item Status (Active), and New Item Request (Approved).

The interface features several tabs for modifying product data: National Data, Drug Data, Quick Actions, Application Data, Dispense Data, Administration Data, NDCs, History, and A - Z. The National Data tab is currently selected. It contains fields for VA Product Name (BABY SHAMPOO), GCNSEQNO (006167), Generic Name (SHAMPOO), Product Strength, Product Unit (ML), VA Dispense Unit (ML), VA Print Name (BABY SHAMPOO), VA Product ID (B0260), CMOP Dispense (National) (checked), Exclude DDI Check (checked), Override DF Check Exclusion (unchecked), Auto-Create Possible Dosage (checked), Possible Dosages To Create, Product Package, and Product Text.

On the right side of the National Data tab, there are sections for VUID (4012609), CS Federal Schedule (0 - UNSCHEDULED), National Formulary Indicator (unchecked), National Formulary Name (SHAMPOO SHAMPOO), Formulary Designator, Item Status (Active), and Proposed Inactivation Date (06/26/2017). Below these are buttons for Copy Tier, Add New Row, and Remove.

At the bottom left, there's a link to FDA Med Guide.

Figure 141: Proposed Inactivation for Product for Rematch

12. Product National Data Tab

This tab appears when you edit a product and select the National Data tab. Use this tab to edit product-related national data.

Simple Search > Edit Product

Product :	RIVAROXABAN 10MG TAB,UD			PPS OI Name :	RIVAROXABAN TAB																					
Primary Class :	BL110 - ANTI COAGULANTS			Application Package Use :	X																					
Category :	Medication			Item Status :	Active																					
New Item Request :					Approved																					
<input type="button" value="National Data"/> <input type="button" value="Show All Tabs"/> * = required fields																										
VA Product Name :	RIVAROXABAN 10MG TAB,UD	GCNSEQNO :	064493																							
Generic Name *:	RIVAROXABAN		VUID :	4030880																						
Product Strength :	10		CS Federal Schedule *:	0 - UNSCHEDULED																						
Product Unit :	MG		National Formulary Indicator :	<input checked="" type="checkbox"/>																						
VA Dispense Unit *:	TAB		National Formulary Name :	RIVAROXABAN TAB																						
VA Print Name *:	RIVAROXABAN 10MG UD TAB		Formulary Designator :	PA-F																						
VA Product ID :	R0283		Item Status *:	Active																						
CMOP Dispense (National) :	<input type="checkbox"/>		Proposed Inactivation Date :																							
Exclude DDI Check :	<input type="checkbox"/>		Copay Tier																							
Override DF Check Exclusion :	<input type="checkbox"/>		<input type="button" value="Copy Tier"/>	<input type="button" value="Effective Date"/>	<input type="button" value="End Date"/>	<input type="button" value="Remove"/>																				
Auto-Create Possible Dosage :	<input checked="" type="checkbox"/>		<input type="button" value="Add New Row"/>																							
Possible Dosages To Create :																										
Product Package :																										
Product Text :	xx																									
FDA Med Guide :	Rivaroxaban_(Xarelto)_ (2016).pdf																									
Sub-Category	<input type="checkbox"/> Chemotherapy <input type="checkbox"/> Herbal <input type="checkbox"/> OTC <input type="checkbox"/> Veterinary																									
VA Drug Classes *	<input type="button" value="VA Drug Class"/> <table border="1"> <tr> <td>BL110 - ANTI COAGULANTS</td> <td><input checked="" type="checkbox" value="Primary"/></td> <td><input type="button" value="Remove"/></td> </tr> </table>						BL110 - ANTI COAGULANTS	<input checked="" type="checkbox" value="Primary"/>	<input type="button" value="Remove"/>																	
BL110 - ANTI COAGULANTS	<input checked="" type="checkbox" value="Primary"/>	<input type="button" value="Remove"/>																								
	<input type="button" value="Add New Row"/>																									
Active Ingredient	<table border="1"> <thead> <tr> <th>Ingredient Name</th> <th>Strength</th> <th>Drug Unit</th> <th>Remove</th> </tr> </thead> <tbody> <tr> <td>RIVAROXABAN</td> <td>10</td> <td>MG</td> <td><input type="button" value="Remove"/></td> </tr> </tbody> </table>						Ingredient Name	Strength	Drug Unit	Remove	RIVAROXABAN	10	MG	<input type="button" value="Remove"/>												
Ingredient Name	Strength	Drug Unit	Remove																							
RIVAROXABAN	10	MG	<input type="button" value="Remove"/>																							
	<input type="button" value="Add New Row"/>																									
Synonyms	<table border="1"> <thead> <tr> <th>Synonym Name</th> <th>Use</th> <th>NDC Code</th> <th>VSN</th> <th>Order Unit</th> <th>PPOU</th> <th>DUOU</th> <th>PPDU</th> <th>Vendor</th> <th>Remove</th> </tr> </thead> <tbody> <tr> <td>XARELTO</td> <td>0-TRADE NAME</td> <td>50458-0580-10</td> <td></td> <td>BT</td> <td>0</td> <td>100</td> <td>0</td> <td></td> <td><input type="button" value="Remove"/></td> </tr> </tbody> </table>						Synonym Name	Use	NDC Code	VSN	Order Unit	PPOU	DUOU	PPDU	Vendor	Remove	XARELTO	0-TRADE NAME	50458-0580-10		BT	0	100	0		<input type="button" value="Remove"/>
Synonym Name	Use	NDC Code	VSN	Order Unit	PPOU	DUOU	PPDU	Vendor	Remove																	
XARELTO	0-TRADE NAME	50458-0580-10		BT	0	100	0		<input type="button" value="Remove"/>																	
	<input type="button" value="Add New Row"/>																									
<input type="button" value="Create New Product (from existing)"/> <input type="button" value="Cancel"/> <input type="button" value="Save Work in Progress"/> <input type="button" value="Change OI"/> <input type="button" value="Submit"/>																										

Figure 142: Product National Data Tab

Field List Header

See Product Header.

Field List National Data Tab

Fields with a red asterisk are required fields that you must complete.

VA Product Name

The view-only name of the VA product. The name is derived based on the following criteria.

If the product has more than one Ingredient Name in Ingredients multiple, the system sorts Ingredient Names in alphabetical order. Each Ingredient Name is followed by Ingredient Strength and Ingredient Unit.

If the product has more than one Ingredient Name in Ingredients multiple, the system inserts a slash (/) after each Ingredient Unit with the exception of the last Ingredient Unit. Further, the system inserts Dosage Form after the last Ingredient Unit. The system truncates the value if it exceeds the max limit of 64 characters.

If Not for Human Use is marked and Category does not equal Investigational, then the system starts the VA Product Name with the prefix AML. For example, a VA Product Name of Tylenol 325 mg Tab, SA becomes AML Tylenol 325 mg SA Tab.

Generic Name *

Select a Generic Name for the product from the drop-down list.

Click the  to add a new generic name. The system opens the Add Generic Name page, which you can use to add a new generic name for the product.

Product Strength

Enter the strength of the product.

Product Unit

Select a unit for the product from the drop-down list.

Click the  to add a new unit for the product. The system opens the Add Dose Unit Name page, which you can use to add a new unit for the product.

VA Dispense Unit *

Select a VA Dispense Unit for the product from the drop-down list.

Click the  to add a new dispense unit for the product. The system opens the Add Dispense Unit Name page, which you can use to add a new dispense unit for the product.

VA Print Name *

Enter the VA Print Name for the product. The name is derived based on the following criteria.

If the product has more than one Ingredient Name in Ingredients multiple, the system sorts Ingredient Names in alphabetical order. Each Ingredient Name is followed by Ingredient Strength and Ingredient Unit.

If the product has more than one Ingredient Name in Ingredients multiple, the system inserts a slash (/) after each Ingredient Unit with the exception of the last Ingredient Unit. Further, the system inserts Dosage Form after the last Ingredient Unit. In addition, if the Dosage for value is composed of two parts separated by a comma, the system reverses the two parts and removes the comma. The system truncates the value if it exceeds the max limit of 40 characters.

If Not for Human Use is marked and Category does not equal Investigational, then the system starts the VA Product Name with the prefix AML. For example, a VA Product Name of Tylenol 325 mg Tab, SA becomes AML Tylenol 325 mg SA Tab.

If the product item has more than one Ingredient Name in Ingredients multiple, Ingredient Names must be in alphabetical order.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

VA Product ID

The view-only Consolidated Mail Outpatient Pharmacy (CMOP) identification. This field is required after the product has been approved or after the VA Print Name of an existing product has been edited and approved.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

CMOP Dispense (National)

Click this check box to indicate that the product is to be dispensed via the national Consolidated Mail Outpatient Pharmacy (CMOP).

When edited, this field requires a second review. See Section 3.4 for more information.

Exclude DDI Check

Click this check box to indicate that the product is to be excluded from the system Drug-Drug Interaction (DDI) check.

Override DF Check Exclusion

Click this check box to indicate that the product is included in the national Drug File (DF) check.

Auto-Create Possible Dosage

Click this check box to indicate that the system should suggest a possible dosage automatically.

Possible Dosages to Create

This field is required when Auto-Create Possible Dosage is selected.

Select a possible dosage from the drop-down list to auto-create for the dispense drugs: N - No Possible Dosages; O - Only 1x Possible Dosage; B - Both 1x and 2x Possible Dosages.

Product Package

This field is required when Auto-Create Possible Dosage is selected.

Select a possible package description for the product from the drop-down list.

Product Text

This field is to enter any text for notes relating to the product.

Note the Text field displays only the first 36 characters of the OI Text. The user can navigate into that field, which will expand to show the full text.

FDA Med Guide

The view-only name of the Federal Drug Administration (FDA) medical guide in which the product is detailed.

Click the PDF icon  to open the FDA Medical Guide.

GCNSEQNO

Enter the Generic Sequence Number (GCNSEQNO) for the product.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

VUID

The view-only VA Unique Identifier.

CS Federal Schedule *

Select a federal controlled substance schedule from the drop-down list: 0 - Unscheduled; 1 - Schedule 1; 2 - Schedule II; 2n - Schedule II Non-Narcotic; 3 - Schedule 3; 3n - Schedule III Non-Narcotics; 4 - Schedule IV; 5 - Schedule 5.

National Formulary Indicator

Click this check box to indicate that the product is part of the national formulary.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

National Formulary Name

The view-only name of the product in the national formulary

Formulary Designator

This field shows the formulary designator being added to an existing product.

Item Status *

Select a status for the product: Active or Inactive.

Proposed Inactivation Date

Enter a Proposed Inactivation Date using the format DD-Mon-YYYY.

Click the lock icon  to lock the field so that it cannot be changed. The system changes the icon . The lock is a toggle, which can be clicked to lock or unlock the field.

Copay Tier

Click the **Add New Row** button to add a row to the Copay Tier.

- Select the Copay Tier from the drop-down menu.
- **Effective Date** will auto-populate with today's date, the user can also a start date for the start of the copay period.
- For the **End Date**, the user can enter an end date for the end of the copay period, or if the user adds another row and sets a new copay tier the end date will auto-populate with a day before the new row's effect date.
- Click the **Remove** button beside an entry to remove the copay range.

Sub-Category Box

Click one or more of the check boxes to indicate a Sub-Category for the product: Chemotherapy; Herbal; OTC; Veterinary.

VA Drug Class *

Click the **Add New Row** button to add a row to the VA Drug Class table.

- In **VA Drug Class**, enter the name of the class for the VA drug. Click the to add a new drug class for the product. The system opens the Add Drug Class page, which you can use to add a new drug class for the product.
- In **Primary**, click the check box to indicate that this drug class is primary. When the product includes more than one VA Drug Class, you must select one as primary. If the product includes only one VA Drug Class, the system automatically selects it as primary.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

Click the **Remove** button beside an entry to remove the drug class.

Active Ingredient

Click the **Add New Row** button to add a row to the Ingredient Name table.

- In **Ingredient Name**, enter the name of the active ingredient. Click the to add a new active ingredient for the product. The system opens the Add Ingredient Name page, which you can use to add a new active ingredient for the product.
- In **Strength**, enter a strength for the active ingredient.
- In **Drug Unit**, enter a drug unit for the active ingredient. Click the to add a new drug unit for the active ingredient. The system opens the Add Drug Unit Name page, which you can use to add a new drug unit name for the active ingredient.
- Click the **Remove** button beside an entry to remove it.

Synonyms

Click the **Add New Row** button to add a row to the Synonyms table.

- In **Synonym**, enter a synonym for the product.
- In **Use**, enter medication use: 0 - Trade Name; 1 - Quick Code; D - Drug Accountability; C - Controlled Substance.
- In **NDC Code**, enter a National Drug Code (NDC) for the product synonym.
- In **VSN**, enter the Vendor Stock Number (VSN) for the product synonym.
- In **Order Unit**, enter order unit type for the product synonym. Click the to add a new order unit for the synonym. The system opens the Add Order Unit Abbreviation page, which you can use to add a new order unit abbreviation for the synonym.
- In **PPOU**, enter a Product Price per Order Unit (PPOU) for the product synonym.
- In **DUOU**, enter a Drug Units per Order Unit (DUOU) for product synonym.
- In **PPDU**, enter a Product Price per Dispense Unit (PPDU) for the product synonym.
- In **Vendor**, enter a vendor name for the product synonym.
- --Click the **Remove** button beside an entry to remove the synonym.

When edited, this field requires a second review. See PPS Data Requests Tab for more information.

Buttons and Links

Cancel

Click this button discard changes and return to the previous page.

Save Work in Progress

Click this button to save your work. See Saved Work in Progress tab for more information.

Change OI

Click this button to open an Orderable Item Search page, which you can use to search criteria for product, dosage form, item status, and new item request to search for an orderable item. You are selecting a parent for the product.

Submit

Click this button to submit the additions or changes you have made.

Create New Product (from existing)

Click this link to open the Add Product page, and create a product from an existing product.

12.1.1. Ingredients List Report

This report provides a complete list of the Active products in PPS-N EPL with each of their ingredients.

Buttons

- Click the **Get Status** button to open the current status of the report and enable buttons.
- Click the **Download Current** button to download the current report. To continue, see Open or Save a Report.
- Click the **Generate New** button. The system opens a pop-up window with a message indicating how long the process will take. Click the **OK** button to start the process. The system generates a new report. After generation is complete, click the **Download Current** button. To continue, see Open or Save a Report.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Reports Page Help Provide Feedback Select a Report : <input type="text" value="Ingredients List (download only)"/> <input type="button" value="▼"/> <input type="button" value="Get Status"/> <input type="button" value="Generate New"/> <input type="button" value="Download Current"/>						
Ingredients List Report Download Status <p>Once reports are generated, they will be available for download.</p> <p>Process Status: Not Running</p> <p>Started: YYYY-MM-DD HH:MM:SS Completed: YYYY-MM-DD HH:MM:SS</p>						

Figure 143: Access Page for Ingredients List Report

Navigation Bar

The main navigation bar includes primary tabs: Home, Manage PPS, Rematch, Reports, COTS Services, User Preferences, and Help. Click a tab to open secondary tabs or pages. Additional tabs can display based on permissions: Manage Application, Migration Tab.

Home	Manage PPS	Reports	COTS Services	Manage Application	User Preferences	Help
Enter / Edit Items	Requests	Saved Work in Progress	PPS Data Elements	PPS Data Requests	Manage Update Files	
Simple Search						

Figure 144: Navigation Bar

- Image First Row: This row is the primary menu. Click a tab to open a secondary menu or a page.
- Image Second Row: This row is the secondary menu. In this example, it's the secondary menu for Manage PPS. Click a secondary tab to open a page.
- Image Third Row: This row contains bread crumbs, which shows selections you've made to arrive at the current page. After you have several links displaying, you can click a link in the bread crumbs to return to an earlier page.

12.1.2. Edit Product Request

Use this page to manage a request that another user has entered. This same page is used to manage Addition Requests as well as Modification Requests and the screen is altered a little differently depending on which type of request is being handled.

Complete the steps to Search for Requests.

After you have search results, complete any of these tasks:

- Approve Request
- Reject Modification Request

- Place Request Under Review
- Place Request in Pending State

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

12.1.3. Edit Orderable Item Request

Use this page to manage a request that another user has entered. This same page is used to manage Addition Requests as well as Modification Requests and the screen is altered a little differently depending on which type of request is being handled.

Complete the steps to Search for Requests.

After you have search results, complete any of these tasks:

- Approve Request
- Reject Modification Request
- Place Request Under Review
- Place Request in Pending State

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

12.1.4. Request Summary

This page is used for all item types within the PPS System. The page shows a summary of the changes and the modifications that have occurred to the item and lists the changes so the user can see a concise view of the changes the user is approving.

Complete the steps to Search for Requests.

After you have search results, complete any of these tasks:

- Approve Request
- Reject Modification Request
- Place Request Under Review
- Place Request in Pending State

To complete requests tasks, you must have the appropriate role assigned. See Identity Management for more information.

12.1.5. Comment

Use this page to save the current state of the item as a work in progress. No changes will be made to the item in the database and no request is generated.

To Save Work:

1. On a page with a **Save Work in Progress** button, click the button. The system opens a comments page.
2. In the comment field, enter a comment to reference your work in progress. Be descriptive.

- Click the **Submit** button. The system adds an entry to the Saved Work in Progress table. No changes are made to the item in the database and no request is generated.

Home > Edit Product > Comment

Save Your Work in Progress

Please enter a title and/or a comment to reference your work in progress.

Cancel Submit

Figure 145: Saved Work in Progress Comment Page

12.2. Associate a Product from Rematch

Rematch allows you to rematch VA products to products that are not currently matched because their potential match(es) are inactivated, have a future activation date, or for another reason.

To Rematch:

- To Access Rematch Page:
- Navigate to the **Manage PPS** page.
- Under **Enter/Edit Items tab** search for an active product, and select that product for editing.
- Change the Item Status by** selecting an option from the drop-down list: Active, Inactive.
- Once the item status is set to Inactive, click the **Submit** button.

To Automatically Match:

- In **Automatic**, click the radio button beside a VA product name that matches the unmatched product.
- Click the **Add to Product** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Automatic.

To Add Suggestion:

- In **Suggestion**, click the radio button beside a VA product name that is a possible match to the unmatched product.
- Click the **Add to Product** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Suggest.

To Search for a Rematch:

- From the possible Rematch Page (see Rematch) select the Search button.
- Using the Search Field drop down menu select the search field.
- Click the Search button to display a list of product.
- Select the product.
- Click the **Add to Product** button. The system re-displays the Unmatched Products list and updates the Rematch Type to Suggest.

Figure 146: Associate Product Search Field

Figure 147: Associate Product Search Results

12.2.1. Edit

Edit pages allow you to view, modify, approve, or reject existing or newly created items.

See the following pages for more information.

- Edit Product
- Edit Orderable Item
- Edit NDC

13. Glossary

1

10F: VHA Office of Logistics

A

A&MM: Acquisition and Materiel Management

AAA: Authentication, Authorization, and Access

AAC: Austin Automation Center

AAIP: Authorization and Authentication Infrastructure Program

ABC Inventory Analysis: A method used to categorize inventory into groups based on certain characteristics in order to develop inventory planning policies, plan orders, set inventory control schedules, and manage inventory quantity levels and costs. The three categories may be based on certain activity characteristics. Items compose 10% of the products but are 70% of the cost. B items compose 20% of the items but are 20 % of the cost. C items compose 70% of products but are 10% of the cost. Other ABC characteristics could be developed based on such things as consumption rates or drug characteristics such as risk or effectiveness.

Accept Order: An authorized user indicating to the system after entering an order that the order is complete and ready for signature. The acceptance of the order changes the order status to Pending (refer to Pending definition) and triggers a notification to the provider for a co-signature or second signature (if needed).

Accessor: A Java method that examines the state of an object, does not change it, and typically returns a result. Accessors are often called getters and their names often start with get.

ACD: Automatic Call Distribution

ACID: Atomicity, Consistency, Isolation, and Durability

ACK (HL7): Acknowledgement

Acquisition and Materiel Management (A&MM): The service organization that reviews all requests for supplies and equipment, and maintains systems, procedures, controls, and reports for: stock control, equipment planning and acquisition, property accounting and control, procurement from VA sources and other agencies, excess and exchange/sale property disposal, and supply fund management programs. The service organization also initiates and coordinates all equipment and supply action involving new and replacement facility construction, and audits invoices and all receiving reports and resolves discrepancies with Fiscal Service.

ACR: American College of Radiology

Activator: A person given the authority to review and finish a pending electronic product order so that it can be filled in accordance with Provider instructions.

Actor: A person who will use the system. Actors are used in Use Cases to document and model the envisioned System/User interaction.

Actor Generalization: An approach used in Use Case development to show that actors are specializations of one another. For example, the PEPS Manager actor is a generalization of a PEPS Local Manager and a PEPS National Manager.

ADA: American Disability Act

Additive: A drug (e.g., an electrolyte, vitamin, nutrient, antibiotic) that is added to an IV solution for the purpose of parenteral administration (giving a drug intravenously).

ADDS: Automated Drug Dispensing System

ADE: Adverse Drug Event

Administration Discrepancy Limit: A VA Data Field in the PEPS system denoting the amount of a drug that can be missing before a criminal reporting process is started.

Administrative Schedule Domain: Contains the sets of standard times over which medications are to be administered.

Admission/Discharge: A module of the Patient Information Management System (PIMS) that provides a comprehensive range of software supporting the administrative functions of Patient registration, admission, discharge, and transfer.

Admixture: A type of intravenously administered medication comprised of any number of additives (including zero) in at least one solution. It is given at a specified flow rate.

ADPAC: Automated Data Processing Application Coordinator

ADR: Adverse Drug Reaction

ADR (Architecture): Administrative Data Repository

ADT: Admission/Discharge/Transfer

Adverse Drug: The unwanted or unintended effects of an adverse drug event that occur during the drug's proper use.

Adverse Drug Event (ADE): The unwanted or unintended events caused by medical management rather than by the underlying disease or the condition of the Patient. May not always cause an injury.

Adverse Reaction Tracking (ART): The VHA software package that stores and reports the Patient allergy or adverse reaction data.

AHFS (Framework): American Hospital Formulary Service Framework

AICC: Aviation Industry CBT Committee

AID: Architecture and Interface Design Strategy Document

Alerts: A software object typically generated by an application in response to some particular event. Alerts are messages that require acknowledgement from their recipients.

Allocated Inventory: The quantity of physical inventory on-hand (i.e., in storage at that particular location) that is committed for use in filling activated Patient orders.

Alternative Flow: A term used when developing Use Cases. An Alternate Flow is one segment of a complete path through a Use Case.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Ambulatory Care Reporting Project: The process of collecting and storing encounter-based clinical, diagnostic, and administrative Outpatient data for daily transmission to the Austin Automation Center.

AMIS: Automated Management Information System

AMS: Addiction Management System

Ancillary Support: Auxiliary or secondary services provided to a patient in addition to his or her main healthcare services. For example, lab tests are typically considered ancillary support.

Another Neat: A Java-based software application building tool that provides full portability for pure Java code.

ANSI: American National Standards Institute

ANT: Another Neat Tool

API: Application Programming Interface

Application: A software product that provides a specified functionality.

Application Package Use: Indicates which VistA package uses the item (e.g., Inpatient, Outpatient).

Application Programming Interface (API): Enables applications to communicate with each other. An API is the set of programming language constructs or statements that can be coded in an application program to obtain the specific functions and services provided by an underlying operating system or service program.

Application Services: A single logical authoritative source of data. Its purpose is to encapsulate the business rules associated with its data and to abstract the data source(s) from the applications and/or services that interact with it (i.e., Billing, Clinical Reminders, Person Demographics, Terminology, and Appointment Management).

APRD: Audible Prescription Reading Devices

AR: Accounts Receivable

AR/WS: Inpatient Pharmacy Automatic Replenishment/Ward Stock

Architecture: The organizational structure of a system Hardware Configuration Item (HWCI), or Computer Software Configuration Item (CSCI), identifying its components, their interfaces, and a concept of execution among them.

Area of Use: Any location where inventory is maintained, including pharmacies, Controlled Substances (CS) vaults, wards, clinics, etc.

ART: Adverse Reaction Tracking

Artifact: A physical piece of information used or produced by a software development process. Examples of artifacts include documents, models, source files, scripts, and binary executable files. It is a work product or a deliverable.

ASC: Accredited Standards Committees

ASIS: Application Structure and Integration Services

ASP: Active Server Page

Assumption: An external factor that may be true in the future and that may have an impact on how an application is built.

ASTM: American Society for Testing and Materials

Asynchronous: Events that are not synchronized by a shared signal such as clock or semaphore, proceeding independently.

ATC Canister: The brand name for the automatic dispensing unit that is used to package specific medications into unit dose packages.

ATP: Acceptance Test Plan

Attribute: A name property of the class or its objects.

Audit Record (Inventory): A record stored in the system to allow tracking, accountability, reporting, and process metrics of specific actions. One example is the required accountability throughout the CS handling processes.

Authentication, Authorization, and Access (AAA) Security: The AAIP initiative has been replaced by KAAJEE.

Authoritative Source: A single, unambiguous, reliable, and official representation within a system.

Authorized User: A person given the appropriate system access and privileges to perform some task.

Automated Management Information System (AMIS): A generalized system established to provide and meet the reporting requirements for the VHA and to provide statistical data for management use at all levels.

Automatic Refill: A valid refill request forwarded directly to dispensing. These types of refills do not require any form of intervention prior to dispensing.

Average Wholesale Price (AWP): A list price, which few customers actually pay. There is no standard method for calculating the AWP.

AWP: Average Wholesale Price

AWT: Abstract Window Toolkit

B

Back Count: A process followed by Nursing that consists of counting a CS inventory location after medication is removed from it. An example would be a locked cabinet drawer in which morphine tablets are stored. Each time a tablet is removed, the nurse should do a “Back-Count” on the drawer by entering the remaining number of tablets into the system.

Baseline: A complete copy of a project that is captured to act as a “snapshot” of the project’s plans and status at a particular point in time. This frozen perspective is used to measure change from the original snapshot or picture of that original element.

Basic Flow: The main success scenario from trigger to completion.

BCMA: Bar Code Medication Administration

BEA: BEA Systems, Inc.

BID: Twice a Day

Black-box Testing: A testing technique that takes an external perspective of the system and does not explicitly use knowledge of the internal structure of the system. Testing without knowledge of the internal workings of the item being tested.

BO: Business Object

Borrow Order (Inventory): Allows the local pharmacy to obtain inventory without placing a Vendor purchase order. This order does not involve billing, but will support “horse trading” for specific items with the lending institution. See glossary term Lend Order (Inventory).

BPR: Business Process Re-engineering

BSAD: Baseline System Architecture Document

Business Analysis Model: An object model describing the realization of business Use Cases.

Business Delegate: Used to hide the underlying implementation details of the business service, such as lookup and access details of the Enterprise JavaBeans (EJB) architecture. The software intermediary used to decouple business components from the code that uses them.

Business Delegate Pattern: A façade used to encapsulate calls to your business model.

Business Engineering: A set of techniques a company uses to design its business according to specific goals.

Business Logic: The logic relating to processing, workflow, business rules, data, etc.

Business Logic Layer: The code that resides in this layer executes the work that needs to be done; it is responsible for carrying out the individual steps of a process. This layer is typically designed using business entities. The business entities implement the business rules. They do not store the business data; instead, they may hold references to data entities that store the data.

Business Model: A visual representation of business processes and entities. Comprises two models (physical or logical representation of a system or its subsystems): (1) a business Use Case model to describe the business actors and the business processes, and (2) a business object model to describe business entities used by the business Use Cases.

Business Object: An object that represents tangible entities within an application that a user can create, access, and manipulate while performing a Use Case. Business Objects are typically stateful, persistent, and long-lived. Business Objects contain business data and model the business behavior.

Business Process: A group of activities that takes input, transforms it, and provides an output to an internal/external customer (see glossary term Process). An example of a business process for a hospital would be “order fulfillment,” involving the input of several cross-functional activities resulting in a prescription in the hands of the Patient customer.

Business Process Model: A model that outlines the workflow of an organization. It uses text, diagrams, and/or graphical shapes to model the various steps of a process. Models can be

detailed in nature (representing very specific tasks) or they can be high-level (representing interaction between major business units).

Business Process Re-engineering (BPR): The fundamental analysis and redesign of business processes and management systems, job definitions, organizational structures and beliefs, and behaviors to achieve dramatic performance improvements to meet contemporary requirements. Information Technology (IT) is a key enabler in this process.

Business Rules: The basic business vocabulary and criteria that control or guide business behavior; indicate what is required and not required in running the business. A statement expressing a policy or condition that governs business actions and establishes data integrity guidelines.

Business Service: The software object that a client asks to do asynchronous processing; a service in the business tier that can process a client's software request.

C

C2: Represents a Schedule 2 Narcotic

Cache: A fast memory used to hold commonly used variables, which are automatically fetched by hardware from the slower and larger main computer memory.

Cache Rational Database: The post-relational database management system that has been identified by the VHA for data storage needs at the local level.

CAIP: Cross-Application Integration Protocol

Cancel: An undo action in a GUI (Cancel is not an action on an order).

Candidate Architecture: The proposed design of a system structure.

Capability: A software element addressing a specific, well-defined functional responsibility of the containing service.

Capacity Management: The process of planning, analyzing, sizing, and optimizing automated capabilities to satisfy demand in a timely manner and at a reasonable cost. This process should be proactive and responsive to business needs because the business cannot add resources after a capacity problem has happened without impacting performance.

Caregiver: A person who administers medication to the Patient. May pick up or receive medications for the Patient. May also communicate for the Patient in cases where the Patient is unable (e.g., Nurse, Resident, Physician, Spouse).

CBOC: Community Based Outpatient Clinic

CBPM: Current Business Process Model

CBT: Computer-Based Training

CCB: Change Control Board

CCM: Change and Configuration Management

CCOW: Clinical Context Management (formally Clinical Context Object Workgroup)

CDATA: Character Data

CDC: Centers for Disease Control and Prevention

CDER: Center for Drug Evaluation and Research

CDS: Clinical Data Services

CDW: Clinical Data Warehouse

CE: Clinical Evaluator

CEN: Committee European de Normalization

Centers for Disease Control and Prevention (CDC): The lead Federal Agency for protecting the health and safety of people at home and abroad, providing credible information to enhance health decisions, and promoting health through strong partnerships. Serves as the national focus for developing and applying disease prevention and control, environmental health, and health promotion and education activities designed to improve the health of the people of the United States.

CHAMPUS: Civilian Health and Medical Program of the Uniformed Services

Change Management: The formal process of recording, analyzing, estimating, tracking, and reporting of modifications to the project baseline artifacts, such as business functional requirements.

Change Request (CR): The mechanism by which a change to a project deliverable or artifact is requested.

Change Set: A list of related versions associated with a change management activity.

Character Data (CDATA): An XML section tag used to denote character data that will be ignored by the XML parser. The tag begins with the string “<![CDATA[” and ends with “]]>”.

CHCS: Composite Health Care System

CHDR: Clinical Data Repository/Health Data Repository

Check: A visual inspection by a pharmacist to ensure that the medication dispensed matches the labeled container

Chemotherapy: The treatment of a disease using chemical agents that are intended to eliminate the causative organisms without harming the Patient.

Child Orders: One or more Inpatient medication orders that are linked together using the conjunctions AND, OR, THEN, or EXCEPT to create combinations of dosages, medication routes, administration schedules, and order durations.

CHIPS: Consolidated Health Information Program System

CHISS: Common Health Information Security Services

CI: Configuration Items

CID: Criteria Identification

CIF: Continuous Improvement Framework

CIO: Chief Information Officer

CIP: Capital Investment Proposal

Client: The person or organizational entity that pays for the development of a product.

Client Application: A piece of software that accesses remote services offered by another piece of software, usually over a network connection. In the user interface context, a client is a software application with which a user interacts to perform some function.

Client/Server: The model of interaction in distributed data processing in which a program at one location sends a request to a program at another location and awaits a response. The requesting program is called a client, and the answering program is called a server.

Clinical Context Management: Formerly Clinical Context Object Workgroup (CCOW). A vendor independent standard developed by the Health Level Seven (HL7) organization to allow clinical applications to share information at the point of care. Using a technique called “context management,” allows information in separate healthcare applications to be unified so that each individual application is referring to the same Patient, encounter, or user. Works for both client-server and Web-based applications.

Clinical Data Repository/Health data Repository (CHDR): A system extending the capabilities of interacting with Department of Defense (DoD) data sources. It will increase the accessibility of Veteran health information. It is currently planned to be used where VHA and DoD share facilities for healthcare. The current plan is to merge the two capabilities into a set of services.

Clinical Data Service: The HealtheVet service responsible for providing read and write access to the Health Data Repository (HDR).

Clinical Decision Support: The informational or actionable tool that provides support during order processing. For example, a dosing calculator provides the logic to determine the appropriate dose for a medication. Also, a drug guideline is an informational resource for data relating to a medication.

Clinical Evaluator: A person who evaluates the clinical status of a Patient (e.g., Licensed Physician or Licensed Pharmacist).

Clinical Guidelines or Drug Treatment Guidelines: The systematically developed statements to assist Practitioner and Patient decisions about appropriate healthcare for specific clinical circumstances.

CLO: Chief Logistics Officer

CM: Configuration Management

CMON: Clinical Monitoring

CMOP: Consolidated Mail Outpatient Pharmacy

CMOP Transmission: The act of transmitting a prescription to a CMOP for dispensing.

CMP: Configuration Management Plan

CMT: Container Managed Transaction

Co-Signer: A person who reviews and signs prescriptions or medical documents based on designated authority. A second signature is usually required when a document is initiated by a Provider that is undergoing training or in cases where the margin of error of the medication being prescribed is so small that a second signature is advised to ensure the safety of the Patient.

COAS: Content Access Service (formally Clinical Observation Access Service)

Commercial off-the-Shelf (COTS) Software: The commercially available applications sold by vendors through public catalogue listings. COTS software is not intended to be customized or enhanced.

Complete Order: An order that has been recorded, activated, filled, checked, and is ready for delivery to the Patient.

Complex Order: An order that consists of one or more linked medication orders, known as “child” orders.

Component: A physical, replaceable part of a system that packages implementation and conforms to and provides the realization of a set of interfaces. A component represents a physical piece of implementation of a system, including software code (source, binary, or executable) or equivalents such as scripts or command files.

Component (Architecture): A software term for an independent unit of deployment composed of one or more modules within a package.

Component-based Development: The creation and deployment of software-intensive systems assembled from components as well as the development and harvesting of such components.

Compound Medication/Compound Order: A medication produced or manufactured by combining two or more ingredients.

Computerized Patient Record System (CPRS): Stored information in VistA, or other automated systems using electronic storage. CPRS supports entry of notes and orders, rules-based order checking, and results reporting (Medical Records Management Handbook). CPRS provides an integrated Patient record system for clinicians, managers, quality assurance staff, researchers, and others. It may be referred to as Electronic Medical Record (EMR) in the private sector.

Consolidated Mail Outpatient Pharmacy (CMOP): The VA mail-order pharmacy system.

Constant Dosage: A constant administration dose of a drug for a specific duration of therapy. For example, the dosage of a drug might be “4mg” two times a day for 7 days.

Constant Schedule: The schedule of a drug remains constant for a specific duration of therapy. For example, a drug may have been scheduled for two times a day for 7 days.

Constraint: A global requirement that restricts how a product or application may be produced.

Consult Tracking: A VistA product that is used to request and track consultations or procedures from one clinician to another clinician or service.

Context: The subject matter, people, or organizations that might have an impact on the requirements of a product or application.

Context Diagram: A visual representation of the application and the external applications, systems, or organizations with which it must interact.

Contingency Plan: A management plan that identifies alternative strategies to be used to ensure product success if specified risk events occur.

Continuous: A medication order that is given continuously to a Patient for the life of the medication order, as defined by the Start/Stop Date/Time. This is also a schedule type.

Control Factors: These refer to the definition and use of different numbers for each inventory location to manage the quantity of inventory in that location. They include factors such as average rate of use by the functional area, delivery lead time, Par Level, the maximum quantity; Reorder Point, the quantity level at which a reorder signal is sent; and Safety Stock, a safety level quantity.

Controlled Substance (CS): All drugs listed in the Code of Federal Regulations (CFR) 21, Part 1300, to include the following:

Controlled Substance Tote: A sealed package (e.g., brown bag, box, or envelope) containing one or more CS.

COOP: Continuity of Operations

Copay Tier: A Copay Tier is a fixed copayment amounts depending on the class of the medication

CORBA: Common Object Request Broker Architecture

Core-FLS: Core-Financial and Logistics System

COTR: Contracting Officer's Technical Representative

COTS: Commercial Off-The-Shelf (software)

Counseling (Patient Education): A discussion aimed at educating a Patient about a drug therapy regimen. The Omnibus Budget Reconciliation Act of 1990 (OBRA '90) requires that all Patients be offered counseling for new medications. In particular, a Pharmacist must offer to discuss drug therapy regimens to each Patient when filling prescriptions for them. During counseling, the Pharmacist discusses any information about the drug therapy, which in the professional judgment of the Pharmacist is necessary for the proper use of the medication. The outcome of the counseling session is documented in the Patient's electronic prescription order, indicating if a Patient accepted counseling and if the counseling was understood. Any extensive counseling and its documentation is recorded in a Text Integrated Utility (TIU) Progress Note.

CPMP: Clozapine Patient Management Protocol

CPOE: Computerized Physician Order Entry

CPRS: Computerized Patient Record System

CPRS-R: Computerized Patient Record System-Re-engineering Computerized Patient Record System-Rehosting

CPU: Central Processing Unit

CR: Change Request

Credentialing: The recognition of professional or technical competence through registration, certification, licensure, etc.

Critical Path: The series of activities that determines the duration of the project. In a deterministic model, the critical path is usually defined as those activities with float-less-than or equal to a specific value, often zero. It is the longest path through the project.

Cross-Application Integration Protocol (CAIP): A consistent set of interfaces for the common services in use within the Enterprise is required in order to promote interoperability within and across the VHA. The goal is to formalize these interfaces, providing style guidance to projects that will be building and using VHA's service architecture. The principal objective is to provide clear guidance to project teams detailing the approach that is to be taken when building interfaces that require communication/collaboration with service components within the VHA.

CRUD: Create-Read-Update-Delete

CS: Controlled Substances

CS Counter: A person who performs a back-count on a Controlled Substances (CS) inventory location after removing stock.

CS Destroyer: A person who records the destruction of a CS at a central destruction site or the transfer of a CS to a third-party destruction agency.

CS Discoverer: A person who discovers a discrepancy between a system balance and a physical amount of CS, whether for an inventory location or for an invoice.

CS Disposer: A person who disposes of a CS at a location other than a central destruction site (e.g., a nurse who cleans up a broken vial).

CS Inspector: A person who audits CS inventory to ensure that the inventory balances are accurate and that all CS are accounted for.

CS Manager: A person who handles processes involving escalated problems with CS (e.g., the criminal reporting process for missing CS).

CS Packager: A person who packages CS for transport within the facility (e.g., vault technician, licensed pharmacist).

CS Receiver: A person who receives CS after they have been transported within the facility (e.g., vault technician, nurse, or licensed pharmacist).

CS Shipper: A person who ships packages containing CS.

CS Shipping Order Approver: A person who approves, edits, and cancels CS Shipping Orders.

CS Shipping Order Census: A person who creates Shipping Orders for CS when the CS needs to be shipped back to the vendor or to locations with other Drug Enforcement Administration (DEA) numbers.

CS Signer: A person who signs for an action involving CS that requires a signature.

CS Waster: A person who records the wasting of CS.

CSC: Computer Software Component

CSCI: Computer Software Configuration Items

CSRI: Core Specification for Re-hosting Initiatives

CSV: Comma Separated Value

CTS: Centralized Terminology Service

Current Business Process Model (CBPM): Captures and documents the business processes “as is.” Also known as the Current Business Model (CBM).

Current Stock: The amount of medications, supplies, etc., on-hand and available for dispensing.

Custodian: Anyone who has custody of CS in the system.

Customer: The requestor, end-user, individual, or organization that specifies (or may assist with specification) and typically accepts the project deliverables. There may be multiple customers on a given project.

CWAD: Crisis, Warnings, Allergies, Directives

D

Days Supply Limit: A VA Data Field used to specify the default days’ supply (e.g., 90 days) that a medication can be dispensed.

DEA: Drug Enforcement Agency

DIF: Drug Information Framework

Dispense Quantity Limit: A VA Data Field that specifies the limit as a Quantity-per-Time period. Quantity is the number of dispense units. Time period is specified by a number of days

Dispense Unit: A unit of measure for dispensing (e.g., GM, EA).

Domain: Refers to data elements used by PEPS items; for example: Manufacturer, Standard Med Route. Usually domain in this context refers to a domain entry, not necessarily the entire domain.

Dosage Form: The medium used to administer the active ingredient(s) in health products. Dosage forms include, but are not limited to capsules, tablets, injectables, oral solutions, drops, creams, ointments, and patches.

Dose: A specified quantity of a therapeutic agent, such as a drug, prescribed to be taken at one time or at stated intervals.

DPP: Detailed Project Plan

Draft Order: A dispense order entered into the system by a user, but not completed or not submitted to pharmacy for dispensing.

Drug Class: The grouping of drug products based on various criteria, which may include similarity of chemical structure, clinical indications, pharmacology, and therapeutic activity.

Drug Class Domain: Contains the list of VA Drug Classifications that can be used for Product Items.

Drug Data Vendor: The company that supplies medical information products (e.g., MicroMedex or First Databank).

Drug Enforcement Administration (DEA) Number: A numbering system that was implemented as a way to successfully track CS from the time they are manufactured until the time they are dispensed to the Patient or destroyed according to DEA regulations.

Drug Indication Dosing: Allows for different dosages for different disease states as well as for different Patient conditions. For example, the dose for Megestrol used for anorexia is 800mg daily, whereas the dose for Megestrol used for breast cancer is 40mg four times daily. Additionally, doses for Patients with impaired renal or hepatic clearances may have to be adjusted.

Drug Unit Domain: Provides the list of available units of measure that can be used for a medication.

Drug/Disease Interaction: An event that occurs when a drug's action or effect are altered by a disease or clinical condition. May result in worsening of the disease by the drug.

Drug/Drug Interaction: The pharmacological or clinical response to the administration of a drug combination different from that anticipated from the known effects of the two agents when given alone.

DSD: Delivery Service Delegate

DSS: Decision Support System

DTAC: Development Technology Advisory Committee

Duration: The amount of time that the Patient should use the specified dose. This can be calculated from the time between the Start Date/Time and Stop Date/Time for an Inpatient medication order.

DUZ: A value that identifies a specific end-user signed into the VistA system. The DUZ is being replaced by the VPID but is still in use.

DVA: Department of Veterans Affairs

E

E/R: Entity/Relationship

E3R: Electronic, Error, and Enhancement Report

EBAC: Entity-Based Access Control

ebXML: Electronic Business eXtensible Markup Language

ECMB: Executive Change Management Board

ECME: Electronic Claims Management Engine

ECR: Engineering Change Request

ECSS: Electronic Claims Submission System

EDI: Electronic Data Interchange

EDS: Electronic Data Systems

EE: External Environment

eInvoice: An invoice received electronically into the pharmacy system from the prime vendor for medications.

EJB: Enterprise Java Bean

Electrolyte: An additive that disassociates into ions (charged particles) when placed in solution.

Electronic Error and Enhancement Request (E3R): A software application located on Forum. It is used VHA-wide to submit suggestions for changes to Office of Information Field Office (OIFO) software products.

Electronic Pharmacy Claims/Billing: Electronic billing for outpatient prescriptions at point of care service.

Electronic Signature: A computer data compilation of any symbol or series of symbols executed, adopted, and/or authorized by an individual to be the legally binding equivalent of the individual's handwritten signature. See glossary term Digital Signature for expansion of this concept within the VA.

Element: An object that encompasses a set of versions, organized into a version tree. They can be either files or directories.

Email Group: A group of individuals who receive email and alerts about a topic pertaining to the group.

Emergency Cache: A bulk supply of drugs stored in central pharmacy specifically for use in large scale emergencies or catastrophic events. The supply is not available for use in filling Patient orders unless released to the pharmacy prior to replacement or expiration.

Encapsulation: The hiding of a software object's internal representation. The object provides an interface that queries and manipulates the data without exposing its underlying structure.

Encounter: A professional contact between a Patient and a Practitioner. A Patient may have multiple encounters for one appointment or during a single visit to a Department of Veterans Affairs Medical Center (VAMC) facility.

Enhanced Requests: A type of stakeholder request that specifies a new feature or functionality of the system.

Enterprise Architecture: The architecture that incorporates an entire business or major portion thereof.

Enterprise Product List (EPL): A compendium of medications, supplies, and prosthetics available for ordering.

Enterprise Reference Terminology (ERT): A standardized set of medical vocabulary used within VHA systems, provides for the sets that accommodate local variations in terminology, and supports automated translation among terminology sets.

Enterprise Terminology Service (ETS): The inclusive name for both the ERT and VETS projects. ETS determines terminology for clinical content (i.e., Pharmacy, Labs, Orders, and Vitals). ETS has been renamed to Standardized Terminology Service (STS).

Entity Bean: A reusable software component used to implement business logic; multiple clients can access it simultaneously; it represents persistent items that could be stored in a database.

Entity By: The name of the user who entered the order into the computer.

ePharmacy: VA electronic pharmacy claims. Used to transmit claims between the VHA and insurance providers.

EPL: Enterprise Product List

EPL-L: EPL Local

EPL-M: EPL Master

EPL-N: EPL National

ER: Emergency Room

ER (Architecture): Entity-Relationship

ERT: Enterprise Reference Terminology

ES: Enterprise Strategy

Essential Use Case: A Use Case containing a basic course of action. It is referred to as the “typical-path;” the main start-to-finish path that the actor and the system will follow under normal circumstances. Any activity that deviates from the “typical-path” is referred to as an alternate course of action. See the glossary term Use Case.

ETC: Enhanced Therapeutic Classification

Event: An occurrence that may be synchronous or asynchronous and to which an application must respond in some manner.

Expiration Date (Drug): The date a drug is no longer allowed to be used to fill a Patient order based on a time period established by the manufacturer after which the drug effectiveness is likely to have deteriorated. Maintaining control of this constraint is a high priority Patient safety issue for VHA.

Extend Relationship: A relationship that continues the functionality of a “parent” Use Case but is subject to a specific condition. It is used to indicate a relationship between a “parent” Use Case and a Use Case containing an alternate course of action. It is conditional and may or may not be used by the “parent” Use Case.

eXtensible Markup Language (XML): A simple, very flexible text format derived from Standard Generalized Markup Language (SGML).

Extension Point(s) (XPn): A simple, very flexible text format derived from Standard Generalized Markup Language (SGML).

External Data Fields: A named marker that references a location or set of locations within the behavioral sequence for a Use Case, at which point additional behavior can be added.

F

FDA: Food and Drug Administration

FDA Schedule: A classification of medications with regards to the Controlled Substances Act of 1970 which dictates special procedures or handling for prescriptions and administration of medication.

FDB: First Databank

FDR: Financial Data Repository

Federal:

Federal Health Information Exchange (FHIE): Formerly known as the Government Computer-Based Patient Record (GCPR). Addresses a Presidential Directive to create a comprehensive, life-long medical record for America's military service members. Its current implementation allows the retrieval of Veteran health information from the DoD data source.

Federal Stock Number (FSN): (DOD) The Federal Stock Number of an item of supply consists of the applicable 4-digit class code number from the Federal Supply Classification plus a sequentially assigned 7-digit Federal Item Identification Number. The number shall be arranged as follows: 4210-196-5439. Note that Federal Stock Numbers were replaced by National Stock Numbers effective 30 September, 1974.

FHIE: Federal Health Information Exchange (formerly GCPR)

FileMan (FM): A software application that creates and maintains a database management system that includes features such as a report writer, data dictionary manager, scroll and screen-oriented data entry, text editors, programming utilities, tools for sending data to other systems, and file archiving.

Fill: The process whereby a pharmacy will prepare a medication order for dispensing to the Patient.

Fill Station: The area in which orders are filled or dispensed manually (i.e., by a Pharmacist or a Pharmacy Technician) or automatically (i.e., by automation equipment).

Final Check: A final look at the dispensed prescription before delivery to the Patient to ensure that the prescription has been dispensed accurately as prescribed.

FIPER: Federal Intelligent Product Environment

First Fill: See glossary term Original Fill.

Fiscal Year (FY): The period from October First of one year to September Thirtieth of the next year.

FM: FileMan

FMS: Financial Management System

Form 222: A special order form used to distribute CS (Schedule I and II drugs). The keeping of records is required for distribution of a CS from one manufacturer to another, from manufacturer to distributor, and from distributor to dispenser.

Formulary: A collection of pharmaceutical substances along with their formulas, uses, and methods of preparation. Additionally, this can be a list of products that are approved for use with Patients (for the appropriate indications).

Formulary Decision Makers: A group of individuals who decide on adding, deleting, or changing a product to/from/on the National Enterprise Product List (EPL) or National Formulary. See glossary term Enterprise Product List (EPL).

Forum: A National On-line network. In addition to network mail, Forum hosts several National databases that include: Physician Data Query (PDQ) Cancer Information Database; Performance Excellence Database for sharing quality assurance success stories; VA/DoD Health Care Sharing Agreements; National On-Line Information System for tracking problems (NOIS) reported to OI Field Office specialists; Interlibrary Loan System; Facility ADP Plans; Decentralized Hospital Computer Program (DHCP) Site Implementation System; and E3R System designed for entering requests for software enhancements.

Fractional Dose: A situation in which the dose administered to the Patient is less than the amount that was dispensed.

Framework: A set of assumptions, concepts, values, and practices that constitute a way of describing a real situation.

FSS: Federal Supply Schedule

FTEE: Full-time Employee Equivalent

Function: An activity that spans the entire duration of a project (e.g., status reporting, quality assurance, verification, and validation).

Functional Testing: Testing that ignores the internal mechanism of a system or component and focuses solely on the outputs generated in response to selected inputs and execution conditions.

FY: Fiscal Year

G

GAL: Glossary and Acronym List

GCN: Generic Code Number

GCN Sequence Number: A number that represents a generic formulation, specific non generic ingredient(s), drug strength, dose form, and route of administration.

GCPR: Government Computer-based Patient Record (now FHIE)

GDD: GUI Design Document

Generic Drug: A nonproprietary drug approved by the FDA that is tested against a standard of bioavailability and bioequivalence.

Generic Name: A non-proprietary name assigned to an item (e.g., drug, supply).

Generic Substitution: Contains the same active, chemically identical ingredient(s) and is identical in strength, concentration, dosage form, and route of administration to the drug product prescribed.

GIP: Generic Inventory Package

Goal: A statement of the desired outcome of a product that shows it to be reasonable, measurable, and feasible.

GOTS: Government Off-the-Shelf (software)

Graphical User Interface (GUI): A type of interface that enables users to communicate with a program by manipulating graphical features, rather than by entering commands. Typically, a GUI includes a combination of graphics, pointing devices, menu bars and other menus, overlapping windows, and icons.

Green Sheet (GS): A special form used to account for the use of CS in the absence of automated equipment that can perform the accounting function. Currently, VA FORM 10 -2638 is being used.

Grey-box Testing: Test designed based on the knowledge of algorithm, internal states, architectures, or other high-level descriptions of the program behavior.

GS: Green Sheet

GUI: Graphical User Interface

GWD: GUI Workshop I Document

H

HA: High Availability

Happy Path: The main start-to-finish path that the actor and the system will follow under normal circumstances.

HDD: High Level Design Document

HDR: Health Data Repository

HDR-Hx: Health Data Repository – Historical

HDR-IMS: Health Data Repository – Interim Messaging Solution

HDR-L: Health Data Repository – Local

HDR-N: Health Data Repository – National

HDS: Health Data Systems

Health Data Repository (HDR): A true longitudinal healthcare record including data from VA and non-VA sources. The health data system supports research and population analyses; facilitates Patient access to data; sharing of information across VHA; and improves data quality and data security.

Health Data Repository II (HDR II): The clinical data repository for HealtheVet-VistA. HDR II will store all nationalized, viewable, patient-centric clinical data for the VHA in support of longitudinal, patient-centric care.

Health Data Repository-Historical (HDR-Hx): The HDR Hx collects legacy VistA data from 128 VistA systems in at least four clinical domains. HDR Hx stores the data in a text “read only” format to accessible by the local VistA systems.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Health Data Repository-Interim Messaging Solution (HDR-IMS): The pre-HDR II interim solution for nationalizing viewable, patient-centric clinical data. The HDR IMS will collect data from 128 VistA systems in at least four clinical domains from the point at which the data is standardized in the VistA system going forward. HDR IMS will ultimately be replaced by HDR II. Prior to the deployment of HDR II, HDR IMS will be a data provider to CDS.

Health Level Seven (HL7) Messaging: A standardized messaging protocol that is common to medical applications.

HealtheVet-VistA: The next generation of VistA provides enhanced flexibility for future healthcare and compliance with the One VA Enterprise Architecture. It enables seamless data sharing between all parts of VA to benefit Veterans and their families.

HIA: Health Information Architecture

Hibernate: A powerful, ultra-high performance object/relational persistence and query service for Java. It allows for the development of persistent classes following common Java idiom—including association, inheritance, polymorphism, composition, and the Java collections framework. The Query Language, designed as a “minimal” object-oriented extension to SQL, provides a bridge between the object and relational worlds. Also allows for the expression of queries using native SQL or Java-based Criteria and Example queries.

High Risk: A VA Data Field used to indicate whether an item is considered “high-risk” to a patient and therefore requires follow-up or double-checks during administration.

HINQ: Hospital Inquiry

HIPAA: Health Insurance Portability & Accountability Act of 1996

HIS: Indian Health Service

Historical Medication Profile (Long): A list of all active, recently discontinued, and expired prescriptions for a Patient.

HL7: Health Level Seven

Hold Order: An instruction not to dispense an “Active Order” until a specified date/time. The Hold is removed once the date/time is met. For doses, a user specifies how many doses to “Hold” and the system automatically calculates the date/time associated with the doses. A Patient’s “Active Orders” can also be automatically placed on “Hold” when there is a Patient movement event (i.e., admission, discharge, transfer, pass). In this case, the “Hold” is manually removed by an authorized user.

HP: Hewlett-Packard Development Company, L.P.

HTML: Hypertext Markup Language

HW: HealtheVet-VistA

Hyperal: A protein-carbohydrate solution. Electrolytes, fats, trace elements, and vitamins can be added. Since this solution generally provides all necessary nutrients, it is commonly referred to as Total Parenteral Nutrition (TPN). This solution provides all necessary nutrients parenterally.

Hyperalimentation: A process of long-term feeding of a hyperal.

Hypertext Markup Language (HTML): The basic language that is used to build hypertext documents on the World Wide Web. It is used in basic, plain ASCII-text documents, but when those documents are interpreted (or rendered) by a Web browser, the document can display formatted text, color, a variety of fonts, graphic images, special effects, hypertext jumps to other Internet locations, and information forms.

I

ID: Identification

IEN: Internal Entry Number

IFCAP: Integrated Funds Distribution, Control Point Activity, Accounting, and Procurement

Item: A generic type representing one conceptual entity consisting of a collection of data fields. For example, a medication may contain the following collection of data fields: Product Name, Generic Name, Trade Name, Dosage Form, NDC, etc. Conceptual entities include Medications, Supplies, and Investigational.

Iteration: The smallest segment of activity in an Iterative Development Process (IDP). Iterations reside within a phase and have a distinct plan, objective, and evaluation criteria. A distinct sequence of activities with a base-lined plan and valuation criteria resulting in a release (internal or external). An iteration usually lasts two or three weeks and starts with a planning meeting.

Iterative Development Lifecycle (IDL): A process that confronts issues early on, driven by architecture, technology, risk, and customer priorities. It assumes requirements are not fully known at project start and supports showing early prototypes to customers. It uses component-based development, forcing early elaboration of infrastructure; common mechanisms control structures and Configuration Management principles to manage sharing.

Iterative Development Process (IDP): A partitioning of the development of the system modules into iterations. In successive iterations, grows the system by developing more and more modules, while making necessary changes along the way as more is learned about the system.

IV: Intravenous

IV&V: Independent Verification and Validation

IVR: Interactive Voice Response

J

J2CA: J2EE Connector Architecture

J2EE: Java 2 Enterprise Edition

J2SE: Java 2 Standard Edition

JAAS: Java Authentication and Authorization Service

JAR: Java Archive

Java: A programming language developed by Sun Microsystems that is specifically designed for writing programs that can be safely downloaded to your computer through the Internet and immediately run without fear of viruses or other harm to your computer or files. Java is a simple, robust, object-oriented, platform-independent multi-threaded, dynamic general-purpose

programming environment. It is best for creating applets and applications for the Internet, Intranets, and any other complex, distributed networks.

Java API for XML-Based Remote Procedure Call (JAX-RPC): It is used to build Web applications and Web services, incorporating XML-based RPC functionality according to the SOAP 1.1 specification.

Java Architecture for XML Binding (JAXB): A method that provides a convenient way to bind an XML schema to a representation in Java code. This makes it easy to incorporate XML data and processing functions in applications based on Java technology without having to possess extensive XML knowledge.

JavaBeans: A platform-independent software component technology for building reusable Java components called “beans.” Once built, these beans can be made available for use by other software engineers or can be used in Java applications. Using JavaBeans, software engineers can manipulate and assemble beans in a graphical drag-and-drop development environment.

Javascript: A scripting language for Web pages, JavaScript can be written and embedded into HTML documents. JavaScript was designed to resemble Java, which in turn looks a lot like C and C++. The difference is that Java was built as a general purpose object language, while JavaScript is intended to provide a quicker and simpler language for enhancing Web pages and servers.

JAX-RPC: Java API for XML-Based RPC

JAXB: Java Architecture for XML Binding

JAXP: Java API for XML Processing

JCA: J2EE Connector Architecture

JCAHO: Joint Commission on Accreditation of Healthcare Organizations

JDBC: Java Database Connectivity

JDOM: Java Document Object Module (Java-based document object module for XML)

JIT: Just-In-Time

JMS: Java Messaging Service

JNDI: Java Naming and Directory Interface

JProbe Profiler: The leading Java profiling tool that helps developers to quickly diagnose performance bottlenecks in Java code. With highly accurate diagnostics, including line-by-line results, developers can dramatically improve application performance.

JTA: Java Transaction API

JUnit: A unit testing tool for the Java programming language. This tool provides methods of testing the correctness of a particular module of source code independently.

Just-In-Time (JIT): A term that describes an inventory management objective of the right inventory in the right quantity arriving just at the time of need. JIT is actually a process for optimizing the pharmacy processes for inventory use by eliminating all process waste including wasted steps, wasted movement, wasted material, excess inventory, etc. In theory, some stock

rooms in pharmacy could be eliminated or reduced in size if a vendor could deliver directly to the area of use JIT. A real world example is the bread shelves in your grocery store. These are stocked by the bread vendor JIT, and using visual orders. The grocery store does not have a bread stock room in the back.

JVM: Java Virtual Machine

K

KAAJEE: Kernel Authentication and Authorization for J2EE

Kernel: A vendor-independent application development environment, as well as a run-time environment, providing standard vendor independent services to applications software. It is not an operating system, but a set of utilities and associated files that are executed in an M environment. It is central to VA Decentralized Hospital Computer Program (DHCP) software strategy, in that it permits any DHCP software application to run without modification on any hardware/software platform that supports American National Standards Institute (ANSI) Standard M. All operating system-specific, M implementation-specific, or hardware-specific code is isolated to this environment.

Kernel Authentication and Authorization for J2EE (KAAJEE): A part of the VA Single Sign-On/User Context (SSO/UC) project, which addresses the authentication and authorization needs of J2EE-based Web applications, currently hosted on Oracle 9iAS. The limited aim of the first phase is to provide “single credential” authentication and “single repository” authorization for J2EE Web applications, using the user’s existing, familiar Kernel access and verify code for authentication, and using the Kernel system as the authorization repository as well.

KIDS: Kernel Installation and Distribution System

Kiosk: A terminal that allows users (e.g., Patients) to order refills and obtain information about their medical histories (i.e., medication, medication profiles). May also be a machine with dispensing capabilities that interfaces with the VistA Pharmacy system.

L

Lab Display: A VA Data Field used to specify what Labs need to be displayed for a drug within VistA.

Large Volume Parental (LVP): A solution intended for continuous parenteral infusion, administered as a vehicle for additive(s) or for the pharmacological effect of the solution itself. It is comprised of any number of additives, including zero, in one solution. It runs continuously, with another bag administered when one bottle or bag is empty. This is an admixture.

Layer: A logical grouping of the components within the system that are separated by common functionality.

LE: Local Environment

Legacy System: An existing system that is deployed in an organization with plans to be replaced by a newer system and newer technology.

Lend Order (Inventory): This functionality allows the local pharmacy to supply (lend) inventory to a borrowing institution. This order does not involve billing but will support “horse

trading” for specific items with the borrowing institution. See glossary term Borrow Orders (Inventory).

Licensed Pharmacist: An individual who has graduated from an accredited school of pharmacy, passed a state board examination, and served an internship under a licensed pharmacist in a community or hospital pharmacy.

Licensed Practitioner: An individual who is licensed or otherwise authorized to provide healthcare services.

Loading Dose: A dose of drug sufficient to produce a plasma concentration of drug that would fall within the therapeutic window after only one or very few doses over a very short interval. It is larger than the dose rate needed to maintain the concentration within the window and would produce toxic concentrations if given in repeated doses.

Local Order Processing Decision Rule (LOPDR): The rules specific to the local order processing that assist with the selection of products based on Patient data.

Local Reporting Fields: The fields configured and appended to an item in the Local EPL for use only by the Local EPL Management System. Local Reporting Fields are designed to capture data specific to local activities, but they will not be usable for program functionality. The fields will only be useful for reporting and searching.

Location Group: A group of hospital locations that can include: wards, rooms, and clinics. A location group is created and stored so that it can be used when running a Unit Dose Pick List or a Sterile Product Work List to define the area of the hospital that is serviced.

Log 4J: An open source logging tool that allows developers to write log statements in their software and configure them externally, using properties files.

LOPDR: Local Order Processing Decision Rule

Lot Number: The tracking number assigned by the manufacturer to manufacturing batches in order to track a product recall in the event of a problem with the drug in terms of Patient safety. Maintaining control of this constraint is a high-priority Patient safety issue for the VHA.

LRU: Least Recently Used

LVN: Licensed Vocational Nurse

LVP: Large Volume Parenteral

M

M: MUMPS – Massachusetts General Hospital Utility Multi-Programming System

M&IS: Messaging and Interface Services

Mail Order Pharmacy: The remotely located pharmacies that are high-volume processors for medications that are to be mailed to Patients.

Maintenance Dose: The dose needed to maintain the concentration within the therapeutic window when given repeatedly at a constant interval.

Manufacturer: Specifies the vendor or company that produces the product.

Manufacturer Domain: Holds the list of manufacturers specific to NDC Items.

MAP: Medical Advisory Panel

MAR: Medical Administration Record

MARS: MUMPS Automated Reporting System

MAS: Medical Administration Service (now Health Administration Service)

Master Vault: A location designated to store controlled substances and which is set up as the main dispensing site for controlled substances.

MD: Doctor of Medicine

Medical Advisory Panel (MAP): A committee that is part of the management and medical decision-making structure of the VA Pharmacy Business Management. The committee consists of eleven Physicians in practice at VA medical centers and one DoD Physician.

Medication Checker: An authorized person who performs the validation check on filled medication prior to dispensing (e.g., Licensed Pharmacist or Pharmacy Technician).

Medication Deliverer: An authorized person or device that delivers medication(s) to a Patient or Caregiver at point-of-care (e.g., a pneumatic tool, mail carrier, Pharmacy Technician, Nurse).

Medication Filler: An authorized person that dispenses medications, mixes IVs, etc. Note that the filler may be a Pharmacist, Pharmacy Technician, or an automated filling device.

Medication Instruction Domain: Holds the abbreviations that are often used when entering the prescription sig. Each entry in this domain holds an expansion of the abbreviation which is used to complete the sig as it is printed on the prescription label.

Medication Receiver: A person who receives medication(s) from a Patient upon admission (e.g., Nurse).

Medication Returner: A person who returns a Patient's medications to the Patient when the Patient is discharged from the hospital.

Medication Route: The method in which the product is to be administered (e.g., oral, injection).

Medication Use Evaluation (MUE): An order entry process that is similar to a templated order entry that incorporates a series of screens whereby the Orderer proceeds to answer some system-generated questions. The uniqueness of this process is that the system provides a series of pop-up boxes relating to the importance of the questions and why it is important for the Providers to answer the questions. Of even greater importance, the system will actually provide references and a synopsis of referred article(s). In this manner, the Provider is treated as an interested professional with a high level of interest for providing the best care for his or her Patient.

Message: A collection of data in a standardized format that can be sent to or received at a given destination.

Message Beans: A reusable software component that is designed to handle incoming messages based on Java Message Service technology.

Milestone: A significant event that occurs at a single specific point in time, usually denoting initiation or completion. Milestones are also used to communicate decisions made or received.

Missed Dose: A dose scheduled to be administered to a patient, but not administered to the patient at the scheduled time.

Missed Medication: A scheduled medication that is not administered to the Patient, usually because the Patient is unavailable or the Patient refuses the medication.

Missing Dose: A scheduled medication (e.g., unit dose) that is unavailable at the time of the scheduled administration.

Mitigation: A method or procedures which may: (1) avoid an impact altogether by not taking a certain action or parts of an action; (2) minimize impacts by limiting the degree or magnitude of the action and its implementation.

Model-View-Controller: A software architecture that separates an application's data model (the model), user interface (the view), and control logic (the controller) into three distinct components so that modifications to one component can be made with minimal impact to the others.

Modification Request: A request generated from PEPS when a PEPS Local Manager makes a request to change a non-editable data field on a PEPS item. The PEPS National Manager reviews the Modification Request and either approves or rejects the request.

Module: A software term for a specialized unit within a component that carries out a specific function that may depend upon other modules within the same component.

MOM: Message Oriented Middleware

MOP: Mail Order Pharmacy

MPD: Minimal Patient Dataset

MPI: Master Patient Index (or Master Person Index)

MS: Microsoft

MSH: Message Header

MTF: Medical Treatment Facilities

MUE: Medication Use Evaluation

Multicast: A message that is sent out by a host to several devices on the network. They are generally sent at specified intervals to avoid cluttering the network and, in the case of Local Area Transports (LAT), contain the name of the host sending them as well as information about which LAT services that host provides.

Multidimensional Data Model: A visual representation that uses data from multiple dimensions (examples are Products, and Time) to display information.

MUMPS: Massachusetts General Hospital Utility Multi-Programming System

MUMPS Language (M Code): The American National Standards Institute (ANSI) computer language used by VA FileMan and throughout VistA.

Mutator: A Java method that changes the state of an object. Mutators typically do not return a result, but mutators can both change the state of an object and return a result. Mutators are often called “setters,” and their names often start with “set.”

MVC: Model-View-Controller

MyHealtheVet: A Web-based application where Veterans, family, and clinicians may come together to optimize Veterans' healthcare. Web technology combines essential health record information enhanced by online health resources to enable and encourage Patient/Clinician collaboration. Clinicians can communicate and collaborate with Veterans much more easily. The online environment will map closely to existing clinical business practices, while extending the way in which care is delivered and managed.

N

National Drug Code (NDC): A universal product identifier for human drugs. It is assigned a unique 10-digit or 11-digit, 3-segment number: the first segment is a labeler code that identifies the manufacturer; the second segment is a product code that identifies the medication; the third segment is a code that identifies the packaging. The code can be any one of the following configurations: 4-4-2, 5-3-2, or 5-4-1.

National Drug File (NDF): A VistA package that provides standardization of the local drug files in all VA medical facilities. Standardization includes the adoption of new drug nomenclature and drug classification, as well as linking the local drug file entries to data in the National Drug Files.

National Drug Text Domain: Provides information on drug restrictions, guidelines, and protocols to help assure medications are being used according to formulary specifications.

National Management Team: The group responsible for decisions made at a national level regarding settings in PEPS. This would currently be characterized as the PBM team, but it may include other representatives in the future.

National Patient Care Database (NPCDB): A database maintained in the Austin Automation Center (Austin, Texas). The database receives selected demographic data, encounter-based clinical data, and diagnostic data from VAMCs and enables a detailed analysis of the VHA Outpatient Health Care activity.

NCA: National Cemetery Administration

NCPDP: National Council for Prescription Drug Programs

NCPS: National Center for Patient Safety

NDC: National Drug Code

NDDF: National Drug Data File

NDF: National Drug File

NDF-RT: NDF Reference Terminology

NDS: Naming/Directory Service

NE: National Environment

Needs Summary List: Specifies the amount and types of a medication needed to complete the items in a Unit Dose Pick List, or specifies the amount and types of additives and solutions needed to complete the items in a Sterile Product Work List.

NEMA: National Electrical Manufacturers Association

New Item: A unique item generated at a local facility or from COTS to be entered into PEPS.

New Molecular Entity (NME): An FDA designation for a drug that is under investigation for use or is new to the market. It is not the molecular equivalent for any drug that is currently under investigation or on the market. A new dosage form or strength of an existing product is not an NME.

NF: Non-formulary

NME: New Molecular Entity

Non-Formulary Drug: The medications that are defined as commercially available drug products not included in the VA National Formulary.

Non-VA Medication: The Joint Commission on Accreditation of Healthcare Organizations (JCAHO) has indicated that all medications, including herbal supplements, over-the-counter (OTC) non-prescription medications, and medications prescribed by providers outside the VA (collectively known as “Non-VA medications”), should be entered in the medical record. The user will be able to enter this information into the medical record so that Providers have a better picture of the medications the Patient is taking and that order checks against these medications can occur. Entering Non-VA medications is not the same as placing orders. Users simply enter information to provide a more complete view of what the Patient is taking.

Now Dose: A medication dose that is required for administration as soon as possible and is normally outside of the standard dosing schedules.

NPCDB: National Patient Care Database Project

NSC: Non-Service Connected

O

O/R: Object/Relational

OCIS: Office of Cyber and Information Security

OE: Order Entry

OED: Office of Enterprise Development

OERR: Order Entry/Results Reporting

OI: Office of Information

OIT: Office of Information and Technology

OITP: Office of Information Testing Process

OLAP: Online Analytical Processing

OLTP: Online Transaction Processing

OMG: Object Management Group

On-Call: A specific medication order or action that is dependent upon another medication order or action taking place before it is carried out. For example, “Cefazolin 1 gm IVPB On-Call to

Operating Room.” Since it may be unknown when the Patient will be taken to the operating room, the administration of the On-Call Cefazolin is dependent on that event. This is also a schedule type. See glossary term Schedule Type.

One-Time: A medication order given only one time to a Patient. This medication order type is usually given to the patient within a fixed length of time (e.g., 24 hours). One-time is also considered as a schedule type. See glossary term Schedule Type.

One-VA Architecture: The architecture standard designed to accommodate all applications within the VA. The architecture should foster the sharing of information about Veterans within and between VA facilities located across the U.S.

OO: Object-Oriented

OOAD: Object-Oriented Analysis and Design

OP: Outpatient

OPAI: Outpatient Automated Interface

OpenEHR: Open Electronic Health Record Foundation

Operational Data Store: The database-of-record, which contain data that continually changes as updates are made and that reflect the current value of the last transactions. It is a source of data for the data warehouse.

OPP: Operating Policies and Procedures

OR: Operating Room

OR (Architecture): Logical OR

Oracle Rational Database: The relational database management system that has been identified by the VHA to be used for data storage needs at the national level.

Orange Book Code: The abbreviated name for Therapeutic Equivalence Evaluations Codes. This coding system for therapeutic equivalence evaluations is constructed to allow users to determine quickly whether the FDA has evaluated a particular approved product as therapeutically equivalent to other pharmaceutically equivalent products (first letter) and to provide additional information on the basis of FDA’s evaluations (second letter).

Order: A request for a product that will be used in the support of a single Patient care. Usually initiated by a Physician or an authorized person.

Order Check: A review of the Patient’s current and proposed drug therapy for the purpose of promoting therapeutic appropriateness. This includes evaluation of the medication order and information from the Patient record for known allergies, contraindications, reasonable dose, and route of administration, reasonable directions for use, duplication of therapy, drug-drug, drug-food, and drug-disease interactions, and adverse drug reactions.

Order Check Request: A request from VistA to PEPS to retrieve data from the COTS data source. This data will then be forwarded from PEPS back to VistA for use.

Order Set: A logical group of items ordered together for one Patient that can be acted on as one (i.e., signed, discontinued). It serves as a mechanism to allow order entry operations on related

orders to occur as a single operation. An “order set” can be created manually and can be saved, stored, and retrieved as needed for common therapy treatments. It also includes functionality currently associated with complex orders, templates, and quick orders.

Order Unit Domain: Holds the list of packaging units that are valid when describing a drug entry.

Orderable Item (OI): A product the provider can select to order through CPRS. For pharmacy Orderable Items the provider will see “drug name and dose form” as the Orderable Item.

Orderer: An authorized person who initiates the prescription order (e.g., Physician, Physician’s Assistant, Pharmacist, Nurse, or Nurse Practitioner).

Original Fill: The first dispensing of an Outpatient order. Also known as a First Fill.

OSS: Open Source Software

OTC: Over-the-Counter

OTP: Overall Test Plan

Outpatient Automation: A VHA project in which all of the requests for automatic medication dispensing will be sent to this system. The system will then send the request to the most appropriate auto-filling machine containing the desired medication.

Outpatient Fill Priority: The indicator that determines the order in which Dispense Requests are filled for Outpatient orders. By default, Dispense Requests for Discharge orders are the highest priority. The second highest priority is Dispense Requests with a delivery method of Window. The third highest priority is Dispense Requests with a delivery method of Mail.

Outpatient Visit: The physical presence of a person who has obtained Outpatient services during a single 24-hour period.

Over-the-Counter (OTC) Drugs: Drugs that are available from retail stores without a prescription.

Overall Architecture: A high-level depiction of the design of a software application that is part of a larger system.

P

P&T: Pharmacy and Therapeutics

Package: A set of routines, files, options, templates, security keys, screens, bulletins, functions, help frames, forms, blocks, objects, protocols, dialogues, list templates, windows, and namespaces according to DBA requirements that function as a unit.

Package Type Domain: Provides the list of available package types for an NDC Item.

PACS: Picture Archiving Communication Systems

PAE: Pharmacy Application Environment

Par Level: The calculated desired quantity of product to have on hand based on historical use or an administrative decision.

PARENTERAL: Medications introduced by means other than by way of the digestive tract.

Partial Fill: A prescription that has been filled for a quantity smaller than requested. A possible reason for a partial fill is that a Patient is to return to the clinic in ten days but the prescription calls for a thirty-day supply.

Patient: An authorized person who is allowed to receive care or is identified as needing care and receives medications as an Inpatient in a ward or as an Outpatient in a specialty clinic. Also, receives medications as an Outpatient at the pharmacy (window pick-up or mail). Note that a Patient may also include active military personnel and family members of Veterans. A person who requires medical treatment, typically the Veteran or one of their relatives.

Patient Care Management Module (PCMM): The VistA module developed to assist VHA facilities in implementing primary care and managing the assignment of resources that was designed to assess capacity in Outpatient clinics. Users can set up and define a treatment team, assign positions to the team, assign Patients to the team, and assign Patients to a primary care provider.

Patient Care Team: A group of diverse clinicians who communicate with each other regularly about the care of a defined group of Patients and participate in that care.

Patient Educator: An authorized person who provides counseling and information to the Patient regarding medication being administered.

Patient Medication Profile (PMP): Used by pharmacy to view the appropriate pharmacy-related information about a VA Patient. It displays demographics and certain clinical information about a Patient. It also displays a list of pending and active orders (to include recently expired and recently discontinued orders). It can be used for informational purposes as a view-only version. However, authorized personnel can also use it to process and take actions on a Patient's prescription orders.

Patient Specific Label: A VA Data Field used to specify whether a medication requires a patient specific label.

PATS: Patient Advocate Tracking System

PBM: Pharmacy Benefits Management

PCA: Patient Controlled Administration

PCE: Patient Care Encounter

PCM: Project Configuration Manager

PCMM: Primary Care Management Module

PCP: Primary Care Provider

PDA: Personal Digital Assistant

PDM: Pharmacy Data Management

PDR: Pharmacy Data Repository Physician's Desk Reference

PDS: Pharmacy Data Store

PDSP: Project Defined Software Process

PDTS: Pharmacy Data Transaction System

PDX: Patient Data Exchange

Pending Order: The status of an order entered by a Provider through CPRS and that has been electronically signed without Pharmacy or Nursing finishing the order. Once Pharmacy or Nursing finishes and verifies the order, the order status changes to an Active order.

PEPS Local Administrator (PLA): A PLM who has the additional permission to create, update, or delete search templates or partial saved items at a local instance.

PEPS Local Manager (PLM): An authorized user who updates editable fields and rules at a Local facility. Receives/sends update requests from/to the PEPS National Manager.

PEPS Manager (PM): A parent role for PEPS National Manager and PEPS Local Manager. This role is able to make changes to PEPS and is used when the distinction between PEPS Local and PEPS National is not needed.

PEPS National Administrator (PNA): A PNM who has the additional permissions to create, update, or delete national-level templates.

PEPS National Manager (PNM): The authorized user who receives and reviews update requests from drug Vendors and PEPS Local Managers. Sends requests to appropriate decision makers. Creates updates for the National PEPS. Sends update to the PEPS Local Manager and to interested parties.

PEPS Second Reviewer (PSR): A person who performs Quality Assurance checks for PEPS items being processed nationally. A PSR may also perform the Second Reviewer role of a PNM when so designated by the PNM.

PEPS Viewer: An authorized user who uses PEPS in a read-only fashion, such as searching and viewing item data. This user is unable to make changes to PEPS data. Formerly referred to as PEPS User.

PEPS-L: PEPS Local

PEPS-L Mgmt App: PEPS Local Management Application

PEPS-M: PEPS Master

PEPS-M Mgmt App: PEPS Master Management Application

PEPS-N: PEPS National

Persisted Data: Any data that a system records in a state (or form) that is retrievable by the system or some other system later after some span of time.

Person Services: A person-oriented business component and interface used for person lookup within a system. This is required to produce person -oriented business components and user interfaces for person lookup. This is required to support the implementation of service oriented n-tier application architecture, centralized/distributed deployment architecture, and application modernization as specified by VHA Enterprise Architecture and the HealtheVet Logical Model.

PFSS: Patient Financial Services System

Pharmacy and Therapeutics (P&T) Committee: An advisory committee of the medical staff that represents the official, organizational line of communication and liaison between the medical staff and the pharmacy department; its recommendations are subject to medical staff approval.

Pharmacy Benefits Management (PBM): The office responsible for oversight of the VHA pharmacy process as well as National reporting.

Pharmacy Data Management (PDM): A VistA package that provides tools for managing site configurable data in pharmacy files.

Pharmacy Data Repository (PDR): A data source of Pharmacy medication order data that is not a part of the HDR. The examples of the types of data that may reside in PDR are “who reviewed a medication order,” “who filled a medication order,” drug lot number and expiration date, “what equipment was used to fill the medication order,” and other information that needs to be persistently stored.

Pharmacy Enterprise Product System (PEPS): A component of the overall PRE system whose purpose is to manage medications and supplies in support of pharmacy operations. It uses the Enterprise Product List (EPL) to store information about medications and supplies. See glossary term Enterprise Product List.

Pharmacy System Domain: Contains data that pertains to the entire Pharmacy system of a medical center, and not to any one site or division.

Pharmacy Technician: An authorized person who provides support within the pharmacy organization. This person may have a license or specific authorization to perform specific tasks within the pharmacy. Typical tasks include dispensing an order, labeling items, etc.

Pick List: Items that need to be gathered, or picked, while filling a Patient’s order. See glossary term Pull List.

Piggyback: The small volume parenteral solution for intermittent infusion. A piggyback is comprised of any number of additives, including zero, and one solution: the mixture is made in a small bag. The piggyback is given on a schedule (e.g., Q6H). Once the medication flows in, the piggyback is removed; another is not hung until the administration schedule calls for it.

PIMS: Patient Information Management System

PKI: Public Key Infrastructure

PLM: PEPS Local Manager

PM: PEPS Manager

PMD: Program Mistake Detector (Java source code analyzer)

PMI: Patient Medication Information

PMIS: Patient Medication Information Sheet

PMO: Program Management Office (as used by PRE)

PMP: Patient Medication Profile

PMP (Management): Project Management Plan

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

PNM: PEPS National Manager

PO: Purchase Order

POC: Point of Contact

POI: Poor Obfuscation Implementation (Java API to access Microsoft format files)

Point-of-Use (POU) Equipment: The automatic dispensing system of secured supplies.

POJO: Plain Old Java Object

Polypharmacy: The practice of administering many different medicines concurrently for the treatment of the same disease.

Postconditions: An assertion that must hold following the successful execution of the associated function (e.g., use case path, class method, and/or test case).

POU: Point-of-Use

PPP: Pharmacy Prescription Practices

PPS: Pharmacy Product System

PRE: Pharmacy Re-engineering

PRE CCB: PRE Configuration Control Board

Pre-exchange Order: Any Inpatient order that must be delivered to the ward before the scheduled delivery of products (e.g., NOW orders, STAT orders, missing dose request). An Inpatient order that is not included in a Unit Dose Pick List or Sterile Product Work List.

Preconditions: A condition that must always be true before the start of a use case or test case.

Preferred Products: The products stocked in the pharmacy that have a high turnover rate or comprise a large percentage of the dispensed items.

Preparation List (Prep List): Contains detailed information about active and future Unit Dose medication orders that are “due” for administering to Patients in a particular location (e.g., ward) during a specified timeframe. The Prep List can be printed to facilitate routine medication rounds by displaying medications to be administered during the specified timeframe for the Caregiver’s assigned Patients, which facilitates in the gathering of medications.

Prescription: An Outpatient medication order written on a standard blank issued by a regulatory body. An Outpatient order can be in a written format also on VAF 10-1158 Doctor’s Order sheet. Currently, DEA requires controlled substances to be submitted to Pharmacy in a written format with a “wet signature.”

Presentation Layer: A logical grouping of user interaction and display components.

Primary Care Provider (PCP): A Patient’s main healthcare provider in non-emergency situations either chosen by or assigned to a Patient.

Primavera IT Project Office TM: A software application used to uniquely identify work units and status of the work.

PRN: Pro re nata (As needed)

Pro re nata: A Latin term, basically meaning “take as needed.” It is normally abbreviated as PRN.

Process: A process is a collection of activities that takes one or more kinds of input and creates an output that is of value to the customer. It is cross-functional and results oriented, defying rather than respecting organizational boundaries. It is focused on goals and ends rather than actions and means. Thinking about the process is a prerequisite to re-engineering; only processes can be re-engineered.

Process (Architecture): An operating system term for a unit of work that contains one or more threads.

Procurer: Any authorized person who plans and orders supplies (e.g., Procurement Specialist).

Product Item: A specific type of medication, supply, or prosthetic.

Product Name: A unique name assigned to each drug product in the National Drug files.

Product Number: The number used by the product manufacturer to identify a product.

Product Type: An indicator that defines whether an item is categorized as a medication, supply, or prosthetic.

Progress Note: The communication among disciplines concerning the Patient’s care. Members of the Patient care team must document observations, progress, response to and changes in treatment, subsequent assessments of the Patient’s response to care, other intervention, planned follow-up care, instructions, and diagnosis and pertinent findings from ancillary tests. Progress notes must give a pertinent chronological report of the Patient’s course. Progress notes may include, but are not limited to: a change in diagnosis(es), a change in condition, and/or a Patient’s leave of absence. They may also include any justification for Patient limitations. Clinical care must be documented in a progress note by the respective clinical staff as defined by their scope of practice. Documentation in the progress notes is required when there is a history of allergies, adverse reactions, or other conditions. The appropriate progress title must be used to trigger Patient postings.

Project Management Office (PMO): An entity formed to coordinate across the enterprise all efforts toward making a project successful. The mission of the PMO is to monitor project activities and work elements, to coordinate efforts among all stakeholders, and ultimately, to ensure the success of a project.

Project Management Plan (PMP): A strategic document for describing and executing a project. It defines the technical and managerial approach, project functions, and deliverables necessary to satisfy the requirements of a project, such as agreement on scope and priorities.

Project Plan: See glossary term Project Management Plan (PMP).

Project Sponsor: The person who promotes and/or authorizes the initiation of a project, provides ongoing support, and has a vested interest in the success of the project.

Protect from Light: A VA Data Field used to specify whether an item must be protected from light.

Prototype: A mock-up, model, or actual working version of a technological device or process used to generate engineering information that will help design or perfect the final Pharmacy Reengineering
Pharmacy Product System (PPS)-N v3.0.4

product/process. Engineering prototypes, test-of-principle models, bench models, breadboard models, and pre-production prototypes are used in the new product stages of development.

Provider: An authorized person who delivers some form of healthcare to a Patient. Additionally, these individuals may be considered as an Orderer with the authority to sign orders if given the authorization within the system. Some providers may not be given the authority to sign orders (e.g., nursing staff).

PS: Person Service

PSL: Person Service Lookup

PSR: PEPS Second Reviewer

PUI: Project Unique Identifier

Pull: A style of data management in which an application actively gathers data from an external application or system.

Pull List (Inventory): An inventory requirements list of items to be “pulled” from supply inventory locations for the purpose of replenishment to the user areas. It is generated from a combination of consumption rates, replacement lead times, and inventory control factors. See glossary term Pick List.

Push: A style of data management in which an application actively sends data to an external application or system.

Q

Q6H: Every six hours

QA: Quality Assurance

QD: Every Day

QID: Four Times a Day

QO: Query Object

Quality Assurance (QA): A set of activities that defines and implements quality into the software development process. Conducting work product reviews, testing, analyzing metrics, and surveying users are typical quality assurance activities.

Quick Order: A pre-written order of any number of items (a single medication or an order set). Quick Orders are used to expedite order entry for commonly used orders.

R

R.Ph: Registered Pharmacist

RAR: Resource Adapter Archive

Rational ClearCase: A tool developed by IBM to control and manage versions of elements such as source files for software and documentation, directories, reports, etc.

Rational ClearQuest: A tool developed by IBM to submit and track change requests, gather project matrices, and generate defect summary reports.

Rational RequisitePro: A tool developed by IBM to organize, prioritize, track, and control changing requirements of a system or application.

Rational Software Architect: A tool developed by IBM to model the system components and their interactions.

RBAC: Role-Based Access Control

RDBMS: Relational Database Management System

RDV: Remote Data View

Re-engineering: The fundamental rethinking and radical redesign of business processes to bring about dramatic improvements in performance (Re-engineering The Corporation, Michael Hammer, James Champy, 1993). It is concerned with the redesign of work so that it can be performed in a more superior way. The application of re-engineering principles has since been extended to processes outside and between organizations to address total enterprise relationships (X-engineering The Corporation, James Champy, 2002).

Read-back: This is a JCAHO requirement for verbal orders (i.e., orders communicated by face-to-face contact). A verbal order must be read back to the ordering medical staff member by the Pharmacist to verify the verbal order was correctly heard and understood. A licensed Practitioner will be required to sign the verbal order within 24 hours from the time the verbal order was given.

Recall Class: Three different levels of pharmacy action depending on the severity of the problem causing the recall. A Class 1 recall is the most severe, requiring notification of Patients who have received the medication.

Receiver: An authorized person who receives supplies from Vendor(s) and places them into the pharmacy's inventory system (e.g., Procurement Specialist).

REE: Registration/Enrollment/Eligibility

Refill: To fill a prescription a second or subsequent time.

Refrigeration: A VA Data Field used to specify whether an item requires refrigeration.

Renew: Continuation of an existing order by an authorized user (e.g., provider). For Outpatient orders, the renew action creates a new order with a new prescription number and a new expiration date. For Inpatient orders, renew action does not create a new order. In Inpatient renew, a new Default Stop Date/Time is calculated for the existing order.

Renewal: A new order that was generated by the renew process. See glossary term Renew.

Reorder Amount: The quantity of an item to be ordered from the replenishment source when a Reorder signal is sent. It is triggered by the status of the inventory control factors, usually when the quantity remaining reaches the reorder point.

Reorder Point: The quantity level at which the reorder signal is sent.

Reorder Signal: A notification within the system that there is an inventory quantity that has fallen below the Reorder Point. This is used by the system to generate an internal replenishment order and in formulating Vendor supply orders.

Replenisher: Any authorized person who identifies the need for, and replenishes, internal inventory stock (e.g., Pharmacy Technician).

Replenishment: The inventory items used to restock user area locations (e.g., ward stock, automated dispensing devices) without being tied to a Patient order. These tend to be commonly used items stored for easy access at quantity levels required for Patient safety and work process flow. Quantities are debited from pharmacy supply locations but are still carried in inventory as unallocated. The item location changes from pharmacy supply to user area. Usage from the user area debits inventory from that area. See related glossary term Dispensed Inventory.

Request: A user action that a PEPS Item (OI, Product Item, or NDC Item) addition or modification be considered by the PNM for updates within the PEPS enterprise database.

Requirement: A criterion that a system or software must meet. It can include things the system must do, characteristics it must have, and levels of performance it must attain. Systems engineers develop them before a system is created. As it is developed, the system is evaluated according to how well it meets its criterion. Requirements may be business, functional, and/or system needs. They are documented in detail in the System Requirements Specification document.

Requirements Management Plan (RMP): A document that describes the requirements artifacts, requirement types, and their respective requirement attributes. This artifact contains information to be collected and control mechanisms to be used for measuring, reporting, and managing changes to the product requirements.

Residual Effect of a Drug: The remains of a medication or its active metabolites in the Patient's system after the medication is taken or administered. The length of activity will depend on various factors (e.g., the drug, the Patient's ability to eliminate the medication).

Restricted Medication: The medications that are only allowed to be prescribed based on a set of criteria, such as only being allowed if the Patient is diagnosed with a particular problem, or has lab values of a certain type and level. Medications become restricted due to a number of reasons, the primary ones being abuse potential, cost, or risk to the Patient.

Restricted Refill: A refill that is tied to certain policies established by the pharmacy and will require certain actions by the Orderer (e.g., review updated lab values) prior to sending the restricted refill to be dispensed.

Return on Investment (ROI): The rate of return which is used to evaluate the efficiency of an investment; typically expressed as a percentage.

RFID: Radio Frequency Identification

RIM: Reference Information Model

Risks: The events or circumstances that may happen that could jeopardize the outcome of the project, such as cost overruns, schedule delays or project cancellation. Risks can also be events that may happen that could allow the project to complete ahead of schedule or run more efficiently.

RMI: Remote Method Invocation

RMP: Requirements Management Plan

ROI: Return on Investment

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Route of Administration: Specifies the method by which the drug is to be administered.

RPC: Remote Procedure Call

RSA: Replacement Scheduling Application

Rx: Prescription

Rx Consult Domain: Holds the expansion of the number codes that represent the additional warnings/consultations that may be needed for a particular drug.

Rx Norm: A clinical drug nomenclature produced by the National Library of Medicine (NLM), in consultation with the Food and Drug Administration (FDA), the VA, and the HL7 standards development organization. It provides standard names for clinical drugs (active ingredient + strength + dose form) and for dose forms as administered. It provides links from clinical drugs to their active ingredients, drug components (active ingredient + strength), and some related brand names. To the extent available from the Food and Drug Administration, NDCs (National Drug Codes) for specific drug products that deliver the clinical drug are stored as attributes of the clinical drug in RxNorm.

S

SACC: Standards and Convention Committee

Safety Stock: The quantity of an inventory item that is kept in an inventory location for Patient safety purposes in order to allow for deviations in demand or supply that might stem from variability in internal processes, unforeseen Patient demand, supplier availability, or transportation.

SAML: Security Assertion Markup Language

SC: Steering Committee

SCCB: SwRI Configuration Control Board

Schedule: The frequency by which the doses are to be administered (i.e., Q8H, BID, NOW). Often referred to as Administration Schedule.

Schedule Type: The indicator that identifies the type of schedule (i.e., Continuous, PRN, On-Call, and One-Time) for the medication being administered to a Patient.

Scheduled Order: An Inpatient order that is scheduled to be delivered to a ward at a specific time. Scheduled orders appear in a Unit Dose Pick List or Sterile Product Work List for filling.

SCM: Software Configuration Management

Scored: Indicates that the medication has been marked by the manufacturer so that the medication can be divided (e.g., split) in two.

SDD: Software Design Document

SDF: Software Development Folder

SDK: Software Development Kit

SDLC: Software Development Life Cycle

SDS: Standard Data Service

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

Secondary Inventories: The stock that is maintained in user areas.

Section 508: The section of the Rehabilitation Act that requires any electronic information developed, procured, maintained, or used by the federal government be accessible to people with disabilities. As a result of new requirements added to the Rehabilitation Act in 1998, guidelines for electronic information including Web sites have been developed and were adopted on December 21, 2000. All electronic information created or acquired by any federal agency or department, on or after June 21, 2001, must comply with these accessibility standards.

SEO: Software Engineering Organization

Sequence Diagram: A visual representation that shows interaction between objects with an emphasis on the order in which the objects pass information or actions between themselves. The objects could be (i.e., people, computer systems, locations, etc.).

Service: A logical grouping of capabilities that support a common business process. Thus a “drug information service” might provide capabilities that allow for the searching of different types of drug information and different types of searches for the same information (i.e., searching for a drug by Generic Name, NDC, Therapeutic category). This is loosely analogous to the class-method relationship, in which a class is composed of multiple methods that support the usage of the class.

Service (Architecture): A logical grouping of related software capabilities that share common business goals in a functional process and communicate through a well-defined interface mechanism.

Service-Oriented Architecture (SOA): A system architecture that encourages the development, collection and use of software services. These services communicate with each other. The communication can involve either simple data passing or it could involve two or more services coordinating to complete an activity. Services require a standardized communication protocol.

Session Bean: A reusable software component that is used to implement business logic; it can be of stateless or stateful variety; its existence is short-lived; and its purpose is to execute on behalf of a single client.

Session Facade: Decouples the user of the service from the multiple entity beans that may reside behind a service method by providing a common session bean for that particular service. For example, most service method calls will require two distinct events to complete: one to authenticate that the user is authorized to use the service and the second is to invoke the capability of the service method. It hides these event invocations from the client, providing them with one session bean that handles all subsequent method invocations required to complete the service method request.

SGML: Standard Generalized Markup Language

SHG: Strategic Health Group

Shortage: A deficit between inventory available and inventory required.

SIG: The Latin word, Signatura, abbreviated as “SIG.” (also called SIG, or transcription), which gives instructions to the Patient on how, how much, when, and how long the drug is to be taken. These written instructions are preceded by the symbol “S” or “SIG.” from the Latin, meaning “mark.” The signature should always be written in English; however, Physicians continue to Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

insert Latin abbreviations, e.g., “1 cap t.i.d. pc,” which the Pharmacist translates into English when he or she prints the label, such as “take one capsule three times daily after meals.” The purpose of the prescription, special instructions, and warnings, followed by the signature of the prescriber, may also be included.

Sign Order: The action taken by a user to provide a signature on an order that is legally binding. In the system, the signature is an electronic signature. See glossary term Electronic Signature.

SIL: Security Integration Laboratory

Simple Object Access Protocol (SOAP): A lightweight protocol for exchange of information in a decentralized, distributed environment. It is an XML-based protocol that consists of three parts: an envelope that defines a framework for describing what is in a message and how to process it, a set of encoding rules for expressing instances of application-defined data types, and a convention for representing remote procedure calls and responses.

Single Sign-On: A set of software components, usually distributed over a network, which allow a user to log into his workstation once, and thereafter start applications without having further authentication required.

Smart Card: In the VA/DEA PKI Pilot, the clinician uses a smart card to digitally sign Outpatient medication orders for Schedule 2 and Schedule 2n CS after using the current electronic signature process within CPRS. The technologies used in PKI add security for these substances. Smart cards have the clinician’s photo and an integrated circuit (a computer chip) that stores other information such as demographics, access and verity codes, a personal identification number (PIN), and a digital certificate.

SME: Stakeholder/Subject Matter Expert

SOA: Service Oriented Architecture

SOAP: Simple Object Access Protocol

Software Configuration Management (SCM): A process or methodology comprised of tools and techniques that are used to manage change to software assets.

Software Development Kit (SDK): A set of tools, APIs, and/or documentation to assist with the development of software in a specific computer language or for a particular operating environment.

Software Development Life Cycle (SDLC): A structured methodology used in the development of software products and packages. This methodology is used from the conception phase through to the delivery and end of life of a final software product.

Software Development Plan (SDP): A comprehensive, composite artifact that gathers all information required to manage the project. It encompasses a number of artifacts developed during the Initiation phase and is maintained throughout the project.

Software Package: A software term for a high-level, common grouping of one or more components within a system.

Software Quality Assurance (SQA): The set of activities that defines and implements software quality into the process and encompasses systematic activities that provide evidence that the product meets the customer’s expectations, in terms of use and the associated quality factors.

Pharmacy Reengineering

Pharmacy Product System (PPS)-N v3.0.4

User Guide

This includes monitoring the methods and standards used, and then verifying that they have been properly applied. Also tracks that the required procedures have taken place during the SDLC. It does this by auditing the quality actions of the products in development and alerting management to any deviations.

Software Quality Assurance Team: Oversees all aspects of quality assurance in each OED project.

Software Requirements Specifications (SRS): A document that outlines and records the requirements for a project. The document formally states the requirements for the project.

Solution: A vehicle for additive(s) or for the pharmacological effect of the solution itself. Infusion is generally continuous. A LVP or piggyback has only one solution (primary solution). A hyperal can have one or more solutions.

SOP: Standard Operating Procedure

SOW: Statement of Work

Special Handling: The Drug Enforcement Agency (DEA) special handling codes used to designate drug products as over-the-counter, narcotics, bulk compounds, and supply items. Requirements exist for each code that determines how a drug product is to be handled and/or stored.

Specialty: The particular subject area or branch of medical science to which one devotes professional attention.

SPF: Single Point of Failure

Splittable: A VA Data Field used to specify whether an item can be split for dispense or be prescribed as a splittable dose.

SPM: Software Project Manager

SPML: Service Provisioning Markup Language

SQA: Software Quality Assurance

SQAP: Software Quality Assurance Plan

SQL: Structured Query Language

SRS: Software Requirements Specification

SS: System Specification

SSO: Single Sign-On

Staging Area: A specific inventory location where items slated for disposal are placed prior to shipping or destruction. This is for control and tracking of items removed from active inventories for reasons such as product quality, spoilage, expirations, or recalls.

Stakeholders: The people or groups who have a stake in the outcome of the project. Normally stakeholders are from within the company (e.g., internal clients, management, employees, and administrators). A project may also have external stakeholders, including suppliers, investors, community groups, and government organizations.

Standard Data Service (SDS): Consists of architecture service components to support the migration of applications from M-based VistA to new HealtheVet-VistA architecture. The major purpose of SDS is to provide a centralized repository of standard (non-clinical) administrative data together with a data maintenance mechanism and a distribution capability for transporting the data to HealtheVet-VistA applications.

Standardized Domain: Domains are standard or standardized. Standardized domains will have a VUID from VETS, using the specified field(s) for that item or domain to determine the uniqueness of the VUID.

STAT: Statim (Latin: Immediately [medical])

Steering Committee (SC): The key body within the governing structure that is responsible for the business issues associated with the project that are essential to ensuring the delivery of the project outputs and the attainment of project outcomes. This includes approving the budgetary strategy, defining and realizing benefits, monitoring risks, quality and timelines, making policy and resourcing decisions, and assessing requests for changes to the scope of the project.

Sterile Product: An item that is completely clean and free from bacteria (e.g., IVs and gauzes).

Sterile Product Work List: A list of sterile product Dispense Requests that are scheduled to be administered to the Patients in a ward group within a specified window of time. The Sterile Product Work List replaces the ward list and manufacturing list from VistA.

Stock Level: The current inventory quantity of an item. It may be a calculated or physical count quantity depending on the use in the system. It may also be displayed and used at multiple organizational levels such as a quantity in a specific inventory location, the quantity in a ward, the quantity in central pharmacy supply, or a total rolled up quantity for the entire facility.

Storage Location: Where the contents of a Dispense Request are stored. Once a Dispense Request product is filled and checked, it is stored in a designated Storage Location to be later retrieved by the Medication Deliverer at the window or in the mail room. The Storage Location could be a particular refrigeration unit if the medication needs to be kept cool, a locked cage in the case of CS, or a tote for those medications that need to be packaged and mailed.

Structural Testing: Testing that takes into account the internal mechanism of a system or component.

STS: Standards and Terminology Services

Stub: A piece of code used during development to simulate the activity of a missing service, component, or interface that is not yet developed.

Subject Matter Expert: A person thought of as dictionaries or references that provide the final authority on what something means or how it is to be performed, while developers and trainers are the readers who turn that authority into information that can be understood and used by others. They are experts on the content of information.

Subsystem: A subsystem is a logical grouping of related software packages and services that combine to form an independent system within an enterprise.

Supply Area: The pharmacy inventory locations from which Patient orders are filled or user area requirements are replenished. It also is the area where incoming inventory is stocked following the receiving process from outside sources (e.g., vendors, loans, gifts).

Support Staff: A person who identifies Patients (or panel of Patients) who need to be seen or have requested to be seen.

SwRIA: Southwest Research Institute

Syringe: A device used to inject fluids into or withdraw them from something (e.g., the body or its cavities, IV set).

System Administrator: An authorized person who manages the components of the Pharmacy System to which access is restricted for most Pharmacy users. For example, a System Administrator might create user profiles, define local user roles, configure local parameters, or run reports.

T

Tall Man: A technique of lettering that helps medical professionals detect drugs that could be confused because of similarly spelled names. It uses alternating upper- and lower-case spelling of drug names to visually distinguish look-alike, sound-alike medication names. The confusion of drug names accounts for approximately 15% of all reported medication errors (e.g., hydrALAZINE/hydrOXYzine, and glipiZIDE/glyBURIDE).

Tapered Order: An order for which a drug dose is increased or decreased over a period of time until the desired end dose is achieved. For example, a drug might have been ordered in the following sequence: 0.5mg for 5 days, then 1mg for 5 days, then 2mg for 5 days, then 4mg after that for the remainder of therapy.

Task: A functional term for a piece of work performed to achieve an end-user goal.

TBD: To Be Determined

TCO: Total Cost of Ownership

TCP/IP: Transmission Control Protocol/Internet Protocol

TeamPlay TM: The software application used to uniquely identify work units and status of the work.

Technical Services Project Repository (TSPR): The official Web site to store and display information about projects within Office of Enterprise Development.

Telemedicine: The use of telecommunications technology as a medium to provide medical services to sites that are at a distance from the Provider. Telemedicine telecommunications link Providers and Patients together from diverse geographic locations, and they transmit text and images for medical consultation and treatment.

Template: An object with a pre-set format. The pre-set format can be used as a starting point for a particular application (e.g., a template for entering chemo orders, a template for requesting to add drugs to EPL). The pre-set format can be used to enforce a specific process for completing an action (for quality purposes and/or for policy purposes.)

Terminology Mediation: A method of mapping local terms to an enterprise-wide terminology reference. This is provided by ERT for the PRE system.

Test Case: A defined set of conditions used by a tester to exercise a system under development to determine if a requirement or use case is satisfied.

Test Environment: Equipment (e.g., servers, hardware) dedicated to test a system under development.

Test Input: Information (e.g., data) that must be in place to execute a test case.

Test Plan: A document that describes the scope, approach, resources, and schedule of intended test activities.

TFI: Tricare Fiscal Intermediary

Therapeutic Alternatives: The drug products differing in composition or in their basic drug entity, but of the same pharmacological and/or therapeutic class, which are considered to have very similar pharmacological and therapeutic activities and adverse reactions when administered to Patients in therapeutically equivalent doses.

Therapeutic Class: The general classification of medication in which a product is categorized. Compounds are classified into classes, chemical or functional (Therapeutic), according to their structure and function. A particular compound may belong to one or more classes and are categorized both structurally and functionally. To date, some compounds have not been classified.

Therapeutic Equivalence: The drug products that, when administered to the same person in the same dosage regimen, provide essentially the same therapeutic effect or toxicity. Bioequivalent products are expected to be therapeutically equivalent.

Therapeutic Interchange: The authorized exchange of various therapeutic alternates by Pharmacists under arrangement between Pharmacists and Orderers who have previously established written guidelines or protocols within a formulary system and jointly agreed on conditions for interchange or who give permission individually at the time of exchange.

Thick Client: A software product that does as much processing as possible at the client side and passes only the data required for communication and archival storage to the server entities.

Thin Client: A software product that does most of its processing on a central server with as little hardware and software as possible at the user's site. Ideally the user will have only a screen, keyboard, a pointing device (if needed), and enough computing power to handle display and communications.

Third-Party Pharmacy: Those pharmacies that are not directly affiliated with the VA. They are the Walgreens, CVS, and other commercial and governmental pharmacies not directly under the control of the VA.

Thread: An operating system term for an instance of concurrent execution within a process.

TID: Three Times a Day

Tier: A hardware term for a physical grouping of the components within the system that are separated by physical locality.

TIU: Text Integration Utility

TOAD: Tool for Oracle Application Development

Total Cost of Ownership (TCO): A process that helps a company determine whether it wins or loses from specific technology implementations. It is used to look at the overall impact of the implementation. Cost is the numerator. The denominator might be service, customer satisfaction, quality levels, or productivity. Although cost-of-ownership factors vary according to technology and environment, costs are typically broken out into categories such as capital costs, technical support, administration, and end-user operations.

Total Parenteral Nutrition (TPN): The intravenous administration of the total nutrient requirements of the Patient. The term TPN is also used to mean the solution compounded to provide those requirements. See glossary term Hyperalimentation.

Total Stock: The total amount of on-hand inventory (e.g., medications, supplies).

TPB: Transitional Pharmacy Benefit

TPN: Total Parenteral Nutrition

TQS: Terminology Query Service

TR-LV&HW: Testing Requirements for Legacy-VistA and HealtheVet-VistA

Trade Name: A name (i.e., brand name) assigned to a generic product to distinguish it as one produced and sold by a specific manufacturer.

Transfer Order (Inventory): An internal order to allow the transfer of inventory items within the local organization from one inventory location to another. It allows the pharmacy to manage inventory such as moving items from one ward to another.

Transport CS: The process of moving of a CS inside the facility.

Transport Invoice: A list of CS items that are being moved from one location to another within the same facility. It can be a single sealed package containing one or more CS items or multiple sealed packages. The Transport Invoice exists in the system as a list of CS items that has a custodian, origin, and destination.

Treatment: The provision, coordination, or management of healthcare or related services by one or more healthcare Providers. This includes the coordination of healthcare by a healthcare Provider with a third party, consultation between Providers relating to a Patient, and the referral of a Patient for healthcare from one healthcare Provider to another.

TRM/SP: Technical Reference Model and Standards Profile

TSEC: Trade Study Evaluation Criteria

TSPR: Technical Services Project Repository

TSS: Trade Study Scenarios

TUID: Temporary Unique Identifier

U

UAT: User Acceptance Test

UCI: User Class Identifier

UD: Unit Dose

UI: User Interface

UML: Unified Modeling Language

UN/EDIFACT: United Nations/Electronic Data Interchange for Administration, Commerce and Transport

Unallocated Inventory: Physical inventory that has not been reserved for filling of dispense requests.

Unified Change Management (UCM): A layer built on Rational ClearCase to provide additional configuration management features for software development.

Unified Modeling Language (UML): A standardized language used for object-oriented modeling.

Unit Dose Indicator: An indicator to differentiate products produced in blister packs versus product produced in bulk bottles.

Unit Dose Pick List: A list of unit dose Dispense Requests that are scheduled to be administered to the Patients in a ward group within a specified window of time. The Unit Dose Pick List replaced the Pick List from VistA.

Units per Dose: The number of Units (i.e., tablets, capsules) to be dispensed at one time for a dose. Fractional numbers will be accepted.

Universal Product Code (UPC): A 12-digit code assigned to an item to identify the product and the vendor that sells the product.

URL: Uniform Resource Locator

Usage: The removal of an inventory item from the inventory location is assumed to be used or consumed by the user in the managed area in which the inventory location is defined. It does not track actual consumption by the Patient through administration or dispense. See glossary terms Replenishment and Dispensed Inventory.

Use Case: A narrative describing a sequence of actions and responses between an actor and a system. The narrative is technology-free and implementation independent. It is the description of a well-defined task or goal – from the point-of-view of the actor that achieves the Use Case’s goal. A Use Case describes what the system needs to do without specifying how the system will do it. A Use Case that “calls” on other Use Cases – for additional functionality – via an extend or include relationship is referred to as a “parent” Use Case.

Use Case Diagram: A diagrammatic representation of the boundaries of a product or Application showing the actors outside the boundary and the Use Case or work units inside the boundary.

Use Case Specifications: A document that defines a sequence of actions performed by a system that yields an observable result of value to an actor.

Use Rule: A criterion-based rule for a product, group of products, or class of products that aids decision support.

User: The requestor, individual, or organization that specifies, or may assist with specification, and typically accepts the project deliverables. There may be multiple users on a given project.

User (Inventory): A term used in the inventory system to refer to the area personnel that handle or administer the drugs. They are the pharmacy customer to whom inventory items are supplied.

User Acceptance Test (UAT): The process that confirms the system functionality meets all user requirements as stated in the requirements document(s). The UAT is usually conducted by the stakeholders.

User Area (Inventory): A term used in the inventory system to refer to the pharmacy customer areas such as wards or clinics. These are areas out of which drugs are administered as opposed to the pharmacy that dispenses them.

User Area Manager: An authorized person who monitors, oversees, and manages supplies for a specific area (e.g., person who would interact with the Replenisher in maintaining appropriate levels of inventory).

USPS: United States Postal Service

V

VA: Department of Veterans Affairs

VA Data Fields: A set of rules governing the use of a product in the VHA system. Examples include: “Witness required for Administration,” “Useable for Outpatient Only,” “Must be Refrigerated,” etc. These fields are defined in the requirements process and cannot be modified or added after the system has been deployed. The VA Data Fields are fields that must be set by a VA entity (i.e., cannot be obtained from a COTS product or other data source). When values are defined for the fields at National, they may be marked as “non-editable” preventing Local VHA facilities from changing the setting. Any field left editable can be changed by a local facility.

VA Generic Name: The name assigned to an item (e.g., medication, supply) in Pharmacy VistA files.

VA Product Name: The name assigned to a medication item in Pharmacy VistA files. The name includes the Strength, Unit, and Dosage Form of the medication.

VA-wide Person Identifier (VPID): A unique identification number assigned to all persons associated with the VA, including Veterans, Patients, and employees. According to <http://vista.med.va.gov/iss/acronyms/index> (To access the link, VA VPN access is needed).

VACO: VA Central Office

VAEA: VA Enterprise Architecture

Value Object: A software element that exposes property mutators and accessors. A Data Transfer Object from Sun’s Design Pattern Catalog is a synonymous term.

VAMC: Department of Veterans Affairs Medical Center

Variable Dosage: A medication treatment whereby the administration doses vary for the duration of treatment. For example, a drug may be taken/administered in the following order: 4mg a.m., 2mg noon, 4mg HS (at bedtime) for 7 days.

Variable Schedule: The schedule of a drug whereby it may vary during the therapy. For example, a drug may be given twice a day on Monday and Tuesday and three times a day on the remaining days of week for 7 days.

VAX MUMPS Standard: An advanced operating system, originally designed by Digital Equipment Corporation (DEC), that operates on the VAX and Alpha architectures. The correct way to refer to the operating system is OpenVMS for VAX or OpenVMS for Alpha. VMS is one of the most secure operating systems on the market.

VBA: Veterans Benefits Administration

VDD: Version Description Document

VDEF: VistA Data Extraction Framework

VDL: Virtual Due List

VDSI: VistA Data Systems and Integration

VeHU: VHA eHealth University

Vendor: The organization that provides supplies to the pharmacy. Note that this may include prime, non-prime, and loaning organizations (any outside supplier; e.g., external supplier).

Vendor Purchase Order: An order that details the items the pharmacy wishes to procure from a prime or non-prime supplier (Vendor). It is often called a procurement order, supply order, or sales order.

Verify: To assure that an order placed for a Patient is accurate as recorded and ready for dispensing.

Version: A variant of some artifact; later versions of an artifact typically expand on earlier versions. Major revisions will mean the version number is incremented by one or more. Minor revisions will be signified by the addition of a decimal number in tenths or hundredths.

Veterans Health Information Systems and Technology Architecture (VistA): The automated information systems used in VAMCs. The Department of Veterans Affairs (VA) has had automated information systems in its medical facilities since 1985, beginning with the Decentralized Hospital Computer Program information system, including administrative and extensive clinical administration capabilities.

Veterans Integrated Service Network (VISN): A set of healthcare facilities within a geographical area. Each VHA healthcare facility is located in one of many VISNs (Veterans Integrated Service Networks) spanning the U.S. and its territories.

VETS: VHA Enterprise Terminology Service

VHA: Veterans Health Administration

VHA Health Information Model (VHIM): A model that provides standard definitions, semantics, and constraints so that data can be represented consistently across all components of the HealtheVet Architecture.

VHA OI: VHA Office of Information

VHA Unique Identifier (VUID): These are non-business, unique numbers that are automatically assigned to concepts, properties, and relationships in a terminology to facilitate their access and manipulation by computers.

VHIM: VHA Health Information Model

VIE: VistA Interface Engine

Virtual Due List (VDL): A list of medications that need to be administered to a Patient within a specified time parameter. These include active Continuous, PRN, On-Call, and One-Time medication orders.

Virtual Private Network (VPN): A scheme where a portion of a network is connected via Internet, but information sent across the Internet is encrypted. The result is a “virtual network,” which is also part of a larger network entity. This enables users to privately share private information over a public infrastructure.

Vision Document: The stakeholder’s view of the product to be developed specified in terms of the stakeholders key needs and features. It provides the contractual basis for the more detailed technical requirements.

Visit: A Patient event that begins when the Patient arrives at a clinic for medical evaluation or treatment and concludes when the Patient departs.

VISN: Veterans Integrated Service Network

VistA: Veterans Health Information Systems and Technology Architecture

VistA Data Systems and Integration Service (VDSI): The service group that manages VistA system changes to ensure compliance with standards and regulating bodies; ensures resource impacts are assessed to allow sufficient time for equipment or software procurements as needed; manages and maintains the VistA data architecture working in close association with OED Program Directors and manages technical/application integration oversight, support, and tools to ensure products inter-operate effectively and make maximal use of existing software tools. VDSI performs five required reviews of VistA products to support these goals, which are typically performed at specific points in the software development lifecycle.

VistA Interface Engine (VIE): A Delivery Service routing component that receives messages from the Delivery Service inbound queue and provides message handling based on Delivery Service functionality.

VistA Update Message: A message from PEPS to VistA that contains an update (e.g., update may include a New Item in PEPS, a change to an existing item in PEPS).

VistALink: A standardized, portable, and secure mechanism for establishing connections between Java (J2SE and J2EE) and VistA/M servers. It is a transport layer that provides HealtheVet-VistA application developers APIs for establishing synchronous, real-time communication between Java applications and VistA/M systems.

Visual Flow Management: This term is referring to visual systems or the establishment of a visual workplace in which the ultimate outcome is visual information sharing. The bingo board is just a simple example. It provides immediate visual information to the observer. There are numerous visual tools that could be put in place in the pharmacy that would supplement the use of the new PRE system as well as improve Pharmacy work processes. For example, the bin described in “visual order” could include a visual display of the expiration date of items in the bin.

Visual Order: In the context of inventory management, refers to the use of a physical visual signal or indication that an item needs to be replenished. This might be an empty bin in which its physical condition (empty) generates an automatic refilling action. That single visual signal could trigger real time replenishment from a supply cart. No computer transaction is required at that time. Appropriate use of this process tool would multiply a pharmacy’s capability when combined with the PRE system. The size of the bin determines the Par Level, the fact that it is empty defines the Usage, and the Reorder Point, the filling action defines Replenishment. A single computer transaction recording the filling event would generate the tracking and ordering requirements that normally require multiple and time wasting separate transactions including scanning use, generating a pick list, withdrawing from supply, scanning replenishment, and generating a procurement order. See glossary term Visual Flow Management.

Vitria: A Business Process Integration platform orchestrating interactions between existing and future applications, data, people, and partners to provide real-time visibility and control over strategic business processes.

VMS: VAX Mumps Standard

VO: Value Object

VOB: Versioned Object Bases

VPFS: Veterans Personal Finance System

VPID: VA-wide Person Identifier

VPN: Virtual Private Network

UUID: VHA Unique Identifier

W

WAN: Wide Area Network

Waste Log: A record of all instances when a CS was wasted (i.e., never made it to a patient for any reason: dropped, broken, etc.) including: Date/Time, Location, User ID, VUID, Amount Wasted, Reason for Waste, Investigated (Yes/No).

WBS: Work Breakdown Structure

WDDE: Ward Drug Dispensing Equipment

Web Service: A collection of functions that are packaged as a single entity and published to the network for use by other programs. They are building blocks for creating open distributed systems, and allow companies and individuals to quickly and cheaply make their digital assets available worldwide.

Web Services Interoperability (WS-I): A consortium of a large number of companies, representing a wide range of industries including automotive, consumer packaged goods, finance, government, insurance, media, telecommunications, travel, and the computer industry. WS-I is focused on promoting the interoperability of Web services applications across different computing environments and programming languages. It does so by providing advice, best practices, and other resources intended to assist developers of Web services applications.

White-box Testing: A testing technique that derives test cases from the structure of a system or software program.

Wide Area Network (WAN): A physical or logical network that provides capabilities for a number of independent devices to communicate with each other over a common transmission-interconnected topology in geographic areas larger than those served by local area networks.

Witness: An authorized person who co-signs an action taken by another Caregiver to attest to the correctness of the action as documented (e.g., witness of CS waste, witness of chemotherapy drug administration).

Witness for Administration: A VA Data Field used to specify whether an item needs to have a witness in order to be administered to a patient.

WLES: WebLogic Enterprise Security

Work Product: An item produced by an individual or Project Team. The OED Quality Policy specifies mandatory work products for review: Project Management Plan (PMP), Software Requirements Specification (SRS), Software Design Document (SDD), Function Point Workbook, Use Cases and Use Case scenarios, Supplemental Specifications (if Use Cases were created), Test Plan, Test Scripts, Code, Documentation (Release Notes, User Manual, Technical Manual, Installation Guide, Security Guide), Patch Components (if released through the National Patch Module). When object-oriented methodology is used for development during highly critical projects, class diagrams, entity relationship diagrams, and data flow diagrams must undergo the Work Product Review Process.

Work Product Review (WPR): The formal examination or analysis of a work product by project or possibly non-project personnel.

Workload Instance Credit: Credit given to a user by the system for the number of occurrences related to a specific activity. For example, a user might select Profile Review as the activity, and the user may indicate a number of occurrences for that activity. The system will then credit the user with the number of occurrences indicated for the activity.

WPR: Work Product Review

WS: Ward Stock

WS-I: Web Services Interoperability

X

X12N: ANSI X12 Subcommittee N

XA: eXtensible Architecture

XACML: eXtensible Access Control Markup Language

XDE: Extended Development Experience (IBM, Corp. Rational)

Xdoclet: An open source code generation engine that enables Attribute-Oriented Programming for Java. It allows for integration of meta data (attributes) into software code to increase its significance. Special JavaDoc tags are used to implement this functionality. Xdoclet parses source files and generates many artifacts such as XML descriptors and/or source code. These files are generated from templates that use the information provided in the source code and its JavaDoc tags.

XMI: XML Metadata Interchange

XML: eXtensible Markup Language

XOR: Logical eXclusive OR

XPn: Extension Points

XSD: XML Schema Definition

XUI: eXtensible User Interface
Source: Starfield B. Primary care: concept, evaluation, and policy. New York: Oxford University Press, 1992

Template Revision History

Date	Version	Description	Author
March 2016	1.7	Updated to align with new VIP policies and processes	VIP Business Office
December 2015	1.6	Updated to align with current OI&T Documentation Standards, edited to conform with latest Section 508 guidelines, and remediated with Common Look Office tool	Process Management
June 2015	1.5	Edited to conform with Section 508 guidelines and remediated with Common Look Office tool	Process Management
May 2015	1.4	Reviewed and approved by PMAS Process Improvement Lockdown. Updated instructional test	Process Management
November 2014	1.3	Updated to conform with latest Section 508 guidelines and remediated with Common Look Office tool	Process Management
April 2014	1.2	Changed title page to clarify that version number refers to software version	Process Management
April 2011	1.1	Formatted to current ProPath documentation standards and edited to conform with latest Alternative Text (Section 508) guidelines	Process Management
June 2009	1.0	Initial Version	PMAS Business Office