

SAP Commerce Cloud 2105 Connector R2.0 - FAQ / troubleshooting

To gain knowledge and understanding of the workings of the Worldpay Connector for SAP Commerce Cloud, we recommend installing it on a fresh install of SAP Commerce Cloud with only the b2caccelerator. This can easily be done by using one of the recipes provided with the Connector.


Pre-Go Live Checks

Topics to consider

- Request your merchant codes on an early stage of the project.
- In case the project needs pick up in-store, please ensure that all available stores have a postal code.
- Request the activation of "Dynamic interaction type" when setting up the merchants.
- If using CSE, remember to generate your own public key and update it in the merchants.xml file.
- Check the production URLs for 3ds2 Flex with your Worldpay manager.

Checklist when facing an issue.

1. Carefully read through all the documentation supplied with the plugin.
2. Ensure the version of the plugin is corresponding to your hybris version.
3. Carefully follow the implementation guide and verify that the desired functionalities are installed correctly.
4. Follow the step by step guide below to verify, that the merchant configurations in SAP Commerce Backoffice matches the configuration in the Worldpay merchant interface.
 - a. To check your configured merchants:
 - i. Go to the SAP Commerce Backoffice
 - ii. Go to Worldpay Merchant Configuration
 - iii. The list view will display different merchant configuration per channel ("web", "mobile" or "customerService")
 - iv. Clicking on a merchant, all it's properties will be displayed



The screenshot shows the Administration Cockpit interface. The left sidebar contains a navigation menu with options like Information, Working, Roles, Basic Commerce, Design & UI, Rule Engine, Tool System, Merchandising, Personalisation, and Working. The main content area displays the Merchant Configuration page for 'webMerchantConfiguration-appent-uk'. The Merchant Code is 'MERCHANT2020M'. The Essential configuration details are shown, including the Merchant Code ID, Password ID, In-Store Validation enabled ID, and the Merchant Code ID.


5. Ensure that the communication with Worldpay (including receiving order modifications) is not in any way blocked or modified by your local infrastructure.
 - a. Be mindful that your hybrid nodes have to be able to reach the Worldpay test or production system.
 - b. The node which has the worldpaynotifications extension installed has to be reachable from the Worldpay test or production system.
6. Check API requests and responses. They are saved in the order and can be viewed in backoffice or through OData.
 - a. To display them in Backoffice:
 - i. Go to Backoffice
 - ii. Go to Order Orders
 - iii. Select an Order
 - iv. Click on the Worldpay tab
 - v. Payloads will be displayed under the "Api Request/Response Payloads" section

Raising a request

When raising a support request, please follow the steps below.

1. Sending the support email to Worldpay.
 - a. Set up the support email functionality as described in the Implementation guide - configure the support email.


- b. Open HAC
- c. Select Worldpay Wordplay support. A preview of email body and a button to send support email is displayed.



- d. Click send email button to send a support email to Worldpay. When the email is sent a message showing receiver email is displayed below the button.



2. Providing a detailed description of the error you're getting
 - a. Include the whole stack trace if available.
 - b. Include the full log of the communication with Worldpay (by default outgoing and incoming messages are printed to the tomcat log in \${HYBRIS_LOG_DIR}/tomcat/console*)
 - c. Include screenshots of the error (of the whole browser - including the address-field).
 - d. Include the hybris support zip. The zip can be obtained by following the steps below
 - i. Go to the hybris Administration Console (HAC)
 - ii. Go to Platform Support
 - iii. Click "Select all" and download the zip.



To gain knowledge and understanding of the workings of the Worldpay Connector for SAP Commerce Cloud, we recommend installing it on a fresh install of SAP Commerce Cloud with only the b2caccelerator. This can easily be done by using one of the recipes provided with the Connector.

Pre-Go Live Checks

Topics to consider

- Request your merchant codes on an early stage of the project.
- In case the project needs pick up in-store, please ensure that all available stores have a postal code.
- Request the activation of "Dynamic interaction type" when setting up the merchants.
- If using CSE, remember to generate your own public key and update it in the merchants.xml file.
- Check the production URLs for 3ds2 Flex with your Worldpay manager.

Checklist when facing an issue.

1. Carefully read through all the documentation supplied with the plugin.
2. Ensure the version of the plugin is corresponding to your hybris version.
3. Carefully follow the implementation guide and verify that the desired functionalities are installed correctly.

4. Follow the step by step guide below to verify, that the merchant configurations in hybris (merchants.xml) matches the configuration in the Worldpay merchant interface.
 - a. To check your configured merchants:
 - i. Go to the Hybris Administration Console (HAC)
 - ii. Go to Console Scripting Languages
 - iii. Execute statements of the pattern: "worldpayMerchantConfiguration.[channel].[property]" where:
 1. [channel] can be: "web", "mobile" or "customerService"
 2. [property] can be "code", "password", "macValidation", "macSecret", "csePublicKey", "installationId", "statementNarrative" or "orderContent"




5. Ensure that the communication with Worldpay (including receiving order modifications) is not in any way blocked or modified by your local infrastructure.
 - a. Be mindful that your hybris nodes have to be able to reach the Worldpay test or production system.
 - b. The node which has the worldpaynotifications extension installed has to be reachable from the Worldpay test or production system.
6. Check API requests and responses. They are saved in the order and can be viewed in backoffice or through OData.
 - a. To display them in Backoffice:
 - i. Go to Backoffice
 - ii. Go to Order Orders
 - iii. Select an Order
 - iv. Click on the Worldpay tab
 - v. Payloads will be displayed under the "Api Request/Response Payloads" section


Raising a request

When raising a support request, please follow the steps below.

1. Sending the support email to Worldpay.
 - a. Set up the support email functionality as described in the Implementation guide - configure the support email.
 - b. Open HAC
 - c. Select Worldpay Worldpay support. A preview of email body and a button to send support email is displayed.



- d. Click send email button to send a support email to Worldpay. When the email is sent a message showing receiver email is displayed below the button.



2. Providing a detailed description of the error you're getting
 - a. Include the whole stack trace if available.

- b. Include the full log of the communication with Worldpay (by default outgoing and incoming messages are printed to the tomcat log in \${HYBRIS_LOG_DIR}/tomcat/console*)
- c. Include screenshots of the error (of the whole browser - including the address-field).
- d. Include the hybris support zip. The zip can be obtained by following the steps below
 - i. Go to the hybris Administration Console (HAC)
 - ii. Go to Platform Support
 - iii. Click "Select all" and download the zip.

