

Paper 13: Position Had Never Been Read — Sign Sectors, Duality Theorems, the Readout Hierarchy, and the Derived Clock

Author: Noriaki Kihara **Date:** June 12, 2026 **Version:** v1.0 (final; v0.2 incorporated the 14 points of the first review [major revision], v1.0 the points R1–R5 of the second review [accept with minor conditions]) **Series:** Dual Geometry of Wavelength Space and Frequency Space (Paper 13, sequel to Papers 1–12)

Abstract

“Can discrete states be mapped back and forth to position and time?” — we answer the oldest question posed to this series’ system (three axioms: $\mathbb{Z}$, zero point $\frac{1}{2}$, one asymmetric bit, plus configuration reading and the record principle) with **exactly zero additions** to the axiom inventory. Main results: (1) **Position is not a new degree of freedom — it was the unread part of the dictionary.** Discrete position = the sign sector of the wave (quarter-period offsets: $\cos \rightarrow \sin \rightarrow -\cos \rightarrow -\sin$), which is merely a change in how the data already present in the dictionary of Paper 5 is read out — the addition to the state space is exactly zero (Theorem 1). (2) **Space is derived:** position space = the Pontryagin dual T^4 (character group) of the conserved-quantity lattice (charge-like) $\mathbb{Z}^4$, and the three symmetries — translation, rotation, inversion — are **theorems of duality**, not assumptions (Definition 2, Theorems 2a–2b). No substantial background spacetime is assumed — position space is a chart on relational data (line coefficients). (3) **The readout has three strata:** the scalar data of intensity fringes (spacings) collapse the 21 relation classes to only 11, line-position data to 13, while **branch channels (complex line coefficients) separate all 21 orbits completely** (Theorem 3; exhaustive counts, 11 13 21) — the quantitative demonstration that “position had never been read,” locating exactly which information is lost in intensity-only readings. (4) **The quarter-displacement theorem:** a fragment’s quarter-lattice displacement is read exactly from branch-channel phase classes ($\mathbb{Z}$), with the general component rule $m \bmod 4$ (Theorem 4) — continuous position is the hierarchical completion of these quarter digits (the explicit map is Paper 15, to be published concurrently). (5) **Time is resolved — but asymmetrically to position:** the targets ν_t^2 of the clock frequency $\nu_t = \sqrt{s}$ run over **all odd integers** with spacing 2 — a **proven theorem of unlimited range via Gauss’s triangular-number theorem** (Theorem 5: for odd s , $(s-1)/2$ is a sum of four triangular numbers, always solvable by Gauss’s theorem that every natural number is a sum of three triangular numbers). The most regular spectrum possible stands as a proven claim. The forward map is exact on all four axes, while **t admits no independent inverse map** (Theorem 6): ν_t is derived as the norm of the spatial configuration, so **t** has no independent scale to round. This is not a defect but the theorem form of the all-axes-symmetric principle — “**t** merely appears to have been selected by observation.” **t** is **easier** than xyz. This paper claims no re-derivation of standard theory. No physical identification is made.

1. Introduction

1.1 The fifty-year question

How do continuous position x and time t coexist with a discrete state description? For the present system the question takes the form:

Can position and time be **read out** of the system’s state data (occupied cells, branches, ledger)? If so, does the readout require an addition to the state space (a new degree of freedom)?

This paper’s answer: **they can be read, with zero additions.** Position is a re-reading of the sign sectors the dictionary (Paper 5) has carried from the start; time is a derived quantity of the conserved norm. What was needed was neither an axiom nor an extension but a **change of readout principle** — hence the title.

1.2 What is not claimed

- (i) The explicit construction of the map to continuous coordinates (mixed-radix expansion, readout operation, inverse map) is carried out in Paper 15 (concurrent publication) — this paper is its **theorem-level foundation** (what can be read; what is derived).
- (ii) The choice of time direction (why some axis looks like

t) and the status of amplitudes are Paper 14. (iii) **This paper does not select an aggregation rule (measure) for path amplitudes** (the measure line = Paper 16, concurrent publication). (iv) No physical identification is made.

2. Preliminaries (minimal recap)

The dictionary of Paper 5: cell $k \in \mathbb{Z}^4$ product wave $\Phi_k = \prod_j \varphi_{k_j}(x_j)$, with branch $k_j > 0 = \cos$ and $k_j < 0 = \sin$. Configuration reading (Paper 7): the state is the set of occupied cells = the wave itself. The record (Papers 6/12): the hologram $I = \Psi^2$, whose physical content is the line coefficients (relational data). Ledger: $s = \sum_j (|k_j| + \frac{1}{2})^2$ and $\varepsilon = (-1)^{\sum |k_j|}$.

Gauge data held fixed (complete enumeration): the marking u (time-read axis), the per-axis orientations Z_2^4 (positive branch directions), and the reference fragment (origin). The sign-sector / Z readings of Theorems 1 and 4 are **gauge-relative quantities** with respect to these (limitation 1 of §6 connects here).

Internal terminology declaration: “position” and “time” in this paper are names of readout quantities internal to the system and carry no identification with physical quantities (naming discipline: conserved quantities carry the “-like” flag, e.g. charge-like).

3. The resolution of position

3.1 Theorem 1 (sign sector = discrete position; zero additions)

Theorem 1: the quarter-period translation $T_{1/4}$ of the fundamental wave cycles the dictionary’s (branch, sign) data: $\cos \rightarrow \sin \rightarrow -\cos \rightarrow -\sin$ ($d \rightarrow d + 1 \bmod 4$). Hence **the (branch, sign) pair of the dictionary = quarter-period offset = discrete position**, and introducing position requires not a single new state.

Proof (two lines): $\cos(\theta - \pi/2) = \sin \theta$ and $\sin(\theta - \pi/2) = -\cos \theta$ — the quarter translation is the cycle of these trigonometric identities. Machine confirmation (): exhaustive 4/4 (Fig. 1a). The sign sectors hitherto treated as “alternative presentations of the same state” were position data all along — only the readout principle had to change.

3.2 Space = the dual of the conserved-quantity lattice (split into definition, general theorem, and consistency theorem)

Definition 2: position space is **defined** as the character group (Pontryagin dual) $T^4 = \text{Hom}(\mathbb{Z}^4, U(1))$ of the conserved-quantity lattice (charge-like) $\mathbb{Z}^4$ (the dual chart).

Theorem 2a (general — a matter of proof, not of verification): under this definition, (i) translation symmetry = the group structure of the character group, (ii) rotation (B) symmetry = the dual action of lattice automorphisms, (iii) inversion symmetry = complex conjugation — all standard theorems of Pontryagin duality.

Theorem 2b (model-specific consistency): the physical content of the record (line coefficients) is a function on $\mathbb{Z}^4$, and the sign-sector reading of Theorem 1 embeds into this dual chart as the per-axis $Z_4 \subset U(1)$ (quarter translation = quarter rotation of characters). Machine confirmation (): the 4/4 cycle of Theorem 1 is precisely the consistency check of $Z_4 \hookrightarrow U(1)$.

Consequence (background independence): position space is not a substantial container assumed in advance but the dual chart of relational data (lattice-indexed line coefficients). Continuous position is obtained as the hierarchical completion of quarter digits (Fig. 1b; explicit construction in Paper 15, Theorem 2, concurrent publication).

3.3 Theorem 3 (the readout hierarchy 11 13 21)

The relation classes (B $\times$ swap orbits) of all pairs of the 64 shell-9 cells (2016 pairs) number **21**. Separating power per readout stratum (exhaustive counts; Fig. 2):

Readout stratum	Readable data	Separated classes
Scalar fringe	spacings ($ \Delta ^2, \Sigma ^2$), unordered	11 (18 even when ordered)
Line-position fringe	unsigned line pair $\{[u+v], [u-v]\}$	13
Branch channels	complex line coefficients (cos/sin resolution)	21 = complete separation

Intensity-only reading (the traditional fringe) irrecoverably loses **10 classes' worth of distinctions at the scalar stratum ($21 \rightarrow 11$; the pair structure of these mergers is unverified) and 8 pairs at the line-position stratum (verified to be pairs)** out of the 21 orbits. **The only reading that recovers all information is the branch channel** — the quantitative form of “position had never been read.” All 8 merged pairs of the line-position stratum are of the type “sum line confused with difference line = unreadable relative sign.”

3.4 Theorem 4 (readability of quarter displacements — the component rule)

Theorem 4: a fragment's quarter-lattice displacement shifts the phase class ($\mathbb{Z}$) of the line of frequency component m by $m \bmod 4$ (general rule). For the fundamental ($m = 1$) the shift is $+1$; for odd components ($m \bmod 4 \in \{1, 3\}$) the shift is invertible, so the displacement is readable.

“ $+1$ ” is restricted to the fundamental (per-component $m \bmod 4$ for multi-component fragments). This is consistent with Paper 15's digit conventions ($d^{(0)}$, the $\min(c, k-1)$ clip) as the $m = 1$ section of the general rule. Machine confirmation (, sampled): the two fringe-shift tests (tripod quarter rotation, ring inversion) PASS — sampled, not exhaustive. This is the operational readout of discrete position; the hierarchical extension (peeling decode) and the continuum are Paper 15, §5.

4. The resolution of time

4.1 Theorem 5 (clock targets = all odd integers — with proof)

Theorem 5: the range of the squared clock frequency $\nu_t^2 = s = \sum_j (|k_j| + \frac{1}{2})^2$ is **exactly the set of all odd integers** (spacing 2).

Proof: (range odds) $s = \sum_j |k_j|(|k_j| + 1) + 1$, and each $|k_j|(|k_j| + 1)$ is a product of consecutive integers, hence **even** — so s is always odd. (odds range) For any odd s , $(s-1)/2 = \sum_j |k_j|(|k_j| + 1)/2 = \sum_j T_{|k_j|}$ is a decomposition into **four triangular numbers**, always solvable by Gauss's triangular-number theorem (every natural number is a sum of three triangular numbers; the 1796 “Eureka”), adding $T_0 = 0$ as the fourth. (Identification of the proof: first review, point #1, claude.ai.)

Machine confirmation (): all 100/100 odd integers 199 reached (Fig. 3a). The clock's targets are not “sparse and irregular” but the most regular possible — **as a proven claim**. The tick at each s is $\Delta t = 1/\sqrt{s}$ (Fig. 3b) — the same construction as the internal time $t = \sum 1/\sqrt{s}$ of Paper 8.

4.2 Theorem 6 (no independent inverse map for t)

Theorem 6 (factorization of t): the forward map (state $\rightarrow$ readings of four axes) exists exactly on all four axes. In the reverse direction: **any t-value readable from the record factorizes through a function of s** — there exists no readout granting t a resolution independent of s . The independent rounding (inverse map, Paper 15, D4) that each xyz axis possesses has **no counterpart** for t .

Proof sketch (inventory audit): the ledger of state data is exhausted by occupied cells (four integer axes), branches, and signs (configuration reading, §2). The only time-involving readings are the norm clock $\nu_t = \sqrt{s}$ and the event count (Theorem 5; Paper 8); every t -dependent quantity in the record is of the form “tick count $\times$ rate $1/\sqrt{s}$ ” — both factors functions of s and the count. No fifth ledger entry exists in the inventory that could supply a t -scale independent of s (finite enumeration). (sketch)

The composite round-trip check of Paper 15 (500/500) is the **confirmation of the realization** of this theorem (the distinction between properties of a construction and theorems).

This is a signature, not a defect: **t is not a fundamental degree of freedom**. All axes (including R and Q) are symmetric and interchangeable; t merely appears to have been selected by observation — the present theorem is the exact expression, at the level of round-trip maps, of that principle (whose gauge form — which axis looks like a clock — is the marking theorem of Paper 14). Ironically, t is **easier** than xyz precisely because there is nothing to round.

5. Consequence: the present state of the fifty-year question


Question	Answer	This paper
Can position be read out?	Yes (branch channels) — zero additions	Theorems 1, 3, 4
Where do space and its symmetries come from?	Theorems of the dual of the conserved-quantity lattice (charge-like)	Definition 2, Theorems 2a–2b
Can time be read out?	Forward map exact; t is derived (no independent inverse)	Theorems 5, 6
Explicit map to continuous coordinates	Constructible	Paper 15
Choice of time direction; amplitudes	Theoremizable	Paper 14

6. Honest limits


1. “Position” here is the reading of a single fragment (relative to a reference fragment). Common time for multiple fragments (synchronization) belongs to the gauge-fixing mechanism of the record interface and is not constructed.
2. The counts of Theorem 3 are exhaustive at shell 9 ($s=9$). The separation counts of the readout hierarchy at general s are uncounted (mechanically extensible).
3. Convergence and error guarantees of the continuum completion are deferred to Paper 15, Theorem 2.
4. No physical identification is made.

Figures


- **Figure 1** (paper13_fig1_sign_sector.png): (a) the four quarter-translates of the fundamental ($\cos/\sin/-\cos/-\sin$) — position = sign sector. (b) nested hierarchical quarter lattices (refinement of index 3 per level; depth 0–2 shown)



- **Figure 2** (paper13_fig2_readout_layers.png): separating power of the three readout strata, 11 13 21 (exhaustive count over all 2016 pairs)



- **Figure 3** (paper13_fig3_derived_time.png): (a) clock targets = all odds (100/100 below 199, spacing 2). (b) tick $\Delta t = 1/\sqrt{s}$ — no independent scale for t



All figures are exact computations (no schematics).

Appendix A: Verification summary (labels: true by construction / theorem + confirmation / check that could have failed)

Claim	Label	Verification	Method	Script
Theorem 1 (quarter translation = digit shift)	(proof given)	4/4	exhaustive confirmation	supplement62_projection_formalization.py
Theorem 2a (duality, general)	— (proof matter; not subject to verification)	—	—	—
Theorem 2b ($Z_4 \hookrightarrow U(1)$ consistency)		same 4/4 as Theorem 1	exhaustive confirmation	same

Claim	Label	Verification	Method	Script
Theorem 3 (11/13/21)		all 2016 pairs	exhaustive	supple- ment79_scale_free_and_stripe_ta- ble.py, supplement81_mir- ror_lemma_check.py (scalar fringe), paper13_14_fig- ures.py
Complete separation of 21 orbits (branch channels)		21/21	exhaustive	supple- ment44_branch_chan- nel_verification.py
Theorem 4 (readability of displacements)		2 fringe-shift tests PASS	sampled	supple- ment44_branch_chan- nel_verification.py
Theorem 5 (all odds)	(proof by Gauss's theorem)	100/100 odds 199	in-range confirmation	paper13_14_fig- ures.py
Theorem 6 (t factorization)	(inventory-audit sketch)	Paper 15 round trip 500/500 as realization check	cross-check	supplement62_in- verse_roundtrip_test.py

Acknowledgments / history: verification was carried out under the two-party independent verification protocol of Claude Code (local machine verification) and claude.ai (independent re-computation). Precise record of verification scope: the three-stratum counts on the 64-cell domain (11/13/21) are Claude Code verifications; claude.ai confirmed method equivalence on the 48-cell domain (13/8) — the independent 64-domain recomputation is registered in claude.ai's queue. The proof of Theorem 5 is due to the identification of Gauss's triangular-number theorem (claude.ai, first review #1). The prototype of Theorem 6 is Supplement 48 (June 12, 2026). Source material: Supplements 43, 44, 47 (branch-channel part only), 48, 79, 81 (June 12, 2026). v0.2: 14 points of the first review (major revision). v1.0: points R1–R5 of the second review (accept with minor conditions).

No physical identification is made.