

The following words have reserved meaning in the Java language.

<code>abstract</code>	<code>default</code>	<code>goto</code>	<code>package</code>	<code>this</code>
<code>assert</code>	<code>do</code>	<code>if</code>	<code>private</code>	<code>throw</code>
<code>boolean</code>	<code>double</code>	<code>implements</code>	<code>protected</code>	<code>throws</code>
<code>break</code>	<code>else</code>	<code>import</code>	<code>public</code>	<code>transient</code>
<code>byte</code>	<code>enum</code>	<code>instanceof</code>	<code>return</code>	<code>true</code>
<code>case</code>	<code>extends</code>	<code>int</code>	<code>short</code>	<code>try</code>
<code>catch</code>	<code>false</code>	<code>interface</code>	<code>static</code>	<code>void</code>
<code>char</code>	<code>final</code>	<code>long</code>	<code>strictfp</code>	<code>volatile</code>
<code>class</code>	<code>finally</code>	<code>native</code>	<code>super</code>	<code>while</code>
<code>const</code>	<code>float</code>	<code>new</code>	<code>switch</code>	
<code>continue</code>	<code>for</code>	<code>null</code>	<code>synchronized</code>	

Note that the words `const` and `goto` are reserved, but they are not used.

The following words were introduced as *restricted words* in Java 9. They are treated as key words only within a module descriptor.

<code>exports</code>	<code>open</code>	<code>provides</code>	<code>to</code>	<code>uses</code>
<code>module</code>	<code>opens</code>	<code>requires</code>	<code>transitive</code>	<code>with</code>