

## C. Tanya and Toys

time limit per test: 1 second

memory limit per test: 256 megabytes

input: standard input

output: standard output

In Berland recently a new collection of toys went on sale. This collection consists of  $10^9$  types of toys, numbered with integers from 1 to  $10^9$ . A toy from the new collection of the  $i$ -th type costs  $i$  bourles.

Tania has managed to collect  $n$  different types of toys  $a_1, a_2, \dots, a_n$  from the new collection. Today is Tanya's birthday, and her mother decided to spend no more than  $m$  bourles on the gift to the daughter. Tanya will choose several different types of toys from the new collection as a gift. Of course, she does not want to get a type of toy which she already has.

Tanya wants to have as many distinct types of toys in her collection as possible as the result. The new collection is too diverse, and Tanya is too little, so she asks you to help her in this.

### Input

The first line contains two integers  $n$  ( $1 \leq n \leq 100\,000$ ) and  $m$  ( $1 \leq m \leq 10^9$ ) — the number of types of toys that Tanya already has and the number of bourles that her mom is willing to spend on buying new toys.

The next line contains  $n$  distinct integers  $a_1, a_2, \dots, a_n$  ( $1 \leq a_i \leq 10^9$ ) — the types of toys that Tanya already has.

### Output

In the first line print a single integer  $k$  — the number of different types of toys that Tanya should choose so that the number of different types of toys in her collection is maximum possible. Of course, the total cost of the selected toys should not exceed  $m$ .

In the second line print  $k$  distinct space-separated integers  $t_1, t_2, \dots, t_k$  ( $1 \leq t_i \leq 10^9$ ) — the types of toys that Tanya should choose.

If there are multiple answers, you may print any of them. Values of  $t_i$  can be printed in any order.

### Examples

<b>input</b>
3 7 1 3 4
<b>output</b>
2 2 5
<b>input</b>
4 14 4 6 12 8
<b>output</b>
4 7 2 3 1

### Note

In the first sample mom should buy two toys: one toy of the 2-nd type and one toy of the 5-th type. At any other purchase for 7 bourles (assuming that the toys of types 1, 3 and 4 have already been bought), it is impossible to buy two and more toys.

### Codeforces Round #346 (Div. 2)

Finished

### → Virtual participation

Virtual contest is a way to take part in past contest, as close as possible to participation on time. It is supported only ACM-ICPC mode for virtual contests. If you've seen these problems, a virtual contest is not for you - solve these problems in the archive. If you just want to solve some problem from a contest, a virtual contest is not for you - solve this problem in the archive. Never use someone else's code, read the tutorials or communicate with other person during a virtual contest.


Start virtual contest

### → Problem tags

greedy implementation

No tag edit access

### → Contest materials

- Announcement 
- Tutorial 