The figlatex package*

Arnaud Legrand

Vincent Danjean

2018/10/17

Abstract

This package allows LATEX to load XFig and SVG figures (or subfigures) with the \includegraphics command.

1 Introduction

1.1 General

\includegraphics

This package allows to load XFig figures from \LaTeX sources with the $\char`\label{TEX}$ command from the graphicx package:

\includegraphics[width=\linewidth]{myfig.fig}

This package does not convert by itself XFig figures (see package texdepends for that). It only diverts the loading functions so that LATEX includes the .pstex_t or the .pdftex_t.

1.2 Options

Available options for this package:

debug

debug: more messages written while compiling

compatibility

compatibility : old versions of pdflatex do not allow to declare a PDF file with
 \DeclareGraphicsRule that has not the .pdf extension. In such cases, this
 package uses the extension .pdf instead of .pdftex for PDF created from
 XFig figures.

figlatex.cfg
\compatibility
\debug

When the package is loaded, it tries to read a figlatex.cfg file. This file can contains \compatibility and/or \debug to enable theses options site wide.

^{*}This file has version number v2.3.0, last revised 2018/10/17.

1.3 Subfigures

Sometimes, several figures made with XFig should be similar. It is possible to make only one XFig figure and then create subfigures which contains only a subset of the depths of the original figure.

2 Implementation

2.1 figlatex

```
1 (*package)
                  Options definitions
 compatibility
                2 \newif\ifFL@compatibility
                3 \DeclareOption{compatibility}{%
                   %\PackageWarning{figlatex}{option compatibility}%
                   \global\FL@compatibilitytrue%
        debug
                7 \newif\ifFL@debug
                8 \DeclareOption{debug}{%
                   \global\FL@debugtrue%
                  We load the config file if it exists. Commands for the config file are local.
               11 {
\compatibility
                   \def\compatibility{%
               12
                     \ExecuteOptions{compatibility}%
               13
               14
       \debug
                   \def\debug{%
               15
                     \ExecuteOptions{debug}%
               16
               17
                   \InputIfFileExists{figlatex.cfg}{%
               18
                     19
                              * Local config file figlatex.cfg used *^^J\%
               20
                              ******************************
               21
               22
                   }{%
               23
                     \typeout{Found no configuration file for figlatex}
               24
                   }
               25 }
               Run the options
               26 \ProcessOptions
```

```
and requires some packages
                  27 \RequirePackage{ifthen}
                  28 \RequirePackage{ifpdf}
                  29 \RequirePackage{graphicx}
                  XFig uses heavily the color package
                  30 \RequirePackage{color}
                  31 \RequirePackage{epstopdf}
                 Write the message only if debug is set
    \FL@dmessage
                  32 \left| f \right| FL@dmessage#1{%}
                     \ifFL@debug%
                        \mbox{message}{\#1}%
                  34
                  35
                      \fi%
                  36 }
                 .pstex_t or .pdftex_t are loaded with \input
\Ginclude@rawtex
                  37 \def\Ginclude@rawtex#1{%
                      \FL@dmessage{<#1>}%
                  39
                      \bgroup%
                      \def\@tempa{!}%
                  40
                  41
                      \ifx\Gin@scaley\@tempa%
                        \let\Gin@scaley\Gin@scalex%
                  42
                  43
                        \ifx\Gin@scalex\@tempa\let\Gin@scalex\Gin@scaley\fi%
                  44
                      \fi%
                  45
                      \hbox{%
                  46
                        \Gscale@box{\Gin@scalex}[\Gin@scaley]{%
                  47
                          \def\Gin@scalex{1}%
                  48
                  49
                          \let\Gin@scaley\Gin@exclamation% needed for pdflatex
                  50
                          \FL@dmessage{<loading rawtex #1>}%
                  51
                          \input{#1}}}%
                      \egroup}
\Ginclude@figtex .fig are loaded with \includegraphics after modifying the name
                  53 \def\Ginclude@figtex#1{%
                     \message{<#1>}%
                      \bgroup%
                  55
                      \xdef\FL@filename{#1}%
                  56
                      \filename@parse{\FL@filename}%
                  57
                      58
                      \FL@dmessage{<****loading fig \FL@filename>}%
                      \FL@includerawtexgraphics[]{\FL@filename}%
                      \egroup}
                 .fig bounding box is the same as the corresponding .pstex_t or .pdftex_t
   \Gread@figtex
                  62 \newcommand{\Gread@figtex}[1]{%
                      %\typeout{Oh, file exists #1}%
                      \Gread@rawtex{#1}%
                  65 }
```

```
.svg are loaded with \includegraphics after modifying the name
\Ginclude@svgtex
                  66 \def\Ginclude@svgtex#1{%
                      \message{<#1>}%
                  68
                      \bgroup%
                      \xdef\FL@filename{#1}%
                  69
                      \filename@parse{\FL@filename}%
                  70
                      \xdef\FL@filename{\filename@area\filename@base.\FL@svgext}%
                  71
                      \FL@dmessage{<****loading svg \FL@filename>}%
                  72
                  73
                      \FL@includerawtexgraphics[]{\FL@filename}%
                      \egroup}
                  .svg bounding box is the same as the corresponding .pstex_t or .pdftex_t
   \Gread@svgtex
                  75 \newcommand{\Gread@svgtex}[1]{%
                      %\typeout{Oh, file exists #1}%
                      \Gread@rawtex{#1}%
                  77
                  78 }
                  Declare the right things depending whether we build a DVI or a PDF file.
                  79 \ifpdf
                  PDF part
                      \def\FL@figext{pdftex_t}%
                  80
                      \def\FL@svgext{pdftex_t}%
                  To read bounding box information:
                      \let\Gread@rawtex\Gread@pdf%
                      \DeclareGraphicsRule{.pdftex}{pdf}{*}{}%
                  83
                      \ifFL@compatibility%
                        \PackageWarningNoLine{figlatex}{Compatibility mode enabled
                          for old LaTeX
                  86
                           \MessageBreak Using .pdf extension for pdftex files}%
                  87
                        \DeclareGraphicsRule{.pdftex_t}{rawtex}{.pdf}{}%
                  88
                        \DeclareGraphicsRule{.fig}{figtex}{.pdf}{}%
                  89
                        \DeclareGraphicsRule{.svg}{svgtex}{.pdf}{}%
                  90
                      \else%
                  91
                        \DeclareGraphicsRule{.pdftex_t}{rawtex}{.pdftex}{}%
                  92
                  93
                        \DeclareGraphicsRule{.fig}{figtex}{.pdftex}{}%
                        \DeclareGraphicsRule{.svg}{svgtex}{.pdftex}{}%
                      \fi%
                  95
                  96 \else
                  DVI part
                      \def\FL@figext{pstex_t}%
                      \def\FL@svgext{pstex_t}%
                  To read bounding box information:
                      \let\Gread@rawtex\Gread@eps%
                      \DeclareGraphicsRule{.pstex}{eps}{*}{}%
                 100
                      \DeclareGraphicsRule{.pstex_t}{rawtex}{.pstex}{}%
                 101
                      \DeclareGraphicsRule{.fig}{figtex}{.pstex}{}%
                      \DeclareGraphicsRule{.svg}{svgtex}{.pstex}{}%
                 104\fi
```

```
This command is not really necessary here (code could be added in \Ginclude@figtex).
However, it's very convinient for the texdepends package.
105 \newcommand{\FL@includerawtexgraphics}[2][]{%
     \includegraphics[#1]{#2}%
Addition of the subfig=name key for the options of the \includegraphicx[..]{..}
macro.
108 \def\FL@exclamation{!}%
109 \let\FL@subfig@name\FL@exclamation%
110 \define@key{Gin}{subfig}{%
111
     \def\FL@subfig@name{#1}%
112 }
113 \def\FL@sepdefault{_}%
We should ckeck if the #1 file exists (XXX.subfig) This is not yet done but texde-
pends divert this macro to record the dependency
114 \def\FL@subfig@check#1{%
115 }
We divert \Gin@getbase to modify the file name if the subfig key is used.
116 \def\FL@Gin@getbase#1{%
     \ifx\FL@subfig@name\FL@exclamation%
117
118
     \else%
119
     \left\{ \frac{\#1}{.fig} \right\}
120
       % If we're including a subfig
       121
         % If the original .fig file exists, just change the name so that
122
         % it comprises the full path.
123
         \filename@parse{\@filef@und}%
124
125
         % Remove potential trailing spage at the end of the extension
126
         \def\filename@ext{fig}%
         % Check if the subfig file exists
127
128
         \FL@subfig@check{\filename@area\filename@base.subfig}%
129
         % Else, write a warning (LaTeX will warn as well but it doesn't
130
         % hurt)
131
         \PackageWarning{figlatex}{No file
132
133
           '\filename@area\filename@base#1'}%
134
       % Add the subfig suffix to the fig name.
135
       \edef\filename@base{\filename@base\FL@sepdefault\FL@subfig@name}%
136
137
138
     \ifthenelse{\equal{#1}{.svg}}{%
139
140
       % If we're including a subfig
       \IfFileExists{\filename@area\filename@base#1}{%
141
         % If the original .svg file exists, just change the name so that
142
         \% it comprises the full path.
143
```

\filename@parse{\@filef@und}%

144

```
145
          % Remove potential trailing spage at the end of the extension
          \def\filename@ext{svg}%
146
147
          % Check if the subfig file exists
          \FL@subfig@check{\filename@area\filename@base.subfig}%
148
149
       }{%
          \mbox{\ensuremath{\mbox{\%}}} Else, write a warning (LaTeX will warn as well but it doesn't
150
          % hurt)
151
          \PackageWarning{figlatex}{No file
152
            '\filename@area\filename@base#1'}%
153
154
       % Add the subfig suffix to the svg name.
155
       \edef\filename@base\FL@sepdefault\FL@subfig@name}%
156
157
158
     }%
     \fi%
159
     \FL@orig@Gin@getbase{#1}%
160
161 }
162 \let\FL@orig@Gin@getbase\Gin@getbase
163 \verb|\linegetbase| FL@Gin@getbase|
164
165 %\@namedef{Gin@rule@.fig}#1{%
166
167 %}
168 (/package)
The sample config file {\tt figlatex.cfg...}
169 \langle *config \rangle
170 %\compatibility
171 %\debug
172 (/config)
 2.2
       texgraphicx
173 \langle *compat \rangle
texgraphicx.sty is only a wrapper arround figlatex.sty.
174 \PackageWarning{texgraphicx}{'texgraphicx' is now
     deprecated\MessageBreak%
     Please, consider switching to 'figlatex'
     package\MessageBreak}
178 \RequirePackage{figlatex}
179 \ProcessOptions
180 \langle /compat \rangle
```

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

$\mathbf{Symbols}$	${f G}$
\@namedef 165	\Ginclude@figtex $\dots \dots 53$
${f C}$	\Ginclude@rawtex $\dots \dots 37$
\compatibility 1, <u>12</u> , 170	\Ginclude@svgtex $\dots \dots \underline{66}$
compatibility (option) $1, \underline{2}$	\Gread@figtex $\underline{62}$
D	\Gread@rawtex 64, 77, 82, 99
$ \begin{array}{llllllllllllllllllllllllllllllllllll$	$\verb \Gread@svgtex 75 $
83, 88–90, 92–94, 100–103	I
${f F}$	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $
figlatex.cfg (option) 1	\ifFL@debug 7, 33
\FL@compatibilitytrue 5 \FL@debugtrue 9	$\verb \line \verb lincludegraphics 1, 106 $
\FL@dmessage <u>32</u> , 38, 50, 59, 72	
\FL@exclamation 108, 109, 117 \FL@figext 58, 80, 97	O
\FL@filename 56-60, 69-73	options:
\FL@Gin@getbase 116, 163 \FL@includerawtexgraphics 60, 73, 105	compatibility $\underline{2}$
\FL@orig@Gin@getbase 160, 162	$\texttt{debug} \dots \underline{7}$
\FL@sepdefault 113, 136, 156 \FL@subfig@check 114, 128, 148	compatibility $\dots 1$
\FL@subfig@name 109, 111, 117, 136, 156	debug 1
\FL@svgext 71, 81, 98	figlatex.cfg 1
Change History	
v0.1.1	v2.2.0
General: Version 0.1.1 at last 1	General: No changes in
v0.1.2 General: Manage index/glossary . 1	figlatex.dtx 1
v0.1.3	v2.2.1
General: Better support for subfig with texdepends 1	General: No changes in figlatex.dtx
v0.1.4 General: Support for svg with	General: No changes in
texdepends 1	figlatex.dtx 1

v2.2.3	package 'ifthen'	1
General: No changes in	Fix python syntax for python3	1
$figlatex.dtx \dots 1$	v2.2.5	
v2.2.4	General: No changes in	
General: Add missing required	figlatex.dtx	1