

COS301 : Architectural Design Specification and Non-Functional Requirements

April 13, 2018

NAMES: STUDENT NUMBER:

Xolo K Dandashe	14245681
Phuti K Setoaba	13032616
Thabo Ntsoane	15107532
Mpho Mashaba	14309999
Musa Mathe	15048030
Khodani M Mufamadi	14197520

Contents

1	System Type	2
	.1 Interactive System	2
2	Architectural Style	3
	2.1 3-Tier Architecture	
	2.1.1 Presentation Layer	3
	2.1.2 Logic Layer	
	2.1.3 Database Layer	3
3	Non-Functional Requirements	4
	3.1 Security	4
	3.2 Usability	4
	3.3 Reliability	4

1 System Type

1.1 Interactive System

We have chosen this system type because most of our use case functions require respond and response configuration. The user(actor), will request a service which is the use case from the application(System), then the system will respond either successfully or unsuccessfully.

An example of this would be when User A wants to send card details to user B using NFC. He clicks the send button and the system will check if NFC is on, if so, the card details will be successfully sent. If not, the user will be prompted to turn the device NFC on.




Figure 1: An Activity diagram for sending a card.

2 Architectural Style

2.1 3-Tier Architecture

2.1.1 Presentation Layer

• GUI - What the user sees and interacts with when our application opens.

2.1.2 Logic Layer

• The logical tier controls the application functionality by performing detailed processing.

2.1.3 Database Layer

- \bullet Store user information
- Store business cards




Figure 2: 3-Tier Architecture design.

3 Non-Functional Requirements

3.1 Security

- Authentication Login Authentication, Single Sign On
- Session Management Sessions are used to maintain state. In usual Application communication, on successful user/process Authentication, Session Identified (ID) is issued to Track authenticated state
- Configuration Management Encryption(AES) to prevent unauthorized access to information.
- We will use a dialog button for confirmation and cancellation

3.2 Usability

- Using generic interface elements (icons, fonts, menus etc) to make it simple, easy and fun to use.
- Utilizing the technical capabilities of the mobile device maps, camera, phone calls, scanning etc
- It should anticipate users' needs and add value in new ways they don't expect.
- The visual design of the application affects the level of trust in the system and raises the degree of pleasure users get from it over time. so our look and feel need look and feel should accomplish that.

3.3 Reliability

Reliability test results should be stated in terms of measurements. Measurements will be taken during testing when we are collecting and analyzing data about the performance of the application.

• An estimate of the performance of our system currently is 70