

LaTeX for Scientific Writing: Part -1

Anthony FAUSTINE.

PhD machine learning resercher, IDLab, imec

Ghent University

2017

Outline

- 1 Introduction
- 2 Latex Command
- 3 Document Structure
- 4 Text Formatting
- 5 Cross-reference
- 6 Typesetting Mathematics

What is Latex

A very powerful text (markup) processing system designed to produce quality typeset documents.

- It is based on the **TEX** : A typesetting system \Rightarrow designed and created by Donald Knuth in 1978
- **LaTeX** is a user-friendly extension of TeX \Rightarrow a slightly higher-level language built on top of TEX.
 - TeX and LaTeX \Rightarrow assembly language and C

What is Latex

A very powerful text (markup) processing system designed to produce quality typeset documents.

- It is based on the **TEX** : A typesetting system \Rightarrow designed and created by Donald Knuth in 1978
- **LaTeX** is a user-friendly extension of TeX \Rightarrow a slightly higher-level language built on top of TEX.
 - TeX and LaTeX \Rightarrow assembly language and C

What is Latex

A very powerful text (markup) processing system designed to produce quality typeset documents.

- It is based on the **TEX** : A typesetting system \Rightarrow designed and created by Donald Knuth in 1978
- **LaTeX** is a user-friendly extension of TeX \Rightarrow a slightly higher-level language built on top of TEX.
 - TeX and LaTeX \Rightarrow assembly language and C

Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).

Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).

Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).

Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).

Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).

Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).


Why Latex

LATEX strength :

- Less focus on formatting and more on content.
- It makes beautiful documents.
- Superior and flexible equation presentation.
- It was created by scientists, for scientists \Rightarrow A large and active community.
- Good for collaborative writing.
- Fast, stable, extensible, and free (distribution dependent).


How does it work ?

- You write your document in plain text with commands that describe its structure and meaning.
- The latex program processes your text and commands to produce a beautifully formatted document.



How does it work ?

- You write your document in plain text with commands that describe its structure and meaning.
- The latex program processes your text and commands to produce a beautifully formatted document.



Installation

First you need a TEX Distribution : contains all the software that you need to create a LATEX document.

- **MiKTeX** : A free TeX distribution for Windows systems.
- **MacTeX** : A free TeX distribution for Mac.
- **TeXLive** : A free TeX distribution for for most flavors of Unix and windows.
- For more Latex info : <https://www.latex-project.org/>

Installation

First you need a TEX Distribution : contains all the software that you need to create a LATEX document.

- **MiKTeX** : A free TeX distribution for Windows systems.
- **MacTeX** : A free TeX distribution for Mac.
- **TeXLive** : A free TeX distribution for for most flavors of Unix and windows.
- For more Latex info : <https://www.latex-project.org/>

Installation

First you need a TEX Distribution : contains all the software that you need to create a LATEX document.

- **MiKTeX** : A free TeX distribution for Windows systems.
- **MacTeX** : A free TeX distribution for Mac.
- **TeXLive** : A free TeX distribution for for most flavors of Unix and windows.
- For more Latex info : <https://www.latex-project.org/>

Installation

First you need a TEX Distribution : contains all the software that you need to create a LATEX document.

- **MiKTeX** : A free TeX distribution for Windows systems.
- **MacTeX** : A free TeX distribution for Mac.
- **TeXLive** : A free TeX distribution for for most flavors of Unix and windows.
- For more Latex info : [https ://www.latex-project.org/](https://www.latex-project.org/)

Installation

You also need a text editor : To create a LATEX source file

- **Texmaker.**
- **TexStudio.**
- **Sublime Text 3.**

We will use TexStudio with MiKTeX

- Download **TexStudio** for your distribution
- Install TexStudio when MiKTeX installation is completed.
- TexStudio will automatically configure the settings for you.

The installation of LaTeX is now complete.

Online versions

Popular online versions

- Overleaf [<https://www.overleaf.com/>].
- Sharelatex [<https://www.sharelatex.com/>].
- Papeeria [<https://papeeria.com/>].
- Authorea [<https://www.authorea.com/>].

Outline

- 1 Introduction
- 2 Latex Command**
- 3 Document Structure
- 4 Text Formatting
- 5 Cross-reference
- 6 Typesetting Mathematics

Activity

Activity 1

Commands

A LATEX document is mainly defined through commands.

Commands are case sensitive, and take one of the following two formats :

- They start with a backslash `\` and then a name consisting of letters only.
- Some commands need an argument, which has to be given between curly braces `{ }`.
- Some commands support optional parameters, which are added in square brackets `[]`.

Commands

Arguments and Options

Many commands require a single argument, and some commands require even multiple arguments.

- Some commands can have several options.

Example :

```
\section{Introduction} % single argument  
\usepackage{amsmath, amssymb} % multiple arguments  
\documentclass[a4paper,11pt]{article} % several options  
\usepackage[final]{microtype} % single options
```


Commands

Arguments and Options

Many commands require a single argument, and some commands require even multiple arguments.

- Some commands can have several options.

Example :

```
\section{Introduction} % single argument
\usepackage{amsmath, amssymb} % multiple arguments
\documentclass[a4paper,11pt]{article} % several options
\usepackage[final]{microtype} % single options
```

Commands

Environment

An environment is be marked by,

```
\begin{environment} ... \end{environment}.
```

- These initiate and exit an environment.
- The type of environment is applied to everything between the begin and end commands.

Example :

```
\begin{document}  
content...           % document environment  
\end{document}
```

Commands

Environment

An environment is be marked by,

```
\begin{environment} ... \end{environment}.
```

- These initiate and exit an environment.
- The type of environment is applied to everything between the begin and end commands.

Example :

```
\begin{document}  
content...           % document environment  
\end{document}
```

Outline

- 1 Introduction
- 2 Latex Command
- 3 Document Structure**
- 4 Text Formatting
- 5 Cross-reference
- 6 Typesetting Mathematics

Document Structure

Every LaTeX document has the following form :

```
\documentclass[options]{class name}
```

```
%Preamble
```

```
\begin{document}
```

```
%Body
```

```
\end{document}
```

Document Class

The command `\documentclass[options]{class name}` specify type of document you wants to create.

- **class name** : specifies the type of document to be created.
- **options parameter** : customises the behaviour of the document class.

Example :

```
\documentclass[11pt,a4paper]{article}
```

Document Class

The command `\documentclass[options]{class name}` specify type of document you wants to create.

- **class name** : specifies the type of document to be created.
- **options parameter** : customises the behaviour of the document class.

Example :

```
\documentclass[11pt,a4paper]{article}
```

Document Class

Lists of the document classes type.

Class	Description
article	For articles in scientific journals, presentations, short reports, program documentation, invitations etc.
report	For longer reports containing several chapters, small books, thesis etc.
book	For real books.
letter	For writing letters.
beamer	For writing presentation
exam	For writing exams.

Document Class : Options

The document classes options.

Options	Description
10pt, 11pt, 12pt	Sets the size of the main font in the document. Default is 10pt.
a4paper, letterpaper..	Defines the paper size. The default size is letterpaper. Besides that, a5paper, b5paper, executivepaper, and legalpaper can be specified.
twocolumn	Instructs LaTeX to typeset the document in two columns instead of one.
twoside, oneside	For writing letters.
landscape	Changes the layout of the document to print in landscape mode.
titlepage, notitlepage	Specifies whether a new page should be started after the document title or not. The article class does not start a new page by default, while report and book do.

Activity

Activity 2

The Preamble

The preamble is where you **define the style** of your document and **load any packages** you need to use.

```
\documentclass[options]{class name}
```

```
%Preamble
```

```
\begin{document}
```

- It normally contains commands, variables or other things needed that affect the entire document.
- Load needed packages along with any options for those packages.

The Preamble

The preamble is also used to load any other options or information that isn't necessarily a part of the document's content such as :

- Setting lengths of spaces before/after paragraphs, line height, etc
- Specifying author/title/date, etc. (important if you will be making a title page).

The Preamble

Document Title

There are two steps to give your document a title.

- Tell LaTeX what to put in the title, and tell LaTeX to typeset the title.
- To specify title use the following commands in preamble :
`\title{...}`, `\author{...}`, `\date{...}`.
- To display the title, use `\maketitle` just after `\begin{document}`.

Example :

```
\title{Scintific Writing using LaTeX}  
\author{M.~Chuwa \and S.~Nyondo}  
\date{\today}
```

The Preamble : Packages

Packages extend the basic LATEX commands.

- To use packages, include the following command :

```
\usepackage[options]{package}
```

- This command goes into the preamble of the document.

Example :

```
%To set margin
```

```
\usepackage[top=2in,bottom=1in,left=1in,right=1in]{geometry}
```

```
\usepackage{microtype} %improves the spacing between words
```

```
\usepackage{amsmath} %introduces several improvements for m
```

```
\usepackage{graphicx} % for inserting image in latex document
```

Activity

Activity 3

The Body of the Document

After the preamble comes the **body**.

- Starts with `\begin {document}` and ends with `\end {document}`
- This is where you fill in the actual content of your document.
- Contains all text, figures, tables, etc.

The Body of the Document

You can organize your document using the following commands.

Level	Article	Report/Book
Part		<code>\part{}</code>
Chapter		<code>\chapter{}</code>
Section	<code>\section{}</code>	<code>\section{}</code>
Subsection	<code>\subsection{}</code>	<code>\subsection{}</code>
Subsubsection	<code>\subsubsection{}</code>	<code>\subsubsection{}</code>
Paragraph	<code>\paragraph{}</code>	<code>\paragraph{}</code>

- Your PDF output will include these sections as bookmarks.
- The above commands have a *-version and using these results in no number and no entry in the table of contents.
- Example : `\subsection *{Acknowledgement}`

Activity

Activity 4

Outline

- 1 Introduction
- 2 Latex Command
- 3 Document Structure
- 4 Text Formatting**
- 5 Cross-reference
- 6 Typesetting Mathematics

Font Sizes and Colors

Commands	Output
<code>\tiny</code>	LaTeX
<code>\scriptsize</code>	LaTeX
<code>\footnotesize</code>	LaTeX
<code>\small</code>	LaTeX
<code>\normalsize</code>	LaTeX
<code>\large</code>	LaTeX
<code>\Large</code>	LaTeX
<code>\LARGE</code>	LaTeX
<code>\huge</code>	LaTeX
<code>\Huge</code>	LaTeX

Font Types and Style

To change the font itself to different styles

Style	Commands	Output
Bold	<code>\textbf {LaTeX}</code>	LaTeX
Italic	<code>\textit {LaTeX}</code>	<i>LaTeX</i>
Underline	<code>\underline {LaTeX}</code>	<u>LaTeX</u>
Typewriter	<code>\texttt {LaTeX}</code>	LaTeX
Sans-Serif	<code>\textsf {LaTeX}</code>	LaTeX
Serif (Roman)	<code>\textrm {LaTeX}</code>	LaTeX

Font Sizes and Colors

To change text color use `\usepackage {color}` or `\usepackage {xcolor}`

- command : `\textcolor {color}{text}`
- Example :
 - `\textcolor {red}{Hello}` world \Rightarrow Hello world
 - Hello `\textcolor {blue}{world}` \Rightarrow Hello world

Spacing

LaTeX treats any number of spaces as a single space.

- Single new lines are treated as if there is no new line.
- Multiple blank lines are treated as a single new line or you may use `\newline` or `\\` command.
- You can force horizontal and vertical space using the `\hspace {length}` and `\vspace {length}`
 - You have to give each command a length commands :
`\hspace {0.1cm}`, `\hspace {1in}` or `\hspace {10pt}`
- To insert page breaks, use `\clearpage` or `\newpage`

Lists

There are three list environments

- `itemize` \Rightarrow for a bullet list.
- `enumerate` \Rightarrow for an ordered list and
- `description` \Rightarrow for a descriptive list.

All lists follow the following format :

```
\begin{list_type}
\item The first item
\item The second item
\item The third etc
\end{list_type}
```


Lists

```
\begin{itemize}  
\item The first item  
\item The second item  
\item The third item  
\end{itemize}
```

- The first item
- The second item
- The third item

Lists

```
\begin{enumerate}  
\item The first item  
\item The second item  
\item The third item  
\end{enumerate}
```

- 1 The first item
- 2 The second item
- 3 The third item

Lists

The description list used to explain notations or terms

```
\begin{description}  
\item[Itemize] used for a bullet list.  
\item[Enumerate] used for a ordered list.  
\item[Description] used for a descriptive list.  
\end{description}
```

output

Itemize used for a bullet list.

Enumerate used for a ordered list.

Description used for a descriptive list.

Nested Lists

```
\begin{itemize}
\item Item one
\begin{enumerate}
\item Subitem one
\item Subitem two
\end{enumerate}
\item Item two
\end{itemize}
```

- Item one
 - ① Subitem one
 - ② Subitem two
- Item two

Activity

Activity 5

Outline

- 1 Introduction
- 2 Latex Command
- 3 Document Structure
- 4 Text Formatting
- 5 Cross-reference**
- 6 Typesetting Mathematics

Cross-reference

With the commands `\label{key}` and `\ref{key}` it is possible to refer to section numbers.

- The command `\label{key}` is used to set an identifier that is later used in the command `\ref{key}` to set the reference.

Example :

Create label :

```
\section {Cross-Reference}\label {cross-ref}
```

Reference :

```
It is not difficult to refer to Section~\ref {cross-ref}
```

Output : It is not difficult to refer to Section 5

Cross-reference

With the commands `\label{key}` and `\ref{key}` it is possible to refer to section numbers.

- The command `\label{key}` is used to set an identifier that is later used in the command `\ref{key}` to set the reference.

Example :

Create label :

```
\section {Cross-Reference}\label {cross-ref}
```

Reference :

```
It is not difficult to refer to Section~\ref {cross-ref}
```

Output : It is not difficult to refer to Section 5

Activity

Activity 6

Outline

- 1 Introduction
- 2 Latex Command
- 3 Document Structure
- 4 Text Formatting
- 5 Cross-reference
- 6 Typesetting Mathematics**

Math mode

The `amsmath` package is the backbone of using LaTeX for typesetting math.

- Include in preamble : `\usepackage{amsmath}`

The math environment" comes in two different forms :

Inline mode \Rightarrow format the math within existing lines of text.

Display mode \Rightarrow sets the math apart and centers it on the page.

Math mode

Inline mode

Several options exist :

- Use : `\begin{math}` $x + y = 2$ `\end{math}` $\Rightarrow x + y = 2$
- Use : `\(x+y = 2\)` $\Rightarrow x + y = 2$
- Use : single dollar signs $\$x + y = 2\$ \Rightarrow x + y = 2$

Math mode

Inline mode

Subscripts and superscripts in math mode are formed using the `_` and the `^`.

Example :

$$a_n = n^2 + 1 \Rightarrow \text{\texttt{\$a_n = n^2 + 1\$}}$$

When the subscript or superscript is more than one character, you must wrap it in `{...}` to group it together.

Example :

$$y_{n+1} = e^{n^2-1} + 1 \Rightarrow \text{\texttt{\$y_{n + 1} = e^{n^2-1} + 1\$}}$$

Math mode

Inline mode

Some common math symbols :

Symbol	Output
<code>\alpha , \beta , \lambda , \gamma , \theta , \mu</code> etc	$\alpha, \beta, \lambda, \gamma, \theta, \mu$, etc
<code>\infty , \exists , \forall , \pm , \leq , \geq</code> etc.	$\infty, \exists, \forall, \pm, \leq, \geq$ etc
<code>\int_0^\infty , \sum_{i=1}^n , \prod_{n=1}^N</code> etc	$\int_0^\infty, \sum_{i=1}^n, \prod_{n=1}^N$ etc
<code>\ldots , \cdots , \vdots , \colon</code> etc	$\dots, \cdots, \vdots, \colon$ etc
<code>\frac{x}{y} , \sqrt{x} , \bar{x} , \lim_{x \rightarrow \infty}</code> etc	$\frac{x}{y}, \sqrt{x}, \bar{x}, \lim_{x \rightarrow \infty}$ etc

More math symbols and formulas : [Latex Symbols](#)

Math mode

Common Math Formula

$$\frac{\partial y}{\partial x} \Rightarrow \text{\textcolor{red}{\$}\textcolor{blue}{\frac {\textcolor{blue}{\partial} y}{\textcolor{blue}{\partial} x}}\textcolor{red}{\$}}$$

$$\int_a^b f(x) dx \Rightarrow \text{\textcolor{red}{\$} \textcolor{blue}{\int} \textcolor{green}{_a^b} f(\textcolor{blue}{x})\textcolor{blue}{,dx} \textcolor{red}{\$}}$$

Math mode

Display mode

Several options exist :

- `\begin{displaymath} x + y = 2 \end{displaymath}` \Rightarrow

$$x + y = 2$$

- `\[x+y = 2\]` \Rightarrow

$$x + y = 2$$

- `$$x + y = 2$$` \Rightarrow

$$x + y = 2$$

Math mode

Numbered Equation

The equation environment :

`\begin{equation}...\end{equation}` creates a displayed formula and automatically generates an equation number.

Example :

$$\int_0^{\pi} \sin x \, dx = 2 \quad (1)$$

⇓

`\begin{equation}\int_{0}^{\pi}\sin x \, dx = 2\end{equation}`

Math mode

Referencing equations

The amsmath package provides `\eqref{key}` for referencing equations.

Example :

$$\sum_{i=0}^{\infty} a_i x^i \quad (2)$$

equation (2) is a typical power series.

```
\begin{equation} \label{eq:1}
\sum_{i=0}^{\infty} a_i x^i
\end{equation}
equation~\eqref{eq:1} is a pow
```

Activity

Activity 7

Math mode

Multiple Equations

The `\begin{align}..\end{align}` environment is used group together several formulas or, equations with more than one lines. **Example :**

$$\alpha + \beta^2 = 0 \quad (3)$$

$$\log_{10} 2\alpha = e^\beta - 1 \quad (4)$$

```
\begin{align}
\alpha + \beta^2 &= 0 \\
\log_{10} 2\alpha &= e^{\beta} - 1
\end{align}
```

Math mode

Multiple Equations

To align several formulas or equations with more than one lines.

Example :

$$\begin{aligned}y &= x^2 + 2x - 1 \\&= (x + 1)(2x + 1) \\&= (x + 1)^2\end{aligned}$$

```
\begin{align*}y &=x^2 + 2x -1\\&=(x+1)(2x+1) \\&=(x+1)^2\\end{align*}
```

Math mode

Matrices and Array

A basic matrix may be created using the `matrix` environment.

Plain Matrix

$$\begin{matrix} \alpha & \beta^* \\ \gamma^* & \delta \end{matrix}$$

```
\[  
\begin{matrix}  
\alpha& \beta^*\\  
\gamma^*& \delta  
\end{matrix}  
\]
```

Math mode

Matrices and Array

Bracketed matrix; typically represents the matrix itself

$$\begin{bmatrix} \alpha & \beta^* \\ \gamma^* & \delta \end{bmatrix}$$

```
\[  
\begin{bmatrix}  
\alpha& \beta^{*}  
\gamma^{*}& \delta  
\end{bmatrix}  
\]
```

Math mode

Matrices

Parenthesized matrix

$$\begin{pmatrix} \alpha & \beta^* \\ \gamma^* & \delta \end{pmatrix}$$

```
\[  
\begin{pmatrix}  
\alpha& \beta^{*}\\  
\gamma^{*}& \delta  
\end{pmatrix}  
\]
```


Math mode

Matrix

Example : let type the following matrix

$$A_{m,n} = \begin{pmatrix} a_{1,1} & a_{1,2} & \cdots & a_{1,n} \\ a_{2,1} & a_{2,2} & \cdots & a_{2,n} \\ \vdots & \vdots & \ddots & \vdots \\ a_{m,1} & a_{m,2} & \cdots & a_{m,n} \end{pmatrix}$$

Math mode

Matrix

Example : let type the following matrix

```
\[  
A_{m,n} =  
\begin{pmatrix}  
a_{1,1} & a_{1,2} & \cdots & a_{1,n} \\  
a_{2,1} & a_{2,2} & \cdots & a_{2,n} \\  
\vdots & \vdots & \ddots & \vdots \\  
a_{m,1} & a_{m,2} & \cdots & a_{m,n}  
\end{pmatrix}  
\]
```

Math mode

The Case Environment

The `cases` environment allows the writing of piecewise functions.

Consider the following :

$$f(x) = \begin{cases} x & \text{if } x \neq 0 \\ \frac{\sin x}{x} & \text{otherwise} \end{cases}$$

```
\[
f(x) =
\begin{cases}
x & \text{if } x \neq 0 \\
\frac{\sin x}{x} & \text{otherwise}
\end{cases}
\]
```

Activity

Activity 8

Collaborative writing

Most of your writing will be collaborative :

- Often participants are distributed
- there are lots of ways to deal with this \Rightarrow even when they are local, these techniques help.

Collaborative writing of documents requires a strong **synchronisation** among authors.

Collaborative writing

Available modes

- ① One person acts as editor, and incorporates changes : others \Rightarrow communicate proposed changes.
 - lots of work for editor, but only they end up happy.
- ② Token : one person has the **token** (for all or part)
 - edit as please when have token pass it when \Rightarrow finished (e.g. by email)
 - requires trust.
- ③ Truly distributed :
 - + all have access, and can edit.
 - + conflicts are merged.
 - + very powerful.
 - but requires tools.

Collaborative writing models Truly distributed collaboration

Require tools that support

- Distributed access e.g. Dropbox and Revision control

Available options :

Dropbox and/ or Box

- often have a free limited plan.
- + save latex and the rest (e.g. accompanying code and data).
- not a true versioning control system \Rightarrow does not allow you to roll the article back to previous versions.

Collaborative writing models

Revision control System

- 1 Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- 2 free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- 1 Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- 2 free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- 1 Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- 2 free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- ① Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- ② free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- ① Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- ② free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- ① Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- ② free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- ① Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- ② free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Collaborative writing models

Revision control System

- ① Online Payfor : e.g **Overleaf** and **Authorea**
 - often have a free limited plan.
 - focussed on latex, not the rest (e.g. accompanying code and data).
- ② free : standard open source tools eg git.
 - several option available : **Mercurial** and **git**
 - + support both latex and accompanying code and data.
 - + offer control and advanced features like branch and merge.
 - steeper learning curve.

Revision (or version) control

Features :

- Allow you to see all revisions of paper \Rightarrow e.g. revert back to an old version if you don't like changes.
- Trace activity \Rightarrow volume also what changed, with comments.
- Good for code, LaTeX, and (some) data.

Cloud git services : [Github](#), [BitBucket](#), [Gitlab](#).

THANK YOU