1

ASSIGNMENT 2

Y.Nagarani

Download all python codes from

https://github.com/Y.Nagarani/ASSIGNMENT2/tree/main/CODES

and latex-tikz codes from

https://github.com/Y.Nagarani/ASSIGNMENT2/tree/main

1 Question No 2.15

Find the equation of the line passing through $\begin{pmatrix} -3 \\ 5 \end{pmatrix}$ and perpendicular to the line through the points $\begin{pmatrix} 2 \\ 5 \end{pmatrix}$ and $\begin{pmatrix} -3 \\ 6 \end{pmatrix}$

2 SOLUTION

$$\mathbf{A} = \begin{pmatrix} 2 \\ 5 \end{pmatrix}, \mathbf{B} = \begin{pmatrix} -3 \\ 6 \end{pmatrix} \tag{2.0.1}$$

$$\mathbf{m_2} = \begin{pmatrix} -3\\6 \end{pmatrix} - \begin{pmatrix} 2\\5 \end{pmatrix} \tag{2.0.2}$$

$$\mathbf{m_2} = \begin{pmatrix} -5\\1 \end{pmatrix} \tag{2.0.3}$$

$$\mathbf{m}_2 = \frac{-1}{5} \tag{2.0.4}$$

$$\mathbf{m_1} \times \mathbf{m_2} = -1 \tag{2.0.5}$$

$$\mathbf{m_1} = 5$$
 (2.0.6)

Given point $\mathbf{P} = \begin{pmatrix} -3 \\ 5 \end{pmatrix}$ and $\mathbf{m_1} = 5$. The direction vector is $\mathbf{m_1} = \begin{pmatrix} 1 \\ 5 \end{pmatrix}$. Hence, the normal vector

$$\mathbf{n} = \begin{pmatrix} 0 & -1 \\ 1 & 0 \end{pmatrix} \mathbf{m_1} \tag{2.0.7}$$

$$= \begin{pmatrix} -5\\1 \end{pmatrix} \tag{2.0.8}$$

The equation of the line in terms of the normal vector is then obtained as

$$\mathbf{n}^T \left(\mathbf{x} - \mathbf{P} \right) = 0 \tag{2.0.9}$$

$$\implies (5 -1)\mathbf{x} = 20 \tag{2.0.10}$$




Fig. 0: Perpendicular Bisector