

CryptoVault: Core Architecture, Deployment Blueprint & Business Analysis

Academic Project Profile

Field	Details
Student Name	Sourabh Dinesh Yadav
Roll Number	150096724013
Cohort	MZ
Academic Batch 2024-28	


1. Executive Summary & Project Scope

CryptoVault is a real-time, zero-risk cryptocurrency exchange simulator. It replicates the core features of a production trading platform (matching engines, live order books, price feeds, and custom wallets) for educational and strategy-testing purposes. Users are provisioned with simulated capital (**10,000 USDT**) to practice trading top crypto pairs (BTCUSDT, ETHUSDT, SOLUSDT, and others) without any financial risk.

2. Technology Stack & Component Specifications

The platform is designed using a decoupled Client-Server architecture separated by an Nginx reverse proxy.

Technology **CryptoVault** Architecture



A. Client Side (Frontend)

- **Core Engine**: React 18 with Vite compiler (bundling optimized ESM modules in under 6 seconds).
- **State & Memory Store**: Zustand store modules:
 - **authStore**: Manages user credentials, JWT local storage

- caching, and socket connection cycles.
- **marketStore**: Maintains real-time ticks, daily changes, and OHLC data streams.
- **orderStore**: Handles user open orders, transaction logs, and history lists.
- **UI styling**: TailwindCSS utility framework with dark-theme values (#0B0E11 deep background, #F0B90B exchange gold accent, #0ECB81 buy green, and #F6465D sell red).
- **Interactive Charting**: Lightweight Charts library by TradingView, rendering multi-timeframe OHLC candles (1m, 5m, 15m, 1h, 4h, 1d) dynamically.
- **Network layer**: Axios instance configured with custom request interceptors that inject the Authorization: Bearer <JWT> header from localStorage.


B. Server Side (Backend)

- **API Framework**: Node.js & Express.
 - **Real-time Gateway**: Socket.io (using WebSocket transport layer, supporting namespaces and room-joining).
 - **Order Engine Components**:
 - **MatchingEngine**: A modular engine that processes order books. Bids and Asks are sorted and matched (Price/Time priority) upon placement.
 - **PriceEngine**: Generates simulated market ticks and historical candlestick updates based on customized volatility indices.
 - **MarketMaker**: Automatically places liquidity orders (bids/asks) into the order book to simulate real exchange trading volume.
-

3. Database Architecture & Schema Specifications

The database schema is mapped using Mongoose schemas connecting directly to MongoDB Atlas.

Database Entities & Fields



1. User Schema (User)

Stores account access details and permission roles.

- name (String, Required): Full name of the user.
- email (String, Unique, Required): Email address.
- password (String, Required): Bcrypt-hashed password.
- role (String, Default: 'trader'): Account access role ('trader' or 'admin').

2. Wallet Schema (Wallet)

Maintains current account balances for each asset.

- userId (ObjectId, Ref: 'User', Unique): Owner relationship.
- balances (Map of Objects): Keyed by asset token symbol (USDT, BTC, ETH, BNB, etc.):
 - free (Number, Default: 0): Spendable, tradeable asset balance.
 - locked (Number, Default: 0): Balances currently locked in active open orders.

3. Transaction Schema (Transaction)

Records virtual cash flows (deposits/withdrawals).

- userId (ObjectId, Ref: 'User'): Target user.
- type (String): 'DEPOSIT' or 'WITHDRAWAL'.
- asset (String): Asset token symbol (e.g. 'USDT').
- amount (Number): Transaction volume.
- balanceBefore / balanceAfter (Number): Balance historical snapshots.

4. Order Schema (Order)

Tracks trades placed on the platform.

- `userId` (ObjectId, Ref: 'User'): Placer ID.
- `symbol` (String): Trading pair symbol (e.g. 'BTCUSDT').
- `side` (String): 'BUY' or 'SELL'.
- `type` (String): 'LIMIT' or 'MARKET'.
- `price` (Number): Requested unit price.
- `quantity` (Number): Order total size.
- `filledQty` (Number, Default: 0): Amount filled so far.
- `status` (String): Current state ('OPEN', 'PARTIALLY_FILLED', 'FILLED', 'CANCELLED').

5. Trade Schema (Trade)

Records successful match executions between buy and sell orders.

- `buyOrderId / sellOrderId` (ObjectId, Ref: 'Order'): Associated orders.
- `symbol` (String): Trading pair (e.g. 'BTCUSDT').
- `price` (Number): Executed transaction price.
- `quantity` (Number): Matched transaction volume.

4. WebSocket (Socket.io) Network Specifications

Real-time, bidirectional streams handle live updates. The client initiates WebSocket connections with the following event payloads:

Inbound Events (Client to Server)

1. 'join_user_room' (Payload: `userId`): Connects user to a private channel for receiving individual order fill notifications.

2. 'subscribe_ticker' (Payload: symbol): Subscribes to 24h price change updates for a specific pair.
3. 'subscribe_candles' (Payload: { symbol, interval }): Subscribes to real-time candlestick feeds.
4. 'subscribe_orderbook' (Payload: symbol): Subscribes to the live bid/ask order book.


Outbound Events (Server to Client)

1. 'ticker' (Payload: Ticker object): Live price ticks, 24h highs, lows, and percentage changes.
 2. 'candle' (Payload: Candle object): Real-time updates of the current open candlestick.
 3. 'orderbook' (Payload: Orderbook object): Depth updates (top 15 bids and asks).
 4. 'order_filled' (Payload: Trade event object): Notifies the user when an order has been successfully matched.
-


5. Flowcharts & Process Visualizations

A. Data Flow (Order Placement & Matching)

Data Flow in Order Placent & Matching




B. User Journey Flow




6. Cloud Architecture Diagrams

Below are the architectural diagrams deployed on your AWS EC2 instance:

A. High-Fidelity Diagram



B. Low-Fidelity Diagram



7. Security Hardening & Admin Protocol

systemd Daemon Config

To ensure Docker and network services are started on host boot:

```
sudo systemctl enable docker.service  
sudo systemctl enable containerd.service
```

UFW firewall Rules

Only open SSH and HTTP/HTTPS ports to the public:

```
sudo ufw default deny incoming
sudo ufw default allow outgoing
sudo ufw allow 22/tcp comment 'Secure SSH'
sudo ufw allow 80/tcp comment 'HTTP Web traffic'
sudo ufw enable
```

Fail2ban Brute-Force Shield (/etc/fail2ban/jail.local)

Prevents SSH brute-force scans:

```
[sshd]
enabled = true
port = 22
filter = sshd
logpath = /var/log/auth.log
maxretry = 5
bantime = 3600
```

8. Setup & Deployment Commands

Phase 1: Local Machine Tasks (Vite compilation & SCP)

1. Apply correct SSH key permissions:

```
chmod 400 cryptovault.pem
```

2. Build the client locally on your fast Mac:

```
cd client
npm run build
cd ..
```

3. Compress files into a tar archive:

```
tar -czf archive.tar.gz --exclude="node_modules" --
exclude=".git" --exclude="archive.tar.gz" -C . .
```

4. Transfer the file to the EC2 server:

```
scp -i cryptovault.pem archive.tar.gz
ubuntu@54.197.10.99:/home/ubuntu/
```

Phase 2: Remote Server Setup

1. SSH into the instance:

```
ssh -i cryptovault.pem ubuntu@54.197.10.99
```

2. Run installation script for Docker Engine:

```
# Remove any broken docker package lists
sudo rm -f /etc/apt/sources.list.d/docker.list

# Run the official Docker installation script
curl -fsSL https://get.docker.com -o get-docker.sh
sudo sh get-docker.sh

# Allow running docker commands without typing sudo
sudo usermod -aG docker ubuntu
rm -f get-docker.sh
```

Logout and log back in to apply group changes.

Phase 3: Application Launch

1. Extract the uploaded tar archive:

```
mkdir -p ~/CryptoVault  
tar -xzf ~/archive.tar.gz -C ~/CryptoVault  
rm ~/archive.tar.gz
```

2. Recreate and start the containers using the production file:

```
cd ~/CryptoVault  
docker compose -f docker-compose.prod.yml up --build -d
```

3. Monitor status:

```
docker ps  
docker logs -f cryptovault-prod-api
```

9. Pricing & Financial Analysis

A. Business Model Canvas (BMC) Highlights

- **Value Proposition:** Risk-free simulation sandbox with real-time order book execution logic.
- **Customer Segments:** Newbie crypto traders, training centers, and financial developers.
- **Revenue Streams:**
 - Premium subscriptions at **₹499/month**.
 - B2B White-label licensing setup at **₹1,50,000** upfront + **₹25,000/month** maintenance.
 - Ad placements at **₹15,000/month**.

B. AWS Infrastructure Costing (ap-south-1 Mumbai)

Exchange rate: 1 USD = ₹83.50 INR

- **EC2 Server Instance (t3.medium):** \$41.76 / month (**₹3,487**)
- **Amazon DocumentDB database (db.t3.medium):** \$57.60 / month (**₹4,810**)
- **Application Load Balancer:** \$22.26 / month (**₹1,859**)
- **EBS Storage & Network Data Transfer:** \$24.00 / month (**₹2,004**)
- **Security & System Backups:** \$10.00 / month (**₹835**)
- **Total Monthly AWS Bill:** \$155.62 (**₹12,995**)
- **Total Yearly AWS Bill:** \$1,867.44 (**₹1,55,940**)

C. Year 1 Projections

- **Total Operating Expenses (Hosting, Marketing, Retainers):** ₹7,91,940 / year
- **Total Projected Revenue (Subscriptions, B2B Licensees, Ads):** ₹10,79,400 / year
- **Net Profit:** ₹2,87,460 / year (Operating at a **26.6%** profit margin)