

## 4. Brightness enhancement

### 4. Brightness enhancement

#### 4.1. Brightness enhancement

#### 4.2 Actual effect display

### 4.1. Brightness enhancement

Implementation process: Amplify the three-channel values of each pixel synchronously while keeping the channel values between 0-255. In fact, it is to traverse each pixel, add or subtract values to them, and then determine whether the three channels RGB are in the range of 0-255. If they are greater or less than 255, they are taken as 255 or 0.

### 4.2 Actual effect display

Source code path:

/home/pi/project\_demo/06.Open\_source\_cv\_fundamentals\_course/D.Image\_Enhancement/04\_Brightness\_Enhancement.ipynb

```
import cv2
import numpy as np
import matplotlib.pyplot as plt

img = cv2.imread('yahboom.jpg',1)
imgInfo = img.shape
height = imgInfo[0]
width = imgInfo[1]
#cv2.imshow('src',img)
dst = np.zeros((height, width, 3),np.uint8)
for i in range(0, height):
    for j in range(0, width):
        (b,g,r) = img[i,j]
        bb = int(b) + 40
        gg = int(g) + 40
        rr = int(r) + 40
        if bb>255:
            bb = 255
        if gg>255:
            gg = 255
        if rr>255:
            rr = 255
        dst[i,j] = (bb,gg,rr)
# cv2.imshow('dst',dst)
# cv2.waitKey(0)
img = cv2.cvtColor(img, cv2.COLOR_BGR2RGB)
dst = cv2.cvtColor(dst, cv2.COLOR_BGR2RGB)
plt.figure(figsize=(14, 6), dpi=100) #设置绘图区域的大小和像素 Set the size and
pixels of the drawing area
plt.subplot(121) # 一行二列第一个 The first row and second column
```

```
plt.imshow(img)
plt.subplot(122) # 一行二列第二个 The second row, second column
plt.imshow(dst)
plt.show()
```

