Introduction to regular expressions

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist



REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

REGular Expression or regex:

String containing a combination of **normal characters** and special metacharacters that describes patterns to find text or positions within a text

Normal characters match themselves (st)

REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

$$r'st\d\s\w{3,10}$$

REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

$$r'st\d\s\w{3,10}$$

REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

$$r'st\d\s\w{3,10}$$

REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

Pattern: a sequence of characters that maps to words or punctuation

REGular Expression or regex:

String containing a combination of normal characters and special metacharacters that describes patterns to find text or positions within a text

- Pattern matching usage:
 - Find and replace text
 - Validate strings
- Very powerful and fast

The re module

```
import re
```

Find all matches of a pattern:

re.findall(r"regex", string)

```
re.findall(r"#movies", "Love #movies! I had fun yesterday going to the #movies")
```

```
['#movies', '#movies']
```



The re module

```
import re
```

Split string at each match:

re.split(r"regex", string)

```
re.split(r"!", "Nice Place to eat! I'll come back! Excellent meat!")
```

```
['Nice Place to eat', " I'll come back", ' Excellent meat', '']
```



The re module

import re

Replace one or many matches with a string:

re.sub(r"regex", new, string)

re.sub(r"yellow", "nice", "I have a yellow car and a yellow house in a yellow neighborhood")

'I have a nice car and a nice house in a nice neighborhood'

Supported metacharacters

Metacharacter	Meaning
\d	Digit


re.findall(r"User\d",	"The	winners	are:	User9,	UserN,	User8")
['User9', 'User8']						

Metacharacter	Meaning
\D	Non-digit

```
re.findall(r"User\D", "The winners are: User9, UserN, User8")
['UserN']
```

Supported metacharacters

Metacharacter	Meaning
\w	Word



Metacharacter	Meaning
\ W	Non-word

```
re.findall(r"\W\d", "This skirt is on sale, only $5 today!")
```

['\$5']

Supported metacharacters

Metacharacter	Meaning
\s	Whitespace

re.findall(r"Data\sScience", "I enjoy learning Data Science")

['Data Science']

Metacharacter	Meaning
\\$	Non-Whitespace

re.sub(r"ice\Scream", "ice cream", "I really like ice-cream")

'I really like ice cream'

Let's practice!

REGULAR EXPRESSIONS IN PYTHON



Repetitions

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat
Data Science



Validate the following string:

password1234



Validate the following string:

password1234



Validate the following string:

password 1234



Validate the following string:

password 1234

```
import re
password = "password1234"
```

re.search(r"\w\w\w\w\w\w\w\d\d\d\d\d", password)

```
<_sre.SRE_Match object; span=(0, 12), match='password1234'>
```

Validate the following string:

password1234

```
import re
password = "password1234"

re.search(r"\w{8}\d{4}\", password)
```

```
<_sre.SRE_Match object; span=(0, 12), match='password1234'>
```

Quantifiers:

A metacharacter that tells the regex engine how many times to match a character immediately to its left.

• Once or more: +

• Once or more: +

```
text = "Date of start: 4-3. Date of registration: 10-04."

re.findall(r"\d+- ", text)
```

• Once or more: +

```
text = "Date of start: 4-3. Date of registration: 10-04."

re.findall(r"\d+-\d+", text)

['4-3', '10-04']
```

Zero times or more: *

```
my_string = "The concert was amazing! @ameli!a @joh&&n @mary90"
re.findall(r"@\w+\W*\w+", my_string)
```

```
['@ameli!a', '@joh&&n', '@mary90']
```



• Zero times or once: ?

```
text = "The color of this image is amazing. However, the colour blue could be brighter."
re.findall(r"colou?r", text)
```

```
['color', 'colour']
```





```
phone_number = "John: 1-966-847-3131 Michelle: 54-908-42-42424"

re.findall(r"\d{1,2}- ", phone_number)
```



```
phone\_number = "John: 1-966-847-3131 \ Michelle: 54-908-42-42424" re.findall(r"\d{1,2}-\d{3}-\d{2,3}-\d{4,}", \ phone\_number)
```

```
['1-966-847-3131', '54-908-42-42424']
```



- Immediately to the left
 - o r"apple+": + applies to e and not to apple

Let's practice!

REGULAR EXPRESSIONS IN PYTHON



Regex metacharacters

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist



Looking for patterns

Two different operations to find a match:

re.search(r"regex", string)

re.match(r"regex", string)

```
re.search(r"\d{4}", "4506 people attend the show")
```

```
<_sre.SRE_Match object; span=(0, 4), match='4506'>
```

```
re.match(r"\d{4}", "4506 people attend the show")
```

```
<_sre.SRE_Match object; span=(0, 4), match='4506'>
```

```
re.search(r"\d+", "Yesterday, I saw 3 shows")
```

```
<_sre.SRE_Match object; span=(17, 18), match='3'>
```

```
re.match(r"\d+", "Yesterday, I saw 3 shows")
```

None



Special characters

Match any character (except newline):

www.domain.com

```
my_links = "Just check out this link: www.amazingpics.com. It has amazing photos!"
re.findall(r"www com", my_links)
```



Match any character (except newline):

www.domain.com

```
my_links = "Just check out this link: www.amazingpics.com. It has amazing photos!"
re.findall(r"www.+com", my_links)
```

```
['www.amazingpics.com']
```



Start of the string: ^

```
my_string = "the 80s music was much better that the 90s"
re.findall(r"the\s\d+s", my_string)
['the 80s', 'the 90s']
re.findall(r"^the\s\d+s", my_string)
```

R datacamp

['the 80s']

• End of the string: \$

```
my_string = "the 80s music hits were much better that the 90s"
re.findall(r"the\s\d+s$", my_string)
```

['the 90s']



• Escape special characters: \

['I love the music of Mr.Go', 'However, the sound was too loud.']

```
my_string = "I love the music of Mr.Go. However, the sound was too loud."
print(re.split(r".\s", my_string))
['', 'lov', 'th', 'musi', 'o', 'Mr.Go', 'However', 'th', 'soun', 'wa', 'to', 'loud.']
print(re.split(r"\.\s", my_string))
```

Adatacamp

OR operator

• Character: |

```
my_string = "Elephants are the world's largest land animal! I would love to see an elephant one day"
re.findall(r"Elephant|elephant", my_string)
```

```
['Elephant', 'elephant']
```



OR operator

• Set of characters: []

```
my_string = "Yesterday I spent my afternoon with my friends: MaryJohn2 Clary3"
re.findall(r"[a-zA-Z]+\d", my_string)
```

['MaryJohn2', 'Clary3']

OR operator

Set of characters: []

```
my_string = "My&name&is#John Smith. I%live$in#London."

re.sub(r"[#$%&]", " ", my_string)
```

'My name is John Smith. I live in London.'

OR operand

- Set of characters: []
 - ^ transforms the expression to negative

```
my_links = "Bad website: www.99.com. Favorite site: www.hola.com"
re.findall(r"www[^0-9]+com", my_links)
```

```
['www.hola.com']
```



Let's practice!

REGULAR EXPRESSIONS IN PYTHON



Greedy vs. nongreedy matching

REGULAR EXPRESSIONS IN PYTHON



Maria Eugenia Inzaugarat

Data Scientist



Greedy vs. non-greedy matching


- Two types of matching methods:
 - Greedy
 - Non-greedy or lazy
- Standard quantifiers are greedy by default: * , + , ? , {num, num}

Greedy matching

- Greedy: match as many characters as possible
- Return the longest match

```
import re
re.match(r"\d+", "12345bcada")
```

<_sre.SRE_Match object; span=(0, 5), match='12345'>





Greedy matching

- Backtracks when too many character matched
- Gives up characters one at a time

```
import re
re.match(r".*hello", "xhelloxxxxxx")

<_sre.SRE_Match object; span=(0, 6), match='xhello'>

.*h
.*h
.*h
.*h
.*hello
xhelloxxxxxx
xhelloxxxxxx
xhelloxxxxxx
xhelloxxxxxx
xhelloxxxxxxx
xhelloxxxxxxx
```

Non-greedy matching

- Lazy: match as few characters as needed
- Returns the shortest match
- Append ? to greedy quantifiers

```
import re
re.match(r"\d+?", "12345bcada")
```

```
<_sre.SRE_Match object; span=(0, 1), match='1'>
```



Non-greedy matching

- Backtracks when too few characters matched
- Expands characters one a time

```
import re
re.match(r".*?hello", "xhelloxxxxxxx")
```

```
<_sre.SRE_Match object; span=(0, 6), match='xhello'>

.*?
    .*?h
    .*?h
    .*?h
    .*?h
    .**hello
    xhelloxxxxxxx    xhelloxxxxxxx    xhelloxxxxxxx    xhelloxxxxxxx
```

Let's practice!

REGULAR EXPRESSIONS IN PYTHON

