



REF NO: **DVEPL/20-21/5675/R0**

Date - 12-July-2023

Sub: QUOTATION FOR CONSTRUCTION OF GIRL HOSTEL AND ALLIED INFRASTRUCTURE FOR GIRL CADETS IN SAINIK SCHOOL NGT

Dear Sir,

We acknowledge with thanks the receipt of your valued enquiry regarding above mentioned subject. We are pleased to furnish our most competitive offer for your favorable consideration as under.

ANNEXURE - I: FABRICATION DETAILS & TECHNICAL SPECIFICATIONS

ANNEXURE - II: BILL OF MATERIAL

ANNEXURE- III: PRICE SCHEDULE

ANNEXURE- IV: TERMS AND CONDITIONS

We hope the detailed BOQ & Tech Specs here under is as per your requirement.

Should you need any further clarification(s) please feel free to contact us. We look forward for an opportunity to serve you.

Thanking you,

Yours faithfully,

For D.V. ELECTROMATIC PVT. LTD.

Authorized Signatory





ANNEXURE - I

TECHNICAL SPECIFICATIONS

1. Material of Sheet: CRCA sheet

2. Sheet thickness: As Per Tender for All Panels.

3. Material treatment: Thorough chemical treatment with 7 tank process

method for degreasing, derusting and phosphating powder coating shall not be less than 40 microns.

SIEMENS GREY (RAL-7032) shade powder

coating paint will be applied.

4. Bus bar: The bus bars will be insulated with PVC heat

shrinkable sleeves and supported SMC/DMC at Suitable intervals so as to withstand dynamic stresses developed in the event of short circuit of

50ka (RMS) and will withstand following

standard tests:-

(a) Continuity tests

(b) No load operation test

(c) H.T Test (2kV) for one minute.

(d) Insulation resistance test.

6. Fault Level: 35 KA

7. Bus Bar Size: As per BOQ

8. Current Density: 0.8A/Sq. mm. Current Density.

9. Bus bar insulation Heat Shrinkable Sleeves





ANNEXURE - II

BILL OF MATERIALS

1	ITEM NO.12.09		BOARD QTY	1
Α	INCOMER FEEDER		FEEDER QTY	1
SR. NO.	BOQDESCRIPTION	MAKE	QΤΥ	TOTAL QTY
1	100A 4P 18kA MCCB TM Release, Type: DU100D, 415V AC, 50Hz	L&T	1	1
2	Spreader Terminals - 4 Pole (Set of 8) for DU100D/DU100H MCCB	L&T	1	1
В	METERING			1
1	Ammeter with Inbuilt selector switch, 3Ph, Acc. CL: 1, Aux Supply: 80-300V AC, Size: 96X96	L&T	1	1
2	Voltmeter with Inbuilt selector switch, 3Ph, Acc. CL: 1, Aux Supply: 80-300V AC, Size: 96X96	L&T	1	1
3	Red Gen Next Pro LED Indicator 22.5 mm, Voltage: 240V AC	ESBEE	1	1
4	Yellow Gen Next Pro LED Indicator 22.5 mm, Voltage: 240V AC	ESBEE	1	1
5	Blue Gen Next Pro LED Indicator 22.5 mm, Voltage: 240V AC	ESBEE	1	1
6	100/5A Acc.Cl: 1 1.5VA Polycarbonate Encapsulated Window Type Current Transformer, ID: 25mm, Model: ELP3 (E31.3)	ELMEX	1	1
7	32A Neutral Link, Channel Mounting, Color: Black/Grey	FTC	1	1
8	6 Sq.mm Disconnecting Terminal (Std. Color), Type: KUTSD 6	ELMEX	3	3
9	6A 1P 10kA, C-Curve MCB	L&T	3	3
С	OUTGOING (63A)		FEEDER QTY	3
1	63A 4P 18kA MCCB TM Release, Type: DU100D, 415V AC, 50Hz	L&T	1	3
S.N.	FABRICATION DETAILS	MAKE	QTY	UNIT
1	PANEL SIZE: 700MM (W) x 1000MM (H) x 300MM (D) FABRICATION: 3.15 MM CRCA Sheet PRE TREATMENT: 7 TANK PROCESS PAINTING: POWDER COATED WITH SIEMENS GREY SHED (RAL 7032) TYPE: INDOOR TYPE, FREE FLOOR RESTING, FIX TYPE, SINGLE FRONT, COMPARTMENTLISED DESIGN, SINGLE DOOR CABLE ENTRY: TOP/BOTTOM (DETACHABLE GLAND PLATE UNDRILLED)	DVEPL	1	JOB
1	STAND SIZE: 450MM	DVEPL	1	JOB
2	BUSBAR: PH: 1x20x8, N: 1X000X10 Current Density: 1 Amp/Sq. mm Insulation: Color coded heat shrinkable Sleeves	REPUTED	1	SET
4	WIRING COST	POLYCAB/RR KABEL	1	LOT





ANNEXURE - III

PRICE SCHEDULE

SR. NO.	DESCRIPTION OF ITEM	QTY	UNIT RATE (INR)	AMOUNT (INR)
1	ITEM NO.12.09	1	49,000.00	49,000.00
	TOTAL QUANTITY	1	TOTAL COST (INR)	49,000.00

In words: Rupees Forty Nine Thousand Only

NOTES:







ANNEXURE - IV

COMMERCIAL TERMS AND CONDITIONS

PRICE: Ex works – IGC PATHANKOT (PB.)

PACKING & FORWARDING:

Extra as per actual

FREIGHT & INSURANCE:

Extra Freight & insurance.

GST:

18% or Actual As per Gst Taxation.

OCTROI:

Extra as applicable.

PAYMENT TERMS:

50% in advance with confirmed order and balance against Performa

invoice before dispatch.

ORDER PLACEMENT:

D.V. ELECTROMATIC PVT.LTD

DELIVERY:

6-8 Weeks from the date of approval of drawings.

VALIDITY

Our offer is valid for 15 Days from the date of this offer and thereafter

subject to our confirmation.

WARRANTY:

18 Months from the date of supply or 12 months from the

commissioning whichever ends earlier.

INSPECTION:

On intimation, prior inspection of the panels, if required, may be carried

out by the buyers authorized representative at our works at IGC -

Pathankot (pb.)

ORDER AMENDMENTS:

Any change in specifications & other terms shall entail revision of

delivery and prices including statutory variations.

FORCE MAJEURE:

We shall not be responsible for the failure or delay in order due to acts

beyond our control such as war, fire, labour problems, accidents, natural calamities, government acts or shortage of material.

COMMISSIONING CHARGES

2500/Men days Testing, Commissioning and programming with Loging, fooding and boarding in Customer scope. Unloading, Fixing, Laying

cables and Installation of panels at site are not in our scope.

Our Bank Details:

HDFC Bank

DALHOUSIE ROAD, PATHANKOT-145001

A/c # 50200012824476 IFSC Code: HDFC0002459