# Rajalakshmi Engineering College

Name: Yashwanth Kumar V

Email: 240701609@rajalakshmi.edu.in

Roll no: 240701609 Phone: 8015927564

Branch: REC

Department: I CSE FF

Batch: 2028

Degree: B.E - CSE



## NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 1\_COD\_Question 6

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

John is tasked with creating a program to manage student roll numbers using a singly linked list.

Write a program for John that accepts students' roll numbers, inserts them at the end of the linked list, and displays the numbers.

## Input Format

The first line of input consists of an integer N, representing the number of students.

The second line consists of N space-separated integers, representing the roll numbers of students.

### **Output Format**

The output prints the space-separated integers singly linked list, after inserting the roll numbers of students at the end.

Refer to the sample output for formatting specifications.

#### Sample Test Case

```
Input: 5
   23 85 47 62 31
   Output: 23 85 47 62 31
   Answer
   /// You are using GCC
#include<stdio.h>
   #include<stdlib.h>
   struct node{
     int data:
     struct node* next;
   } *head=NULL;
   typedef struct node Node;
   int display(){
     Node* pos1;
     pos1=head;
     while(pos1!=NULL){
       printf("%d ",pos1->data);
       pos1=pos1->next;
     return 0;
   void insert(int ele){
     Node* newnode=(Node*)malloc(sizeof(Node));
     newnode->data=ele;
     newnode->next=NULL;
     Node* pos;
     pos=head;
     if(head==NULL)
       head=newnode;
     else{
```

```
while(pos->next!=NULL){
    pos=pos->next;
}
pos->next=newnode;

int main(){
    int n,e,i;
    scanf("%d",&n);
    for(i=0;i<n;i++){
        scanf("%d",&e);
        insert(e);
}
display();
    return 0;
}
Status: Correct

Marks: 10/10</pre>
```

240/01609