

Foreign Exchange Management System (FXMS)

Yazeed AlKhalaf

Mohammed Bin Jebreen

Nawaf AlAmer

Course: SWE 301 - Requirements Engineering

Instructor: Dr. Nouredine Abbadeni

3 Mar, 2024

Contents

1	System Request (FXMS)	2
1.1	Project Sponsor	2
1.2	Business Need	2
1.3	Business Requirements	2
1.4	Business Value	3
1.5	Constraints	3
2	Feasibility Study	4
2.1	Technical	4
2.2	Financial	5
2.2.1	Cost-Benefit Analysis	5
2.2.2	ROI and BEP	5
2.2.3	Conclusion	5
3	Methodology	6
3.1	Criteria	6
3.2	Evaluation	6
3.3	Selection	7
4	Project Workplan	8
5	Gathering/Elicitation Techniques	9
6	Requirements Analysis	10
7	List of Stakeholders	11
8	System Boundary	12
9	Functional Requirements	13
10	Non-Functional Requirements	14
11	UC Model	15
11.1	Use Case Diagram	15
11.2	Use Cases Descriptions	15
12	NFRs Specification	16

Chapter 1

System Request (FXMS)

1.1 Project Sponsor

Dr. Nouredine Abbadeni

1.2 Business Need

The need for a project like the Foreign Exchange Management System (FXMS) is crucial for businesses operating internationally for several reasons:

- **Operating internationally:** Businesses engaged in importing and exporting goods and services will need a system like FXMS for currency conversion, enabling them to exchange their local currency for that of the country in which they wish to operate, thereby settling international transactions.
- **Managing cash flow:** Businesses operating overseas need to manage their cash across multiple currencies. FXMS will help them monitor and optimize their cash by converting currency at favorable rates and timings.
- **Softening the risk:** FXMS will provide businesses with tools to manage and mitigate the risks associated with fluctuations in currency prices. By using specific strategies, companies can lower the risk of exchange rate volatility and protect their profit margins.

1.3 Business Requirements

The functionality that the system should have includes:

- Ability to manage clients and accounts (insert, update, delete).
- Ability to manage trades (insert, update, and delete trades). Any trader can enter new trades while updating and deleting existing trades require specific privileges.
- Ability to manage traders and coverage groups by assigning a trader to a coverage group, moving a trader from one coverage group to another.

- Ability to manage currencies and rates including daily updates of rates available in the market. The system is assumed to be connected with another system (such as Tadawul) which provides daily updates for exchange rates between all currencies.
- The system will integrate with two systems: FX trading database and FX coverage group database. These two systems are the main data sources for the system.

1.4 Business Value

The Foreign Exchange Management System (FXMS) is expected to deliver significant gains:

- **Quicker and Better Decision Making:** Facilitated by the collection of multiple systems, enhancing competitive advantage in international markets.
- **Less Human Error:** The human factor is limited to tasks that require human interaction and not repetitive tasks that are error-prone.
- **More Money:** The efficient management of trades and currency conversions is expected to increase the organization's revenue.
- Headcount reduction by 10 traders per branch.
- 15% increase in market share.

1.5 Constraints

- The system should run on Windows 10.
- The system should be delivered by the end of the year 2028.
- Security and reliability must be considered during development.

Chapter 2

Feasibility Study

Overall, the risk in this project compared to the gains can be considered manageable.

2.1 Technical

The technical team is confident they can build it since they built a similar system before, the knowledge they gained during that experience lowers the risk.

- **Familiarity with application:** The team is familiar with building an FXMS.
- **Familiarity with technology:** Since the team members have a collective experience of over 50 years building complex software, we are confident they will be able to tackle the project.
- **Project Size:** Large project.
- **Compatibility:** The company wants a custom solution, so we will make sure it integrates well by analysing before we build anything and before we choose a platform.

The technical team is confident they can build the system even though it is big. They have built a similar system before and they are familiar with the requirements and the technology.

2.2 Financial

2.2.1 Cost-Benefit Analysis

The cashflow analysis below in Figure 2.1 is a condensed versin of the 4 years (monthly based) version of the cashflow analysis. It gives an idea on the way the project will behave financially.

	Cash Flow Analysis					
		Y1	Y2	Y3	Y4	total
	0	1	2	3	4	
cash out						
office furniture	(150,000.00)					(150,000.00)
laptops	(50,000.00)					(50,000.00)
office rent		(300,000.00)	(300,000.00)	(300,000.00)	(300,000.00)	(1,200,000.00)
moci		(5,000.00)	(5,000.00)	(5,000.00)	(5,000.00)	(20,000.00)
utility		(11,000.00)	(11,000.00)	(11,000.00)	(11,000.00)	(44,000.00)
marketing		(500,000.00)	(500,000.00)	(500,000.00)	(500,000.00)	(2,000,000.00)
maintenance		(50,000.00)	(50,000.00)	(50,000.00)	(50,000.00)	(200,000.00)
t&a		(50,000.00)	(50,000.00)	(50,000.00)	(50,000.00)	(200,000.00)
salary		(1,463,370.00)	(1,463,370.00)	(1,463,370.00)	(1,463,370.00)	(5,853,480.00)
total	(200,000.00)	(2,379,370.00)	(2,379,370.00)	(2,379,370.00)	(2,379,370.00)	(9,717,480.00)
cash in						
capital	2,000,000.00					2,000,000.00
increased sales			1,450,083.37	7,758,308.70	41,508,891.91	50,717,283.98
decreased salaries			3,207,642.57	-	-	3,207,642.57
total	2,000,000.00	-	4,657,725.93	7,758,308.70	41,508,891.91	55,924,926.54
net cashflow	1,800,000.00	(2,379,370.00)	2,278,355.93	5,378,938.70	39,129,521.91	46,207,446.54
cummulative net cashflow	1,800,000.00	(579,370.00)	1,698,985.93	7,077,924.63	46,207,446.54	

Figure 2.1: Cashflow Analysis of FXMS

2.2.2 ROI and BEP

We will move to the big numbers, the ROI and the BEP.

ROI	488%
BEP	36

Figure 2.2: ROI and BEP of FXMS

2.2.3 Conclusion

The project overall risk is medium. Although the team familiarity is high, the system's dependencies and huge footprint makes us consider the project as medium risk.

Chapter 3

Methodology

Now we will evaluate the methodologies we can use to build the system. We will follow a three step approach to help us choose the right methodology. The three steps are:

1. **Criteria:** We will list the criteria we will use to evaluate the methodologies and answer them according to our familiarity.
2. **Evaluation:** We will evaluate the methodologies based on the criteria answers above. This will help us in choosing the right methodology.
3. **Selection:** We will choose the methodology that fits the use case. It might not be a 100% fit, it would be the most suitable one.

3.1 Criteria

The criteria we will use to evaluate the methodologies are shown and answered in Table 3.1.

Table 3.1: Criteria Answers for System Development Methodologies

Criteria	Answer
Are the requirements unclear?	Yes
Are we unfamiliar with the technology?	No
Are the requirements complex?	Yes
Should the system be reliable?	Yes
Is time allocated for building the system short?	No
Do we have schedule visibility?	No

3.2 Evaluation

We will evaluate the methodologies based on the criteria answers above. The following table, 3.2, shows each criteria and the methodology that fits it based on our answer from the previous section in Table 3.1.

Table 3.2: Criteria Evaluation for System Development Methodologies

Criteria	Fit Methodology
Requirements are clear	All
Team is familiar with technology	All
Requirements are complex	Throwaway Prototyping
System should be reliable	V-Model & Throwaway Prototyping
Time allocated for building is not short	All
We don't have schedule visibility	All

3.3 Selection

Based on the evaluation above, we will choose the methodology that fits the use case. The methodology that fits the use case is the "Throwaway Prototyping" methodology. This methodology fits the use case because the requirements are complex and the system should be reliable. And since other criteria are not a problem, we can choose this methodology.

Chapter 4

Project Workplan

The project workplan is shown in Figure 4.1. The project is divided into 7 main phases after the "Kick off meeting". The phases are:

- **Requirements Gathering:** This phase will be done by Nawaf.
- **Business Case:** This phase will be done by Mohammed.
- **System Design:** This phase will be done by Yazeed.
- **Analysis:** This phase will be done by Nawaf.
- **Design:** This phase will be done by Mohammed.
- **Development:** This phase will be done by Yazeed.
- **Quality Assurance:** This phase will be done by Nawaf.
- **Testing:** This phase will be done by Yazeed.




Figure 4.1: Workplan Breadown Structure (WBS) of FXMS

Chapter 5

Gathering/Elicitation Techniques

- **Type of information:** A mix between as-is (existing data sources) and to-be (our new system). The techniques that appeal are:
 - Interviews
 - Joint Application Design (JAD)
- **Depth of information:** High depth of information is required since the system is complex and deals with financial information, we can't afford losses because of assumptions. Hence, the techniques that appeal are:
 - Interviews
 - Joint Application Design (JAD)
- **Breadth of information:** Medium breadth of information is required. The techniques that appeal are:
 - Joint Application Design (JAD)
- **Integration of information:** We need to integrate data from different stakeholders, so high integration is required. The techniques that appeal are:
 - Joint Application Design (JAD)
- **User Involvement:** High involvement is required. The techniques that appeal are:
 - Joint Application Design (JAD)
- **Cost:** Since the time required to do the project is short, money shouldn't be a problem. All techniques are low to medium so all of them apply here.

Based on the facts stated below for each criterion, we have concluded that the most suitable techniques:

- Interviews
- Joint Application Design (JAD)

Chapter 6

Requirements Analysis

After carefully analysing the requirements there are some things concerning them and there are some contradictions as well as missing parts. Examples of this are in the Functional requirements (FR):

- It was stated that the system will have the ability to manage clients and accounts which includes inserting updating and deleting, but who has the privileges to this action?
 - **Solution:** Assign the privileges to the admin.
- It was stated that the system will have the ability to manage trades as well as inserting updating and deleting trades as well as entering new trades while updating and deleting existing trades which require specific privileges what are the privileges who has these privileges.
 - **Solution:** Assign the privileges to the admin.
- It was also stated that the system will have the ability to manage traders and coverage groups by assigning a trader to a coverage groups but the question is who will have the privileges to execute this actions?
 - **Solution:** Assign the privileges to the admin.

Chapter 7

List of Stakeholders

Based on the information provided, the following stakeholders can be identified:

- Traders
- Clients (Organizations and Companies)
- Coverage Groups
- Investment Bank (Business User/Sponsor)

Chapter 8

System Boundary

We have identified the system boundary as shown in the figure below in Figure 8.1. The system boundary includes both our new system and the two data courses we will be integrating with.




Figure 8.1: System Boundary of FXMS

Chapter 9

Functional Requirements

Based on the information provided, the following functional requirements can be identified:

1. The system shall allow managing accounts (insert, update, delete)
2. The system shall allow managing trades (insert, update, delete)
3. The system shall allow managing traders and coverage groups (assign traders to groups, move traders between groups)
4. The system shall support different types of FX trades (spot, forward, swap, options)
5. The system shall allow managing currencies and rates with a daily update of rates.
6. The system shall calculate profit and loss for each trade
7. The FXMS shall be able to search and retrieve specific trades using customizable filters (currencies, exchange rates, regions, dates).
8. The FXMS shall be able to generate different types of reports (PnL, trade history, ...).

Chapter 10

Non-Functional Requirements

1. Deployment: The system shall be deployed on Windows 10.
2. Delivery Time: The system shall be delivered by the end of the current year.
3. Performance: The system shall be able to execute a trade in a short time (50 trades per second).
4. Availability: The system shall be available between 6am to 6pm. Bugs shall be resolved within 30 minutes maximum in those hours.
5. Security: The system shall have role-based access control to manage users access to data (such as identity of customers, PnL, ...) and there should be strict access control to the system.
6. Reliability: The system shall be reliable and available 99.9% of the time.
7. Usability: The system shall be easy to use and user friendly.

Chapter 11

UC Model

11.1 Use Case Diagram

The use case diagram of the FXMS is shown in Figure 11.1. The diagrams shows the functional requirements of the sytem layed out at use cases so that it is easier to comprehed.




Figure 11.1: Use Case Diagram of FXMS

11.2 Use Cases Descriptions

TODO

Chapter 12

NFRs Specification

1. **Usability:** The system shall allow any action for the trader in three or less clicks.
2. **Reliability:** The system shall be up 99.99% of the time.
3. **Accuracy:** The system shall save the amounts in integer format using the smallest unit of the currency.
4. **Throughput:** The system shall execute 50 trades per second.
5. **Security:** The system shall have a role-based access control (RBAC) system.
6. **Security:** The system shall have multi-factor mechanism in place.