



Software Project Management Plan (SPMP)


Group 2 *Coding Pharaohs*


 Abdulaziz ALHULAYFI a1642362

 Yu HONG a1616861

 Jianqiu LI a1635717

 Matthew NESTOR a1132338

 Yifei PEI a1611648

 Bowen TAO a1622211

September 9, 2013
First Draft

not very professional

Contents

1 Revision History	2
2 Introduction	4
2.1 Purpose and Scope	4
2.2 Assumptions and Constraints	5
2.3 Project Deliverables	6
2.4 Evolution of the plan	6
3 References	7
4 Definitions	8
5 Project Organisation	9
5.1 Roles and Responsibilities	9
6 Risk Management Plan	11
7 Software Process Model	21
8 Work plan	22
8.1 Work activities	22
8.2 Schedule allocation	26
8.3 Resource allocation	27
8.4 Milestones	28
9 Supporting plans	30
9.1 Configuration Management plan	30
9.2 Documentation plan	32
9.3 Testing plan	34
9.4 Test Document	35
9.5 Quality Assurance Plan	35

section & subsection titles should
follow the same style.

1 Revision History

Name	Date	Reason For Changes	Version	Initial Version
Abdulaziz Alhulayif, Yitef Pei	6/09/2013		0.1	

List of Figures

1	Waterfall Process Model	21
2	Gantt chart: Schedule overview	26
3	Allocation of Team Member resources across the project	27

List of Tables

1	Technology Risks 1	12
2	Technology Risks 2	13
3	Tool Risks	14
4	Team Risks 1	15
5	Team Risks 2	16
6	Requirement Risks 1	17
7	Requirement Risks 2	18
8	Organisation Risks	19
9	Estimation Risks	20
10	Major documentation scheme	32
11	Client meeting scheme	33

go to a new page

2 Introduction

2.1 Purpose and Scope

2.1.1 Document Purpose and Objectives

This Software Project Management Plan (SPMP) describes the processes, models and schedules being followed by Software Engineering and Project (SEP) Group 2 in their Road Closure Marking Robot (RCMR) project. This SPMP details the project's objectives, milestones and deliverables, group roles and related responsibilities, plans for risk management, a description of the group's Software Process Model, plans for configuration management, documentation, testing, and quality assurance.

2.1.2 Intended Audience and Reading Suggestions

This document is intended for the lecturers ("clients") of SEP Semester 2, 2013. This document is also intended for the members of Group 2 in this course, who are acting as project managers, programmers, and testers of the system. This SPMP outlines the group's approach to the project as well as specific schedules and plans that will be adhered to by all group members.

2.1.3 Project Purpose

The overall purpose of the project is to develop an automated "Road Closure Marking Robot" capable of "mapping" - that is, marking road closures on the roads of a "city" to indicate dangerous zones that ~~is~~ ^{are} not safe to enter.

For the purposes of this project the "city" is an A1-sized representation of an area that was attacked by natural disasters. "dangerous zones" are the circle represented markings on the map site which illustrate the damaged areas by disasters. There are also "roads" and "obstacles" fashioned from different representations to the map surface. The robot is required to detect these different representations on the map site.

The group should build the system according to the client's requirements, which are gathered by the group themselves during client meetings.

2.1.4 Project Objectives

The end result of the project will be to produce a robot that can detect features in the "city" ruins, map these features to a visual representation (an on-screen map) and a textual representation (an XML document), and mark road closures on the situations where the roads reach the dangerous zones.

These deliverables will be presented to the client during the final demonstration of the project in Week 13 (week beginning ~~4~~ November 2013).

2.1.5 Project Scope

The aim of this project is to produce a prototype of an RCMR which may be used to mark road closures and produce maps of city ruins that were attacked by natural disasters.

This 'mapping' includes producing both visual and textual representations of the site. The image-based map will be dynamically displayed on the system's Graphical User Interface (GUI), while the text-based version is created and exported in the form of an Extensible Mark-up Language (XML) document.

Within the map site, the RCMR will detect and map only four kinds of features. These features are any roads, any obstacles, any disaster zones, and any road closures that are marked by the robot.

Ultimately the aim is to implement the RCMR so that it is able to mark road closures and conduct this mapping automatically.

2.2 Assumptions and Constraints

The assumptions that shall be considered to build the project are:

- That there is a certain level of commitment from all team members
- That all team members have a certain level of competency in at least one useful area, whether coding, writing, or project planning, etc
- That the hardware, software and tools specified for use within the project will be suitable, reliable and relatively error-free.
- The software shall be compatible with most of the OSs (Windows vista, 7&8, Mac OSX and Linux)
- The robot shall be programmed using leJOS Mindstorm
- The machine, which will control the robot, shall have Bluetooth and USB connection devices
- The machine, which will control the robot, shall have software for compiling and uploading code to the robot
- The machine shall also have the java packages needed to run the program

The constraints that shall be considered to build the project are:

1. Time
 - (a) The project shall be completely delivered in one semester
 - (b) The freezing time for the project is in week 13
2. Resources and file sharing
 - (a) The team members shall submit their files using SVN control system
 - (b) Reused codes shall not exceed 10% of the total project
3. Team
 - (a) The group that will develop the program shall consist of 6 members
 - (b) The group shall have at least one group meeting a week
 - (c) The group members will have varying degrees of competency in the various tasks required

2.3 Project Deliverables

The following table shows the project deliverables and their due dates

Deliverable	Due Date
Team Poster	12 August 2013
SRS First Draft	26 August 2013
SPMP First Draft	9 September 2013
SDD First Draft	20 September 2013
Group Designated Milestone 1	7 October 2013
Group Designated Milestone 2	14 October 2013
Final SRS, SPMP, and SDD	4 November 2013
User Manual and Final Release of the System	4 November 2013
Testing Reports	4 November 2013
Demonstration of the System → to be accurate, should be system software.	Week 13
Group milestones and related presentations	every week ↗ which day of the week?

2.4 Evolution of the plan

The first draft of this SPMP is produced for submission to the client on Monday 9 September 2013. The final version of this SPMP will be submitted on Monday 4 November 2013.

Prospective changes to the document must be raised and approved by all the group members. Once approved, changes to the written document will be made by either Yifei Pei, Project Manager, or Abdulaziz Alhulayfi, Documentation Manager.

Changes made will be summarised in Section 1: Revision History.

3 References

References

- [1] Alhulayfi, A & others 2012, Project Requirements Specifications: Developing A Website for A SALeather Co, Flinders University.
- [2] ISTQB GUIDE 2013, What is Waterfall model- advantages, disadvantages and when to use it? <HTTP://ISTQBEXAMCERTIFICATION.COM/WHAT-IS-WATERFALL-MODEL-ADVANTAGES-DISADVANTAGES-AND-WHEN-TO-USE-IT/>.
- [3] Sheng, M 2013, Lecture slides: Software Engineering Process Models, University of Adelaide.
- [4] Gantt Chart Tool 2011, Free project scheduling and management, available from: <http://www.ganttpoint.biz/>
- [5] Timesheets 2013, the description of the usage of timesheets on forum, available from: <http://forums.cs.adelaide.edu.au/mod/forum/discuss.php?d=27082>

4 Definitions

API Application Programming Interface

Coding Pharaohs The software developing team undertaking the project

DTD Document Type Definition

GUI Graphical User Interface

JVM Java Virtual Machine

PIN Personal Identification Number

RCMR Road Closure Marking Robot



SDD Software Design Document

SEP Software Engineering and Project

SPMP Software Project Management Plan

SRS Software Requirements Specification

SVN Subversion

TBD To Be Determined

XML Extensible Mark-up Language used to store map information

5 Project Organisation




Diagram 1: Organisation Chart of Coding Pharaohs

5.1 Roles and Responsibilities

Members of the group are given certain roles and responsibilities according to their specialties and where they have the high level of skills. The reason behind that is to guarantee a quality project and fair distribution between the members. However, it is required from each member of the team to contribute in every major task of the project.

The group is divided into six roles, each of which is responsible for a particular aspect of the project. These roles are the Software Manager, Hardware Manager, Quality Control Manager, Documentation Manager, Testing Manager, and Project Manager.

The responsibilities of each role and the group member in that role are as follows:

Project Manager: Yifei Pei

The project manager is in charge of the successful planning, execution, monitoring and control of the project. He shall also ensure fair contributions of all team members and make sure deadlines of project milestones are met and on time. In addition, the project manager shall ensure that project objectives and deliverables are fully defined, documented, supported and agreed by the team members. He should produce the certain outcomes for risk management and production of the SPMP.

Software Manager: Mattew Nestor

The Software manager is in charge of the overall performance of the software related aspects. He also shall be responsible for the general programs uploading and leJOS firmware. The software manager shall be able to assign different software tasks to team members

according to their specialty. Another important responsibility for Software manager is to develop the general design of the system and its architecture. He should produce the certain outcomes for system models, UML diagrams, and production of the SDD.

Hardware Manager: Jianqiu Li

The Hardware manager acts as two roles since the task of protecting hardware is not a heavy workload. The Hardware managers role in the project is to ensure all tools required for the project are provided and functioning properly. Moreover, the hardware manager shall be in charge of the robot assembly and storage. He shall keep all hardware and tools in the safety lockers that are provided by the school. The other role for the Hardware manager is Requirement manager. To be acted as a Requirement manager, he is responsible for determining the requirements of the system to be built, and for specifying these in a form that can be used by the team in their production of the system. He should produce the certain outcomes of the robot prototype and production of the SRS.

Quality Control Manager: Bowen Tao

The quality control manager shall be responsible for setting quality standards for the whole project, making sure the standards are met, and all the outcomes are generated within the budget (time constraint). He should ensure that the robot meets all safety, security, mission and business critical requirements. Additionally he is responsible for devising and implementing strategies for overall device security. Configuration management is another concern for Quality Control manager.

Testing Manager: Yu Hong

The Testing manager is in charge of the overall testing of each programming task to ensure errorless codes. Testing manager shall also be able to allocate testing tasks to other members accordingly. His tasks include determining and defining the scope of the tests, planning for test schedule, implementing and improving appropriate test measurements and metrics, and analysing test results and working with the team to correct any detected issues. His role is critical to make sure the group's outcomes meet the quality standards set out in SRS and SDD.

Documentation Manager: Abdulaziz Alhulayfi

The documentation manager is responsible for formatting and organising all documents required for the project. He shall also be in charge of collecting the documents from other members and submitting them to the lecturers when needed.

6 Risk Management Plan

In a technological sense, risk can be defined as the expectation of an events occurrence that might affect the system in a negative way. Therefore to avoid or at least manage these risks, our team has constructed a risk management plan that defines 6 types of risks:

1. Technology risks
2. Tool risks
3. Team risks
4. Requirement risks
5. Organizational risks
6. Estimation risks

Risks shall be identified as numbers with four integers. The risks management plan shall have four characters and they are as follows:

- Description: Risk details
- Probability: The likelihood of the risk to happen
 - Three levels: Low/Moderate/High
- Effect: The possible level of effect that the risk shall do to the system.
 - Four levels: Tolerable/Moderate/Serious/Catastrophic
- Strategy: The steps that the group shall follow to avoid the occurrence of that risk

* What are the indicators for each risk?

help to do the monitoring

* more risks need to be identified - e.g.,

* unavailability of client

* crash of SUN SERVER

* no Lab Space

1
1
1
1
1

Technology Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
1	Problems using new technology	There may be new technologies to some of the group members and these technologies are very important to use in the various phases of the project. Examples that can involve new technologies are: communicating with devices, learning new protocols, working with leJOS software, uploading programs etc.	moderate	catastrophic	The team shall begin working with robot and associated tools as soon as possible. Moreover, the team shall be familiar with how the devices can be connected.
2	Device doesn't function properly or damaged <i>is</i>	It is very necessary for the project success to have devices working properly and undamaged. Otherwise, there could be inconvenient delays, which will affect the team progressing.	low	serious	The team shall check all parts on the receipt of the kit; the team shall also take due care with equipment. In case of device damage or dysfunction, the team shall alert lecturers as soon as possible for replacement, liaise with lecturers to reschedule any missed presentations, etc.

Table 1: Technology Risks 1

Technology Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
3	Software has defects	The software that shall be used for this particular project is leJOS software and it could be difficult for the group members to fix any defects due to the leJOS complexity; so this risk could be annoying for the group to do other tasks.	low	moderate	The team shall begin working with robot and associated tools as soon as possible. The team shall also program according the requirements given and familiarise themselves with the software.

Table 2: Technology Risks 2

Tool Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
4	Necessary tools are not provided	The project requires a number of useful tools and they critical to some phases of the project, so by not providing these tools the team could struggle in completing the project as expected in terms of time and quality.	low	serious	The team shall make sure the necessary tools for the project are provided and functioning properly. The team shall make sure the tools required for the project have been specified.
5	Improper/ poor use of tools	The project could be affected negatively if one or more members use the required tools improperly or use it in unprofessional way.	moderate	serious	Each team member shall immediately begin researching and using the required tools. If the team faces in difficulties, members shall seek assistance from someone proficient in using the tools.
6	Bluetooth/Radio frequency errors	For this particular project, Bluetooth connection is the required method to connect the robot with the PC, so errors regarding this aspect could delay a few communication tasks.	moderate	tolerable	The team shall perform sufficient tests before every demonstration until connection becomes efficient.

Table 3: Tool Risks

Team Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
7	Loss of team members	The current group consists of 6 members, and losing one of them after starting the project could be a serious issue, as this would enforce the rest of the team to reallocate tasks between them, which could affect the project progressing.	low	serious	The team shall keep frequent communications within the group. The team shall also insure all group members are always informed about others' roles and tasks.
8	Sickness of team members	Sickness is expected to happen any time and for some type of sicknesses it could be hard for the sick member to complete tasks or contribute in tasks as expected. As a result, delays are usually expected in this situation.	moderate	moderate	The team shall keep frequent communications within the group. The team shall also insure all group members are always informed about others' roles and tasks. The team manager shall also ask whether any member can cover the sick members part.
9	Conflicts between team members	It is always difficult to contribute in a group that has conflicts between members. These disagreements could make project deliverables unsuccessful or difficult. Moreover, conflicts often affect the quality of the project in a negative way.	moderate	serious	The project manager shall ensure roles and responsibilities are well defined; transparency, discussion and open decision-making shall be applied. The team manager shall make sure each area has one manager to arbitrate.

Table 4: Team Risks 1

Team Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
10	Member doesn't contribute	Team members are required to contribute in each part of the project or as allocated to each member. Member not contributing in the project is a rare case however if that happened, it is usually a serious issue that affects the progress of the project in the aspects of time and quality.	low	serious	The group manager shall guarantee fair distribution of roles and tasks according to skills and strengths. The group manager shall also ensure all members are meeting responsibilities.
11	Cultural/Language difficulties	It is a very common situation especially in a multicultural environment to find difficulties understanding each other ideas because of language and culture. Although its no ones fault but this could cause misunderstandings.	high	tolerable	Each member shall not hesitate to ask if there is any inconvenience and the spirit of apology shall always be present.

Table 5: Team Risks 2

Requirement Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
12	Client changes requirements	As the project is being built, the client could come up with new ideas that require changes to some of the systems features; therefore, this could cause certain delays of tasks and reconsiderations of the work that has been done.	low/moderate	moderate/serious	The team shall always ensure and emphasize on careful requirements elicitation; the team also shall ask for confirmation of requirements.
13	Wrong requirements	During the first few meetings with the client, the team could misunderstand what actually the client wants due to many reasons such as the client doesn't explain the requirements properly or the team doesn't offer the client new ideas to help specify the requirements.	moderate	serious	The team shall always ensure and emphasize on careful requirements elicitation; the team also shall ask for confirmation of requirements.

Table 6: Requirement Risks 1

Requirement Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
14	Requirements not met	The risk of missing to meet certain requirements could affect the projects quality if not the whole project to be delivered. This risk has two scenarios and both of them could be really embarrassing for the team. The first case scenario is when the client discovers a requirement is not met when delivering the milestone and that will not be satisfactory. The second and the worst-case scenario is when delivering the final project with requirements missing which will seriously affect the project quality.	moderate	serious	The group shall ensure all requirements are met when delivering each milestone. Also each member of the team shall remind the other whether there is any requirement missing to guarantee project success and clients satisfaction.

Table 7: Requirement Risks 2

Organisation Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
15	Poor system design/ architecture	There could a risk of constructing a bad system design or architecture; and as the team progresses further some of these flaws in the design could be noticeable, thus it will be too late for effective restructuring.	moderate	serious	The whole team shall make early discussion regarding system design, iterative process whereby changes can be incrementally made; modularity to order system and keep potential contained.
16	Code not up to standard	Unorganised and incorrect codes could confuse and slow down other team members. These mistakes could also affect other related codes, as they are dependent on each other.	moderate	serious	The group shall ensure careful testing regime, coding in pairs, peer review, and clear Software Quality Attributes

Table 8: Organisation Risks

Estimation Risks					
#	Possible Risks	Description	Probability	Effect	Strategy
17	Underestimated time	Each phase of the project needs a fair and enough time to be completed. It is usually a huge mistake not to take tasks seriously and this could lead the team to fail delivering the project on time.	moderate	catastrophic	The team shall give and strictly follow a detailed breakdown of all tasks. The team shall be able to revise scheduling, redistribute tasks and renegotiate milestones.
18	Overestimate group skills/ productivity	Overestimating other members skills levels and productivity could be enough to make the team completely relaxed in regards to some important tasks in the project. It could also slow down the teams progressing as well as delays delivering the milestones.	moderate	moderate	The team shall ensure and aim to modest goals; the team should be serious and careful regarding consideration of milestones and deliverables.
19	Missing deadlines	Delivering each milestone on time is a very critical part of the project success. If the team does not consider this risk, the team members could find themselves in a rush situation to catch up with the accumulated tasks, thus the project is very likely to be unsatisfactory.	moderate	serious	The team shall follow the project schedule which includes all due dates; major tasks and deliverables divided into smaller deliverables with evenly distributed due dates

Table 9: Estimation Risks

* Are you sure
this is the right
model to use?
?

7 Software Process Model

The process model that has been adopted for this particular project is Waterfall model. The Waterfall requires each stage of the project to be totally completed before starting the next stage of the project, after each stage the team can review what has been done for that stage to ensure the project is on the right path. The following diagram shows how the waterfall model works:




Figure 1: Waterfall Process Model

[2] not in right place

There are reasons why the team decided to choose the waterfall model and they are as follows:

- Simple and easy to understand and use.
- Easy to manage due to the rigidity of the model: each stage has specific deliverables and a review process.
- Project stages are processed and completed one at a time.
- Works well for smaller projects where requirements are very well understood.

✓ Please explain how your model has been reflected on your schedule
(see this in section 8).
ok! is

8 Work plan

8.1 Work activities

The activities to deliver the project's final product can be broadly divided into two sections, the actual **software development** and its accompanying **documentation**.

The activities for the development of the software can be split into Project Initiating, Requirements Collection, System Design, Implementation and Unit Testing, and Integration and System Testing.

The activities for the development of the documentation have already been divided according to the five final documents that are required, which are the SRS, the SPMP, the SDD, the User Manual and the Testing Reports.

The Documentation activities will run in parallel to the software development processes, with there being obvious relationships and dependencies between them: for instance, the SRS capturing the requirements ascertained during the Requirements Collection phase. Furthermore, SDD laying out the results of the System Design phase and then being used by the team to instruct the Implementation phase.

The timelines for each phase were predetermined to an extent by the course schedule, which specified periods of requirements gathering, project demonstrations, and deadlines for the related documents.

Additionally, other activities comprising required parts of the course should also be taken, such as the host of client meetings and the operation of meeting agendas and minutes.

The activities involved in each of these phases are expanded upon in the following sections.

1. Project Initiating

Week: 3

Duration: One week

This phase involves all team members gaining understandings of the project as a whole, and determining the broad phases that will be required to deliver a completed product.

Activities include:

- (a) Read and understand Project Description
- (b) Start to learn tools and knowledge required to complete the project and specific skills for different roles
- (c) Basic scheduling: broad weekly overview
- (d) Get understandings of different roles and determine responsibilities accordingly

Concurrent Documentation: SPMP. Activities include:

- (a) Defining tasks in order to deliver the finished product: Work Activities
- (b) Allocating tasks to different roles: Position Descriptions
- (c) Devising an initial schedule for all the tasks, taking into account related deadlines: Schedule Allocation

- (d) Writing introductory material

2. Requirements Collection

Weeks: 3 - 5

Duration: Three weeks

Determined by: The Client Meetings of Weeks 3 & 4 are specifically for Requirements elicitation; First Draft of SRS due on Monday 26 August (Monday Week 5).

This phase involves expanding on the initial Project Description to determine the client's needs in detail. The elicited requirements are then used to construct the Software Requirements Specification document.

Activities include:

- (a) Determining areas and details that need clarification from the original specification (Project Description on Course Website)
- (b) Formulate questions to ask the client
- (c) Question client during two scheduled Requirements Elicitation meetings

Concurrent Documentation: SRS. Activities include:

- (a) Collating gathered information into discrete, well-defined and specific requirements documentation
- (b) Define acceptance criteria for all requirements
- (c) Define Use Cases

3. System Design

Weeks: 5 - 9

Duration: Five weeks

Determined by: First Draft of SDD due on Friday 20 September (Friday Week 8). Overlaps with Implementation and Unit Testing, since normally issues not realised during the design phase will emerge during implementation.

This phase involves designing the overall architecture of the system, so that it will deliver the functionality described in SRS. The results of this design are detailed in the SDD, the first draft of which is due at the end of this design phase.

Activities include:

- (a) Defining a state diagram to illustrate how the robot will work
- (b) Break the design into implementable components
- (c) Define classes and interfaces
- (d) Define data stores and logic elements
- (e) Defining Class, State and Interaction information
- (f) Design the User Interface for the PC-side of the system

Concurrent Documentation: SDD. Activities include:

- (a) Create UML diagrams: Class, State and Interaction diagrams

4. Implementation and Unit Testing

Weeks: Mid-semester break Weeks 1 & 2; Weeks 9 - 12

Duration: Six weeks

Determined by: Milestones 1 due on Monday of Week 9; Milestone 2 due on Monday of Week 10; Final Presentation due on Monday of Week 13.

Overlaps with System Design Phase, as described in last phase.

This phase involves coding the majority of the system, working from the design laid out in the SRS.

This phase is broken into smaller stages of Implementation, namely:

First Stage: Mapping under manual control (Milestone 1)

Second Stage: Mapping under AI mode (Milestone 2)

Third Stage: Integration of all features (Final Presentation)

Due to time constraints and the fact that there are several stages of Implementation, this phase overlaps with the following Integration and System Testing phase.

First stage tasks include:

- (a) Creating a GUI with movement controls and map display area
- (b) Implementing PC-robot connection via blue-tooth (connection made via GUI)
- (c) Implementing movements & 'behaviours' so that robot can be directed to move around map
- (d) Implementing mapping so that the GUI can represent the explored new areas detected by robot while navigating under manual control

Second stage tasks include:

- (a) Implementation of disaster zone and obstacle detection so that the robot stops instantly when it meets the disaster zone or obstacles
- (b) Implementing Path-finding algorithm so that robot can navigate map site automatically without controller intervention
- (c) Implementing the road closure marking function so that the robot can automatically mark road closures appropriately
- (d) Implementing safety functioning of the robot so it can deal with emergency conditions

Third stage tasks include:

- (a) Implementing a comprehensive functionality of the robot so it can integrate different development components together and perform the designated and required features
- (b) Review all requirements in SRS so as to guarantee that both functional and non-functional requirements have met and fulfilled in this project

Concurrent Documentation: Testing Reports; SDD, SRS. Activities include:

- (a) Each group member to define JUnit test cases to test their own code
- (b) Writing individual test reports
- (c) Collating these individual reports to overall Group Testing Report

- (d) Incorporating any changes to overall structure that are found to be necessary as build progresses into SDD
- (e) Incorporating any changes to overall functioning that are found to be necessary as build progresses into SRS

5. Integration and System Testing

Weeks: Mid-semester break Week 2; Weeks 9 - 12

Duration: Five weeks (overlaps with previous Implementation and Unit Testing phase)

Determined by: Milestones 1 due Monday Week 9; Milestone 2 due Monday Week 10; Final Presentation due Monday Week 13.

This phase involves integrating individual components and testing the system as a whole to identify problems and ensure that it functions correctly.

Activities include:

- (a) Integration Tests
- (b) User Tests

Concurrent Documentation: Testing Report; SDD, SRS. Activities include:

- (a) Including results from Integration Testing counting into overall Group Testing Report
- (b) Changes to SDD and SRS as described previously

This plan is too high-level. Detailed information should be given to make the plan manageable. Big tasks should be broken down into smaller subtasks for which a reasonable estimation could be made. Also please clearly specify your estimation.

8.2 Schedule allocation

All schedules generated in this document are planned and maintained by using the tool, GanttProject [4].

The activity duration describes the total time that passed for that activity but not the actual undertaken time. For instance, one activity takes two hours undertaken time but the two hours working time is distributed into a two days' working section. For the situation described above, the duration of that activity is two days. The schedule was made by a project management scheduling tool and determined by the group, rather than a personal time-management tool. It is anticipated that smaller dependencies will be negotiated between team members.

Following the “Waterfall” method, the broad activities, as defined in section 8.1, are scheduled to occur in a relatively consecutive fashion. “Documentation” occurs in parallel with all other phases throughout the schedule. This may be seen in Figure 2:





Figure 2: Gantt chart: Overview of schedule in which stages components occur consecutively. ‘waterfall’-like appearance.

↗
too high level, not detailed enough !

Detailed schedules for individual phases will be provided in future version of SPMP.



8.3 Resource allocation

As discussed in Section 5.1, each member of the team has been assigned a particular area of responsibility. At a given time, any group member may be more or less active, depending on the extent to which their role is involved or required for the current development phase.

The tasks assigned to the Project Manager, Yifei Pei, are spread evenly throughout the project, with tasks of working with the various sub-Managers and tracking the regular works of the group. The Project Manager is also responsible for compiling and overseeing production of the SPMP, and he is particularly involved with the preparation of this document prior to the first draft and final version submissions.

Matthew Nestor, as Software Manager, has primary responsibility for the design of the project's software. As such, the role is particularly involved in the production of the Software Design Document.

Hardware Manager, Jianqiu Li, who is also responsible for requirements management, has the tasks of determining the requirements of the system to be built. He should work with Software manager to make sure that the requirements are reflected in the final system design. He is also responsible for making an appropriate robot prototype.

The Testing manager, Yu Hong, is responsible for specifying and managing the testing tasks that are to be shared among the group. This role is more active later in the project, during the scheduled 'Implementation and Unit Testing' and 'Integration and User Testing' phases.

Quality Control Manager, Bowen Tao, is responsible for setting standards for the group members to adhere to when producing documents and code, controlling the outcomes of the group to meet the standards and monitoring the group work process to ensure the project is completed within constraints.

The Documentation Manager, Abdulaziz Alhulayfi, is responsible for all documentation, both formal and informal, created as part of the project. This includes working with other sub-Managers on the major documents and maintaining the SVN repository.

As well as allocating specific people to specific areas, all group members are responsible for writing code. Dividing and allocating the components to be written is a task of the Software Manager.




Figure 3: Allocation of resources (team members) across the project. Note that members who do not have any tasks assigned solely to them for a particular week may be involved in tasks allocated to 'All'.

it needs to be very clear
who is responsible for
what.

8.4 Milestones

The following Milestones list the functionality to be presented prior to the final delivery of the project.

8.4.1 Milestones 1: To be presented ^{on} ~~Monday~~ 7 October

1. Refer ~~to~~ GUI. Depicting the area explored by the robot.

including

- representation of different structures on the map, both in existed map and detected by the robot
- current location of the robot and the representation of the robot
- the ability of saving new explored map
- real-time map generation, the newly explored area will be presented on the GUI in real-time

2. Communication

including

- button on GUI to control the connection
- initiating the connection, message will be showed on screen, ask for confirmation and running connection
- show real-time message on the display of control panel of GUI
- ensure the real-time control with connection
- ability to detect the battery life and signal strength, and show them on screen

3. The manual control of the robot

including

- moving and rotating, including move forward and backward, turn left, and turn right.
- ability to stop the robot
- road closure marking

4. Safety performance

including

- movement speed should be an accepted constant low speed (5cm/s)

5. Map site testing designed by the group.

including

- A1 size map with basic features

8.4.2 Milestones 2: To be presented Monday 14 October

1. Refer to GUI.

including

- proper presentation of the map, a smaller sized full view on side and a bigger sized partial view in the main map panel. (this was discussed on last client meeting. This may be hard to achieve. We can eliminate this item on Week 8 if we think it's too hard to achieve)
- traversed path by the robot, using a different colour to display

2. AI mode of the robot

including

- automatically follow the road and explore uncleared area
- obstacle and disaster area avoidance
- automatically road closure marking
- if stop, the robot has the ability to continue AI mode exploration
- the robot has the ability to go back to the starting position in AI mode (Exit)

3. Mission completion control

- after finishing the exploration of the whole map, the robot should wait for a while (1 minute), and send the mission completion message to the operator asking for manual control. If the operator did nothing, the robot will automatically come back to the starting position.

4. Safety performance

including

- collision detection. Once collision happens, the robot should stop immediately.
- low power performance. (10% or 5%) send a warning to the operator and immediately stop, waiting for the manual control.
- lost of connection performance. Stop, and once connected go to manual control mode.
- dangerous zone. the robot should never go into the dangerous zone. once it reaches the edge of the area, it will immediately stop.

5. Map site testing designed by the group.

including

- put obstacles on the map and test
- road closure marking features on real map

9 Supporting plans

9.1 Configuration Management plan

This plan specifies how document and file control as well as version control will be conducted along with the development of this project. As the project has been segmented and allocated to different group members based on their experience and expertise, there will be frequent updating of project versions. Therefore it is vital to develop a scheme to control the processes of document editing and group collaboration.

9.1.1 Version Control

The project adopts the Subversion (SVN) version control system, which creates a group repository that can be used by all team members for sharing documents, files, code, testing scripts and useful tools. Branches are also created in the group repository so that each group member could work on their individual part of the project and update with others' work simultaneously and finally merge the whole project together. Moreover, by using SVN, version control, which includes tasks such as reverting to previous versions to find missing information or retrieving a mis-deleted file by tracking back the submission history, becomes much easier and more efficient in terms of implementing the project development requirements.

All major documents will be attached with a version number. For the version number used by group members to modify and update, the number starts from 0.1 and climbs up in increments such as 0.1, 0.2, 0.3 and so forth.

For the version control of codes, it will only have 3 different version numbers which are milestone 1, milestone 2 and the Final version. These versions are the stable version of the codes combined with the documentation which is ready to be released to the client at the same time. For retrieving the frequently updated code along with the progress, “svn log”, “svn status” and “svn diff” will be used to trace the changes in the code.

Furthermore, for major documents of this project, there will be a table list at the beginning of each document specifying the version numbers of each iteration, after the group modify the contents. Only major changes to structure or content will be allocated to a new internal version number. For minor changes such as grammar, typos, or sentence structure changes, there will be no new version numbers allocated. Those changes will be traced back from SVN committing comments.

9.1.2 SVN submission

All group members should do a SVN update before adding or deleting any item in the group repository as part of the version control plan to reduce the possibilities of version conflict. By adopting the same submission commenting style, comments will be easily understood. Additionally, prior to every major project document submission, the submitted document will be “tagged”, by adding a copy of the document to the ‘tags’ directory in the repository.

9.1.3 Group Repository Tree




Diagram 2: Group Repository

Archive

Folder contains helping documents for group members to use as a reference, such as rules for group mechanism, SVN functioning description, helping files for group members' better learning, working examples as well as conventions for different tools.

Documentation

All the documentations should go here, including agendas and minutes for both the client meetings and group meetings, milestones' supplementary documents, and presentation supporting documents.

Individuals

Individual folders for group members. One can do anything within his individual folder.

Memo

Folder contains files for group members to keep tracking what he did in the past week and what needs to do in weeks ahead. Additionally, brainstorming exercises, memos to leave short message to fellow members and communicate with each other, and anything a group member wants to remember or wants to show to the whole group can all be put in this folder.

Program

Contains the sub folders of code and test, to store source codes of the project's system and testing files.

Tags and Trunk

Tags folder is to store the final release of submitted project and documents. Trunk is a folder to generally store the files that should be worked by the whole group together and submitted later.

Timesheets

This folder is to store the timesheets that contain the working hours for each week of every team member. The existence of these timesheets is going to support the statistics analysis conducted by lecturers to assess the working process of different groups.^[5]

*Should be placed ~~by~~
at the end of a sentence.*

9.2 Documentation plan

9.2.1 General outline

Each of the three major documents will be lead by a group of two to decide the content, structure and task allocation under the documentation scheme. The two people in the three document oriented groups will develop the documents within their domain knowledge over the project while supported by the rest of the team.

Assign	Deadline	Deadline for ind	Res people
SRS first draft	26 August (Week 5)	23 August	Jianqiu, Yu
SPMP first draft	9 September (Week 7)	6 September	Aziz, Yifei
SDD first draft	20 September (Week 8)	17 September	Bowen, Matt

Table 10: Major documentation scheme

The group members will take turns to be the chair and secretary of client meetings. Generally, the chair is responsible for writing the agenda and the secretary is responsible for writing the minutes. For every client meeting, an agenda must be provided 24 hours before the meeting and a minutes must be summarised 24 hours after the meeting. Therefore the deadline for agenda is 2.30pm Sunday before the client meeting and the deadline for minutes is 2.30pm Tuesday after the client meeting. The people who are responsible for writing them are also responsible for printing them out and bringing them to the client meetings.

NO.	Time	Roles	Name
1	2.30pm - 3.00pm 12 August	Chair Secretary	Yifei Pei Matthew Nestor
2	2.30pm - 3.00pm 19 August	Chair Secretary	Aziz Bowen Tao
3	2.30pm - 3.00pm 26 August	Chair Secretary	Bowen Tao Jianqiu Li
4	2.30pm - 3.00pm 2 September	Chair Secretary	Jianqiu Li Matthew Nestor
5	2.30pm - 3.00pm 9 September	Chair Secretary	Matthew Nestor Yifei Pei
6	2.30pm - 3.00pm 16 September	Chair Secretary	Yifei Pei Yu Hong
7	2.30pm - 3.00pm 7 October	Chair Secretary	Yu Hong Aziz
8	2.30pm - 3.00pm 14 October	Chair Secretary	Aziz Bowen Tao
9	2.30pm - 3.00pm 21 October	Chair Secretary	Yu Hong Jianqiu Li
10	2.30pm - 3.00pm 28 October	Chair Secretary	Jianqiu Li Yu Hong

Table 11: Client meeting scheme

9.2.2 Deliverable documents

The SRS is lead by the Hardware manager (who is also responsible for requirement management) and Testing manager (he should make sure the outcomes meet the requirements) supported by all group members. This document specifies all the requirements that the final product must meet based on the group understanding and negotiation with clients during client meetings. The document states both functional and non-functional as well as other requirements from the user with a number of use cases based on scenario operating assumptions.

The SPMP is lead by the Project manger and Documentation manager supported by all group members. This document serves as the overall guidance for this project which includes organisation, work model, support, quality control and documentation plans. The aim of SPMP is to keep the project team on track within the time frame and boost the efficiency of milestones plus a product delivery with sound quality.

The SDD is lead by the Software manager and Quality Control manager (to ensure the software development is up to the quality standard) supported by all group members. The document provides a full view of the software architecture from a software designer's prospective. It illustrates the system modelling, behaviour and the user interface by using UML diagrams and related descriptions. Host- interaction analysis will be introduced in this document as well as the explanation about how the system structure will be shaped in the consideration of resource efficiency.

The User Manual (UM) provides instructions for operations to the end user, which serves as a guidance on how to control the robot from the host side by using the Graphic User Interface under the framework of system design. This is the ultimate representation of how each requirement has been fulfilled and represented by the software design team. This document will be lead by the documentation manager and supported by the rest of the team.

9.2.3 Code documentation

The source code will be documented in Javadoc format for commenting on classes, methods, interfaces, variables and parameters. The Javadoc sources could be processed by Doxygen to generate HTML file as Java API for the final edition of user manual.

9.2.4 Documents Management and Delivery: First Draft

For the first draft of each major document, after finishing the first round of editing, the persons who lead the document will do the first round compiling so as to organise every team member's input together. After that, the document will be uploaded to the group repository for every group member to check and document structural and content changes in the revision table in each file. Then the group will tag the pdf file of the document before the submission.

9.2.5 Documents Management and Delivery: Final Version

After the team has got the feedback from clients, the project manager will scan the marked document and upload it to the group repository for all team members to view and think. Besides, all the comments from clients on the forum will also be viewed as suggestion to better improve the following versions of the document. The documentation manager and project manager will be mainly in charge of the management and production of the final version of each document. After finishing first round of editing, they will check each others' work and document all the changes in the revision table. Once both documentation manager and the project manager confirm a version on SVN, that version of document will be open for checking by all group members. The documentation manager will tag the finalised document before the submission and give it a final version number for releasing purpose.

9.3 Testing plan

The testing methodology for this project is a bottom-up approach. Each team member will carry out their own test and then submit to the testing manager for system integration test. The responsibility of each individual developer is outlined in SDD. The test tools used for this project ~~are~~ ^{is} JUnit and Emma used to create and check the status of the test run. The Test will be run and distributed into 3 levels:

1. Unit Level
2. Integration Level
3. User Level

Unit Testing: Each team member will be assigned to a part of code development. To ensure the testing quality and in which each developer must generate sufficient white-box testing and submit the test results and test cases. It is also recommended to swap the test case tasks with the other team members to let them test your code. It is also recommended to record everyone's test case in writing and record the design, process, and the result of the test for the final test report and save them on the SVN test report directory.

Integration Testing: The integration test is done by using the bottom-up approach. *detail(s)?*

Regression Test: To ensure the system stability. After a bug is fixed. A regression test must take place to re-ensure the original system function performs correctly.

Stress and Volume Test: Will be testing the system's robustness for data flooding. Especially for the sensor receiver and Bluetooth communication.

Component Test: Testing the component functionality and its implementation against SRS. This test is to isolate the component from each other to determine the correctness between components. The divided components are:

- Behaviour
- AI
- Mapping
- GUI
- Communication

Integration Test: Testing the exception handling and error message for the control flow.

Beta Test: Final Test. All test cases and reported bugs will need to be fixed and test to re-ensure positive User Acceptance criteria according to the SRS user case.

9.4 Test Document

Each individual will write a test report for the test cases they have accomplished and a combined test report will be present in *LaTex* format.

9.5 Quality Assurance Plan




Diagram 3: Quality Assurance plan

Quality Assurance Plan provides a guideline to the software developer as a process tool for deliverables quality assessment. It addresses the development life cycle for the group to satisfy the established SRS.

Any Standards you intend to use?

What is your plan to achieve quality assurance in all aspects of your projects, such as requirement verification, ~~document quality~~, code quality / standards, etc?