

General

TikZ Key	Type	Description
timing	Style	Base settings like signal height and period width.
timing/font= <i></i>	Setting	Sets the normal font key and sets x/y keys to 1.6ex.
timing/intext	Style	Used for \texttiming. Depends on timing.
timing/picture	Style	Usable for own tikzpictures to set timing settings.
timing/inline node	Style	Used for nodes created by the N character. Defaults to coordinate.
timing/initchar= <i><char></i>	Setting	Sets initial character. Only valid as first optional argument in table rows or in \texttiming.
timing/metachar={ <i><C></i> }[<i><#arg></i>]{ <i><G></i> }	Action	Sets meta-character <i><C></i> to character group <i><G></i> .

Slopes

TikZ Key	Type	Description
timing/slope= <i><0.0-1.0></i>	Setting	Sets slope for logic transitions. This also sets dslope=2*slope, zslope=slope/2.
timing/lslope= <i><0.0-1.0></i>	Setting	Sets slope for logic transitions only. Default: 0.1
timing/dslope= <i><0.0-1.0></i>	Setting	Sets slope for data transitions. Default: 0.2
timing/zslope= <i><0.0-1.0></i>	Setting	Sets slope for Z transitions. Default: 0.05

Texttiming

TikZ Key	Type	Description
timing/outer sep= <i><dim></i>	Setting	Sets outer separation around \texttiming macros.
timing/outer xsep= <i><dim></i>	Setting	See above. Only X-Coordinate. (Default: 0pt)
timing/outer ysep= <i><dim></i>	Setting	See above. Only Y-Coordinate. (Default: 0pt)