Tutorial Week 2: NumPy for Arrays (Solutions)

Click to download the Jupyter Notebook file (.ipynb)

Example: Element-wise addition of 2 NumPy arrays

Given are 2 NumPy arrays with the same shape, return a new array, in which every element is an element-wise sum of the 2 arrays.

[[11 13 15] [17 19 21]]

1 Questions

Hint:

- Write your code between two comment lines: ### Start/End your code here ###.
- Expected output is shown at the end of each question (directly below the code cell).

1.1 Create a 2D NumPy array

- Create a 5x2 integer array from a range between 100 and 200 such that the difference between each element is 10.
- Print the array and its shape.

Hint:

• Use NumPy arange() and reshape().

```
[2]: import numpy as np

### Start your code here ###
```

```
a = np.arange(100, 200, 10)
b = a.reshape(5,2)
print("The array is:")
print(b)
print("Its shape is: ")
print(b.shape)

### End your code here ###
```

```
The array is:

[[100 110]

[120 130]

[140 150]

[160 170]

[180 190]]

Its shape is:

(5, 2)
```

1.2 Reverse a 1D array

Write a function to reverse an array (the first element becomes the last).

```
[3]: import numpy as np

print("Original array:")
    a = np.array([1, 2, 5, 10, 15, 86])
    print(a)

print("Reverse array:")

### Start your code here ###

b = a[::-1]
    print(b)

### End your code here ###
```

```
Original array:

[ 1 2 5 10 15 86]

Reverse array:

[86 15 10 5 2 1]
```

1.3 Multiply a 2D array by a scalar

Given a 2D array (matrix), return an array, which is equal to the original matrix multiplied by 2.

```
### Start your code here ###

# multiplying the numpy array a(matrix) by 2
b = 2*a
print(b)

### End your code here ###
```

```
[[ 2 4 6]
[ 8 10 12]]
```

1.4 Horizontal stacking of NumPy arrays

- Stack 2 NumPy arrays horizontally i.e., 2 arrays having the same 1st dimension (number of rows in 2D arrays).
- Print the array and its shape.

```
The stacked array is:
[[ 1 2 3 7 8 9]
  [ 4 5 6 10 11 12]]
Its shape is:
(2, 6)
```

1.5 Vertically stacking of NumPy arrays

- Stack 2 NumPy arrays vertically i.e., 2 arrays having the same last dimension (number of columns in 2D arrays).
- Print the array and its shape.

```
The stacked array is:
```

```
[[ 1 2]
 [ 3 4]
 [ 5 6]
 [ 7 8]
 [ 9 10]
 [10 11]]
Its shape is:
 (6, 2)
```

1.6 Convert the values of Celsius degrees into Fahrenheit degrees

Convert the values of Celsius degrees (C) into Fahrenheit degrees (F). Values are stored in a NumPy array and rounded to 2 decimal places.

$$F = 9 * \frac{C}{5} + 32$$

```
[7]: import numpy as np
C = np.array([-27.79, -11.12, 7.34, 1.16, 37.73, 0.70])
print("Values in Centigrade degrees:")
print(C)

print("Values in Fahrenheit degrees:")

### Start your code here ###

F = np.round((9*C/5 + 32), 2)
print(F)

### End your code here ###
```

```
Values in Centigrade degrees:

[-27.79 -11.12 7.34 1.16 37.73 0.7]

Values in Fahrenheit degrees:

[-18.02 11.98 45.21 34.09 99.91 33.26]
```

1.7 Print max from axis 0 and min from axis 1 from a 2D array

Hint:

• Use NumPy amax() and amin().

```
[8]: import numpy as np
     print("Original array:")
     a = np.array([[34, 43, 73], [82, 22, 12], [53, 94, 66], [23, 45, 79]])
     print(a)
     ### Start your code here ###
     print("Max along axis 0:")
     b = np.amax(a, axis=0)
     print(b)
     print("Min along axis 1:")
     c = np.amin(a, axis=1)
     print(c)
     ### End your code here ###
    Original array:
    [[34 43 73]
     [82 22 12]
     [53 94 66]
```

[23 45 79]] Max along axis 0: [82 94 79] Min along axis 1:

[34 12 53 23]

1.8 Select elements from a NumPy array which are divisible by 3

```
[9]: import numpy as np

print("Original array:")
    a = np.array([5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29])
    print(a)

print("Output array:")

### Start your code here ###

b = a[a%3==0]
    print(b)

### End your code here ###
```

```
Original array:
[ 5 7 9 11 13 15 17 19 21 23 25 27 29]
```

```
Output array: [ 9 15 21 27]
```

1.9 Select elements from a NumPy array which are greater than 5 and less than 20

```
[10]: import numpy as np

print("Original array:")
    a = np.array([5, 7, 9, 11, 13, 15, 17, 19, 21, 23, 25, 27, 29])
    print(a)

print("Output array:")

### Start your code here ###

b = a[(a > 5) & (a < 20)]
    print(b)

### End your code here ###</pre>
```

```
Original array:
[ 5 7 9 11 13 15 17 19 21 23 25 27 29]
Output array:
[ 7 9 11 13 15 17 19]
```

1.10 Add, subtract, divide, and multiply 2D arrays

Hint:

• Use NumPy add(), subtract(), divide(), multiply().

```
[11]: import numpy as np
    a1 = np.array([[5, 10], [15, 20]])
    a2 = np.array([[25, 30], [35, 40]])

### Start your code here ###

print ("Addition of two arrays:")
print (np.add(a1, a2))

print ("Subtraction of two arrays:")
print (np subtract(a1, a2))

print ("Division of two arrays:")
print (np.divide(a1, a2))

print ("Multiplication of two arrays:")
print (np.multiply(a1, a2))

### End your code here ###
```