

- N. Arkani-Hamed, Y. t. Huang and D. O’Connell, “Kerr black holes as elementary particles,” JHEP **01**, 046 (2020) doi:10.1007/JHEP01(2020)046 [arXiv:1906.10100 [hep-th]]. 224 citations counted in INSPIRE as of 13 Sep 2024

Related to Quantum Gravity

- R. Aoude, K. Haddad and A. Helset, “On-shell heavy particle effective theories,” JHEP **05**, 051 (2020) doi:10.1007/JHEP05(2020)051 [arXiv:2001.09164 [hep-th]]. 163 citations counted in INSPIRE as of 16 Sep 2024
The author introduce on-shell variables for HPETs with the aim to present such a formalism will allow the extension of HBET to higher spins and to facilitate its application to higher loop orders.
- J. Mazza, E. Franzin and S. Liberati, “A novel family of rotating black hole mimickers,” JCAP **04**, 082 (2021) doi:10.1088/1475-7516/2021/04/082 [arXiv:2102.01105 [gr-qc]]. 135 citations counted in INSPIRE as of 16 Sep 2024
The author employ the Newman-Janis procedure to generalize SV metric, which generates the rotating blackhole mimickers. A method towards the quantum theory of gravity.

Double copy relation

- H. Johansson and A. Ochirov, “Double copy for massive quantum particles with spin,” JHEP **09**, 040 (2019) doi:10.1007/JHEP09(2019)040 [arXiv:1906.12292 [hep-th]]. 161 citations counted in INSPIRE as of 16 Sep 2024
This paper explores the double copy structure of gravitational theories coupled to massive matter with spin, which is relevant for understanding black hole scattering and gravitational waves.
- T. Adamo, J. J. M. Carrasco, M. Carrillo-González, M. Chiodaroli, H. Elvang, H. Johansson, D. O’Connell, R. Roiban and O. Schlotterer, “Snowmass White Paper: the Double Copy and its Applications,” [arXiv:2204.06547 [hep-th]]. 92 citations counted in INSPIRE as of 16 Sep 2024
This Snowmass white paper provides a brief introduction to the double copy, its applications, current research and future challenges.
- E. Chacón, S. Nagy and C. D. White, “The Weyl double copy from twistor space,” JHEP **05**, 2239 (2021) doi:10.1007/JHEP05(2021)239 [arXiv:2103.16441 [hep-th]]. 72 citations counted in INSPIRE as of 16 Sep 2024
The author show how the current form and scope of the Weyl double copy can be derived from a certain procedure in twistor space.
- C. D. White, “Twistorial Foundation for the Classical Double Copy,” Phys. Rev. Lett. **126**, no.6, 061602 (2021) doi:10.1103/PhysRevLett.126.061602 [arXiv:2012.02479 [hep-th]]. 90 citations counted in INSPIRE as of 17 Sep 2024
The author show that a particular incarnation- the Weyl double copy- can be derived using well-established ideas from twistor theory.

- L. Borsten, H. Kim, B. Jurčo, T. Macrelli, C. Saemann and M. Wolf, “Double Copy from Homotopy Algebras,” *Fortsch. Phys.* **69**, no.8-9, 2100075 (2021) doi:10.1002/prop.202100075 [arXiv:2102.11390 [hep-th]]. 76 citations counted in INSPIRE as of 16 Sep 2024
The author give a detailed exposition of the BRST Lagrangian double copy and show that colour-kinematics duality and the BRST-Lagrangian double copy can be elegantly articulated in terms of homotopy algebras.
- W. T. Emond, Y. T. Huang, U. Kol, N. Moynihan and D. O’Connell, “Amplitudes from Coulomb to Kerr-Taub-NUT,” *JHEP* **05**, 055 (2022) doi:10.1007/JHEP05(2022)055 [arXiv:2010.07861 [hep-th]]. 71 citations counted in INSPIRE as of 17 Sep 2024
The author identify the amplitudes corresponding to each of these solutions and confirm that the amplitudes double-copy when the solutions are related by the classical double copy.
- H. Godazgar, M. Godazgar, R. Monteiro, D. Peinador Veiga and C. N. Pope, “Weyl Double Copy for Gravitational Waves,” *Phys. Rev. Lett.* **126**, no.10, 101103 (2021) doi:10.1103/PhysRevLett.126.101103 [arXiv:2010.02925 [hep-th]]. 73 citations counted in INSPIRE as of 17 Sep 2024
The author establish the status of the Weyl double copy relation for radiative solutions of the vacuum Einstein equations.
- I. Bah, R. Dempsey and P. Weck, “Kerr-Schild Double Copy and Complex Worldlines,” *JHEP* **02**, 180 (2020) doi:10.1007/JHEP02(2020)180 [arXiv:1910.04197 [hep-th]]. 62 citations counted in INSPIRE as of 17 Sep 2024
The author use the classical double copy to identify a necessary condition for Maxwell theory sources to constitute single copies of Kerr-Schild solutions, and give a parameterization of the corresponding single copies in terms of Liénard-Wiechert fields of charges on complex worldlines.
- G. Elor, K. Farnsworth, M. L. Graesser and G. Herczeg, “The Newman-Penrose Map and the Classical Double Copy,” *JHEP* **12**, 121 (2020) doi:10.1007/JHEP12(2020)121 [arXiv:2006.08630 [hep-th]]. 66 citations counted in INSPIRE as of 17 Sep 2024
The author present a novel map, called Newman-Penrose map, between a certain class of real, exact solutions of Einstein’s equations and self-dual solutions of the at-space vacuum Maxwell equations.
- L. Borsten and S. Nagy, “The pure BRST Einstein-Hilbert Lagrangian from the double-copy to cubic order,” *JHEP* **07**, 093 (2020) doi:10.1007/JHEP07(2020)093 [arXiv:2004.14945 [hep-th]]. 64 citations counted in INSPIRE as of 17 Sep 2024
The author construct the pure gravity BRST Einstein Hilbert Lagrangian, to cubic order, using the BRST convolution product and BCJ double-copy.
- J. Plefka, C. Shi and T. Wang, “Double copy of massive scalar QCD,” *Phys. Rev. D* **101**, no.6, 066004 (2020) doi:10.1103/PhysRevD.101.066004 [arXiv:1911.06785 [hep-th]]. 56 citations counted in INSPIRE as of 17 Sep 2024
The author construct the gravitational theory emerging from the double-copy of massive scalar quantum chromodynamics in general dimensions.

Gravitational waves

- P. Di Vecchia, C. Heissenberg, R. Russo and G. Veneziano, “The gravitational eikonal: From particle, string and brane collisions to black-hole encounters,” *Phys. Rept.* **1083**, 1-169 (2024) doi:10.1016/j.physrep.2024.06.002 [arXiv:2306.16488 [hep-th]]. 60 citations counted in INSPIRE as of 16 Sep 2024
Review paper. The author discuss how the gravitational ekinoal approach can be applied to invarious different physical set ups involving particles,strings and branes and then we mainly concentrate on the most recent developments.

Effective theories of BH

- L. Cangemi, M. Chiodaroli, H. Johansson, A. Ochirov, P. Pichini and E. Skvortsov, “Kerr Black Holes From Massive Higher-Spin Gauge Symmetry,” *Phys. Rev. Lett.* **131**, no.22, 221401 (2023) doi:10.1103/PhysRevLett.131.221401 [arXiv:2212.06120 [hep-th]]. 52 citations counted in INSPIRE as of 16 Sep 2024
The author propose that the dynamics of Kerr black holes is strongly constrained by the principle of gauge symmetry, and show that the known three-point Kerr amplitudes are uniquely predicted using massive higher-spin gauge symmetry.

Classical gravitational scattering versus Quantum part

- R. Aoude, K. Haddad and A. Helset, “Classical Gravitational Spinning-Spinless Scattering at $O(G^2S^\infty)$,” *Phys. Rev. Lett.* **129**, no.14, 141102 (2022) doi:10.1103/PhysRevLett.129.141102 [arXiv:2205.02809 [hep-th]]. 73 citations counted in INSPIRE as of 16 Sep 2024
The author calculate the classical gravitational scattering amplitude for one spinning and one spinless object at $O(G^2)$ and all orders in spin, which exhibits the spin structure that has been conjectured to describe Kerr black holes
- F. Alessio and P. Di Vecchia, “Radiation reaction for spinning black-hole scattering,” *Phys. Lett. B* **832**, 137258 (2022) doi:10.1016/j.physletb.2022.137258 [arXiv:2203.13272 [hep-th]]. 54 citations counted in INSPIRE as of 16 Sep 2024
Starting from the leading soft term of the 5-point amplitude, involving a graviton and two Kerr black holes, the author determine the radiative contribution to the real part of the two-loop eikonal.
- G. U. Jakobsen and G. Mogull, “Conservative and Radiative Dynamics of Spinning Bodies at Third Post-Minkowskian Order Using Worldline Quantum Field Theory,” *Phys. Rev. Lett.* **128**, no.14, 141102 (2022) doi:10.1103/PhysRevLett.128.141102 [arXiv:2201.07778 [hep-th]]. 96 citations counted in INSPIRE as of 16 Sep 2024
Using the spinning worldline quantum field theory formalism, the author compute the conservative scattering angle and the radiation-reaction effects.
- A. Cristofoli, R. Gonzo, N. Moynihan, D. O’Connell, A. Ross, M. Sergola and C. D. White, “The uncertainty principle and classical amplitudes,” *JHEP* **06**, 181 (2024) doi:10.1007/JHEP06(2024)181 [arXiv:2112.07556 [hep-th]]. 80 citations counted in INSPIRE as of 16 Sep 2024

The author discussed how the classical limit is encoded in the quantum-first definition of field theory through scattering amplitudes

- R. Aoude and A. Ochirov, “Classical observables from coherent-spin amplitudes,” JHEP **10**, 008 (2021) doi:10.1007/JHEP10(2021)008 [arXiv:2108.01649 [hep-th]]. 75 citations counted in INSPIRE as of 16 Sep 2024
The author promote the KMOC formalism to describe general classical spinning objects by using coherent spin states.
- C. Cheung, N. Shah and M. P. Solon, “Mining the Geodesic Equation for Scattering Data,” Phys. Rev. D **103**, no.2, 024030 (2021) doi:10.1103/PhysRevD.103.024030 [arXiv:2010.08568 [hep-th]]. 65 citations counted in INSPIRE as of 17 Sep 2024
The author explore how the geodesic equation encodes conservative dynamics in the presence of an arbitrary perturbative correction away from a non-spinning black hole binary system in general relativity.
- A. Luna, N. Moynihan, D. O’Connell and A. Ross, “Observables from the spinning eikonal,” JHEP **08**, 045 (2024) doi:10.1007/JHEP08(2024)045 [arXiv:2312.09960 [hep-th]]. 14 citations counted in INSPIRE as of 17 Sep 2024
The author study the classical dynamics of spinning particles using scattering amplitudes and eikonal exponentiation.

Holography

- S. Pasterski and A. Puhm, “Shifting spin on the celestial sphere,” Phys. Rev. D **104**, no.8, 086020 (2021) doi:10.1103/PhysRevD.104.086020 [arXiv:2012.15694 [hep-th]]. 69 citations counted in INSPIRE as of 17 Sep 2024
The author aims to expand the existing framework surrounding conformal primary states. They explore conformal primary wavefunctions for all half integer spins up to the graviton within the Celestial Holography program.