# Rajalakshmi Engineering College

Name: Yogeetha A

Email: 241801326@rajalakshmi.edu.in

Roll no: 241801326 Phone: 9790848844

Branch: REC

Department: I AI & DS FD

Batch: 2028

Degree: B.E - AI & DS



### NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 4

Attempt : 2 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

#### **Input Format**

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

## Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

#### Sample Test Case

```
Input: 5
   10 20 30 40 50
Output: 10 20 30 40 50
   Answer
   #include <stdio.h>
   #include <stdlib.h>
   typedef struct node
    int data;
    struct node* next;
    struct node* prev;
   }Node;
   void insertAtend(Node** head,int data)
    Node* newNode = (Node*)malloc(sizeof(Node));
     newNode -> data = data;
    newNode -> next = NULL;
    newNode -> prev = NULL;
    if(*head == NULL)
     *head = newNode;
     return;
    Node* temp = *head;
    while(temp -> next != NULL)
    temp = temp -> next;
```

```
24,801376
                                                                          24,80,326
    temp -> next = newNode;
    newNode -> prev = temp;
    void Traverse(Node* head)
     Node* temp = head;
     while(temp != NULL)
      printf("%d ",temp -> data);
      temp = temp -> next;
     }
    }
                                                                           24,801326
    int main()
                                                  24,801376
     int n,e;
Node* head = NULL;
     scanf("%d",&n);
     for(int i=0;i<n;i++)
      scanf("%d",&e);
      insertAtend(&head,e);
     Traverse(head);
24,301376
    Status: Correct
                                                  24,801376
                                                                    Marks: 10/10
                                                                          24,801376
                         24,801376
```

24,801326

241801326

24,801376

24,80,326