Ex.No-4

Data Loading and Storing

LOADING

Aim:

To read excel/csv/text files and extract the relevant information

Description:

- 1. Read and display the excel file data
- 2. Through DataFrame get the details of column headings
- 3. Through DataFrame get the details of the shape of Excel table
- 4. Through DataFrame get the particular column values
- 5. Through DataFrame extract/slice the Excel table values
- 6. Through DataFrame get the particular row values
- 7. Through DataFrame make an average of particular column values

Program:

```
import pandas as pd

d=pd.read_csv("LAS.csv")

#Get the table data

print("Get the table data:\n")

print(d)

#print(d.to_string())

df=pd.DataFrame(d)

#print(df)

#Get the column heading

print("\nGet the column heading\n",df.columns)

#Get the shape (no.of raws.no, of columns)

print("\nGet the shape (no.of rows,no.of columns)\n",df.shape)

#Get particular column values

print("\nGet particular column values\n",df['roll.no'])
```

```
#Extract/slice the table values (including this row, excluding this row print("\nExtract/slice the table values-[including this row, excluding this row]\n",df[2:5])

#Get the particular row values through row number identification print("\nGet the particular row values-through row number identification\n",df.loc[7])

#Get the particular row values-through 'Roll number' identification print("\nGet the particular row values-through 'Roll number' identification\n",d.loc[d['roll.no']==5])

#Make an average of total mark

df=d['total']/5

print("\n Make an average of total marks:\n",df)
```

Output:

Get the table data:

| | roll.no | name | maths | scien | ice s | ocial | total |
|---|---------|---------|-------|-------|-------|-------|-------|
| 0 | 1 | deepa | 50 | 67 | 50 | 284 | |
| 1 | 2 | dinesh | 56 | 89 | 56 | 346 | |
| 2 | 3 | kaviya | 80 | 80 | 80 | 400 | |
| 3 | 4 | racheal | 89 | 87 | 89 | 441 | |
| 4 | 5 | rajan | 90 | 98 | 90 | 466 | |
| 5 | 6 | ramya | 67 | 76 | 67 | 353 | |
| 6 | 7 | rohan | 56 | 67 | 57 | 301 | |
| 7 | 8 | sandhya | 58 | 56 | 58 | 286 | |
| 8 | 9 | saranya | 49 | 45 | 49 | 237 | |

Get the column heading

Index(['roll.no', 'name', 'maths', 'science', 'social', 'total'], dtype='object')

Get the shape (no.of rows,no.of columns)

(9, 6)

Get the column heading

Index(['roll.no', 'name', 'maths', 'science', 'social', 'total'], dtype='object')

Get the shape (no.of rows,no.of columns)

(9, 6)

Get particular column values

- 0 1
- 1 2
- 2 3
- 3 4
- 4 5
- 5 6
- 6 7
- 7 8
- 8 9

Name: roll.no, dtype: int64

Extract/slice the table values-[including this row, excluding this

row] roll.noname maths science social total

- 2 3 kaviya 80 80 80 400
- 3 4 racheal 89 87 89 441
- 4 5 rajan 90 98 90 466

Get the particular row values-through row number identification

roll.no 8

name sandhya

maths 58

science 56

social 58

total 286

Name: 7, dtype: object

Get the particular row values-through 'Roll number'

identification roll.no name maths science social total

4 5 rajan 90 98 90 466

Make an average of total marks:

- 0 56.8
- 1 69.2
- 2 80.0
- 3 88.2
- 4 93.2
- 5 70.6
- 6 60.2
- 7 57.2
- 8 47.4

Name: total, dtype: float64

STORING

Aim:

To store and manipulate input data from DataFrame to Excel/CSV through Pandas.

Description:

- 1. Create a DataFrame and store the data into specified Excel file
- 2. To read two Excel file data and merge through append function and store the merged data in to the new Excel file.
- 3. Using sort function, to sort and store the resultant data into a new Excel file
- 4. Read and display the CSV file
- 5. List the column headings and get the length of the table data.

Program:

```
import pandas as pd
d=pd.read_csv("LAS.csv")
df=pd.DataFrame(d)
print("Original DataFrame:\n",df)
#Second Dataframe input to another Excel file
d=pd.DataFrame([[20,'divya',95,85,76,256], [14,'lakshmi',90,80,58,228], [32,'ganesh',70,47,88,205]],
columns=['roll.no', 'name', 'maths', 'science', 'social', 'total'])
d.to_csv('pandas_to_csv.csv')
#Merging two Excel files input into third file
x=pd.read_csv("LAS.csv")
y=pd.read_csv('pandas_to_csv.csv')
y.drop(['Unnamed: 0'],axis = 1,inplace=True)
z=pd.concat([x,y],ignore_index=True)
z.to_csv('pandas_to_csv3.csv')
#Sorting the column vaules
df=z.sort_values(["roll.no"])
print("\nSorted Values:\n",df)
df.to_csv('pandas_to_csv4.csv')
df=pd.read_csv('LAS.csv')
print(list(df))
print(format(len(df)))
```

Output:

Original DataFrame:

roll.no name maths science social total

- 0 1 deepa 50 67 50 284
- 1 2 dinesh 56 89 56 346
- 2 3 kaviya 80 80 80 400
- 3 4 racheal 89 87 89 441
- 4 5 rajan 90 98 90 466
- 5 6 ramya 67 76 67 353
- 6 7 rohan 56 67 57 301
- 7 8 sandhya 58 56 58 286
- 8 9 saranya 49 45 49 237

Sorted Values:

roll.no name maths science social total

- 0 1 deepa 50 67 50 284
- 1 2 dinesh 56 89 56 346
- 2 3 kaviya 80 80 80 400
- 3 4 racheal 89 87 89 441
- 4 5 rajan 90 98 90 466
- 5 6 ramya 67 76 67 353
- 6 7 rohan 56 67 57 301
- 7 8 sandhya 58 56 58 286
- 8 9 saranya 49 45 49 237
- 10 14 lakshmi 90 80 58 228
- 9 20 divya 95 85 76 256
- 11 32 ganesh 70 47 88 205 ['roll.no',

'name', 'maths', 'science', 'social', 'total'] 9

Result:

The programs were run successfully