

# 2019 IMO #1

Tristan Shin

16 July 2019

Let  $\mathbb{Z}$  be the set of integers. Determine all functions  $f : \mathbb{Z} \rightarrow \mathbb{Z}$  such that, for all integers  $a$  and  $b$ ,

$$f(2a) + 2f(b) = f(f(a + b)).$$

---

The answers are  $f(x) = 0$  or  $2x + c$  for any  $c \in \mathbb{Z}$ . The former clearly works, while the latter works because

$$2(2a) + c + 2(2b + c) = 2(2(a + b) + c) + c$$

holds true for any  $a, b, c \in \mathbb{Z}$ .

If  $a + b$  is fixed, then  $f(2a) + 2f(b) = f(f(a + b))$  is fixed too. So with  $(a, b) = (0, x + 1)$  and  $(1, x)$  we get that

$$f(0) + 2f(x + 1) = f(2) + 2f(x)$$

and thus

$$f(x + 1) = f(x) + \frac{f(2) - f(0)}{2}$$

for all  $x \in \mathbb{Z}$ . It follows that  $f$  is linear; say that it is of the form  $mx + c$  for some constants  $m$  and  $c$ . Since

$$f(0) + 2f(x) = f(f(x)),$$

we deduce that

$$2mx + 3c = m^2x + (m + 1)c$$

and thus  $m^2 = 2m$  and  $(m + 1)c = 3c$ . If  $m = 0$  then  $c = 0$ , then  $f \equiv 0$ . Otherwise  $m = 2$  and  $c = f(0) \in \mathbb{Z}$ . ■