
Integrated piezoelectric metamaterials for adaptive and improved noise and vibration mitigation

A Data Management Plan created using DMPonline.be

Creator: Stefan Janssen

Affiliation: KU Leuven (KUL)

Funder: Fonds voor Wetenschappelijk Onderzoek - Research Foundation Flanders (FWO)

Template: FWO DMP (Flemish Standard DMP)

Grant number / URL: 1SHCW24N

ID: 205852

Start date: 01-11-2023

End date: 31-10-2027

Project abstract:

The risks posed to human health by noise exposure have resulted in the implementation of stricter noise regulations. Additionally, product quality perception is negatively impacted by tonal noises generated in machinery and vehicles, which are often variable in frequency. While the applicability of traditional noise and vibration mitigation solutions has significantly reduced due to a lightweight product design trend observed in industry, piezoelectric locally resonant metamaterials (PLRMs) have shown great potential to provide lightweight, effective and adaptive noise and vibration mitigation. At present, PLRMs are limited to ad-hoc realizations for academic validation and predicting their vibroacoustic performance remains a challenge due to their multi-physical and complex nature. This PhD proposal aims to overcome these challenges by designing and realizing integrated PLRM structures, efficiently manufactured with insert injection moulding. To achieve this, manufacturing strategies, together with a novel multi-physical model that considers manufacturing influences, will be developed to explore, compare and realize performant insert injection moulded PLRM concepts. Through demonstrations of industrial complexity, PLRMs will be shown to provide lightweight, effective, and adaptive noise and vibration mitigation for variable noise sources in order to further reduce the gap to industrial exploitation.

Last modified: 15-04-2024

Integrated piezoelectric metamaterials for adaptive and improved noise and vibration mitigation

FWO DMP (Flemish Standard DMP)

1. Research Data Summary

List and describe all datasets or research materials that you plan to generate/collect or reuse during your research project. For each dataset or data type (observational, experimental etc.), provide a short name & description (sufficient for yourself to know what data it is about), indicate whether the data are newly generated/collected or reused, digital or physical, also indicate the type of the data (the kind of content), its technical format (file extension), and an estimate of the upper limit of the volume of the data.

Generated experiment-related data:

Type of data	Format	Volume	How created
Piezoelectric metamaterial test samples (physical)	Hardware	50 - 500 samples	Manufactured with injection moulding
Piezoelectric metamaterial demonstrators (physical)	Hardware	1 - 5 samples	Manufactured with injection moulding
Geometric dimensions, piezoelectric capacitance, electric circuit component impedances, rheological and structural material properties of samples and/or demonstrators (numerical)	Spreadsheets (.csv), structured text (.txt)	< 1 GB	Weighing, tensile testing, RCL meter measurements, capillary rheometer measurements, DSC, geometric calliper measurements.
Images and videos (multimedia)	Image (.png), video (.mp4)	10 - 100 GB	Camera images/videos of samples and test setups
Metadata describing measurements setup and procedures (textual)	Text (.txt, .docx, .pptx, .pdf)	< 1 GB	Notepad, Microsoft Office Word, Microsoft Office PowerPoint

Generated simulation-related data:

Type of data	Format	Volume	How created
Injection moulding process simulation models (model)	Commercial process simulation software specific formats such as Moldex 3D (.mrm, .mfe, .dat)	50 - 250 GB	Moldex3D, SigmaSoft, Moldflow
Vibro-acoustic (multi-physical) finite element simulation models (model)	Commercial finite element software specific formats (.sim, .fem, .prt, .mph), model matrices (.mat), result files (.pch, .op4, .mat, .unv)	100 - 300 GB	Siemens Simcenter 3D, COMSOL, Matlab
Raw and processed simulation data (numerical)	Databases (.mat), graphs (.fig)	< 100 GB	Matlab
Images and animations (multimedia)	Image (.png), video (.gif, .avi)	10 - 100 GB	Matlab, COMSOL, Siemens Simcenter 3D, Moldex3D
Metadata describing models and simulations setup and procedures (textual)	Text (.txt, .docx, .pptx, .pdf)	< 1 GB	Notepad, Microsoft Office Word, Microsoft Office PowerPoint

If you reuse existing data, please specify the source, preferably by using a persistent identifier (e.g. DOI, Handle, URL etc.) per dataset or data type:

NA

Are there any ethical issues concerning the creation and/or use of the data (e.g. experiments on humans or animals, dual use)? Describe these issues in the comment section. Please refer to specific datasets or data types when appropriate.

- No

Will you process personal data? If so, briefly describe the kind of personal data you will use in the comment section. Please refer to specific

datasets or data types when appropriate.

- No

Does your work have potential for commercial valorization (e.g. tech transfer, for example spin-offs, commercial exploitation, ...)? If so, please comment per dataset or data type where appropriate.

- Yes

The work in this project can result in research data which has potential for tech transfer and valorisation:

- In this work novel innovative piezo-integration concepts and strategies will be investigated, which could be protected.
- Novel models and methodologies can be developed with respect to the coupling between vibro-acoustic (multi-physical) simulations and injection moulding process simulations. They will interact with and/or are based upon existing models and methodologies of the hosting KU Leuven Division LMSD.

The KU Leuven Division LMSD has expertise in and an excellent track record regarding tech transfer and valorisation which will be leveraged upon in this project. The research manager of the Division LMSD Bert Pluymers will be consulted regarding potential IP aspects.

Do existing 3rd party agreements restrict exploitation or dissemination of the data you (re)use (e.g. Material/Data transfer agreements/ research collaboration agreements)? If so, please explain in the comment section to what data they relate and what restrictions are in place.

- No

Are there any other legal issues, such as intellectual property rights and ownership, to be managed related to the data you (re)use? If so, please explain in the comment section to what data they relate and which restrictions will be asserted.

- No
- The physical metamaterial demonstrators are envisaged to be based on industrial relevant public domain use cases provided by industry. In case collaboration agreements are put in place to allow the transfer of hardware, KU Leuven's Technology Transfer Office will be consulted to assure correct agreements with the partner in line with the FWO regulations.

2. Documentation and Metadata

Clearly describe what approach will be followed to capture the accompanying information necessary to keep data understandable and usable, for yourself and others, now and in the future (e.g., in terms of documentation levels and types required, procedures used, Electronic Lab Notebooks, README.txt files, Codebook.tsv etc. where this information is recorded).

Metadata on experiment-related data:

- Metamaterial test samples & demonstrators: All sample batches will be labelled whereas each individual sample will be numbered in accordance with executed vibration measurements. Manufacturing process settings will be listed for each batch in a digital text overview as well as written down and added to the sample batch.
- Geometric dimensions, piezoelectric capacitance, rheological and structural material properties: a measurement report per dataset will describe the procedural information on how dimensions and properties have been acquired and what the units and definitions of the measured variables are. Moreover, existing measurement setting templates will be stored.
- Raw vibration and acoustic measurements: a measurement report per measurement dataset will detail the software parameters & instruments settings, dimensions, measurement methodology and procedural information on how the data was collected, required sensor & exciter labels and positions as well as units of measurements and calibration settings.
- Photos of the measurement setup with clarifying file names, date and timestamps will be added as additional clarification.

Metadata on simulation-related data:

- for both the (multi-physical) vibro-acoustic finite element and injection moulding process simulations, a readme file will describe simulation input parameters, definitions and software settings used to construct the excising models. Additional modelling assumptions will be added together with a validity range of the model where needed. This information is kept in the CAE file format or in an accompanying text file.

Will a metadata standard be used to make it easier to find and reuse the data? If so, please specify (where appropriate per dataset or data type) which metadata standard will be used. If not, please specify (where appropriate per dataset or data type) which metadata will be created to make the data easier to find and reuse.

- No

Although these are not formalized, state-of-practice standards will be used regarding metadata. On the one hand, standardized CAE file format information and structure are used. On the other hand, when working with transferable neutral text formats for experimental and simulation data, common engineering practice is used, deploying tabulated structures with clear column and row headers.

A clear folder structure will be adopted for the data storage, in accordance with the different tasks carried out during the project. In every (sub)directory, a readme file will list all the present subdirectories and files as well as where the data is used and stored. Whenever publication or sharing of a dataset would be considered, it will be re-evaluated if an applicable metadata standard is available and can be applied to enhance sharing.

3. Data storage & back-up during the research project

Where will the data be stored?

Physical samples (hardware) will be stored in dedicated lab storage of the KU Leuven Division LMSD.

Data will be stored using cloud- and ICTS-based solutions:

- Local desktop file storage, with automatic backups on the researcher's personal KU Leuven network drive.
- Cloud-based storage, synchronized with local desktop storage: KU Leuven OneDrive and Microsoft Teams, which provide version control.
- GitLab repository of the KU Leuven Division LMSD for collaborative research code.

For specific storage solutions, there is support from ICTS as well as local IT from the KU Leuven science, engineering and technology group.

How will the data be backed up?

The cloud-based and ICTS storage solutions are backed-up as part of the offered services. Back-ups are provided on different levels:

- For the data stored on the KU Leuven central servers, automatic daily back-up procedures apply.
- KU Leuven OneDrive and GitLab provide automated backups.
- Backups from local desktop file storage to personal KU Leuven network drive will automatically be performed (e.g. using SyncBackFree backup software).

Is there currently sufficient storage & backup capacity during the project? If yes, specify concisely.

If no or insufficient storage or backup capacities are available, then explain how this will be taken care of.

- Yes

Currently sufficient storage & backup capacity is available during the project for the anticipated data volumes. The available storage space and file size limits exceed the currently estimated required storage space. Furthermore, network drive and cloud storage space can be readily expanded upon request to KU Leuven IT services.

How will you ensure that the data are securely stored and not accessed or modified by unauthorized persons?

On the one hand, in this project no sensitive personal data will be used. On the other hand, both cloud and ICTS based storage solutions are only accessible via proper credentials which are centrally managed.

What are the expected costs for data storage and backup during the research project? How will these costs be covered?

In case expenses are needed, part of the allocated FWO project budget can be used. However, this is currently not expected.

4. Data preservation after the end of the research project

Which data will be retained for at least five years (or longer, in agreement with other retention policies that are applicable) after the end of the project? In case some data cannot be preserved, clearly state the reasons for this (e.g. legal or contractual restrictions, storage/budget issues, institutional policies...).

The physical samples and demonstrators will be stored in the KU Leuven Division LMSD's lab storage. In case space limitations would require keeping only a selection of the manufactured samples, a selection will be based on which samples are more easily & low cost reproducible versus which samples are not as well as the required storage space, while prioritizing on the preservation of the demonstrators which have high valorisation and outreach potential.

Particular focus for non-hardware data preservation will be on:

- Data at the basis of publications such as journal papers, conference papers and presentations or posters. All data related to Open Access publications will be retained on repositories (like RDR, Zenodo or Lirias).
- Developed models and measurement datasets which are likely to be reused in the research unit for future research and/or valorisation activities and for future research of the researcher. Potentially large (intermediate and non-postprocessed raw) result and measurement files will be discarded to reduce required storage space if the simulation models and experiments allow to recalculate/remesure the results easily and at low cost and time.

Where will these data be archived (stored and curated for the long-term)?

Hardware storage will be done in the foreseen storage space in the KU Leuven Division LMSD's labs.

Data will be archived on internal KU Leuven data storage facilities. The data will be stored on the university's central servers on a data archive drive (with automatic back-up procedures) for at least 10 years, conform the KU Leuven RDM policy.

In addition, measurement data can be published in data papers describing and promoting the dataset. Published manuscript preprints will be stored on the KU Leuven Open Access repository Lirias. All other long term stored data will be on KU Leuven ICTS servers.

What are the expected costs for data preservation during the expected retention period? How will these costs be covered?

Expected costs for storage beyond project duration will be limited and covered by the research group.

5. Data sharing and reuse

Will the data (or part of the data) be made available for reuse after/during the project? In the comment section please explain per dataset or data type which data will be made available.

- Yes, in an Open Access repository

Already throughout the project, all data (measurements, simulations, models) related to the Open Access publications will be made publicly available. After the end of the project, consolidated datasets linked to validation cases will be made available as well. Physical samples and

demonstrators will be made available after the end of the project.

If access is restricted, please specify who will be able to access the data and under what conditions.

The datasets will be uploaded in RDR, Zenodo or similar as open access datasets under a Creative Commons Attribution NonCommercial license (CC BY-NC).

Are there any factors that restrict or prevent the sharing of (some of) the data (e.g. as defined in an agreement with a 3rd party, legal restrictions)? Please explain in the comment section per dataset or data type where appropriate.

- No

Currently, none of these restrictions are foreseen. If needed, the research manager of the Division LMSD Bert Pluymers will be consulted regarding potential IP aspects.

Where will the data be made available? If already known, please provide a repository per dataset or data type.

In an Open Access repository. All relevant datasets will be made available via RDR, Zenodo or similar.

When will the data be made available?

- Immediately after the end of the project
- Upon publication of the research results

Publication related data will be made available upon publication of the results.
Consolidated datasets will be made available at the end of the project.

Which data usage licenses are you going to provide? If none, please explain why.

The datasets will be uploaded in RDR, Zenodo or similar as open access datasets under a Creative Commons Attribution NonCommercial license (CC BY-NC).

Do you intend to add a PID/DOI/accession number to your dataset(s)? If already available, you have the option to provide it in the comment section.

- Yes

Since KU Leuven RDR will be used, a DOI will be automatically added to the project data upon deposit.

What are the expected costs for data sharing? How will these costs be covered?

Possible costs linked to open repositories and costs related to preparing data and uploading it will be covered by the project budget.

6. Responsibilities

Who will manage data documentation and metadata during the research project?

The applicant will be the responsible for data documentation & metadata.

Who will manage data storage and backup during the research project?

The applicant will be responsible for data storage & back up during the project, with support of KU Leuven central IT and local IT (SET-IT). The applicant has received information at the start of this project on the guidelines which apply in the hosting research group. For the implementation, the applicant can rely on the support of the Division LMSD's research manager Bert Pluymers.

Who will manage data preservation and sharing?

The applicant will be responsible for ensuring data preservation and reuse. Towards the end of the project, responsibility for long-term data preservation and reuse will be assigned in agreement with the KU Leuven Division LMSD research manager Bert Pluymers.

Who will update and implement this DMP?

This DMP is set up in agreement with the researcher's supervisor and co-supervisors. The researcher is responsible for updating and implementing this DMP.