## FWO DMP Template - Flemish Standard Data Management Plan

## **Version KU Leuven**

Project supervisors (from application round 2018 onwards) and fellows (from application round 2020 onwards) will, upon being awarded their project or fellowship, be invited to develop their answers to the data management related questions into a DMP. The FWO expects a **completed DMP no later than 6 months after the official start date** of the project or fellowship. The DMP should not be submitted to FWO but to the research co-ordination office of the host institute; FWO may request the DMP in a random check.

At the end of the project, the **final version of the DMP** has to be added to the final report of the project; this should be submitted to FWO by the supervisor-spokesperson through FWO's e-portal. This DMP may of course have been updated since its first version. The DMP is an element in the final evaluation of the project by the relevant expert panel. Both the DMP submitted within the first 6 months after the start date and the final DMP may use this template.

The DMP template used by the Research Foundation Flanders (FWO) corresponds with the Flemish Standard Data Management Plan. This Flemish Standard DMP was developed by the Flemish Research Data Network (FRDN) Task Force DMP which comprises representatives of all Flemish funders and research institutions. This is a standardized DMP template based on the previous FWO template that contains the core requirements for data management planning. To increase understanding and facilitate completion of the DMP, a standardized **glossary** of definitions and abbreviations is available via the following link.

| 1. General Project Information        |  |  |
|---------------------------------------|--|--|
| Name Grant Holder & ORCID             | Alexandros Kourtidis 0009-0008-8746-1091   |  |
| Contributor name(s) (+ ORCID) & roles | Steven Van Belleghem 0000-0001-9399-1007 Promotor  |  |
| Project number <sup>1</sup> & title   | The evolution of pesticide tolerance in Daphnia magna: a population, comparative and functional genomics approach. |  |
| Funder(s) GrantID <sup>2</sup>        | 1142425N   |  |
| Affiliation(s)                        | ⊠ KU Leuven  |  |
|                                       | ☐ Universiteit Antwerpen   |  |
|                                       | ☐ Universiteit Gent  |  |
|                                       | ☐ Universiteit Hasselt   |  |
|                                       | □ Vrije Universiteit Brussel   |  |
|                                       | □ Other:   |  |
|                                       | ROR identifier KU Leuven: 05f950310  |  |

<sup>&</sup>lt;sup>1</sup> "Project number" refers to the institutional project number. This question is optional. Applicants can only provide one project number.

<sup>&</sup>lt;sup>2</sup> Funder(s) GrantID refers to the number of the DMP at the funder(s), here one can specify multiple GrantIDs if multiple funding sources were used.

How does an organism's environment shape its genome? Despite the enormous advancements in molecular and computational methods, evolutionary studies combining genome sequencing and functional assays at a landscape level remain scarce. Here, I will be using water flea (Daphnia magna) populations within an agricultural-vs-non-agricultural pond system in Belgium to comprehensively study the evolution of their resistance to a prominent ecological stressor, pesticides. This is to be done in three complementary steps. First, I am currently describing the populations' demography and structure, and identifying parts of the genome that are under selection against high pesticide concentrations (population genomics). Second, I will assemble a pangenome of D. magna to identify structural genomic variations within our system and analyse them in relation to pesticide usage (comparative genomics). Third, I will combine RNA-seg with chromatin accessibility assays (ATAC-seq) to identify the genes and regulatory regions that are involved in the molecular response of D. magna against organophosphate pesticides (functional genomics). By integrating these results, I will be able to identify simple regulatory networks and/or structural variations that might be under selection within our system. Overall, this study can provide a novel insight into the evolution of the genome, including its sequence, structural variation and gene regulation in a landscape highly exposed to a prevalent anthropogenic stressor.

### 2. Research Data Summary

List and describe all datasets or research materials that you plan to generate/collect or reuse during your research project. For each dataset or data type (observational, experimental etc.), provide a short name & description (sufficient for yourself to know what data it is about), indicate whether the data are newly generated/collected or reused, digital or physical, also indicate the type of the data (the kind of content), its technical format (file extension), and an estimate of the upper limit of the volume of the data <sup>3</sup>.

|                  |  |   | _                      | ONLY FOR DIGITAL DATA  | ONLY FOR DIGITAL DATA   | ONLY FOR DIGITAL DATA                               | ONLY FOR PHYSICAL DATA |
|------------------|--|---|------------------------|--|---|---|------------------------|
| Dataset<br>Name  | Description                                | New or Reused   | Digital or<br>Physical | Digital Data Type  | Digital Data<br>Format  | Digital Data<br>Volume (MB, GB,<br>TB)              | Physical Volume        |
|                  |  | <ul><li>☑ Generate new data</li><li>☑ Reuse existing data</li></ul> | ⊠ Digital □ Physical   | ☐ Audiovisual ☐ Images ☐ Sound ☐ Numerical ☐ Textual ☐ Model ☐ Software ☐ Other: | DNA/RNA<br>sequences,<br>gene expression<br>profiles,<br>population<br>genetics images &<br>metrics | □ < 1 GB □ < 100 GB □ < 1 TB □ < 5 TB □ > 5 TB □ NA |                        |
| DNA-seq<br>short | Short-read DNA sequences of Daphnia clones | Generate new data   | Digital                | Observational  | .fastq  | <5Tb  |                        |
| DNA-seq long     | Long-read DNA sequences of Daphnia clones  | Generate new data   | Digital                | Observational  | .fastq  | <5Tb  |                        |
| ATAC-seq         | Chromatine accessibility profiles of       | Generate new data   | Digital                | Observational  | .fastq  | <1Tb  |                        |

<sup>&</sup>lt;sup>3</sup> Add rows for each dataset you want to describe.

|                                | Daphnia clones,<br>developmental<br>changes<br>and exposures                    |                     |         |               |        |      |
|--------------------------------|---|---------------------|---------|---------------|--------|------|
| RNA-seq                        | Gene expression profiles of Daphnia clones, developmental changes and exposures | Generate new data   | Digital | Observational | .fastq | <1Tb |
| DNA-seq<br>short               | Short-read DNA sequences of Daphnia clones                                      | Reuse existing data | Digital | Observational | .fastq | <1Tb |
| Reference<br>genome            | Reference<br>genome of<br>Daphnia magna   | Reuse existing data | Digital | Observational | .fastq | <1Tb |
| Phenotypic<br>measurement<br>s | Phenotypic<br>measurements<br>of Daphnia<br>clones                              | Generate new data   | Digital | Observational | .txt   | <1Gb |
| Processed<br>sequenced<br>data | Sequence data<br>mapped to<br>reference<br>genome                               | Generate new data   | Digital | Observational | .bam   | <5Tb |
| Genotype<br>calls              | Genotypes from sequence data relative to  | Generate new data   | Digital | Observational | .vcf   | <5Tb |

|                                       | reference<br>genome                                   |                   |          |               |                         |      |                                  |
|---------------------------------------|---|-------------------|----------|---------------|-------------------------|------|----------------------------------|
| Pan genome                            | Pan genome<br>assembly with<br>SVs                    | Generate new data | Digital  | Observational | .fasta<br>.xmfa<br>.maf | <1Tb |                                  |
| Bioinformatic<br>analyses<br>pipeline | Data processing scripts                               | Generate new data | Digital  | Observational | .py<br>.sh<br>.R        | <1Gb |                                  |
| Daphnia<br>clones                     | 400 clones<br>sampled from<br>20 ponds in<br>Flanders | Generate new data | Physical | physical      |                         |      | 6 shelves in<br>Daphnia facility |

#### GUIDANCE:

The data description forms the basis of your entire DMP, so make sure it is detailed and complete. It includes digital and physical data and encompasses the whole spectrum ranging from raw data to processed and analysed data including analysis scripts and code. Physical data are all materials that need proper management because they are valuable, difficult to replace and/or ethical issues are associated. Materials that are not considered data in an RDM context include your own manuscripts, theses and presentations; documentation is an integral part of your datasets and should described under documentation/metadata.

RDM Guidance on data

If you reuse existing data, please specify the source, preferably by using a persistent identifier (e.g. DOI, Handle, URL etc.) per dataset or data type.

Daphnia magna original reference genome: NCBI BioProject accession code: PRJNA906625 Daphnia magna 36 re-sequenced genomes: NCBI BioProject accession code: PRJNA344883

| Are there any ethical issues concerning the                 | ☐ Yes, human subject data; provide SMEC or EC approval number: |
|---|--|
| creation and/or use of the data                             | ☐ Yes, animal data; provide ECD reference number:              |
| (e.g. experiments on humans or animals, dual                | ☐ Yes, dual use; provide approval number:                      |
| use)? If so, refer to specific datasets or data             | ⊠ No   |
| types when appropriate and provide the                      | Additional information:  |
| relevant ethical approval number.                           |  |
|   |  |
| Will you process personal data <sup>4</sup> ? If so, please | ☐ Yes (provide PRET G-number or EC S-number below)             |
| refer to specific datasets or data types when               | ⊠ No   |
| appropriate and provide the KU Leuven or UZ                 | Additional information:  |
| Leuven privacy register number (G or S number).             |  |
|   |  |
| Does your work have potential for commercial                | □ Yes  |
| valorization (e.g. tech transfer, for example spin-         | ⊠ No   |
| offs, commercial exploitation,)?                            | If yes, please comment:  |
| If so, please comment per dataset or data type              |  |
| where appropriate.  |  |
| Do existing 3rd party agreements restrict                   | ☐ Yes  |
| exploitation or dissemination of the data you               | ⊠ No   |
| (re)use (e.g. Material/Data transfer agreements,            | If yes, please explain:  |
| research collaboration agreements)?                         |  |
| If so, please explain to what data they relate and          |  |
| what restrictions are in place.                             |  |
| Are there any other legal issues, such as                   | ☐ Yes  |
| intellectual property rights and ownership, to be           | ⊠ No   |
| managed related to the data you (re)use?                    | If yes, please explain:  |
| If so, please explain to what data they relate and          |  |
| which restrictions will be asserted                         |  |

<sup>&</sup>lt;sup>4</sup> See Glossary Flemish Standard Data Management Plan

### 3. Documentation and Metadata

Clearly describe what approach will be followed to capture the accompanying information necessary to keep **data understandable and usable**, for yourself and others, now and in the future (e.g. in terms of documentation levels and types required, procedures used, Electronic Lab Notebooks, README.txt files, Codebook.tsv etc. where this information is recorded).

RDM guidance on documentation and metadata.

For genomic sequence data (including short- and long-read DNA, RNA, and ATAC), NCBI metadata standards for data submission will be used. This includes:

- Sample ID (NCBI accession and lab ID)
- Sample origin
- Date of sampling
- Location of sampling
- Tissue
- Life stage
- Sex
- Sequence type and sequence platform

Data processing pipelines stored on GitHub will be accompanied with readme.txt files.

Phenotypic measurements of Daphnia clones will be stored in excel sheets including clone ID, clone origin, phenotypic value, experimenter and date of experiment.

An electronic lab book in which all metadata is shared and curated to common standards will be kept through a lab group on Microsoft teams.

I will also keep printed version of my protocols for the fieldwork, the molecular biology experiments and bioinformatic pipelines.

Will a metadata standard be used to make it easier to **find and reuse the data**?

If so, please specify which metadata standard will be used. If not, please specify which metadata will be created to make the data easier to find and reuse.

REPOSITORIES COULD ASK TO DELIVER METADATA IN A CERTAIN FORMAT, WITH SPECIFIED ONTOLOGIES AND VOCABULARIES, I.E. STANDARD LISTS WITH UNIQUE IDENTIFIERS.

 $\boxtimes$  Yes

□ No

If yes, please specify (where appropriate per dataset or data type) which metadata standard will be used:

- 1. Raw sequencing reads for: NCBI metadata standards for data submission ('SRA\_metadata.xlsx' and 'invertebrate.1.0.xlsx' file)
- 2. Reference genome assemblies: NCBI metadata standards for data submission

If no, please specify (where appropriate per dataset or data type) which metadata will be created:

- 3. Processed sequenced data: external harddrives (in duplicates) and KU Leuven VSC Tier-1 Data Storage for at least 10 years
- 4. Bioinformatic analyses pipeline: readme.txt files with descriptions of the pipelines. Stored on Github, external harddrive and Microsoft cloud service.
- 5. Phenotypic measurements of Daphnia clones: excel sheets including clone ID and phenotypic value. Stored on Github, external harddrive and Microsoft cloud service.

4. Data Storage & Back-up during the Research Project

| Where will the data be stored?                         | ☐ Shared network drive (J-drive)  |
|--|---|
| Where will the data be stored:                         |   |
| Consult the interactive KU Leuven storage quide to     | □ OneDrive (KU Leuven)  |
| find the most suitable storage solution for your data. | · · · · · · · · · · · · · · · · · · ·   |
| Jina the most suitable storage solution for your data. | ☐ Sharepoint online   |
|  | ☐ Sharepoint on-premis  |
|  | ☐ Large Volume Storage  |
|  | ☐ Digital Vault   |
|  | $\square$ Other:  |
|  |   |
| How will the data be backed up?                        | ■ Standard back-up provided by KU Leuven ICTS for my storage solution                               |
|  | ☑ Personal back-ups I make (specify)  |
| What storage and backup procedures will be in place to | □ Other (specify)   |
| PREVENT DATA LOSS?                                     |   |
|  | At Ku Leuven  |
|  | Personal computer   |
|  | External hard drives  |
|  | KU Leuven VSC Tier-1 Data Storage   |
|  | No Leaven voe her i bata storage  |
|  | Online:   |
|  | Public submission of sequence read data to NVBI (with embargo until publication)                    |
|  | Github  |
| Is there currently sufficient storage & backup         | ⊠ Yes   |
| capacity during the project? If yes, specify           |   |
|  | We have already secured 32 TB of storage on the iRODs server in Tier 1 of KU Leuven for our lab and |
| concisely. If no or insufficient storage or backup     | ,   |
| capacities are available, then explain how this        | purchased a 5TB personal external hard drives (both currently in use).                              |
| will be taken care of.                                 |   |
|  | If no, please specify:  |
|  |   |

| How will you ensure that the data are securely stored and not accessed or modified by unauthorized persons?  CLEARLY DESCRIBE THE MEASURES (IN TERMS OF PHYSICAL SECURITY, NETWORK SECURITY, AND SECURITY OF COMPUTER SYSTEMS AND FILES) THAT WILL BE TAKEN TO ENSURE THAT STORED AND TRANSFERRED DATA ARE SAFE.  Guidance on security for research data | The KU Leuven VSC Tier-1 Data Storage has a strict permissions system (read/write/modify), which will be limited to the primary collectors of the data.  External hard drives will be stored safely lockers in the lab space or in the office of Steven Van Belleghem.  Personal computers will be protected password protected. |
|--|--|
| What are the expected costs for data storage and backup during the research project? How will these costs be covered?  | Costs for data storage are included in the funded project and allow purchasing external hard drives and KU Leuven VSC Tier-1 Data Storage until the end of the project.  |

# 5. Data Preservation after the end of the Research Project

Which data will be retained for at least five years (or longer, in agreement with other retention policies that are applicable) after the end of the project? In case some data cannot be preserved, clearly state the reasons for this (e.g. legal or contractual restrictions, storage/budget issues, institutional policies...). *Guidance on data preservation* 

☑ All data will be preserved for 10 years according to KU Leuven RDM policy

□ All data will be preserved for 25 years according to CTC recommendations for clinical trials with medicinal products for human use and for clinical experiments on humans

☐ Certain data cannot be kept for 10 years (explain)

All raw sequencing will be publicly stored >25 years.

- 1. Raw sequencing reads for:
- Short-read DNA sequences (.fastQ)
- Long-read DNA sequences (.fastQ)
- ATAC-seq (.fastQ)
- RNA-seq (.fastQ)
- 2. Reference genome assemblies (.fasta)

Processed sequencing data will be stored for at least 10 years using the KU Leuven VSC Tier-1 Data Storage and external hard drives

- 3. Processed sequenced data:
- read alignments to genomes (.bam)
- gene expression counts (.counts)
- open chromatin regions (.bw .bed)
- genome alignments (.maf)

Protocols, pipelines and phenotypic measurements will be stored indefinitely on Github, onedrive, and external hard drives, and as supplementary material with published studies.

- 4. Bioinformatic analyses pipeline
- 5. Phenotypic measurements of Daphnia clones

| Where will these data be archived (stored and curated for the long-term)?  Dedicated data repositories are often the best place to preserve your data. Data not suitable for preservation in a repository can be stored using a KU Leuven storage solution, consult the interactive KU Leuven storage guide. | <ul> <li>KU Leuven RDR</li> <li> Large Volume Storage (longterm for large volumes)</li> <li> Shared network drive (J-drive)</li> <li> Other (specifiy):</li> <li>1. Raw sequencing reads: NCBI (National Center for Biotechnology Information)</li> <li>2. Reference genome assemblies: NCBI (National Center for Biotechnology Information)</li> <li>3. Processed sequenced data: external harddrives and KU Leuven VSC Tier-1 Data Storage</li> <li>4. Bioinformatic analyses pipeline: GitHub</li> <li>5. Phenotypic measurements of Daphnia clones: Github and publication supplements</li> <li>6. Living Daphnia clones will be collaboratively maintained as part of a larger project for at least 10 years in the Daphnia breeding facilities of the Division of Ecology, Evolution and Biodiversity Conservation of the Department of Biology at KU Leuven</li> </ul> |
|--|---|
| What are the expected costs for data preservation during the expected retention period? How will these costs be covered?   | NCBI: Free GitHub: Free (up to 2gb, which is sufficient for storing pipelines and scripts) KU Leuven VSC Tier-1 Data Storage: ~35 euro per Tb. 32Tb is supported by the FWO Data component of the Flemish Tier-1 supercomputing platform until 2027. Daphnia breeding: ¼ technician fee for stock maintenance.  |

# 6. Data Sharing and Reuse

| Will the data (or part of the data) be made                   |  |
|---|--|
| available for reuse after/during the project?                 | ☐ Yes, as embargoed data (temporary restriction)   |
| Please explain per dataset or data type which                 |  |
| data will be made available.                                  | □ No (closed access)   |
|   | ☐ Other, please specify:   |
| NOTE THAT 'AVAILABLE' DOES NOT NECESSARILY MEAN THAT THE      |  |
| DATA SET BECOMES OPENLY AVAILABLE, CONDITIONS FOR ACCESS      |  |
| AND USE MAY APPLY. AVAILABILITY IN THIS QUESTION THUS ENTAILS |  |
| BOTH OPEN & RESTRICTED ACCESS. FOR MORE INFORMATION:          |  |
| HTTPS://WIKI.SURFNET.NL/DISPLAY/STANDARDS/INFO-EU-REPO/#INF   |  |
| <u>OEUREPO-ACCESSRIGHTS</u>                                   |  |
|   |  |
| If access is restricted, please specify who will be           | Processed sequence data will be stored in at least two location using external harddrives and KU Leuven      |
| able to access the data and under what                        | VSC Tier-1 Data Storage. These data can be reproduced from raw reads and the available processing            |
| conditions.   | pipelines (shared on GitHub). These processed data types are not typically uploaded to NCBI for storage      |
|   | and sharing, but after publication, these data will also be freely available upon request and shared through |
|   | web transfers.   |
| Are there any factors that restrict or prevent the            | ☐ Yes, privacy aspects   |
| sharing of (some of) the data (e.g. as defined in             | ☐ Yes, intellectual property rights  |
| an agreement with a 3rd party, legal                          | ☐ Yes, ethical aspects   |
| restrictions)? Please explain per dataset or data             | ☐ Yes, aspects of dual use   |
| type where appropriate.                                       | ☐ Yes, other   |
|   | ⊠ No   |
|   |  |
|   |  |
|   | If yes, please specify:  |
|   |  |
|   |  |

| Where will the data be made available? If already known, please provide a repository per dataset or data type.  | <ul> <li>☐ KU Leuven RDR</li> <li>☐ Other data repository (specify)</li> <li>☐ Other (specify)</li> <li>1. Raw sequencing reads: NCBI (National Center for Biotechnology Information)</li> <li>2. Reference genome assemblies: NCBI (National Center for Biotechnology Information)</li> <li>3. Processed sequenced data: external harddrives and KU Leuven VSC Tier-1 Data Storage</li> <li>4. Bioinformatic analyses pipeline: GitHub</li> <li>5. Phenotypic measurements of Daphnia clones: Github and publication supplements</li> </ul> |
|---|--|
| When will the data be made available?   | <ul> <li>☑ Upon publication of research results</li> <li>☐ Specific date (specify)</li> <li>☐ Other (specify)</li> </ul>   |
| Which data usage licenses are you going to provide? If none, please explain why.  A DATA USAGE LICENSE INDICATES WHETHER THE DATA CAN BE REUSED OR NOT AND UNDER WHAT CONDITIONS. IF NO LICENCE IS GRANTED, THE DATA ARE IN A GREY ZONE AND CANNOT BE LEGALLY REUSED. DO NOTE THAT YOU MAY ONLY RELEASE DATA UNDER A LICENCE CHOSEN BY YOURSELF IF IT DOES NOT ALREADY FALL UNDER ANOTHER LICENCE THAT MIGHT PROHIBIT THAT.  Check the RDR quidance on licences for data and software sources code or consult the License selector tool to help you choose. | <ul> <li>□ CC-BY 4.0 (data)</li> <li>□ Data Transfer Agreement (restricted data)</li> <li>□ MIT licence (code)</li> <li>□ GNU GPL-3.0 (code)</li> <li>□ Other (specify)</li> </ul>   |

| Do you intend to add a PID/DOI/accession number to your dataset(s)? If already available, please provide it here. | <ul><li> ☑ Yes, a PID will be added upon deposit in a data repository</li><li> ☐ My dataset already has a PID</li><li> ☐ No</li></ul> |
|---|---|
| INDICATE WHETHER YOU INTEND TO ADD A PERSISTENT AND UNIQUE IDENTIFIER IN ORDER TO IDENTIFY AND RETRIEVE THE DATA. |   |
| What are the expected costs for data sharing? How will these costs be covered?                                    | NCBI: Free GitHub: Free (up to 2gb, which is sufficient for storing pipelines and scripts)  |
| now will these costs be covered:  | KU Leuven VSC Tier-1 Data Storage: ~35 euro per Tb. 32Tb is supported by the FWO Data component of                                    |
|   | the Flemish Tier-1 supercomputing platform until 2027.  |
|   | Daphnia breeding: ¼ technician fee for stock maintenance.   |

| 7. Responsibilities  |   |
|--|---|
| Who will manage data documentation and metadata during the research project? | Alexandros Kourtidis                        |
| Who will manage data storage and backup during the research project?         | Alexandros Kourtidis / Steven Van Belleghem |
| Who will manage data preservation and sharing?                               | Alexandros Kourtidis / Steven Van Belleghem |
| Who will update and implement this DMP?                                      | Alexandros Kourtidis / Steven Van Belleghem |