

# EXIT WHEN

原本是

```
IF a > 15 THEN
    EXIT;
```


改成以下範例，因為沒有IF了，所以要把 END IF 也移除

範例：

```
DECLARE
    a number(2) := 10;
BEGIN
    -- while loop execution
    WHILE a < 20 LOOP
        dbms_output.put_line ('value of a: ' || a);
        a := a + 1;

        EXIT WHEN a > 15;

    END LOOP;
    -- after exit, control resumes here
    dbms_output.put_line('After Exit a is: ' || a);
END;
/
```



db<>fiddle Oracle 21c run markdown

By using db<>fiddle, you agree to license everything you submit by [Creative Commons CC0](#).

```
1 DECLARE
2   a number(2) := 10;
3 BEGIN
4   -- while loop execution
5   WHILE a < 20 LOOP
6     dbms_output.put_line ('value of a: ' || a);
7     a := a + 1;
8
9     EXIT WHEN a > 15;
10
11   END LOOP;
12   -- after exit, control resumes here
13   dbms_output.put_line('After Exit a is: ' || a);
14 END;
15 /
```

1 rows affected

dbms\_output:  
value of a: 10  
value of a: 11  
value of a: 12  
value of a: 13  
value of a: 14  
value of a: 15  
After Exit a is: 16

