

DOCBASE_API_TEST

H1

H2

H3

H4

H5

H6

Alternatively, for H1 and H2, an underline-ish style:

Alt-H1

Alt-H2

Emphasis

Emphasis, aka italics, with *asterisks* or *underscores*.

Strong emphasis, aka bold, with **asterisks** or **underscores**.

Combined emphasis with ***asterisks and underscores***.

Strikethrough uses two tildes. ~~Scratch this.~~

Lists

- First list item
- Another item
Unordered sub-list.
- Another item
 - Ordered sub-list
 - Ordered sub-list
 - Ordered sub-list

- 1 First ordered list item
- 2 Another item
Unordered sub-list.
- 3 Actual numbers don't matter, just that it's a number
 - 1 Ordered sub-list
 - 1 Ordered sub-list
 - 1 Ordered sub-list

- 2 And another item.

You can have properly indented paragraphs within list items. Notice the blank line above, and the leading spaces (at least one, but we'll use three here to also align the raw Markdown).

To have a line break without a paragraph, you will need to use two trailing spaces. Note that this line is separate, but within the same paragraph. (This is contrary to the typical GFM line break behaviour, where trailing spaces are not required.)

- Unordered list can use asterisks
- Or minuses
- Or pluses

Links

I'm an inline-style link (<https://www.google.com>)

I'm an inline-style link with title (<https://www.google.com>)

I'm a reference-style link (<https://www.mozilla.org>)

I'm a relative reference to a repository file (../blob/master/LICENSE)

You can use numbers for reference-style link definitions (<http://slashdot.org>)

Or leave it empty and use the [link text itself](http://www.reddit.com) (<http://www.reddit.com>).

URLs and URLs in angle brackets will automatically get turned into links.
<http://www.example.com> or <http://www.example.com> (<http://www.example.com>) and
sometimes
[example.com](http://www.example.com) (but not on Github, for example).

Some text to show that the reference links can follow later.

Code and Syntax Highlighting

```
var s = "JavaScript syntax highlighting";  
alert(s);
```

```
s = "Python syntax highlighting"  
print s
```

```
No language indicated, so no syntax highlighting.  
But let's throw in a <b>tag</b>.
```

Tables

Colons can be used to align columns.

Tables	Are	Cool
col 3 is	right-aligned	\$1600
col 2 is	centered	\$12
zebra stripes	are neat	\$1

There must be at least 3 dashes separating each header cell.
The outer pipes (|) are optional, and you don't need to make the
raw Markdown line up prettily. You can also use inline Markdown.

Markdown	Less	Pretty

<i>Still</i>	renders	nicely
1	2	3

Blockquotes

Blockquotes are very handy in email to emulate reply text.
This line is part of the same quote.

”

Quote break.

This is a very long line that will still be quoted properly when it wraps. Oh boy let's keep writing to make sure this is long enough to actually wrap for everyone. Oh, you can *put Markdown* into a blockquote.

”

Inline HTML

Definition list

Is something people use sometimes.

Markdown in HTML

Does **not** work ****very**** well. Use HTML *tags*.

Three or more...

Horizontal Rule

Hyphens

Asterisks

Underscores

Line Breaks

Here's a line for us to start with.

This line is separated from the one above by two newlines, so it will be a *separate paragraph*.

This line is also a separate paragraph, but...

This line is only separated by a single newline, so it's a separate line in the *same paragraph*.