triglyceride lipase transcription regulatory region DNA scopolin beta-glucosidase symportei scopolin beta-glucosidase quercetin 7–O-glucosyltransferase quercetin 3–O-glucosyltransferase protein tyrosine phosphatase polygalacturonase phosphate ion transmembrane transporte on paired donors, with incorporation or reduction of molecular oxygen, NAD(P)H as one donor, and incorporation of one atom of neutral amino acid transmembrane trańsportei NADP methyl indole-3-acetate esterase manganese ion transmembrane transporter indole-3-acetonitrile nitrile hydratase

UDP-glycosyltransferase

nicotianamine synthase

flavin adenine dinucleotide ferric-chelate reductase

carboxylic ester hydrolase

DNA-binding transcription factor

carbohydrate:proton symportel carbohydrate transmembrane transportel

cadmium ion transmembrane transporter beta-glucosidase

amino acid transmembrane transporter amine transmembrane transporter 4-coumarate-CoA ligase 3-hydroxyisobutyryl-CoA hydrolase

hydrolase activity, hydrolyzing O-glycosyl com hydrolase activity, hydrolyzing O-glycosyl com hydrolase activity, acting on carbon-nitrogen (but not peptide heme

tranšaminase

phosphatase peroxidase peptidase **o**xygen

nitrilase

lipid iron ion

exochitinase endoribonuclease endochitinase

carbohydrate

chitinase

ATPase antiporte