


Exposures negatively associated with ovarian cancer risk				
Exposure	# of studies	Sample size	Cases	Pooled RR (95% CI)
CAROTENOIDS				
Lutein	4	529,715	3,624	0.66 (0.45–0.98)
beta–Carotene	8	611,872	4,692	0.72 (0.57–0.91)
VITAMINS A, C, D, E, K				
Vitamin E	6	591,029	4,497	0.66 (0.48–0.92)
Vitamin C	3	583,089	2,528	0.71 (0.38–1.29)
Vitamin D	11	68,361	5,262	0.72 (0.6–0.87)
Vitamin A	6	1,588,466	9,351	0.97 (0.86–1.09)
B VITAMINS				
Folic Acid	8	723,200	3,495	0.76 (0.56–1.02)
ANTIOXIDANTS				
Antioxidants	4	523,871	2,791	0.59 (0.36–0.99)
MINERALS & TRACE ELEMENTS				
Selenium	3	1,947	768	0.21 (0.05–0.92)
Calcium	5	37,261	2,041	0.72 (0.48–1.08)
POLYPHENOLS & FLAVONOIDS				
Tea	8	307,213	4,002	0.77 (0.55–1.08)
FRUITS & VEGETABLES				
Legumes	2	63,479	506	0.58 (0.22–1.49)
FATTY ACIDS & LIPIDS				
Omega–6 FA	2	6,630	3,238	0.78 (0.67–0.9)
PHYTOESTROGENS				
Soy	2	1,906	754	0.37 (0.22–0.64)
OTHER				
Caffeine	11	336,054	38,479	0.95 (0.79–1.15)
Alcohol	20	832,445	18,046	0.96 (0.82–1.12)



Exposure group

- Antioxidants
- B Vitamins
- Carotenoids
- Fatty Acids & Lipids
- Fruits & Vegetables
- Minerals & Trace Elements
- Other
- Phytoestrogens
- Polyphenols & Flavonoids
- Vitamins A, C, D, E, K

RR < 1 = inversely associated with ovarian cancer risk. | [*] pooled RR (size proportional to # of studies) | [] red outline = statistically significant (95% CI excludes 1.0) | [*] faded = non-significant | dashed line = 95% prediction interval