

## Importing Libraries

```
In [110]: import numpy as np  
import pandas as pd  
import matplotlib.pyplot as plt  
import seaborn as sns
```

## Importing Datasets

```
In [111]: df = pd.read_csv(r"C:\Users\user\Downloads\New folder\COASTAL ANDHRA PRADESH.csv")
df
```

Out[111]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	3083	COASTAL ANDHRA PRADESH	1902	2.0	0.0	2.8	23.9	37.6	72.6	144.5	236.1	204.5	262.0
1	3084	COASTAL ANDHRA PRADESH	1903	0.8	13.3	0.2	6.2	73.4	154.0	248.6	258.0	216.5	159.1
2	3085	COASTAL ANDHRA PRADESH	1904	1.3	0.0	5.4	3.0	136.3	107.8	120.2	117.7	116.8	240.9
3	3086	COASTAL ANDHRA PRADESH	1905	1.1	16.7	68.0	37.0	68.8	84.4	64.6	210.8	170.2	66.0
4	3087	COASTAL ANDHRA PRADESH	1906	3.9	23.5	9.9	2.3	11.0	252.6	155.8	241.1	126.9	92.1
...	...	...	...	...	...	...	...	...	...	...	...	...	...
109	3192	COASTAL ANDHRA PRADESH	2011	0.0	17.9	0.9	62.3	67.9	86.8	196.0	215.8	129.7	74.6
110	3193	COASTAL ANDHRA PRADESH	2012	37.6	0.0	2.7	24.0	39.3	95.4	221.9	221.2	246.5	140.0
111	3194	COASTAL ANDHRA PRADESH	2013	2.0	29.6	0.2	48.0	28.2	127.5	162.4	123.1	132.0	411.5
112	3195	COASTAL ANDHRA PRADESH	2014	0.4	1.2	9.1	6.0	112.9	45.7	151.8	177.8	144.5	195.6
113	3196	COASTAL ANDHRA PRADESH	2015	2.0	0.6	5.5	32.3	34.1	283.8	116.0	192.0	201.8	59.7

114 rows × 20 columns



## Data Cleaning and Data Preprocessing

```
In [112]: df=df.dropna()
```

```
In [113]: df.columns
```

```
Out[113]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
                  'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
                  'Mar-May', 'Jun-Sep', 'Oct-Dec'],
                  dtype='object')
```


```
In [114]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           114 non-null   int64
1   SUBDIVISION     114 non-null   object
2   YEAR            114 non-null   int64
3   JAN             114 non-null   float64
4   FEB             114 non-null   float64
5   MAR             114 non-null   float64
6   APR             114 non-null   float64
7   MAY             114 non-null   float64
8   JUN             114 non-null   float64
9   JUL             114 non-null   float64
10  AUG             114 non-null   float64
11  SEP             114 non-null   float64
12  OCT             114 non-null   float64
13  NOV             114 non-null   float64
14  DEC             114 non-null   float64
15  ANNUAL          114 non-null   float64
16  Jan-Feb         114 non-null   float64
17  Mar-May         114 non-null   float64
18  Jun-Sep         114 non-null   float64
19  Oct-Dec         114 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

## Line chart


```
In [115]: df.plot.line(subplots=True)
```

```
Out[115]: array([<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>], dtype=object)
```



```
In [116]: df.plot.line()
```


```
Out[116]: <AxesSubplot:~>
```



## Bar chart

```
In [117]: df.plot.bar()
```


```
Out[117]: <AxesSubplot:>
```



## Histogram

```
In [118]: df.plot.hist()
```


```
Out[118]: <AxesSubplot:ylabel='Frequency'>
```



## Area chart

```
In [119]: df.plot.area()
```


```
Out[119]: <AxesSubplot:>
```



## Box plot

```
In [120]: df.plot.box()
```

```
Out[120]: <AxesSubplot:>
```




## pie chart


```
In [121]: df.plot.pie(y='ANNUAL')
```

```
Out[121]: <AxesSubplot:ylabel='ANNUAL'>
```










Scatter chart

```
In [122]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```

```
Out[122]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```




```
In [123]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 113
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           114 non-null   int64
1   SUBDIVISION     114 non-null   object
2   YEAR            114 non-null   int64
3   JAN             114 non-null   float64
4   FEB             114 non-null   float64
5   MAR             114 non-null   float64
6   APR             114 non-null   float64
7   MAY             114 non-null   float64
8   JUN             114 non-null   float64
9   JUL             114 non-null   float64
10  AUG             114 non-null   float64
11  SEP             114 non-null   float64
12  OCT             114 non-null   float64
13  NOV             114 non-null   float64
14  DEC             114 non-null   float64
15  ANNUAL          114 non-null   float64
16  Jan-Feb        114 non-null   float64
17  Mar-May        114 non-null   float64
18  Jun-Sep        114 non-null   float64
19  Oct-Dec        114 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

## EDA AND VISUALIZATION


```
In [124]: sns.pairplot(df)
```

```
Out[124]: <seaborn.axisgrid.PairGrid at 0x1f589534970>
```




```
In [125]: sns.displot(df['YEAR'])
```

```
Out[125]: <seaborn.axisgrid.FacetGrid at 0x1f5831d1ee0>
```



```
In [126]: sns.heatmap(df.corr())
```

```
Out[126]: <AxesSubplot:>
```



```
In [ ]:
```