

# STA4003\_HW5\_codes

Yuzhou Peng

2023-12-06

```
library(tswge)
```

```
## Warning: 程辑包'tswge'是用R版本4.2.3 来建造的
```

```
## Registered S3 method overwritten by 'quantmod':  
##   method             from  
##   as.zoo.data.frame zoo
```

```
##  
## 载入程辑包: 'tsvge'
```

```
## The following object is masked from 'package:datasets':  
##  
##      uspop
```

```
set.seed(123)  
  
x <- list()  
  
for(i in 1:10){  
  x[[i]] <- gen.arima.wge(200, phi=0.9, theta=0.5, d=0, s=0, mu=0, vara=1, plot=F, sn=0)  
  print(arma(x[[i]], order = c(1,0,1), method = "CSS-ML"))  
  print(arma(x[[i]], order = c(1,0,1), method = "ML"))  
  print(arma(x[[i]], order = c(1,0,1), method = "CSS"))  
  cat("-----\n")  
}
```

```

##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9144  -0.4367   -0.7202
## s.e.    0.0370   0.0818    0.4019
##
## sigma^2 estimated as 0.8196:  log likelihood = -264.39,  aic = 536.79
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9143  -0.4366   -0.7202
## s.e.    0.0370   0.0818    0.4017
##
## sigma^2 estimated as 0.8196:  log likelihood = -264.39,  aic = 536.79
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9124  -0.4444   -0.9037
## s.e.    0.0365   0.0811    0.4139
##
## sigma^2 estimated as 0.8158:  part log likelihood = -263.42
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8899  -0.4417   -0.2143
## s.e.    0.0424   0.0823    0.3589
##
## sigma^2 estimated as 1.074:  log likelihood = -291.32,  aic = 590.64
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8899  -0.4416   -0.2145
## s.e.    0.0424   0.0823    0.3588
##
## sigma^2 estimated as 1.074:  log likelihood = -291.32,  aic = 590.64
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##

```

```

## Coefficients:
##          ar1          mal  intercept
##          0.8784   -0.4156    -0.0992
## s.e.    0.0449    0.0812    0.3563
##
## sigma^2 estimated as 1.077:  part log likelihood = -291.18
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8503   -0.5200    -0.3946
## s.e.    0.0563    0.0878    0.2099
##
## sigma^2 estimated as 0.8961:  log likelihood = -273.03,  aic = 554.06
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8502   -0.5199    -0.3947
## s.e.    0.0564    0.0878    0.2099
##
## sigma^2 estimated as 0.8961:  log likelihood = -273.03,  aic = 554.06
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8544   -0.5226    -0.3866
## s.e.    0.0568    0.0883    0.2211
##
## sigma^2 estimated as 0.901:  part log likelihood = -273.36
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8614   -0.5485    -0.3148
## s.e.    0.0579    0.0944    0.2511
##
## sigma^2 estimated as 1.243:  log likelihood = -305.77,  aic = 619.54
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8613   -0.5485    -0.3150
## s.e.    0.0579    0.0944    0.2511

```

```

##
## sigma^2 estimated as 1.243:  log likelihood = -305.77,  aic = 619.54
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8651  -0.5531   -0.3527
## s.e.    0.0569   0.0933    0.2630
##
## sigma^2 estimated as 1.248:  part log likelihood = -305.93
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9018  -0.5883    0.4698
## s.e.    0.0444   0.0853    0.2701
##
## sigma^2 estimated as 0.8932:  log likelihood = -272.79,  aic = 553.59
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9018  -0.5882    0.4696
## s.e.    0.0444   0.0854    0.2700
##
## sigma^2 estimated as 0.8932:  log likelihood = -272.79,  aic = 553.59
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8953  -0.5677    0.5234
## s.e.    0.0481   0.0885    0.2801
##
## sigma^2 estimated as 0.9011:  part log likelihood = -273.38
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9323  -0.6371    0.2527
## s.e.    0.0357   0.0815    0.3534
##
## sigma^2 estimated as 0.9589:  log likelihood = -279.97,  aic = 567.93
##
## Call:

```

```

## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9323  -0.6372    0.2531
## s.e.    0.0357   0.0815    0.3535
##
## sigma^2 estimated as 0.9589:  log likelihood = -279.97,  aic = 567.93
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9285  -0.6178    0.1801
## s.e.    0.0389   0.0862    0.3751
##
## sigma^2 estimated as 0.9723:  part log likelihood = -280.98
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9000  -0.5727   -0.6953
## s.e.    0.0437   0.0815    0.2711
##
## sigma^2 estimated as 0.8602:  log likelihood = -269.04,  aic = 546.07
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9001  -0.5728   -0.6951
## s.e.    0.0437   0.0815    0.2712
##
## sigma^2 estimated as 0.8602:  log likelihood = -269.04,  aic = 546.07
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.9009  -0.5732   -0.6326
## s.e.    0.0439   0.0810    0.2844
##
## sigma^2 estimated as 0.8627:  part log likelihood = -269.02
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept

```

```

##      0.8090  -0.3083   -0.1806
## s.e.  0.0585   0.0919    0.2427
##
## sigma^2 estimated as 0.9316:  log likelihood = -276.99,  aic = 561.99
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##      ar1      mal  intercept
##      0.8090  -0.3082   -0.1805
## s.e.  0.0585   0.0919    0.2426
##
## sigma^2 estimated as 0.9316:  log likelihood = -276.99,  aic = 561.99
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##      ar1      mal  intercept
##      0.8121  -0.3111   -0.1475
## s.e.  0.0585   0.0921    0.2513
##
## sigma^2 estimated as 0.9345:  part log likelihood = -277.01
## -----
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##      ar1      mal  intercept
##      0.8695  -0.5313   -0.5668
## s.e.  0.0480   0.0755    0.2429
##
## sigma^2 estimated as 0.9653:  log likelihood = -280.51,  aic = 569.01
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##      ar1      mal  intercept
##      0.8694  -0.5313   -0.5667
## s.e.  0.0480   0.0755    0.2429
##
## sigma^2 estimated as 0.9653:  log likelihood = -280.51,  aic = 569.01
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##      ar1      mal  intercept
##      0.8636  -0.5209   -0.5021
## s.e.  0.0495   0.0755    0.2460
##
## sigma^2 estimated as 0.9669:  part log likelihood = -280.43
## -----

```

```

##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS-ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8820  -0.4946      0.2819
## s.e.    0.0459   0.0828      0.2890
##
## sigma^2 estimated as 0.9647:  log likelihood = -280.51,  aic = 569.02
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "ML")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8820  -0.4946      0.2816
## s.e.    0.0459   0.0828      0.2890
##
## sigma^2 estimated as 0.9647:  log likelihood = -280.51,  aic = 569.02
##
## Call:
## arima(x = x[[i]], order = c(1, 0, 1), method = "CSS")
##
## Coefficients:
##          ar1          mal  intercept
##          0.8842  -0.4977      0.2208
## s.e.    0.0456   0.0821      0.3029
##
## sigma^2 estimated as 0.9674:  part log likelihood = -280.47
## -----

```