

GMMA

September 29, 2021

1 Guppy Multiple Moving Average (GMMA)

<https://www.investopedia.com/terms/g/guppy-multiple-moving-average.asp>

```
[1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt

import warnings
warnings.filterwarnings("ignore")

# fix_yahoo_finance is used to fetch data
import fix_yahoo_finance as yf
yf.pdr_override()
```

```
[2]: # input
symbol = 'AAPL'
start = '2018-08-01'
end = '2019-01-01'

# Read data
df = yf.download(symbol, start, end)

# View Columns
df.head()
```

[*****100%*****] 1 of 1 downloaded

```
[2]:
```

	Open	High	Low	Close	Adj Close	\
Date						
2018-08-01	199.130005	201.759995	197.309998	201.500000	199.243088	
2018-08-02	200.580002	208.380005	200.350006	207.389999	205.067123	
2018-08-03	207.029999	208.740005	205.479996	207.990005	205.660416	
2018-08-06	208.000000	209.250000	207.070007	209.070007	206.728317	
2018-08-07	209.320007	209.500000	206.759995	207.110001	204.790268	

	Volume
Date	

```

2018-08-01    67935700
2018-08-02    62404000
2018-08-03    33447400
2018-08-06    25425400
2018-08-07    25587400

```

```
[3]: import talib as ta
```

```
[4]: # Short-term for EMA
df['EMA3'] = ta.EMA(df['Adj Close'], timeperiod=3)
df['EMA5'] = ta.EMA(df['Adj Close'], timeperiod=5)
df['EMA8'] = ta.EMA(df['Adj Close'], timeperiod=8)
df['EMA10'] = ta.EMA(df['Adj Close'], timeperiod=10)
df['EMA12'] = ta.EMA(df['Adj Close'], timeperiod=12)
df['EMA15'] = ta.EMA(df['Adj Close'], timeperiod=15)
```

```
[5]: # Long-term for EMA
df['EMA30'] = ta.EMA(df['Adj Close'], timeperiod=30)
df['EMA35'] = ta.EMA(df['Adj Close'], timeperiod=35)
df['EMA40'] = ta.EMA(df['Adj Close'], timeperiod=40)
df['EMA45'] = ta.EMA(df['Adj Close'], timeperiod=45)
df['EMA50'] = ta.EMA(df['Adj Close'], timeperiod=50)
df['EMA60'] = ta.EMA(df['Adj Close'], timeperiod=60)
```


```
[6]: EMA_Short = df[['EMA3', 'EMA5', 'EMA8', 'EMA10', 'EMA12', 'EMA15']]
EMA_Long = df[['EMA30', 'EMA35', 'EMA40', 'EMA45', 'EMA50', 'EMA60']]
```

```
[7]: # Short-term for SMA
df['SMA3'] = ta.SMA(df['Adj Close'], timeperiod=3)
df['SMA5'] = ta.SMA(df['Adj Close'], timeperiod=5)
df['SMA8'] = ta.SMA(df['Adj Close'], timeperiod=8)
df['SMA10'] = ta.SMA(df['Adj Close'], timeperiod=10)
df['SMA12'] = ta.SMA(df['Adj Close'], timeperiod=12)
df['SMA15'] = ta.SMA(df['Adj Close'], timeperiod=15)
```


```
[8]: # Long-term for SMA
df['SMA30'] = ta.SMA(df['Adj Close'], timeperiod=30)
df['SMA35'] = ta.SMA(df['Adj Close'], timeperiod=35)
df['SMA40'] = ta.SMA(df['Adj Close'], timeperiod=40)
df['SMA45'] = ta.SMA(df['Adj Close'], timeperiod=45)
df['SMA50'] = ta.SMA(df['Adj Close'], timeperiod=50)
df['SMA60'] = ta.SMA(df['Adj Close'], timeperiod=60)
```

```
[9]: SMA_Short = df[['SMA3', 'SMA5', 'SMA8', 'SMA10', 'SMA12', 'SMA15']]
SMA_Long = df[['SMA30', 'SMA35', 'SMA40', 'SMA45', 'SMA50', 'SMA60']]
```

```
[10]: plt.figure(figsize=(14,8))
plt.plot(df['Adj Close'])
plt.plot(EMA_Short, color='blue')
plt.plot(EMA_Long, color='orange')
plt.title('Guppy Multiple Moving Averages of EMA')
plt.show()
```



```
[11]: plt.figure(figsize=(14,8))
plt.plot(df['Adj Close'])
plt.plot(SMA_Short, color='blue')
plt.plot(SMA_Long, color='orange')
plt.title('Guppy Multiple Moving Averages of SMA')
plt.show()
```



1.1 Candlestick with GMMA

```
[12]: from matplotlib import dates as mdates
import datetime as dt

dfc = df.copy()
dfc['VolumePositive'] = dfc['Open'] < dfc['Adj Close']
#dfc = dfc.dropna()
dfc = dfc.reset_index()
dfc['Date'] = mdates.date2num(dfc['Date'].astype(dt.date))
dfc.head()
```

```
[12]:
```

	Date	Open	High	Low	Close	Adj Close	\
0	736907.0	199.130005	201.759995	197.309998	201.500000	199.243088	
1	736908.0	200.580002	208.380005	200.350006	207.389999	205.067123	
2	736909.0	207.029999	208.740005	205.479996	207.990005	205.660416	
3	736912.0	208.000000	209.250000	207.070007	209.070007	206.728317	
4	736913.0	209.320007	209.500000	206.759995	207.110001	204.790268	

	Volume	EMA3	EMA5	EMA8	...	SMA10	SMA12	\
0	67935700	NaN	NaN	NaN	...	NaN	NaN	
1	62404000	NaN	NaN	NaN	...	NaN	NaN	
2	33447400	203.323542	NaN	NaN	...	NaN	NaN	
3	25425400	205.025930	NaN	NaN	...	NaN	NaN	
4	25587400	204.908099	204.297842	NaN	...	NaN	NaN	

	SMA15	SMA30	SMA35	SMA40	SMA45	SMA50	SMA60	VolumePositive
0	NaN	NaN	NaN	NaN	NaN	NaN	NaN	True
1	NaN	NaN	NaN	NaN	NaN	NaN	NaN	True
2	NaN	NaN	NaN	NaN	NaN	NaN	NaN	False
3	NaN	NaN	NaN	NaN	NaN	NaN	NaN	False
4	NaN	NaN	NaN	NaN	NaN	NaN	NaN	False


[5 rows x 32 columns]

```
[13]: from mpl_finance import candlestick_ohlc

fig = plt.figure(figsize=(14,10))
ax1 = plt.subplot(2, 1, 1)
candlestick_ohlc(ax1,dfc.values, width=0.5, colorup='g', colordown='r', alpha=1.
↪0)
ax1.plot(SMA_Short, color='orange')
ax1.plot(SMA_Long, color='blue')
ax1.xaxis_date()
ax1.xaxis.set_major_formatter(mdates.DateFormatter('%d-%m-%Y'))
ax1.grid(True, which='both')
ax1.minorticks_on()
ax1v = ax1.twinx()
colors = dfc.VolumePositive.map({True: 'g', False: 'r'})
ax1v.bar(dfc.Date, dfc['Volume'], color=colors, alpha=0.4)
ax1v.axes.yaxis.set_ticklabels([])
ax1v.set_ylim(0, 3*df.Volume.max())
ax1.set_title('Stock ' + symbol + ' Closing Price')
ax1.set_ylabel('Price')

ax2 = plt.subplot(2, 1, 2)
df['VolumePositive'] = df['Open'] < df['Adj Close']
ax2.bar(df.index, df['Volume'], color=df.VolumePositive.map({True: 'g', False:
↪'r'}), label='macdhist')
ax2.grid()
ax2.set_ylabel('Volume')
ax2.set_xlabel('Date')
```

[13]: Text(0.5,0,'Date')



```
[14]: from mpl_finance import candlestick_ohlc

fig = plt.figure(figsize=(14,10))
ax1 = plt.subplot(2, 1, 1)
candlestick_ohlc(ax1,dfc.values, width=0.5, colorup='g', colordown='r', alpha=1.
    ↪0)
ax1.plot(EMA_Short, color='orange')
ax1.plot(EMA_Long, color='blue')
ax1.xaxis_date()
ax1.xaxis.set_major_formatter(mdates.DateFormatter('%d-%m-%Y'))
ax1.grid(True, which='both')
ax1.minorticks_on()
ax1v = ax1.twinx()
colors = dfc.VolumePositive.map({True: 'g', False: 'r'})
ax1v.bar(dfc.Date, dfc['Volume'], color=colors, alpha=0.4)
ax1v.axes.yaxis.set_ticklabels([])
ax1v.set_ylim(0, 3*dfc.Volume.max())
ax1.set_title('Stock ' + symbol + ' Closing Price')
ax1.set_ylabel('Price')

ax2 = plt.subplot(2, 1, 2)
```

```

df['VolumePositive'] = df['Open'] < df['Adj Close']
ax2.bar(df.index, df['Volume'], color=df.VolumePositive.map({True: 'g', False: 'r'}), label='macdhist')
ax2.grid()
ax2.set_ylabel('Volume')
ax2.set_xlabel('Date')

```

[14]: Text(0.5,0,'Date')

