03 image classification with alexnet

September 29, 2021

1 CIFAR10 Image Classification

Fast-forward to 2012, and we move on to the deeper and more modern AlexNet architecture. We will use the CIFAR10 dataset that uses 60,000 ImageNet samples, compressed to 32x32 pixel resolution (from the original 224x224), but still with three color channels. There are only 10 of the original 1,000 classes.

1.1 Imports

```
[1]: %matplotlib inline
     from pathlib import Path
     import numpy as np
     import pandas as pd
     import tensorflow as tf
     from tensorflow.keras.datasets import cifar10
     from tensorflow.keras.models import Sequential
     from tensorflow.keras.preprocessing.image import ImageDataGenerator
     from tensorflow.keras.layers import Dense, Dropout, Flatten, Conv2D,
     →MaxPooling2D
     from tensorflow.keras.callbacks import ModelCheckpoint, TensorBoard,
     →EarlyStopping
     from tensorflow.keras.layers import BatchNormalization
     from tensorflow.keras import backend as K
     import matplotlib.pyplot as plt
     import seaborn as sns
```

```
[2]: gpu_devices = tf.config.experimental.list_physical_devices('GPU')
if gpu_devices:
    print('Using GPU')
    tf.config.experimental.set_memory_growth(gpu_devices[0], True)
else:
    print('Using CPU')
```

Using CPU

```
[3]: sns.set_style('whitegrid')
np.random.seed(42)

[4]: results_path = Path('results', 'cifar10')
if not results_path.exists():
    results_path.mkdir()
```

1.2 Load CIFAR-10 Data

CIFAR10 can also be downloaded from keras, and we similarly rescale the pixel values and one-hot encode the ten class labels.

```
[5]: # load the pre-shuffled train and test data
(X_train, y_train), (X_test, y_test) = cifar10.load_data()
```

1.2.1 Visualize the First 30 Training Images

```
[7]: num_classes = len(cifar10_labels)
```

```
[8]: height, width, channels = X_train.shape[1:]
input_shape = height, width, channels
input_shape
```

```
[8]: (32, 32, 3)
```

```
[9]: fig, axes = plt.subplots(nrows=3, ncols=10, figsize=(20, 5))
axes = axes.flatten()
for i, ax in enumerate(axes):
    ax.imshow(np.squeeze(X_train[i]))
    ax.axis('off')
    ax.set_title(cifar10_labels[y_train[i, 0]])
```



1.2.2 Rescale the Images

```
[10]: # rescale [0,255] --> [0,1]
X_train = X_train.astype('float32') / 255
X_test = X_test.astype('float32') / 255
```

1.2.3 Train-Test split

```
[11]: X_train, X_valid = X_train[5000:], X_train[:5000]
y_train, y_valid = y_train[5000:], y_train[:5000]
```

```
[12]: # shape of training set
X_train.shape
```

```
[12]: (45000, 32, 32, 3)
```

```
[13]: print(X_train.shape[0], 'train samples')
print(X_test.shape[0], 'test samples')
print(X_valid.shape[0], 'validation samples')
```

```
45000 train samples
10000 test samples
5000 validation samples
```

1.3 Feedforward Neural Network

We first train a two-layer feedforward network on $50,\!000$ training samples for training for 20 epochs to achieve a test accuracy of 44.22%. We also experiment with a three-layer convolutional net with 500K parameters for 67.07% test accuracy.

1.3.1 Model Architecture

```
[14]: mlp = Sequential([
    Flatten(input_shape=input_shape, name='input'),
    Dense(1000, activation='relu', name='hidden_layer_1'),
    Dropout(0.2, name='droput_1'),
```

```
Dense(512, activation='relu', name='hidden_layer_2'),
Dropout(0.2, name='dropout_2'),
Dense(num_classes, activation='softmax', name='output')
])
```

[15]: mlp.summary()

Model: "sequential"

Layer (type)	Output Shape	Param #
input (Flatten)	(None, 3072)	0
hidden_layer_1 (Dense)	(None, 1000)	3073000
droput_1 (Dropout)	(None, 1000)	0
hidden_layer_2 (Dense)	(None, 512)	512512
dropout_2 (Dropout)	(None, 512)	0
output (Dense)	(None, 10)	5130
Total params: 3,590,642 Trainable params: 3,590,642 Non-trainable params: 0		

1.3.2 Compile the Model

1.3.3 Define Callbacks

```
update_freq='epoch')
[20]: early_stopping = EarlyStopping(monitor='val_accuracy', patience=10)
   1.3.4 Train the Model
[21]: batch_size = 32
    epochs = 100
[22]: mlp_history = mlp.fit(X_train,
                   y_train,
                   batch_size=batch_size,
                   epochs=epochs,
                   validation_data=(X_valid, y_valid),
                   callbacks=[checkpointer, tensorboard, early_stopping],
                   verbose=1.
                   shuffle=True)
   Epoch 1/100
   0.2738
   Epoch 00001: val_accuracy improved from -inf to 0.34060, saving model to
   results/cifar10/mlp.weights.best.hdf5
   accuracy: 0.2737 - val_loss: 1.8299 - val_accuracy: 0.3406
   Epoch 2/100
   0.3252
   Epoch 00002: val_accuracy improved from 0.34060 to 0.36960, saving model to
   results/cifar10/mlp.weights.best.hdf5
   accuracy: 0.3253 - val_loss: 1.7528 - val_accuracy: 0.3696
   0.3431
   Epoch 00003: val_accuracy improved from 0.36960 to 0.37920, saving model to
   results/cifar10/mlp.weights.best.hdf5
   accuracy: 0.3433 - val_loss: 1.7304 - val_accuracy: 0.3792
   Epoch 4/100
   0.3546
   Epoch 00004: val_accuracy improved from 0.37920 to 0.38040, saving model to
   results/cifar10/mlp.weights.best.hdf5
   1407/1407 [============= ] - 6s 4ms/step - loss: 1.7751 -
   accuracy: 0.3547 - val_loss: 1.7400 - val_accuracy: 0.3804
```

Epoch 5/100

```
0.3606
Epoch 00005: val_accuracy did not improve from 0.38040
accuracy: 0.3606 - val_loss: 1.7227 - val_accuracy: 0.3644
Epoch 6/100
0.3697
Epoch 00006: val_accuracy improved from 0.38040 to 0.41040, saving model to
results/cifar10/mlp.weights.best.hdf5
1407/1407 [============= ] - 5s 3ms/step - loss: 1.7352 -
accuracy: 0.3701 - val_loss: 1.6512 - val_accuracy: 0.4104
Epoch 7/100
Epoch 00007: val_accuracy did not improve from 0.41040
1407/1407 [============ ] - 4s 3ms/step - loss: 1.7260 -
accuracy: 0.3720 - val_loss: 1.6519 - val_accuracy: 0.4040
Epoch 8/100
Epoch 00008: val accuracy improved from 0.41040 to 0.41380, saving model to
results/cifar10/mlp.weights.best.hdf5
accuracy: 0.3763 - val_loss: 1.6444 - val_accuracy: 0.4138
Epoch 9/100
0.3780
Epoch 00009: val_accuracy improved from 0.41380 to 0.41440, saving model to
results/cifar10/mlp.weights.best.hdf5
accuracy: 0.3780 - val_loss: 1.6564 - val_accuracy: 0.4144
Epoch 10/100
Epoch 00010: val_accuracy did not improve from 0.41440
accuracy: 0.3818 - val_loss: 1.6394 - val_accuracy: 0.4082
Epoch 11/100
0.3913
Epoch 00011: val_accuracy did not improve from 0.41440
1407/1407 [============= ] - 4s 3ms/step - loss: 1.6813 -
accuracy: 0.3913 - val_loss: 1.6265 - val_accuracy: 0.4110
Epoch 12/100
0.3918
Epoch 00012: val_accuracy improved from 0.41440 to 0.41580, saving model to
```

```
results/cifar10/mlp.weights.best.hdf5
accuracy: 0.3918 - val_loss: 1.6300 - val_accuracy: 0.4158
Epoch 13/100
0.3921
Epoch 00013: val accuracy did not improve from 0.41580
accuracy: 0.3921 - val_loss: 1.6536 - val_accuracy: 0.4060
Epoch 14/100
Epoch 00014: val_accuracy improved from 0.41580 to 0.43520, saving model to
results/cifar10/mlp.weights.best.hdf5
accuracy: 0.3932 - val_loss: 1.6076 - val_accuracy: 0.4352
Epoch 15/100
0.3987
Epoch 00015: val accuracy did not improve from 0.43520
1407/1407 [============= ] - 4s 3ms/step - loss: 1.6605 -
accuracy: 0.3987 - val_loss: 1.6234 - val_accuracy: 0.4220
Epoch 16/100
0.4005
Epoch 00016: val_accuracy did not improve from 0.43520
accuracy: 0.4003 - val_loss: 1.5963 - val_accuracy: 0.4292
Epoch 17/100
0.4069
Epoch 00017: val_accuracy did not improve from 0.43520
accuracy: 0.4071 - val_loss: 1.6044 - val_accuracy: 0.4342
Epoch 18/100
Epoch 00018: val_accuracy improved from 0.43520 to 0.44120, saving model to
results/cifar10/mlp.weights.best.hdf5
accuracy: 0.4060 - val_loss: 1.5820 - val_accuracy: 0.4412
Epoch 19/100
0.4087
Epoch 00019: val_accuracy did not improve from 0.44120
accuracy: 0.4085 - val_loss: 1.6050 - val_accuracy: 0.4214
Epoch 20/100
```

```
0.4084
Epoch 00020: val_accuracy did not improve from 0.44120
accuracy: 0.4078 - val_loss: 1.5929 - val_accuracy: 0.4292
Epoch 21/100
0.4106
Epoch 00021: val_accuracy did not improve from 0.44120
accuracy: 0.4109 - val_loss: 1.5937 - val_accuracy: 0.4332
Epoch 22/100
0.4125
Epoch 00022: val_accuracy improved from 0.44120 to 0.44440, saving model to
results/cifar10/mlp.weights.best.hdf5
1407/1407 [============= ] - 4s 3ms/step - loss: 1.6280 -
accuracy: 0.4121 - val_loss: 1.5746 - val_accuracy: 0.4444
Epoch 23/100
0.4130
Epoch 00023: val accuracy did not improve from 0.44440
accuracy: 0.4129 - val_loss: 1.5896 - val_accuracy: 0.4392
Epoch 24/100
0.4141
Epoch 00024: val_accuracy did not improve from 0.44440
accuracy: 0.4143 - val_loss: 1.5868 - val_accuracy: 0.4326
Epoch 25/100
0.4199
Epoch 00025: val_accuracy did not improve from 0.44440
accuracy: 0.4196 - val_loss: 1.5785 - val_accuracy: 0.4306
Epoch 26/100
0.4200
Epoch 00026: val_accuracy did not improve from 0.44440
accuracy: 0.4200 - val_loss: 1.5691 - val_accuracy: 0.4358
Epoch 27/100
0.4180
Epoch 00027: val_accuracy did not improve from 0.44440
accuracy: 0.4178 - val_loss: 1.5746 - val_accuracy: 0.4370
```

```
Epoch 28/100
0.4184
Epoch 00028: val_accuracy did not improve from 0.44440
accuracy: 0.4182 - val_loss: 1.5717 - val_accuracy: 0.4438
Epoch 29/100
0.4227
Epoch 00029: val_accuracy did not improve from 0.44440
1407/1407 [============== ] - 4s 3ms/step - loss: 1.6012 -
accuracy: 0.4228 - val_loss: 1.5908 - val_accuracy: 0.4380
Epoch 30/100
Epoch 00030: val_accuracy did not improve from 0.44440
accuracy: 0.4205 - val_loss: 1.5800 - val_accuracy: 0.4360
Epoch 31/100
0.4239
Epoch 00031: val accuracy did not improve from 0.44440
1407/1407 [============== ] - 4s 3ms/step - loss: 1.6027 -
accuracy: 0.4236 - val_loss: 1.5734 - val_accuracy: 0.4370
Epoch 32/100
0.4240
Epoch 00032: val_accuracy improved from 0.44440 to 0.44840, saving model to
results/cifar10/mlp.weights.best.hdf5
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5998 -
accuracy: 0.4241 - val_loss: 1.5570 - val_accuracy: 0.4484
Epoch 33/100
0.4258
Epoch 00033: val accuracy did not improve from 0.44840
accuracy: 0.4258 - val_loss: 1.5770 - val_accuracy: 0.4242
Epoch 34/100
0.4250
Epoch 00034: val_accuracy did not improve from 0.44840
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5964 -
accuracy: 0.4250 - val_loss: 1.5852 - val_accuracy: 0.4342
Epoch 35/100
Epoch 00035: val_accuracy did not improve from 0.44840
```


```
accuracy: 0.4272 - val_loss: 1.5676 - val_accuracy: 0.4338
Epoch 36/100
Epoch 00036: val accuracy did not improve from 0.44840
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5836 -
accuracy: 0.4290 - val_loss: 1.5774 - val_accuracy: 0.4316
Epoch 37/100
0.4286
Epoch 00037: val_accuracy did not improve from 0.44840
accuracy: 0.4283 - val_loss: 1.5791 - val_accuracy: 0.4340
Epoch 38/100
0.4286
Epoch 00038: val_accuracy did not improve from 0.44840
accuracy: 0.4288 - val_loss: 1.5574 - val_accuracy: 0.4478
Epoch 39/100
0.4275
Epoch 00039: val_accuracy did not improve from 0.44840
accuracy: 0.4273 - val_loss: 1.5651 - val_accuracy: 0.4330
Epoch 40/100
0.4314
Epoch 00040: val_accuracy did not improve from 0.44840
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5781 -
accuracy: 0.4314 - val_loss: 1.5556 - val_accuracy: 0.4422
Epoch 41/100
0.4322
Epoch 00041: val_accuracy improved from 0.44840 to 0.45520, saving model to
results/cifar10/mlp.weights.best.hdf5
accuracy: 0.4318 - val_loss: 1.5452 - val_accuracy: 0.4552
Epoch 42/100
0.4339
Epoch 00042: val_accuracy did not improve from 0.45520
1407/1407 [============= ] - 3s 2ms/step - loss: 1.5753 -
accuracy: 0.4339 - val_loss: 1.5623 - val_accuracy: 0.4460
Epoch 43/100
0.4315
Epoch 00043: val_accuracy did not improve from 0.45520
```


```
accuracy: 0.4313 - val_loss: 1.5775 - val_accuracy: 0.4470
Epoch 44/100
0.4336
Epoch 00044: val_accuracy improved from 0.45520 to 0.46040, saving model to
results/cifar10/mlp.weights.best.hdf5
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5709 -
accuracy: 0.4336 - val_loss: 1.5385 - val_accuracy: 0.4604
Epoch 45/100
0.4338
Epoch 00045: val_accuracy did not improve from 0.46040
accuracy: 0.4338 - val_loss: 1.5764 - val_accuracy: 0.4354
Epoch 46/100
Epoch 00046: val_accuracy did not improve from 0.46040
1407/1407 [============== ] - 4s 3ms/step - loss: 1.5725 -
accuracy: 0.4329 - val_loss: 1.5394 - val_accuracy: 0.4532
Epoch 47/100
Epoch 00047: val_accuracy did not improve from 0.46040
accuracy: 0.4351 - val_loss: 1.5785 - val_accuracy: 0.4506
Epoch 48/100
0.4350
Epoch 00048: val_accuracy did not improve from 0.46040
accuracy: 0.4350 - val_loss: 1.5554 - val_accuracy: 0.4452
Epoch 49/100
0.4341
Epoch 00049: val accuracy did not improve from 0.46040
accuracy: 0.4341 - val_loss: 1.5583 - val_accuracy: 0.4478
Epoch 50/100
0.4384
Epoch 00050: val_accuracy did not improve from 0.46040
1407/1407 [============= - - 4s 3ms/step - loss: 1.5613 -
accuracy: 0.4383 - val_loss: 1.5428 - val_accuracy: 0.4480
0.4385
```

```
Epoch 00051: val_accuracy did not improve from 0.46040
accuracy: 0.4382 - val_loss: 1.5635 - val_accuracy: 0.4468
Epoch 52/100
0.4352
Epoch 00052: val accuracy improved from 0.46040 to 0.46180, saving model to
results/cifar10/mlp.weights.best.hdf5
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5660 -
accuracy: 0.4351 - val_loss: 1.5402 - val_accuracy: 0.4618
Epoch 53/100
0.4385
Epoch 00053: val_accuracy did not improve from 0.46180
accuracy: 0.4388 - val_loss: 1.5487 - val_accuracy: 0.4556
Epoch 54/100
0.4401
Epoch 00054: val accuracy did not improve from 0.46180
1407/1407 [============ ] - 4s 3ms/step - loss: 1.5585 -
accuracy: 0.4402 - val_loss: 1.5673 - val_accuracy: 0.4490
Epoch 55/100
0.4368
Epoch 00055: val_accuracy did not improve from 0.46180
accuracy: 0.4370 - val_loss: 1.5689 - val_accuracy: 0.4326
Epoch 56/100
0.4418
Epoch 00056: val_accuracy did not improve from 0.46180
1407/1407 [============= ] - 4s 3ms/step - loss: 1.5553 -
accuracy: 0.4419 - val_loss: 1.5362 - val_accuracy: 0.4574
Epoch 57/100
Epoch 00057: val_accuracy did not improve from 0.46180
accuracy: 0.4421 - val_loss: 1.5463 - val_accuracy: 0.4594
Epoch 58/100
0.4405
Epoch 00058: val_accuracy did not improve from 0.46180
1407/1407 [============] - 4s 3ms/step - loss: 1.5536 -
accuracy: 0.4405 - val_loss: 1.5584 - val_accuracy: 0.4484
Epoch 59/100
```

```
0.4422
Epoch 00059: val_accuracy did not improve from 0.46180
accuracy: 0.4422 - val_loss: 1.5610 - val_accuracy: 0.4468
Epoch 60/100
Epoch 00060: val_accuracy did not improve from 0.46180
accuracy: 0.4413 - val_loss: 1.5644 - val_accuracy: 0.4478
Epoch 61/100
0.4408
Epoch 00061: val_accuracy did not improve from 0.46180
accuracy: 0.4405 - val_loss: 1.5575 - val_accuracy: 0.4498
Epoch 62/100
0.4430
Epoch 00062: val accuracy did not improve from 0.46180
accuracy: 0.4428 - val_loss: 1.5913 - val_accuracy: 0.4422
```

1.3.5 Plot CV Results





1.3.6 Load best model

[24]: # load the weights that yielded the best validation accuracy mlp.load_weights(mlp_path)

1.3.7 Test Classification Accuracy

```
[25]: # evaluate and print test accuracy
mlp_accuracy = mlp.evaluate(X_test, y_test, verbose=0)[1]
print('Test accuracy: {:.2%}'.format(mlp_accuracy))
```

Test accuracy: 45.24%

1.4 Convolutional Neural Network

1.4.1 Model Architecture

```
[27]: cnn = Sequential([
          Conv2D(filters=16,
                 kernel_size=2,
                 padding='same',
                 activation='relu',
                 input_shape=input_shape,
                 name='CONV1'),
          MaxPooling2D(pool_size=2, name='POOL1'),
          Conv2D(filters=32,
                 kernel_size=2,
                 padding='same',
                 activation='relu',
                 name='CONV2'),
          MaxPooling2D(pool_size=2, name='POOL2'),
          Conv2D(filters=64,
                 kernel size=2,
                 padding='same',
                 activation='relu',
                 name='CONV3'),
          MaxPooling2D(pool size=2, name='POOL3'),
          Dropout(0.3, name='DROP1'),
          Flatten(name='FLAT1'),
          Dense(500, activation='relu', name='FC1'),
          Dropout(0.4, name='DROP2'),
          Dense(10, activation='softmax', name='FC2')
      ])
```

```
[28]: cnn.summary()
```

CONV1 (Conv2D)	(None, 32, 32, 16)	208
POOL1 (MaxPooling2D)	(None, 16, 16, 16)	0
CONV2 (Conv2D)	(None, 16, 16, 32)	2080
POOL2 (MaxPooling2D)	(None, 8, 8, 32)	0
CONV3 (Conv2D)	(None, 8, 8, 64)	8256
POOL3 (MaxPooling2D)	(None, 4, 4, 64)	0
DROP1 (Dropout)	(None, 4, 4, 64)	0
FLAT1 (Flatten)	(None, 1024)	0
FC1 (Dense)	(None, 500)	512500
DROP2 (Dropout)	(None, 500)	0
FC2 (Dense)	(None, 10)	5010
Total params: 528,054 Trainable params: 528,054 Non-trainable params: 0		

1.4.2 Compile the Model

```
[29]: cnn.compile(loss='sparse_categorical_crossentropy',
                  optimizer='adam',
                  metrics=['accuracy'])
```

1.4.3 Define Callbacks

```
[30]: cnn_path = (results_path / 'cnn.weights.best.hdf5').as_posix()
[31]: checkpointer = ModelCheckpoint(filepath=cnn_path,
                                     verbose=1,
                                     monitor='val_accuracy',
                                     save_best_only=True)
[32]: tensorboard = TensorBoard(log_dir=results_path / 'logs' / 'cnn',
                                histogram_freq=1,
                                write_graph=True,
                                write_grads=False,
```

```
update_freq='epoch')
[33]: early_stopping = EarlyStopping(monitor='val_accuracy', patience=10)
     1.4.4 Train the Model
[34]: batch_size = 32
      epochs = 100
[35]: cnn_history = cnn.fit(X_train,
                            y_train,
                            batch_size=batch_size,
                            epochs=epochs,
                            validation_data=(X_valid, y_valid),
                            callbacks=[checkpointer, tensorboard, early_stopping],
                            verbose=2,
                            shuffle=True)
     Epoch 1/100
     Epoch 00001: val_accuracy improved from -inf to 0.53480, saving model to
     results/cifar10/cnn.weights.best.hdf5
     1407/1407 - 5s - loss: 1.5758 - accuracy: 0.4249 - val_loss: 1.2937 -
     val_accuracy: 0.5348
     Epoch 2/100
     Epoch 00002: val_accuracy improved from 0.53480 to 0.60000, saving model to
     results/cifar10/cnn.weights.best.hdf5
     1407/1407 - 4s - loss: 1.2683 - accuracy: 0.5436 - val_loss: 1.1202 -
     val_accuracy: 0.6000
     Epoch 3/100
     Epoch 00003: val_accuracy improved from 0.60000 to 0.64120, saving model to
     results/cifar10/cnn.weights.best.hdf5
     1407/1407 - 5s - loss: 1.1385 - accuracy: 0.5918 - val_loss: 1.0183 -
     val_accuracy: 0.6412
     Epoch 4/100
     Epoch 00004: val_accuracy improved from 0.64120 to 0.65340, saving model to
     results/cifar10/cnn.weights.best.hdf5
     1407/1407 - 5s - loss: 1.0481 - accuracy: 0.6269 - val_loss: 0.9816 -
     val_accuracy: 0.6534
     Epoch 5/100
     Epoch 00005: val_accuracy improved from 0.65340 to 0.68180, saving model to
     results/cifar10/cnn.weights.best.hdf5
```

1407/1407 - 5s - loss: 0.9824 - accuracy: 0.6506 - val_loss: 0.9043 -

```
val_accuracy: 0.6818
Epoch 6/100
Epoch 00006: val_accuracy improved from 0.68180 to 0.68680, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 4s - loss: 0.9298 - accuracy: 0.6710 - val_loss: 0.8882 -
val accuracy: 0.6868
Epoch 7/100
Epoch 00007: val_accuracy improved from 0.68680 to 0.71380, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 5s - loss: 0.8844 - accuracy: 0.6866 - val_loss: 0.8158 -
val_accuracy: 0.7138
Epoch 8/100
Epoch 00008: val_accuracy improved from 0.71380 to 0.72500, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 5s - loss: 0.8484 - accuracy: 0.6981 - val_loss: 0.8081 -
val_accuracy: 0.7250
Epoch 9/100
Epoch 00009: val accuracy did not improve from 0.72500
1407/1407 - 5s - loss: 0.8197 - accuracy: 0.7098 - val_loss: 0.7862 -
val_accuracy: 0.7228
Epoch 10/100
Epoch 00010: val_accuracy improved from 0.72500 to 0.73920, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 5s - loss: 0.7854 - accuracy: 0.7228 - val_loss: 0.7704 -
val_accuracy: 0.7392
Epoch 11/100
Epoch 00011: val_accuracy improved from 0.73920 to 0.74360, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 5s - loss: 0.7566 - accuracy: 0.7334 - val loss: 0.7560 -
val_accuracy: 0.7436
Epoch 12/100
Epoch 00012: val_accuracy did not improve from 0.74360
1407/1407 - 5s - loss: 0.7425 - accuracy: 0.7370 - val_loss: 0.7834 -
val_accuracy: 0.7228
Epoch 13/100
Epoch 00013: val_accuracy did not improve from 0.74360
1407/1407 - 5s - loss: 0.7146 - accuracy: 0.7458 - val_loss: 0.7438 -
val_accuracy: 0.7404
Epoch 14/100
```

```
Epoch 00014: val_accuracy did not improve from 0.74360
1407/1407 - 4s - loss: 0.6945 - accuracy: 0.7526 - val_loss: 0.7510 -
val_accuracy: 0.7396
Epoch 15/100
Epoch 00015: val_accuracy did not improve from 0.74360
1407/1407 - 5s - loss: 0.6722 - accuracy: 0.7626 - val_loss: 0.7723 -
val_accuracy: 0.7372
Epoch 16/100
Epoch 00016: val_accuracy did not improve from 0.74360
1407/1407 - 4s - loss: 0.6586 - accuracy: 0.7644 - val_loss: 0.7758 -
val_accuracy: 0.7316
Epoch 17/100
Epoch 00017: val_accuracy improved from 0.74360 to 0.75140, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 5s - loss: 0.6427 - accuracy: 0.7736 - val_loss: 0.7227 -
val_accuracy: 0.7514
Epoch 18/100
Epoch 00018: val_accuracy did not improve from 0.75140
1407/1407 - 4s - loss: 0.6261 - accuracy: 0.7756 - val_loss: 0.7314 -
val_accuracy: 0.7488
Epoch 19/100
Epoch 00019: val_accuracy did not improve from 0.75140
1407/1407 - 5s - loss: 0.6130 - accuracy: 0.7821 - val_loss: 0.7269 -
val_accuracy: 0.7500
Epoch 20/100
Epoch 00020: val_accuracy did not improve from 0.75140
1407/1407 - 4s - loss: 0.6058 - accuracy: 0.7835 - val_loss: 0.7349 -
val_accuracy: 0.7452
Epoch 21/100
Epoch 00021: val accuracy did not improve from 0.75140
1407/1407 - 5s - loss: 0.5940 - accuracy: 0.7876 - val_loss: 0.7228 -
val_accuracy: 0.7508
Epoch 22/100
Epoch 00022: val_accuracy improved from 0.75140 to 0.75200, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 5s - loss: 0.5836 - accuracy: 0.7916 - val_loss: 0.7152 -
val_accuracy: 0.7520
Epoch 23/100
```

Epoch 00023: val_accuracy did not improve from 0.75200


```
1407/1407 - 5s - loss: 0.5667 - accuracy: 0.7963 - val_loss: 0.7337 -
val_accuracy: 0.7460
Epoch 24/100
Epoch 00024: val_accuracy improved from 0.75200 to 0.76200, saving model to
results/cifar10/cnn.weights.best.hdf5
1407/1407 - 4s - loss: 0.5579 - accuracy: 0.7999 - val_loss: 0.7081 -
val_accuracy: 0.7620
Epoch 25/100
Epoch 00025: val_accuracy did not improve from 0.76200
1407/1407 - 4s - loss: 0.5502 - accuracy: 0.8022 - val_loss: 0.7219 -
val_accuracy: 0.7562
Epoch 26/100
Epoch 00026: val_accuracy did not improve from 0.76200
1407/1407 - 4s - loss: 0.5397 - accuracy: 0.8057 - val_loss: 0.7275 -
val_accuracy: 0.7498
Epoch 27/100
Epoch 00027: val_accuracy did not improve from 0.76200
1407/1407 - 5s - loss: 0.5332 - accuracy: 0.8097 - val_loss: 0.7031 -
val_accuracy: 0.7586
Epoch 28/100
Epoch 00028: val_accuracy did not improve from 0.76200
1407/1407 - 4s - loss: 0.5243 - accuracy: 0.8112 - val_loss: 0.7269 -
val_accuracy: 0.7546
Epoch 29/100
Epoch 00029: val_accuracy did not improve from 0.76200
1407/1407 - 4s - loss: 0.5174 - accuracy: 0.8162 - val_loss: 0.7363 -
val_accuracy: 0.7514
Epoch 30/100
Epoch 00030: val_accuracy did not improve from 0.76200
1407/1407 - 4s - loss: 0.5137 - accuracy: 0.8148 - val_loss: 0.7098 -
val_accuracy: 0.7580
Epoch 31/100
Epoch 00031: val_accuracy did not improve from 0.76200
1407/1407 - 5s - loss: 0.5054 - accuracy: 0.8174 - val_loss: 0.7157 -
val_accuracy: 0.7600
Epoch 32/100
Epoch 00032: val_accuracy did not improve from 0.76200
1407/1407 - 5s - loss: 0.4973 - accuracy: 0.8225 - val_loss: 0.7246 -
val_accuracy: 0.7494
```


```
Epoch 33/100
```

```
Epoch 00033: val_accuracy did not improve from 0.76200
1407/1407 - 4s - loss: 0.4918 - accuracy: 0.8232 - val_loss: 0.7304 - val_accuracy: 0.7538
Epoch 34/100

Epoch 00034: val_accuracy did not improve from 0.76200
1407/1407 - 5s - loss: 0.4905 - accuracy: 0.8233 - val_loss: 0.7392 - val_accuracy: 0.7520
```

1.4.5 Plot CV Results





1.4.6 Load best model

```
[37]: cnn.load_weights(cnn_path)
```

1.4.7 Test set accuracy

```
[38]: cnn_accuracy = cnn.evaluate(X_test, y_test, verbose=0)[1] print('Accuracy: {:.2%}'.format(cnn_accuracy))
```

Accuracy: 75.15%

1.4.8 Evaluate Predictions

```
[39]: y_hat = cnn.predict(X_test)
```


```
[40]: fig, axes = plt.subplots(nrows=4, ncols=8, figsize=(20, 8))
axes = axes.flatten()
images = np.random.choice(X_test.shape[0], size=32, replace=False)
```

/home/stefan/.pyenv/versions/miniconda3-latest/envs/ml4t-dl/lib/python3.7/site-packages/matplotlib/backends/backend_agg.py:214: RuntimeWarning: Glyph 10003 missing from current font.

```
font.set_text(s, 0.0, flags=flags)
```

/home/stefan/.pyenv/versions/miniconda3-latest/envs/ml4t-dl/lib/python3.7/site-packages/matplotlib/backends/backend_agg.py:183: RuntimeWarning: Glyph 10003 missing from current font.

font.set_text(s, 0, flags=flags)



1.5 CNN with Image Augmentation

A common trick to enhance performance is to artificially increase the size of the training set by creating synthetic data. This involves randomly shifting or horizontally flipping the image, or introducing noise into the image.

1.5.1 Create and configure augmented image generator

Keras includes an ImageDataGenerator for this purpose that we can configure and fit to the training data as follows:

```
[41]: datagen = ImageDataGenerator(
    width_shift_range=0.1, # randomly horizontal shift
    height_shift_range=0.1, # randomly vertial shift
    horizontal_flip=True) # randomly horizontalflip
```

```
[42]: # fit augmented image generator on data datagen.fit(X_train)
```


1.5.2 Visualize subset of training data

The result shows how the augmented images have been altered in various ways as expected:

```
[43]: n_images = 6
    x_train_subset = X_train[:n_images]
```

```
[44]: # original images
      fig, axes = plt.subplots(nrows=1, ncols=n_images, figsize=(20, 4))
      for i, (ax, img) in enumerate(zip(axes, x_train_subset)):
          ax.imshow(img)
          ax.axis('off')
      fig.suptitle('Subset of Original Training Images', fontsize=20)
      fig.tight_layout()
      fig.subplots_adjust(top=.9)
      fig.savefig(results_path / 'original_images')
      # augmented images
      fig, axes = plt.subplots(nrows=1, ncols=n_images, figsize=(20, 4))
      for x_batch in datagen.flow(x_train_subset, batch_size=n_images,
                                  shuffle=False):
          for i, ax in enumerate(axes):
              ax.imshow(x batch[i])
              ax.axis('off')
            fig.suptitle('Augmented Images', fontsize=20)
      fig.suptitle('Augmented Images', fontsize=20)
      fig.tight_layout()
      fig.subplots_adjust(top=.9)
      fig.savefig(results_path / 'augmented_images')
```















Augmented Images













1.5.3 Define Callbacks

```
[45]: K.clear_session()
[46]: cnn_aug_path = (results_path / 'augmented.cnn.weights.best.hdf5').as_posix()
[47]: checkpointer = ModelCheckpoint(filepath=cnn_aug_path,
                                     verbose=1,
                                     monitor='val_accuracy',
                                     save_best_only=True)
[48]: tensorboard = TensorBoard(log_dir=results_path / 'logs' / 'cnn_aug',
                                histogram freq=1,
                                write_graph=True,
                                write_grads=False,
                                update_freq='epoch')
[49]: early_stopping = EarlyStopping(monitor='val_accuracy',
                                     patience=10)
     1.5.4 Train Augmented Images
[50]: batch_size = 32
      epochs = 100
[51]: cnn aug_history = cnn.fit(datagen.flow(X_train, y_train, batch_size=batch_size),
                                steps_per_epoch=X_train.shape[0] // batch_size,
                                epochs=epochs,
                                validation_data=(X_valid, y_valid),
                                callbacks=[checkpointer, tensorboard, early_stopping],
                                verbose=2)
```

Epoch 1/100

Epoch 00001: val_accuracy improved from -inf to 0.73640, saving model to results/cifar10/augmented.cnn.weights.best.hdf5 1406/1406 - 16s - loss: 0.9741 - accuracy: 0.6619 - val_loss: 0.7585 - val_accuracy: 0.7364

Epoch 2/100

```
Epoch 00002: val_accuracy improved from 0.73640 to 0.73920, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 16s - loss: 0.9427 - accuracy: 0.6703 - val loss: 0.7555 -
val_accuracy: 0.7392
Epoch 3/100
Epoch 00003: val_accuracy improved from 0.73920 to 0.74080, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 16s - loss: 0.9212 - accuracy: 0.6783 - val_loss: 0.7572 -
val_accuracy: 0.7408
Epoch 4/100
Epoch 00004: val_accuracy did not improve from 0.74080
1406/1406 - 16s - loss: 0.9098 - accuracy: 0.6821 - val_loss: 0.7803 -
val_accuracy: 0.7272
Epoch 5/100
Epoch 00005: val_accuracy improved from 0.74080 to 0.75000, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 16s - loss: 0.9006 - accuracy: 0.6859 - val_loss: 0.7293 -
val_accuracy: 0.7500
Epoch 6/100
Epoch 00006: val_accuracy did not improve from 0.75000
1406/1406 - 16s - loss: 0.8923 - accuracy: 0.6885 - val_loss: 0.7486 -
val_accuracy: 0.7442
Epoch 7/100
Epoch 00007: val_accuracy improved from 0.75000 to 0.75320, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 17s - loss: 0.8807 - accuracy: 0.6893 - val loss: 0.7524 -
val_accuracy: 0.7532
Epoch 8/100
Epoch 00008: val accuracy did not improve from 0.75320
1406/1406 - 16s - loss: 0.8761 - accuracy: 0.6908 - val_loss: 0.7420 -
val_accuracy: 0.7386
Epoch 9/100
Epoch 00009: val_accuracy did not improve from 0.75320
1406/1406 - 17s - loss: 0.8691 - accuracy: 0.6963 - val_loss: 0.7364 -
val_accuracy: 0.7446
Epoch 10/100
Epoch 00010: val_accuracy did not improve from 0.75320
1406/1406 - 18s - loss: 0.8596 - accuracy: 0.6979 - val_loss: 0.7214 -
```


```
val_accuracy: 0.7464
Epoch 11/100
Epoch 00011: val_accuracy did not improve from 0.75320
1406/1406 - 18s - loss: 0.8519 - accuracy: 0.7022 - val_loss: 0.8088 -
val_accuracy: 0.7260
Epoch 12/100
Epoch 00012: val_accuracy improved from 0.75320 to 0.76880, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 18s - loss: 0.8434 - accuracy: 0.7041 - val_loss: 0.6818 -
val_accuracy: 0.7688
Epoch 13/100
Epoch 00013: val_accuracy did not improve from 0.76880
1406/1406 - 18s - loss: 0.8420 - accuracy: 0.7018 - val_loss: 0.7699 -
val_accuracy: 0.7394
Epoch 14/100
Epoch 00014: val accuracy did not improve from 0.76880
1406/1406 - 18s - loss: 0.8419 - accuracy: 0.7054 - val_loss: 0.7041 -
val accuracy: 0.7574
Epoch 15/100
Epoch 00015: val_accuracy did not improve from 0.76880
1406/1406 - 18s - loss: 0.8388 - accuracy: 0.7057 - val_loss: 0.6848 -
val_accuracy: 0.7680
Epoch 16/100
Epoch 00016: val_accuracy improved from 0.76880 to 0.77240, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 18s - loss: 0.8334 - accuracy: 0.7078 - val_loss: 0.6881 -
val_accuracy: 0.7724
Epoch 17/100
Epoch 00017: val_accuracy improved from 0.77240 to 0.77660, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 18s - loss: 0.8175 - accuracy: 0.7136 - val_loss: 0.6642 -
val_accuracy: 0.7766
Epoch 18/100
Epoch 00018: val_accuracy improved from 0.77660 to 0.77760, saving model to
results/cifar10/augmented.cnn.weights.best.hdf5
1406/1406 - 18s - loss: 0.8271 - accuracy: 0.7111 - val loss: 0.6709 -
val_accuracy: 0.7776
```

Epoch 00019: val_accuracy did not improve from 0.77760

Epoch 19/100

```
1406/1406 - 18s - loss: 0.8147 - accuracy: 0.7159 - val_loss: 0.7125 -
val_accuracy: 0.7604
Epoch 20/100
Epoch 00020: val accuracy did not improve from 0.77760
1406/1406 - 18s - loss: 0.8157 - accuracy: 0.7162 - val_loss: 0.7128 -
val_accuracy: 0.7562
Epoch 21/100
Epoch 00021: val_accuracy did not improve from 0.77760
1406/1406 - 17s - loss: 0.8106 - accuracy: 0.7173 - val_loss: 0.6939 -
val_accuracy: 0.7660
Epoch 22/100
Epoch 00022: val_accuracy did not improve from 0.77760
1406/1406 - 18s - loss: 0.8139 - accuracy: 0.7153 - val_loss: 0.6676 -
val_accuracy: 0.7710
Epoch 23/100
Epoch 00023: val accuracy did not improve from 0.77760
1406/1406 - 18s - loss: 0.8091 - accuracy: 0.7154 - val_loss: 0.6532 -
val accuracy: 0.7762
Epoch 24/100
Epoch 00024: val_accuracy did not improve from 0.77760
1406/1406 - 18s - loss: 0.7979 - accuracy: 0.7206 - val_loss: 0.6614 -
val_accuracy: 0.7746
Epoch 25/100
Epoch 00025: val_accuracy did not improve from 0.77760
1406/1406 - 18s - loss: 0.7987 - accuracy: 0.7225 - val_loss: 0.6668 -
val_accuracy: 0.7758
Epoch 26/100
Epoch 00026: val_accuracy did not improve from 0.77760
1406/1406 - 17s - loss: 0.8037 - accuracy: 0.7182 - val_loss: 0.6580 -
val_accuracy: 0.7768
Epoch 27/100
Epoch 00027: val_accuracy did not improve from 0.77760
1406/1406 - 17s - loss: 0.7954 - accuracy: 0.7219 - val_loss: 0.7184 -
val_accuracy: 0.7512
Epoch 28/100
Epoch 00028: val_accuracy did not improve from 0.77760
1406/1406 - 18s - loss: 0.7945 - accuracy: 0.7219 - val_loss: 0.6706 -
val_accuracy: 0.7762
```

1.5.5 Plot CV Result



1.5.6 Load best model

```
[53]: cnn.load_weights(cnn_aug_path)
```

1.5.7 Test set accuracy

The test accuracy for the three-layer CNN improves markedly to 74.79% after training on the larger, augmented data.

```
[54]: cnn_aug_accuracy = cnn.evaluate(X_test, y_test, verbose=0)[1]
print('Test Accuracy: {:.2%}'.format(cnn_aug_accuracy))
```

Test Accuracy: 76.23%

1.6 AlexNet

We also need to simplify the AlexNet architecture in response to the lower dimensionality of CI-FAR10 images relative to the ImageNet samples used in the competition. We use the original number of filters but make them smaller (see notebook for implementation). The summary shows the five convolutional layers followed by two fully-connected layers with frequent use of batch normalization, for a total of 21.5 million parameters:

1.6.1 Define Architecture

```
[55]: K.clear_session()

[56]: alexnet = Sequential([
    # 1st Convolutional Layer
    Conv2D(96, (3, 3),
```

```
strides=(2, 2),
           activation='relu',
           padding='same',
           input_shape=input_shape,
           name='CONV_1'),
    MaxPooling2D(pool_size=(2, 2), strides=(2, 2), name='POOL_1'),
    BatchNormalization(name='NORM_1'),
    # 2nd Convolutional Layer
    Conv2D(filters=256,
           kernel_size=(5, 5),
           padding='same',
           activation='relu',
           name='CONV2'),
    MaxPooling2D(pool_size=(3, 3), strides=(2, 2), name='POOL2'),
    BatchNormalization(name='NORM_2'),
    # 3rd Convolutional Layer
    Conv2D(filters=384,
           kernel_size=(3, 3),
           padding='same',
           activation='relu',
           name='CONV3'),
    # 4th Convolutional Layer
    Conv2D(filters=384,
           kernel_size=(3, 3),
           padding='same',
           activation='relu',
           name='CONV4'),
    # 5th Convolutional Layer
    Conv2D(filters=256,
           kernel_size=(3, 3),
           padding='same',
           activation='relu',
           name='CONV5'),
    MaxPooling2D(pool_size=(3, 3), strides=(2, 2), name='POOL5'),
    BatchNormalization(name='NORM_5'),
    # Fully Connected Layers
    Flatten(name='FLAT'),
    Dense(4096, input_shape=(32 * 32 * 3, ), activation='relu', name='FC1'),
    Dropout(0.4, name='DROP1'),
    Dense(4096, activation='relu', name='FC2'),
    Dropout(0.4, name='DROP2'),
    Dense(num_classes, activation='softmax')
])
```

[57]: alexnet.summary()

Layer (type)	Output Shape	 Param #
CONV_1 (Conv2D)	(None, 16, 16, 96)	2688
POOL_1 (MaxPooling2D)	(None, 8, 8, 96)	0
NORM_1 (BatchNormalization)	(None, 8, 8, 96)	384
CONV2 (Conv2D)	(None, 8, 8, 256)	614656
POOL2 (MaxPooling2D)	(None, 3, 3, 256)	0
NORM_2 (BatchNormalization)	(None, 3, 3, 256)	1024
CONV3 (Conv2D)	(None, 3, 3, 384)	885120
CONV4 (Conv2D)	(None, 3, 3, 384)	1327488
CONV5 (Conv2D)	(None, 3, 3, 256)	884992
POOL5 (MaxPooling2D)	(None, 1, 1, 256)	0
NORM_5 (BatchNormalization)	(None, 1, 1, 256)	1024
FLAT (Flatten)	(None, 256)	0
FC1 (Dense)	(None, 4096)	1052672
DROP1 (Dropout)	(None, 4096)	0
FC2 (Dense)	(None, 4096)	16781312
DROP2 (Dropout)	(None, 4096)	0
dense (Dense)	(None, 10)	40970
Total params: 21,592,330 Trainable params: 21,591,114 Non-trainable params: 1,216		======

Non-trainable params: 1,216

1.6.2 Compile Model

```
[58]: alexnet.compile(loss='sparse_categorical_crossentropy', optimizer='adam', metrics=['accuracy'])
```

1.6.3 Define Callbacks

1.6.4 Train Model


```
[63]: batch_size = 32 epochs = 100
```


```
accuracy: 0.4240 - val_loss: 1.2629 - val_accuracy: 0.5516
Epoch 2/100
Epoch 00002: val accuracy did not improve from 0.55160
accuracy: 0.5208 - val_loss: 1.4801 - val_accuracy: 0.4916
Epoch 3/100
0.6126
Epoch 00003: val_accuracy improved from 0.55160 to 0.60020, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.6126 - val_loss: 1.1564 - val_accuracy: 0.6002
Epoch 4/100
0.6782
Epoch 00004: val_accuracy improved from 0.60020 to 0.61360, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.6782 - val_loss: 1.1127 - val_accuracy: 0.6136
Epoch 5/100
0.7237
Epoch 00005: val_accuracy improved from 0.61360 to 0.66160, saving model to
results/cifar10/alexnet.weights.best.hdf5
1407/1407 [============] - 34s 24ms/step - loss: 0.8185 -
accuracy: 0.7236 - val_loss: 0.9998 - val_accuracy: 0.6616
Epoch 6/100
0.7636
Epoch 00006: val_accuracy improved from 0.66160 to 0.68580, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.7636 - val loss: 0.9658 - val accuracy: 0.6858
Epoch 7/100
Epoch 00007: val_accuracy did not improve from 0.68580
1407/1407 [============= ] - 34s 24ms/step - loss: 0.6022 -
accuracy: 0.7993 - val_loss: 1.0638 - val_accuracy: 0.6622
Epoch 8/100
0.8255
Epoch 00008: val_accuracy improved from 0.68580 to 0.70660, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.8255 - val_loss: 0.9408 - val_accuracy: 0.7066
```

```
Epoch 9/100
Epoch 00009: val_accuracy improved from 0.70660 to 0.73000, saving model to
results/cifar10/alexnet.weights.best.hdf5
1407/1407 [============== ] - 34s 24ms/step - loss: 0.4228 -
accuracy: 0.8634 - val_loss: 0.9134 - val_accuracy: 0.7300
Epoch 10/100
0.8852
Epoch 00010: val_accuracy improved from 0.73000 to 0.73280, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.8852 - val_loss: 0.9120 - val_accuracy: 0.7328
Epoch 11/100
0.9035
Epoch 00011: val_accuracy did not improve from 0.73280
1407/1407 [============== ] - 31s 22ms/step - loss: 0.3022 -
accuracy: 0.9035 - val_loss: 1.0263 - val_accuracy: 0.6922
Epoch 12/100
Epoch 00012: val_accuracy did not improve from 0.73280
accuracy: 0.9190 - val_loss: 1.2463 - val_accuracy: 0.6898
Epoch 13/100
Epoch 00013: val_accuracy improved from 0.73280 to 0.74220, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.8824 - val_loss: 0.9610 - val_accuracy: 0.7422
Epoch 14/100
0.9445
Epoch 00014: val accuracy did not improve from 0.74220
1407/1407 [============= ] - 33s 24ms/step - loss: 0.1797 -
accuracy: 0.9445 - val_loss: 1.2070 - val_accuracy: 0.7098
Epoch 15/100
0.9139
Epoch 00015: val_accuracy did not improve from 0.74220
accuracy: 0.9139 - val_loss: 1.0512 - val_accuracy: 0.7216
0.9470
```

```
Epoch 00016: val_accuracy improved from 0.74220 to 0.74620, saving model to
results/cifar10/alexnet.weights.best.hdf5
accuracy: 0.9470 - val_loss: 1.9644 - val_accuracy: 0.7462
Epoch 17/100
Epoch 00017: val_accuracy did not improve from 0.74620
1407/1407 [============= ] - 33s 23ms/step - loss: 0.1352 -
accuracy: 0.9598 - val_loss: 11.1757 - val_accuracy: 0.7320
Epoch 18/100
0.9613
Epoch 00018: val_accuracy did not improve from 0.74620
accuracy: 0.9613 - val_loss: 1.5545 - val_accuracy: 0.6550
Epoch 19/100
0.9624
Epoch 00019: val accuracy did not improve from 0.74620
1407/1407 [============ ] - 34s 24ms/step - loss: 0.1294 -
accuracy: 0.9624 - val_loss: 1.3648 - val_accuracy: 0.7234
Epoch 20/100
0.9587
Epoch 00020: val_accuracy did not improve from 0.74620
1407/1407 [============= ] - 34s 24ms/step - loss: 0.1364 -
accuracy: 0.9586 - val_loss: 1.3799 - val_accuracy: 0.7084
Epoch 21/100
0.9641
Epoch 00021: val_accuracy did not improve from 0.74620
1407/1407 [============= ] - 33s 24ms/step - loss: 0.1211 -
accuracy: 0.9641 - val_loss: 1.3672 - val_accuracy: 0.7190
Epoch 22/100
0.9662
Epoch 00022: val_accuracy did not improve from 0.74620
accuracy: 0.9663 - val_loss: 1.2889 - val_accuracy: 0.7302
Epoch 23/100
0.9673
Epoch 00023: val_accuracy did not improve from 0.74620
1407/1407 [===========] - 35s 25ms/step - loss: 0.1098 -
accuracy: 0.9673 - val_loss: 1.6106 - val_accuracy: 0.7150
Epoch 24/100
```

```
0.9673
   Epoch 00024: val_accuracy did not improve from 0.74620
   accuracy: 0.9673 - val_loss: 1.4081 - val_accuracy: 0.7168
   Epoch 25/100
   0.9709
   Epoch 00025: val_accuracy did not improve from 0.74620
   1407/1407 [============= ] - 31s 22ms/step - loss: 0.0959 -
   accuracy: 0.9709 - val_loss: 1.7263 - val_accuracy: 0.6644
   Epoch 26/100
   0.9737
   Epoch 00026: val_accuracy did not improve from 0.74620
   accuracy: 0.9737 - val_loss: 1.4485 - val_accuracy: 0.7152
[65]: pd.DataFrame(alex_history.history)[['accuracy', 'val_accuracy']].
```





[66]: alexnet.load_weights(alexnet_path)

After training for 20 episodes, each of which takes a little under 30 seconds on a single GPU, we obtain 76.84% test accuracy.


[67]: alex_accuracy = alexnet.evaluate(X_test, y_test, verbose=0)[1] print('Test Accuracy: {:.2%}'.format(alex_accuracy))

Test Accuracy: 73.21%

1.7 Compare Results

```
[69]: test_accuracy = pd.Series({
    'Feed-Forward NN': mlp_accuracy,
    'CNN': cnn_accuracy,
    'CNN Aug.': cnn_aug_accuracy,
    'Alex Net': alex_accuracy
})
```

```
fig, axes = plt.subplots(ncols=2, figsize=(14, 4))
  cv_results.plot(ax=axes[0], title='CV Validation Performance')
  test_accuracy.plot.barh(ax=axes[1], xlim=(.3, .8), title='Test Accuracy')
  fig.tight_layout()
  sns.despine()
  fig.savefig(results_path / 'comparison', dpi=300);
```



1.8 TensorBoard visualization

[]:

```
[71]: %load_ext tensorboard

[72]: %tensorboard --logdir results/cifar10/logs

Reusing TensorBoard on port 6009 (pid 11959), started 4:08:40 ago. (Use '!kill_u \to 11959' to kill it.)

<IPython.core.display.HTML object>
```