

# Variance\_Indicator

September 29, 2021

## 1 Variance Indicator

```
[1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt

import warnings
warnings.filterwarnings("ignore")

# fix_yahoo_finance is used to fetch data
import fix_yahoo_finance as yf
yf.pdr_override()
```

```
[2]: # input
symbol = 'AAPL'
start = '2017-01-01'
end = '2019-01-01'

# Read data
df = yf.download(symbol,start,end)

# View Columns
df.head()
```

[\*\*\*\*\*100%\*\*\*\*\*] 1 of 1 downloaded

```
[2]:
```

	Open	High	Low	Close	Adj Close	\
Date						
2017-01-03	115.800003	116.330002	114.760002	116.150002	111.286987	
2017-01-04	115.849998	116.510002	115.750000	116.019997	111.162437	
2017-01-05	115.919998	116.860001	115.809998	116.610001	111.727715	
2017-01-06	116.779999	118.160004	116.470001	117.910004	112.973305	
2017-01-09	117.949997	119.430000	117.940002	118.989998	114.008080	

	Volume
Date	
2017-01-03	28781900
2017-01-04	21118100

```

2017-01-05  22193600
2017-01-06  31751900
2017-01-09  33561900

```

```

[3]: n = 14
      df['Variance'] = df['Adj Close'].rolling(n).var()

```

```

[4]: df.head(20)

```

```

[4]:
      Date      Open      High      Low      Close  Adj Close  \
2017-01-03  115.800003  116.330002  114.760002  116.150002  111.286987
2017-01-04  115.849998  116.510002  115.750000  116.019997  111.162437
2017-01-05  115.919998  116.860001  115.809998  116.610001  111.727715
2017-01-06  116.779999  118.160004  116.470001  117.910004  112.973305
2017-01-09  117.949997  119.430000  117.940002  118.989998  114.008080
2017-01-10  118.769997  119.379997  118.300003  119.110001  114.123047
2017-01-11  118.739998  119.930000  118.599998  119.750000  114.736275
2017-01-12  118.900002  119.300003  118.209999  119.250000  114.257195
2017-01-13  119.110001  119.620003  118.809998  119.040001  114.055984
2017-01-17  118.339996  120.239998  118.220001  120.000000  114.975792
2017-01-18  120.000000  120.500000  119.709999  119.989998  114.966225
2017-01-19  119.400002  120.089996  119.370003  119.779999  114.765007
2017-01-20  120.449997  120.449997  119.730003  120.000000  114.975792
2017-01-23  120.000000  120.809998  119.769997  120.080002  115.052444
2017-01-24  119.550003  120.099998  119.500000  119.970001  114.947060
2017-01-25  120.419998  122.099998  120.279999  121.879997  116.777084
2017-01-26  121.669998  122.440002  121.599998  121.940002  116.834564
2017-01-27  122.139999  122.349998  121.599998  121.949997  116.844154
2017-01-30  120.930000  121.629997  120.660004  121.629997  116.537560
2017-01-31  121.150002  121.389999  120.620003  121.349998  116.269257

```

```

      Date      Volume  Variance
2017-01-03  28781900      NaN
2017-01-04  21118100      NaN
2017-01-05  22193600      NaN
2017-01-06  31751900      NaN
2017-01-09  33561900      NaN
2017-01-10  24462100      NaN
2017-01-11  27588600      NaN
2017-01-12  27086200      NaN
2017-01-13  26111900      NaN
2017-01-17  34439800      NaN
2017-01-18  23713000      NaN
2017-01-19  25597300      NaN
2017-01-20  32597900      NaN


```

2017-01-23	22050200	2.013247
2017-01-24	23211000	1.560444
2017-01-25	32377600	1.316298
2017-01-26	26337600	1.038032
2017-01-27	20562900	1.009912
2017-01-30	30377500	1.044270
2017-01-31	49201000	0.992969

```
[5]: fig = plt.figure(figsize=(14,10))
ax1 = plt.subplot(2, 1, 1)
ax1.plot(df['Adj Close'])
ax1.set_title('Stock ' + symbol + ' Closing Price')
ax1.set_ylabel('Price')
ax1.legend(loc='best')

ax2 = plt.subplot(2, 1, 2)
ax2.plot(df['Variance'], label='Variance')
ax2.axhline(y=1, color='black')
ax2.grid()
ax2.legend(loc='best')
ax2.set_ylabel('Variance')
ax2.set_xlabel('Date')
```

```
[5]: Text(0.5, 0, 'Date')
```



## 1.1 Candlestick with Variance

```
[6]: from matplotlib import dates as mdates
import datetime as dt
```

```
dfc = df.copy()
dfc['VolumePositive'] = dfc['Open'] < dfc['Adj Close']
#dfc = dfc.dropna()
dfc = dfc.reset_index()
dfc['Date'] = pd.to_datetime(dfc['Date'])
dfc['Date'] = dfc['Date'].apply(mdates.date2num)
dfc.head()
```

```
[6]:
```

	Date	Open	High	Low	Close	Adj Close	\
0	736332.0	115.800003	116.330002	114.760002	116.150002	111.286987	
1	736333.0	115.849998	116.510002	115.750000	116.019997	111.162437	
2	736334.0	115.919998	116.860001	115.809998	116.610001	111.727715	
3	736335.0	116.779999	118.160004	116.470001	117.910004	112.973305	
4	736338.0	117.949997	119.430000	117.940002	118.989998	114.008080	

	Volume	Variance	VolumePositive
0	28781900	NaN	False
1	21118100	NaN	False
2	22193600	NaN	False
3	31751900	NaN	False
4	33561900	NaN	False

```
[7]: from mpl_finance import candlestick_ohlc

fig = plt.figure(figsize=(14,10))
ax1 = plt.subplot(2, 1, 1)
candlestick_ohlc(ax1,dfc.values, width=0.5, colorup='g', colordown='r', alpha=1.
    ↪0)
ax1.xaxis_date()
ax1.xaxis.set_major_formatter(mdates.DateFormatter('%d-%m-%Y'))
ax1.grid(True, which='both')
ax1.minorticks_on()
ax1v = ax1.twinx()
colors = dfc.VolumePositive.map({True: 'g', False: 'r'})
ax1v.bar(dfc.Date, dfc['Volume'], color=colors, alpha=0.4)
ax1v.axes.yaxis.set_ticklabels([])
ax1v.set_ylim(0, 3*df.Volume.max())
ax1.set_title('Stock ' + symbol + ' Closing Price')
ax1.set_ylabel('Price')
```

```

ax2 = plt.subplot(2, 1, 2)
ax2.plot(df['Variance'], label='Variance')
ax2.axhline(y=1, color='black')
ax2.grid()
ax2.legend(loc='best')
ax2.set_ylabel('Variance')
ax2.set_xlabel('Date')

```

[7]: Text(0.5, 0, 'Date')

