

Rainbow_Charts

September 29, 2021

1 Rainbow Charts

<http://www.binarytribune.com/forex-trading-indicators/rainbow-charts>

```
[1]: import numpy as np
import pandas as pd
import matplotlib.pyplot as plt

import warnings
warnings.filterwarnings("ignore")

# fix_yahoo_finance is used to fetch data
import fix_yahoo_finance as yf
yf.pdr_override()
```

```
[2]: # input
symbol = 'AAPL'
start = '2018-08-01'
end = '2019-01-01'

# Read data
df = yf.download(symbol,start,end)

# View Columns
df.head()
```

[*****100%*****] 1 of 1 downloaded

```
[2]:
```

	Open	High	Low	Close	Adj Close	\
Date						
2018-08-01	199.130005	201.759995	197.309998	201.500000	199.243088	
2018-08-02	200.580002	208.380005	200.350006	207.389999	205.067123	
2018-08-03	207.029999	208.740005	205.479996	207.990005	205.660416	
2018-08-06	208.000000	209.250000	207.070007	209.070007	206.728317	
2018-08-07	209.320007	209.500000	206.759995	207.110001	204.790268	

	Volume
Date	

```

2018-08-01    67935700
2018-08-02    62404000
2018-08-03    33447400
2018-08-06    25425400
2018-08-07    25587400

```

```
[3]: # R=red, O=orange, Y=yellow, G=green, B=blue, I = indigo, and V=violet
```

```


df['Red'] = df['Adj Close'].rolling(2).mean()
df['Orange'] = df['Red'].rolling(2).mean()
df['Yellow'] = df['Orange'].rolling(2).mean()
df['Green'] = df['Yellow'].rolling(2).mean()
df['Blue'] = df['Green'].rolling(2).mean()
df['Indigo'] = df['Blue'].rolling(2).mean()
df['Violet'] = df['Indigo'].rolling(2).mean()
df = df.dropna()

```

```

[4]: colors = ['k','r', 'orange', 'yellow', 'g', 'b', 'indigo', 'violet']
df[['Adj Close','Red','Orange','Yellow','Green','Blue','Indigo','Violet']].
    ↳plot(colors=colors, figsize=(18,12))
plt.fill_between(df.index, df['Low'], df['High'], color='grey', alpha=0.4)
plt.plot(df['Low'], c='darkred', linestyle='--', drawstyle="steps")
plt.plot(df['High'], c='forestgreen', linestyle='--', drawstyle="steps")
plt.title('Rainbow Charts')
plt.legend(loc='best')
plt.xlabel('Date')
plt.ylabel('Price')
plt.show()

```



1.1 Candlestick with Rainbow

```
[5]: from matplotlib import dates as mdates
import datetime as dt

dfc = df.copy()
dfc['VolumePositive'] = dfc['Open'] < dfc['Adj Close']
#dfc = dfc.dropna()
dfc = dfc.reset_index()
dfc['Date'] = mdates.date2num(dfc['Date'].astype(dt.date))
dfc.head()
```

```
[5]:
```

	Date	Open	High	Low	Close	Adj Close	\
0	736916.0	207.360001	209.100006	206.669998	207.529999	205.925232	
1	736919.0	207.699997	210.949997	207.699997	208.869995	207.254883	
2	736920.0	210.160004	210.559998	208.259995	209.750000	208.128067	
3	736921.0	209.220001	210.740005	208.330002	210.240005	208.614273	
4	736922.0	211.750000	213.809998	211.470001	213.320007	211.670471	

	Volume	Red	Orange	Yellow	Green	Blue	\
0	24611200	206.232834	205.983700	205.640362	205.471784	205.472470	
1	25869100	206.590058	206.411446	206.197573	205.918967	205.695376	
2	20748000	207.691475	207.140766	206.776106	206.486839	206.202903	
3	28807600	208.371170	208.031323	207.586044	207.181075	206.833957	
4	28500400	210.142372	209.256771	208.644047	208.115046	207.648060	

	Indigo	Violet	VolumePositive
0	205.544657	205.562055	False
1	205.583923	205.564290	False
2	205.949140	205.766531	False
3	206.518430	206.233785	False
4	207.241009	206.879720	False

```
[8]: from mpl_finance import candlestick_ohlc

fig, ax1 = plt.subplots(figsize=(20,12))
candlestick_ohlc(ax1,dfc.values, width=0.5, colorup='g', colordown='r', alpha=1.
    ↪0)

#colors = ['red', 'orange', 'yellow', 'green', 'blue', 'indigo', 'violet']
#labels = ['Red', 'Orange', 'Yellow', 'Green', 'Blue', 'Indigo', 'Violet']
for i in dfc[['Red', 'Orange', 'Yellow', 'Green', 'Blue', 'Indigo', 'Violet']]:
    ax1.plot(dfc['Date'], dfc[i], color=i, label=i)
ax1.xaxis_date()
ax1.xaxis.set_major_formatter(mdates.DateFormatter('%d-%m-%Y'))
```

```

ax1.grid(True, which='both')
ax1.minorticks_on()
ax1v = ax1.twinx()
colors = dfc.VolumePositive.map({True: 'g', False: 'r'})
ax1v.bar(dfc.Date, dfc['Volume'], color=colors, alpha=0.4)
ax1v.axes.yaxis.set_ticklabels([])
ax1v.set_ylim(0, 3*df.Volume.max())
ax1.set_title('Stock ' + symbol + ' Closing Price')
ax1.set_ylabel('Price')
ax1.set_xlabel('Date')
ax1.legend(loc='best')

```

[8]: <matplotlib.legend.Legend at 0x20fee90e860>

