

# Requirement Analysis and Specification Document RASD

KONG XIANGYI      ZHANG YUEDONG

December 6, 2020

# Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Purpose . . . . .	3
1.2	Scope . . . . .	4
1.2.1	Description of the given problem . . . . .	4
1.2.2	World Phenomena . . . . .	4
1.2.3	Shared Phenomena . . . . .	4
1.3	Definitions, acronyms, abbreviations . . . . .	5
1.3.1	Definitions . . . . .	5
1.3.2	Acronyms . . . . .	6
1.3.3	Abbreviations . . . . .	6
1.4	Reference documents . . . . .	6
1.5	Overview . . . . .	7
<b>2</b>	<b>Overall Description</b>	<b>8</b>
2.1	Product perspective . . . . .	8
2.1.1	Class Diagram and State Diagram . . . . .	10
2.2	Product functions . . . . .	13
2.2.1	Functional Requirements . . . . .	13
2.2.2	Non-Functional Requirements . . . . .	14
2.3	User characteristics . . . . .	15
2.4	Constraints . . . . .	15
2.5	Assumptions, Dependencies . . . . .	15
2.5.1	Domain Assumptions . . . . .	15
2.5.2	Goals . . . . .	16
<b>3</b>	<b>Specific Requirements</b>	<b>17</b>
3.1	External Interface Requirements . . . . .	17
3.1.1	User Interfaces . . . . .	17
3.1.2	Hardware Interfaces . . . . .	20
3.1.3	Software Interfaces . . . . .	20
3.1.4	Communication Interfaces . . . . .	21

3.2	Functional Requirements . . . . .	21
3.2.1	Use Cases . . . . .	21
3.2.2	Mapping on requirements . . . . .	37
3.3	Performance Requirements . . . . .	41
3.4	Design Constraints . . . . .	41
3.4.1	Standards compliance . . . . .	41
3.4.2	Hardware limitations . . . . .	41
3.5	Software System Attributes . . . . .	41
3.5.1	Reliability . . . . .	41
3.5.2	Availability . . . . .	41
3.5.3	Security . . . . .	41
3.5.4	Maintainability . . . . .	41
3.5.5	Portability . . . . .	41
3.6	Other Requirements . . . . .	41
4	Formal Analysis Using Alloy . . . . .	42
5	Effort Spent . . . . .	43

# Chapter 1

## Introduction

### 1.1 Purpose

This document is Requirement Analysis and Specification Document(RASD). The main purpose of this document is the following points

- Communicates an understanding of the requirements to the audience and explains both the application domain and the system to be developed.
- Contractual: Make this project formal and written so that it has legal effect.
- As the baseline for project planning and estimation. i.e. size, cost, schedule.
- As the baseline for software evaluation
  - It can support system testing, verification and validation activities
  - It should contain enough information to verify whether the delivered system meets requirements
- As the baseline for change control, such as requirements change, software evolves.

And this RASD has the following intended audiences

- Customers & Users : Some user may interest in validating system goals and high-level description of functionalities.
- Systems and Requirements Analysts: The RASD may help them to write various specifications of other systems that inter-relate.

- Developers, Programmers: The RASD may help the to implement the requirements
- Testers: The RASD may help the to determine that the requirements have been met
- Project Managers: The RASD may help them to measure and control the analysis and development processes

## 1.2 Scope

### 1.2.1 Description of the given problem

At the end of 2019, a global epidemic broke out and swept almost all countries in the world in just a few months. Starting in 2020, people's life rhythm has been completely disrupted by this epidemic, a lot of cities are blocked, people are allowed to exit their homes only for essential needs, everyone had to wear masks and respect the social-distancing at least 1.5 m. In the public area, the human community has to take measures to avoid the crazy spread of the virus. Restaurants began to use dividers to separate the table, supermarkets and museums began to restrict flow of people, the school also adopted into two classes mode: online and onsite.

In this situation, a new problem arises, how to delay the spread of the virus through technical means?

Since grocery shopping is the most needed activity under the lock-down, so lets narrow the problem to grocery shopping.

In the supermarket, In order to meet these strict rules, many challenges have arisen, so, we can turn to technology, in particular to software applications, to help navigate the challenges created by the imposed restrictions.

So, this project appeared - Customers Line-up(CLup).

### 1.2.2 World Phenomena

$WP_1$	cell
$WP_2$	cell
$WP_3$	cell

### 1.2.3 Shared Phenomena

$SP_1$	cell
$SP_2$	cell
$SP_3$	cell

## 1.3 Definitions, acronyms, abbreviations

### 1.3.1 Definitions

- Click Customer : The customer has the required technology to access the store. I.e a smartphone. They can use the customer terminal software.
- Brick Customer : The customer doesn't have the required technology to access the store, they have to hand out tickets on the spot.
- Store Manager : They have to manage the Store System, include the software and hardware.
- Ticket: The ticket is a document which contains three key information: QR Code, the estimated departure time, the queue number, and the Store Planned Roadmap. To the click customer, it's **E-ticket** but to the brick customer, it's **Paper Ticket**, and doesn't contain the estimated departure time, and just a General Store Map without the Planned Road.
- QR Code : When customer booked a visit, they will received a QR Code.
- QR Code Scanned Machine : A hardware, the Click Customer can use this machine scan their QR code.
- Tickets Hand-Out Machine : A hardware, the Brick Customer can use it retrieve their Ticket.
- Store Planned Roadmap: A store map that includes a finer way which is recommended form Store System.
- Digital Counterpart : A hardware, it with show the queue number.
- Store Back-End System : A software, as the back-end manages all stuffs.
- On-Time Store Data : A dataset that includes the store's on-time date.
  - The current queue
  - The customers in the store
  - The maximum number of people in the store.
- Long-Term Customers : The customers with the high average duration of the visit, we set the threshold value to 1 hour.

### 1.3.2 Acronyms

- RASD - Requirement Analysis and Specification Document
- CLup - Customers Line-up
- UI - User Interface
- IOS - iPhone OS
- PC - Personal Computer
- IaaS - Infrastructure as a Service
- CRM - Customer Relationship Management

### 1.3.3 Abbreviations

- $WP_n$  : n-th world phenomena
- $SP_n$  : n-th shared phenomena
- $R_n$  : n-th functional requirement
- $NR_n$  : n-th non functional requirement
- $G_n$  : n-th goal
- $D_n$  : n-th domain assumption

## 1.4 Reference documents

- Specification Document: "R&DD Assignment A.Y. 2020-2021"
- Slides of the "Software Engineering 2" course A.Y. 2020-2021
- IEEE Recommended Practice for Software Requirements Specifications - IEEE Std 830-1998
- Fondamenti di Sistemi informativi per il Settore dell'Informazione - 7 settembre 2018
- Poste Italiane - [www.poste.it](http://www.poste.it)

## 1.5 Overview

The RASD document consists of five chapters.

**Chapter 1** is the introduction chapter, it's an overview of the RASD and project, it describes the purpose of the CLup.

**Chapter 2**

**Chapter 3**



# Chapter 2

## Overall Description

### 2.1 Product perspective

The CLup Customers Line-up system can be divided into three parts. Two client ends and a server end, The client ends are divided into consumer end and store manager end according to the object-oriented. And we have divided consumers into two groups according to their characteristics, we referred to the the Business direction's click and brick concept of information system, and decided to name it "click and brick customer", the click customer will use the mobile application, and the brick customer will use the [Tickets Hand-Out Machine](#) in the store.

The mobile application for the click customer can install in the Android and IOS operation system, to make this app simple enough for everyone, we just design two main functions : Sign-up/in and Booking Function. when they book a visit, they have to input four information: visit date/time, the approximate expected duration of the visit, the categories of items that they intend to buy, and the place they depart from. For the depart place, if the depart place is the same as the current place and the GPS is available, the place information will input automatically by the application, by the way, if the customer does not want the application to get the GPS authority, he can also input manually. It can even be a fuzzy address, as long as it does not affect the calculation of the time to arrive the store. After they have booked a visit and the back-end system confirmed it, they will receive the [E-Ticket](#) with four data, QR Code, Number, the estimated departure time and the [Store Planned Roadmap](#). The recommended route on the map may only be displayed when they depart.

The Tickets Hand-Out Machine is usually placed on the entrance of the store, we just design only one button, that is retrieve a Ticket, no book a

visit function, because we consider that the customer going out to pick up the number and wait until the book time to re-come to the store will significantly increase the number of outings, so we did not set up a booking process on the machine, otherwise, we mix the queue of two kind of customer through the [Store Back-End System's](#) queue schedule function to try to best to reduce the wait time.

**The manager end** is a software can install in a simple PC, the manager can use it to monitor the number of people in the store in real-time, if something unexpected happened, for example, there are too many people in the store or too many people stay in one area, The store manager can solve this problem in two ways, first, he can lower the maximum people value in the store, so that the customer in the queue will enter more slow, on the other hand, for an overcrowded area, he can adjust the customers who need to enter this area in the queue and let them enter the store later. After all, if the queue is too long due to these problems, he also can reschedule customers booking, but **only the book of customers before the departure time can be rescheduled.**

The most important part of this system is the server end, the server end is implemented the [Store Back-End System](#), this system have to communicate with all other ends and control the Digital Counterpart. It contains three function, Booking Schedule Function, Queue Schedule Function, [Customer Relationship Management System](#). The Booking Schedule Function have to communicate with CRM, take the booking data, schedule the booking and put the enter time for each book to CRM system. For the Queue Schedule, We refer to the queuing mode of the [Poste Italiane](#) that has been practiced very maturely. To the Poste Italiane, you can book your visit on the Ufficio Postale App, or just retrieve the ticket on the Machine, the back-end system will mix two queue reasonable. For our Queue Schedule Function, In order to achieve the goal  $G_2$  we have higher requirements, that is we must have a better mechanism so that both types of customers do not need to queue for too long, thereby reducing risk. Finally the CRM System, this sub-system have to store customer's information, analysis the customer's history duration to make if this customer is a [Long-Term Customers](#), received the booking, communicate with Booking/Queue Schedule function, calculate the estimated departure time, plan the [Store Planned Roadmap](#), generation queue number/QR code and put those all in the E-Ticket, by the way, when the Store Manager reschedule the booking, send notification and update the E-Ticket for the Customer.

### 2.1.1 Class Diagram and State Diagram

#### Class Diagram

The Class Diagram model as shown in Fig.2.1, These classes implement the three functions of the Store Back-End System, the Customer Relationship Management sub-System composed by the Customer class, Booking, Ticket, and CRM class, Among them, the CRM class is responsible for communicating with other ends, and it can control customer class's status, the Customer data will store in Database. The BookSchedule class implement the Booking Schedule Function, all booking data will store in database, and this class can control them. The last class is the QueueSchedule class, it will implement the Queue Schedule Function, it will take booking information and get Brick Customer's ticket information to schedule the queue, the store manager can check the length of the queue and the maximum number of customer in-store, when he found that somewhere in the store was too crowded, he can lower the maximum value. The CallNextCustomer method will control the [Digital Counterpart](#) to make it display the next customer's queue number according to the maximum number allowed in the store. In summary, these functions form a set of effective mechanisms to achieve the goals.

#### State Diagram

The State diagram Fig.2.2 illustrated the processing of a customer to require the E-ticket. Customers first state their requirements (time, goods, etc.), and then go to the store according to the expected departure time given by the application, after enter the store with E-ticket.

The State diagram Fig.2.3 showed us how the manager monitors the entry and exit of the store and helps some customers who do not have access to the required technology.

The State diagram Fig.2.4 represented the serve end proceed various requirements. It receive the data from customers and store manager, analyzed customer data and make the best solution. For long-term customers, system will according to previous visits to estimate the shopping time. Meanwhile, system will based on the categories of items that customer desired to buy, to allow more people to enter the store, due to they will occupy different spaces in the store when they shopping and also satisfy the enough distance between each customer.




Figure 2.1: CLup Class Diagram




Figure 2.2: Customer State Diagram




Figure 2.3: Store Manager State Diagram




Figure 2.4: Server End State Diagram

## 2.2 Product functions

### 2.2.1 Functional Requirements

- Each [Click Customer](#) shall be able to:
  - Sign-up
  - Log-in
  - Book a visit, to complete it, they have to indicate the following data
    - \* Indicate the desired date and time
    - \* Indicate the approximate expected duration of the visit
    - \* Indicate the categories of items that they intend to buy
    - \* Indicate or given by GPS the current place they want to depart to the shop
  - Check on the [E-Ticket](#)
  - Check on the notification from store manager when their book is rescheduled.
  - The customer can scan the QR Code at [QR Code scanned machine](#) when they enter **and** leave the store.
- Each [Brick Customer](#) shall be able to
  - Retrieve the [Ticket](#) from the [Tickets Hand-Out Machine](#) and wait for the [Digital Counterpart](#) to call them.
  - Scan the QR Code at QR Code Scanned Machine when they enter **and** leave the store.
- [Store Manager](#) shall be able to:
  - Check out the [On-Time Store Data](#).
  - Adjust the maximum number of people in the store.
  - Adjust the order of the queue.
  - Check and reschedule the booking.
- The [Store Back-End System](#) shall be able to:
  - Send the available time/date to the the click customers.

- Received and schedule the click customers' book. The scheduling must refer to the duration time of each customer and the categories of items that the customer intends to buy
- Calculate the time from the click customer's departure place to the store and put the estimated departure time on the E-Ticket.
- Plan and put the Store Planned Roadmap on the [E-Ticket](#)
- Send the E-Ticket to the click customers.
- Send a notification and update the E-Ticket to the customer when their book is rescheduled.
- Store the customer's data, include:
  - \* Username
  - \* Password
  - \* Valid Booking data
  - \* History visit data.
  - \* Is long-term customers
- Analysis the history visit data and mark the [Long-Term Customers](#).
- Calculate and store the [On-Time Store Data](#).
- Schedule or reschedule the queue order from the click customer's book and the brick customer's retrieved Ticket.
- Control the [Digital Counterpart](#) and display the queue number.
- Receive the information from the [QR Code Scanned Machine](#).
- Receive the information from the [Tickets Hand-Out Machine](#).

### 2.2.2 Non-Functional Requirements

- The time from the click customer's departure place to the store that calculates from the [Store Back-End System](#) be precise enough to avoid the Customer arriving at the store too early/late.
- The Store Back-End System must schedule the queue reasonably to minimize the wait time.
- The Store Back-End System must mix the book and brick customer's retrieved ticket reasonably to allow the click customers to enter the store near the book time by avoiding making the brick customers wait too long.

- Cause everyone needs to do grocery shopping, the software for the click customer should be simple enough to use.

## 2.3 User characteristics

The system will include three categories of user, each of them with different needs: The Click Customer : //TODO The Brick Customer The Store Manager

## 2.4 Constraints

There are not many constraints on customer's device, only need a smart phone with Android or IOS operation system, when they book a visit, the smartphone has to connect with internet, at other time, no need for a stable internet connection, only need to be able to connect to the Internet discontinuously to receive reminders that may appear. The manager needs a PC with stable network connection. For the [Store Back-End System](#), we buy a Amazon EC2 IaaS to implement this system.

## 2.5 Assumptions, Dependencies

### 2.5.1 Domain Assumptions

- $D_1$  : Everyone will leave the departure place at the departure time indicated by the system.
- $D_2$  : Everyone who leaves on time can arrive at the store on time.
- $D_3$  : After shopping, everyone can leave the store in time according to their estimated time.
- $D_4$  : If something unexpected happens, the store manager can adjust the maximum number of people in the store or reschedule the queue & customer's book reasonably.
- $D_5$  : If someones book is rescheduled, he can find the notification in time and set off according to the updated E-Ticket.
- $D_6$  : Everyone can consciously scan the QR code at the entrance and exit.



- $D_7$  : Everyone can follow the [Planned Roadmap](#) in the store.
- $D_8$  : If is possible, everyone tries to best book the visit by the software (be a [Click Customer](#)) instead of picking up tickets on the spot (not be a [Brick Customer](#)).

### 2.5.2 Goals

There are only three main goals of this system.

- $G_1$  : Allows store managers to regulate the influx of people in the building.
- $G_2$  : Saves people from having to line up and stand outside of stores for hours on end.
- $G_3$  : The application plan visits in a finer way to allow more people in the store, at the same time, let the customer occupy different spaces in the store to keep enough distance between them.

# Chapter 3

## Specific Requirements

### 3.1 External Interface Requirements

CLup can be used by the customer who has ability to use smart cellphone. The system will collect data, analyze the data and create the 'Ticket'. Common users can interface themselves with CLup through a mobile application, the manager has ability to access the systems functionalities in mobile application or web-based dashboard. Here is shown every kind of interface that the front-end offers or needs to interact with the users and the back-end.

#### 3.1.1 User Interfaces

In this section there are mock-ups of the user interfaces for the mobile application used by customer.

**Login** In the Login page Fig.3.1 there are text fields for entering email and password in order to access the personal profile. In case that the customer don't have an account, there is also the option to sign-up.

**Sign-up** In login page Fig.3.2, the application requests the user to insert the name, email address and a password to register to the system.

**Homepage** Once registered, the user will be welcomed by the homepage Fig.3.3, that shows the optional of booking, ticket and waiting time. From booking, users can go to book an appointment for visiting the supermarket. In ticket button, customers can view all these ticket(history, current and upcoming ticket). As waiting time part, users can easily know how many time left for departing to supermarket.

**Homepage** After the user enter the booking button, the user can see the page Fig.3.4, customers need to choose time and date from the given selection. Meanwhile, they need to approximate their duration time and what to buy in the supermarket. On the end, there are two ways to enter the depart address: one is insert by customer, another one is automatic positioning.

**Category** In this page Fig.3.5, there are list of product categories in the supermarket, users can choose one or more categories which they want to buy during the shopping.


The image shows a mobile app interface for the 'CLup' login screen. At the top, the status bar displays '5:38 PM' and '100%' battery. The app logo 'CLup' is prominently displayed in green. Below the logo, the word 'Login' is written in green. There are two input fields: 'NAME' and 'SURNAME'. Below these fields, the text 'Don't you have an account yet?' is displayed. At the bottom, there is a green button labeled 'Register now'.

Figure 3.1: UI-Login

The image shows a mobile app interface for the 'CLup' register screen. At the top, the status bar displays '5:38 PM' and '100%' battery. The app logo 'CLup' is prominently displayed in green. Below the logo, there are four input fields: 'NAME', 'SURNAME', 'PASSWORD', and 'REPEAT PASSWORD'. At the bottom, there is a green button labeled 'Register'.

Figure 3.2: UI-Register




Figure 3.3: UI-Home




Figure 3.4: UI-Booking



Figure 3.5: UI-Category

### 3.1.2 Hardware Interfaces

Since common users applications can only be accessed on mobile devices, this is the basic requirement of the user, as well as the Internet access rights to connect to the service and a way to collect the Location data, a GPS-enabled device is required.

### 3.1.3 Software Interfaces

Mobile applications require the Android operating system to run on mobile devices. Manager dashboard requirements:

- Microsoft Windows runs downloadable software
- Web browser to access online dashboard

### 3.1.4 Communication Interfaces

## 3.2 Functional Requirements

### 3.2.1 Use Cases

#### Click Customers perspective

The following tables describe the use cases from the perspective of the [Click Customer](#).




Figure 3.6: CLup Use Case Diagram

**Sign-up**

Actors	Unregistered Click Customer
Description	A new customer who wants to visit the store by booking, can register himself using the application
Pre-Condition	The customer has a smart phone with Android or IOS system
Flow of events	<ol style="list-style-type: none"><li>1. The customer download and install the CLup application</li><li>2. The customer open the Clup application and click the "Register" button</li><li>3. The CLup application show a form with username, password, confirm password fields and a submit button</li><li>4. The customer fill in the form and click the submit button</li><li>5. The back-end system validates data and restore this data in the CRM database.</li><li>6. The CLup application turns back automatically to the log-in page.</li></ol>
Post-Conditions	The customer now is registered in system, can do the following operations.
Exceptions	If the data inserted are not correct, the flow of events will restart from point 3.



**Log-in**

Actors	Click Customer
Description	If the Click Customer want to do following operation, they have to log-in first
Pre-Condition	The Click Customer have already registered, and input their username and password correctly
Flow of events	<ol style="list-style-type: none"><li>1. The Click Customer open the CLup application.</li><li>2. The system will show a form with username and password fields.</li><li>3. The customer completes this form with the correct information and clicks the Log-in button.</li><li>4. After the back-end system validated the account, the system will enter the main page automatically.</li></ol>
Post-Conditions	The Click Customer is logged-in the app, and he can do the following operations.
Exceptions	If the account info is not correct, the flow of events will restart from point 2.

### Send a booking

Actors	Click Customer
Description	After the Log-in, the Click Customer can use this function to book their visit.
Pre-Condition	Already Logged-in.
Flow of events	<ol style="list-style-type: none"> <li>1. The customer clicks on the book button on the main page.</li> <li>2. The system will show a form with the available visit date/time, the approximate expected duration of the visit, the categories of items they intend to buy, and the Current Place fields.</li> <li>3. The customer completes this form with the correct information. For the Current Place field, if they want, they can click on the button near the fields so that the GPS model will provide the Current Place information.</li> <li>4. The customer clicks on the Submit button.</li> <li>5. After the back-end system validated the information, the system will store this booking on the booking schedule database and go back to the main page.</li> </ol>
Post-Conditions	After the booking schedule system complete the schedule, the customer can check on this E-Ticket and the notifications about this..
Exceptions	If this booking is not successful, the customer has to redo all this operation.

**Check on the E-Tickets**

Actors	The Click Customer
Description	The customer can click on the "Check on the E-Ticket" button at all times to check on their bookings.
Pre-Condition	They have to log-in first.
Flow of events	<ol style="list-style-type: none"><li>1. The customer clicks on the "Check on the E-Ticket" button on the main page.</li><li>2. This page shows all valid E-Ticket and the historical no valid E-ticket.</li><li>3. The customer clicks on the E-Ticket they are interested in.</li><li>4. The E-Ticket is in PDF format, the application will jump to the PDF reader to open it.</li></ol>
Post-Conditions	After reading it, the system will still stop on the E-Ticket page.
Exceptions	If they did not book any visit, this page would show the "No booking yet" field.

### Check on the Notifications

Actors	The Click Customer
Description	The customer can click on the "Check on the Notification" button at all times.
Pre-Condition	They have to log-in first.
Flow of events	<ol style="list-style-type: none"> <li>1. The customer clicks on the "Check on the Notification" button on the main page.</li> <li>2. This page shows all notifications, and the unread notifications will mark with a little red icon.</li> <li>3. The customer clicks on the notification they are interested in. If they read an unread notification, the little red icon will cancel.</li> </ol>
Post-Conditions	After reading it, the system will still stop on this page, and if they clicked on all unread notifications so that there is no unread notification, the "Check on the Notification" button on the main page will become the standard color.
Exceptions	If they did have any notifications, this page would show the "No notification yet" field.

#### Brick Customers perspective

The following table describe the use cases from the perspective of the [Brick Customer](#).

Retrieve a Ticket

Actors	The Brick Customerw
Description	The Brick Customer has to go to the store and retrieve the paper Ticket on the <a href="#">Tickets Hand-Out Machine</a> .
Pre-Condition	The Tickets Hand-Out Machine is available.
Flow of events	<ol style="list-style-type: none"><li>1. The Brick Customer goes to the store and finds the Tickets Hand-Out Machine.</li><li>2. Click on the "Retrieve the Ticket" button on the machine.</li><li>3. After the Back-End system schedule it in the Queue Schedule system, the machine prints the Ticket.</li><li>4. The Brick Customer retrieves the Ticket.</li></ol>
Post-Conditions	
Exceptions	

Customer’s perspective

All kinds of customers have to do this operation.

Scan the QRCode

Actors	The Click & Brick Customer
Description	All customers have to scan the QRCode when they enter and exit the store.
Pre-Condition	They hold the Ticket.
Flow of events	<div><div>1. The customer shows the QRCode in the Ticket.</div><div>2. Scan it on the <a href="#">QR Code Scanned Machine</a> when they enter the store.</div><div>3. Scan it on the QR Code Scanned Machine when they leave the store.</div></div>
Post-Conditions	After they scan the QR Code when they leave, the QRCode is invalid.
Exceptions	

Store Managers perspective

The following tables describe the use cases from the perspective of the [Store Manager](#).

### Check out the On-Time Store Data

Actors	The Store Manager
Description	The Store Manager can view the <a href="#">On-Time Store Data</a> at any time.
Pre-Condition	The Back-End system is working well.
Flow of events	<ol style="list-style-type: none"><li>1. The manager enters the manage page.</li><li>2. The page shows all On-Time Store Data right on the main page.</li></ol>
Post-Conditions	
Exceptions	

### Reschedule the booking

Actors	The Store Manager
Description	When the manager considers some area is too crowded, the queue is too long, or other necessary cases make them have to reschedule some customers' booking, they can do this operation.
Pre-Condition	The Back-End system is working well, there is at least one modifiable booking.
Flow of events	<ol style="list-style-type: none"> <li>1. The manager enters the manage page.</li> <li>2. Click on the "Reschedule Booking" button.</li> <li>3. The system jumps to the booking page that shows all the bookings.</li> <li>4. The system marks the modifiable booking as red color (the bookings with departure time after the current time are modifiable)</li> <li>5. The manager clicks or searches for a booking or selects some bookings.</li> <li>6. The manager modifies the modifiable booking and clicks the "Confirm" button.</li> <li>7. Wait for the Back-End system to deal with all operations and update the booking page automatically.</li> </ol>
Post-Conditions	The Back-End system will send the notification and update the E-Ticket for the Click Customer.
Exceptions	If the Store Manager submits the wrong information, or this process is not successful, the flow of events will restart from point 3.



### Adjust the order of the Queue

Actors	The Store Manager
Description	When the manager views some area is too crowded, they want customers who will visit these areas to enter the store later, or other necessary cases, they can do this operation to adjust the queue order.
Pre-Condition	The Back-End system is working well, and the queue is more than two customers.
Flow of events	<ol style="list-style-type: none"> <li>1. The manager enters the manage page.</li> <li>2. Click on the "Adjust the queue order" button.</li> <li>3. The system jumps to the queue schedule page that shows the current queue in visualization mode.</li> <li>4. The manager clicks or searches for a kind of customer or selects some customers.</li> <li>5. The manager modifies the queue order and clicks the "Confirm" button.</li> <li>6. Wait for the Back-End system to deal with all operations and update the queue schedule page automatically.</li> </ol>
Post-Conditions	After this operation, the <a href="#">Digital Counterpart</a> will call the customer's queue number according to the new queue order.
Exceptions	If the Store Manager submits the wrong information, or this process is not successful, the flow of events will restart from point 3.

Adjust the maximum number in the store

Actors	The Store Manager
Description	When the manager considers there are too many/few people in the store, they can do this operation to regulate the influx of people in the building.
Pre-Condition	The Back-End system is working well.
Flow of events	<div>1. The manager enters the manage page.</div> <div>2. Just modify the maximum number in the store value on the main page.</div>
Post-Conditions	If the current number is more than the maximum, the Digital Counterpart will stop to call the next customer until the current number few than the maximum. Instead, when the current number is fewer than the maximum, the Digital Counterpart will call fastly, until they are equal.
Exceptions	If the Store Manager submits the wrong information, or this process is not successful, the maximum value will just come back to the previous value.

Sequence Diagram

We have integrated the sequence diagrams from the perspective of the customer and store manager, respectively.

From the customer’s perspective Fig.3.7, two kinds of customers are independent and do not interfere. The queue schedule function calls the queue number via the Digital Counterpart, and the customer has to view or listen well their queue number. When their number is called, they scan their QRCode.

From the manager’s perspective Fig.3.8, their four operations are independent and do not interfere with each other.




Figure 3.7: Customers' Sequence Diagram




Figure 3.8: Manager's Sequence Diagram

## Scenarios

In order to describe these processes more vividly, we give three scenarios from three perspectives.

**Scenario 1 - Leonardo lives in a small town with a severe epidemic:** Leonardo, an excellent researcher, loves science, and he studies hard every day. His life is peaceful and happy in that small town. On a cold rainy day, a horrifying thing happened, his town found the COVID-19 cases! All people are terrified, and the mayor urges everyone not to go out. At this time, Leonardo cannot go to his university. Even he hardly goes out except going to the supermarket to buy food. In this challenging time, he discovered that the local supermarket "EsseCorta" was as crowded as usual, and there were also many people gathering. Even because other stores closed, the supermarket was even more crowded. To resolve this problem, Leonardo called on Essecorta to let everyone use CLup to reasonably organize shopping orders. The Essecorta owner was pleased, so within a few days, the system was deployed well. Now Leonardo does not have to take the risk any more in Essecorta. Every weekend, he books a visit on Monday morning at 9:30. Cause lives near it, so from the E-Ticket, Leonardo has to depart from 9:10. When he arrives, he found he even does not have to wait. The Digital Counterpart calls his queue number immediately. He takes out the E-Ticket, scans his QRCode, enters the supermarket, and following the Planned Roadmap on the E-Ticket. How to say? Such convenience! When he bought all items he wants, he rescans the QRCode at the exit and goes back home happy.

**Scenario 2 - A lovely Nonna in the same town:** Nonna Angola live in this town much year. Facing this epidemic, she was very calm. She believes that this country has experienced many incidents, and people can handle the epidemic. Her life is simple, a coffee in the Morning, a Tea in the evening, that is all. She loves her simple life, and she does not want to change something. A day, she goes to the supermarket like usual day, the store manager tells her to take a Ticket from a machine, this machine has only a simple button like this lovely Nonna's life, this button is huge, almost occupied all space of the screen, to Nonna, it is not very difficult to use. After getting her Ticket, Nonna waits for the Digital Counterpart to call her number. A few seconds later, Nonna enters the market. The store manager helps her scan the QRCode when she enters and leaves the market.

**Scenario 3 - The manager who want everyone safe:** Luca is a store manager. He is a bus driver before, but the cause of this unfortunate time, his bus is stopped, he has to find another job. The Essecorto owner found him because the driver has to keep every passager safe, so this job too! He has to look at the market at all times. One day, he finds that there are many people

in the Gelato area. He realizes that it is not a good thing, so he reduces the store's maximum number. After a few minutes, he finds that is not working, other areas have a few people, but the Gelato area still crowded. Why? Maybe this day has many children like Gelato, and these children did not book this visit. Instead, they all piked the Tiket on the machine, so the system did not monitor all this. Then Luca decided to adopt plan B. He checks the queue schedule and puts the customers who are also visiting the Gelato area later. Five minutes later, other managers tell him the adjustment is not enough, so Luca decided to take the last resort - reschedule the Gelato's customers' booking! He opens the booking schedule page and searches the keyword "Gelato" and modifies all valid results' customers' booking and postpones this for about 1 hour. Finally, ten minutes later, this area was clean. He did an excellent job!

### 3.2.2 Mapping on requirements

**$G_1$  : Allows store managers to regulate the influx of people in the building**

**- Requirements:**

- $R_7$ : The Store Manager shall be able to Check out the On-Time Store Data.
- $R_8$ : The Store Manager shall be able to Adjust the maximum number of people in the store.
- $R_9$ : The Store Manager shall be able to Adjust the order of the queue.
- $R_{10}$ : The Store Manager shall be able to Check and reschedule the booking.
- $R_{12}$ : The Store Back-End System shall be able to received and schedule the click customers book. The scheduling must refer to the duration time of each Customer and the categories of items that the Customer intends to buy.
- $R_{15}$ : The Store Back-End System shall send a notification and update the E-Ticket to the Customer when their book is rescheduled.
- $R_{17}$ : The Store Back-End System shall analyze the history visit data and mark the Long-Term Customers.

- $R_{18}$ : The Store Back-End System shall be able to Calculate and store the On-Time Store Data.
- $R_{19}$ : The Store Back-End System shall schedule or reschedule the queue order from click customers book and the brick customer's retrieved ticket.
- $R_{20}$ : The Store Back-End System shall be able to Control the Digital Counterpart and display the queue number.
- $R_{21}$ : The Store Back-End System shall be able to receive the information from the QR Code Scanned Machine. Receive the information from the Tickets Hand-Out Machine.

**- Domain Assumptions:**

- $D_4$  : If something unexpected happens, the store manager can reasonably adjust the maximum number of people in the store or reschedule the queue & Customer's book.
- $D_5$  : If someones booking is rescheduled, he can find the notification in time and set off according to the updated E-Ticket.

**$G_2$  : Saves people from having to line up and stand outside of stores for hours on end**

**- Requirements:**

- $R_1$ : Each Click Customer shall be able to sign-up and Log-in.
- $R_2$ : Each Click Customer shall be able to book a visit.
- $R_3$ : Each Click Customer shall be able to check on the E-Ticket.
- $R_4$ : Each Click Customer shall check on the store manager's notification when their book is rescheduled.
- $R_5$ : Each Brick Customer shall be able to retrieve the Ticket from the Tickets Hand-Out Machine and wait for the Digital Counterpart to call them.
- $R_6$ : Each Customer shall scan the QR Code at QR Code scanned machine when they enter and leave the store.
- $R_{11}$ : The Store Back-End System shall send the available time/date to the click customers.

- $R_{12}$ : The Store Back-End System shall be able to received and schedule the click customers book. The scheduling must refer to the duration time of each Customer and the categories of items that the Customer intends to buy.
- $R_{13}$ : The Store Back-End System shall calculate the time from the click customers departure place to the store and put the estimated departure time on the E-Ticket.
- $R_{15}$ : The Store Back-End System shall send a notification and update the E-Ticket to the Customer when their book is rescheduled.
- $R_{16}$ : The Store Back-End System shall be able to store the Customers data.
- $R_{17}$ : The Store Back-End System shall analyze the history visit data and mark the Long-Term Customers.
- $NR_1$ :The time from the click customer's departure place to the store that calculates from the Store Back-End System must be precise enough to avoid the Customer arriving at the store too early/late.
- $NR_2$ :The Store Back-End System must schedule the queue reasonably to minimize the wait time.
- $NR_3$ :The Store Back-End System must mix the book and brick customer's retrieved ticket reasonably to allow the click customers to enter the store near the book time by avoiding making the brick customers wait too long.
- $NR_4$ :Cause everyone needs to do grocery shopping, the software for the click customer should be simple enough to use.

**- Domain Assumptions:**

- $D_1$  : Everyone will leave the departure place at the departure time indicated by the system.
- $D_2$  : Everyone who leaves on time can arrive at the store on time.
- $D_3$  : After shopping, everyone can leave the store in time according to their estimated time.
- $D_5$  : If someones booking is rescheduled, he can find the notification in time and set off according to the updated E-Ticket.



- $D_6$  : Everyone can consciously scan the QR code at the entrance and exit.
- $D_8$  : If possible, everyone tries to book the visit via the application (be a [Click Customer](#)) instead of picking up tickets on the spot (not be a [Brick Customer](#)).

$G_3$  : The application plan visits in a finer way to allow more people in the store, at the same time, let the customer occupy different spaces in the store to keep enough distance between them

**- Requirements:**

- $R_{12}$ : The Store Back-End System shall be able to received and schedule the click customers book. The scheduling must refer to the duration time of each Customer and the categories of items that the Customer intends to buy.
- $R_{14}$ : The Store Back-End System shall Plan and put the Store Planned Roadmap on the E-Ticket Send the E-Ticket to the click customers.
- $R_{17}$ : The Store Back-End System shall analyze the history visit data and mark the Long-Term Customers.

**- Domain Assumptions:**

- $D_3$  : After shopping, everyone can leave the store in time according to their estimated time.
- $D_7$  : Everyone can follow the [Planned Roadmap](#) in the store.

**Traceability Matrix**

Goals	Requirements	Domain Assumptions
$G_1$	$R_7, R_8, R_9, R_{10}, R_{12}, R_{15}, R_{17}, R_{18}, R_{19}, R_{20}, R_{21}$	$D_4, D_5$
$G_2$	$R_1, R_2, R_3, R_4, R_5, R_6, R_{11}, R_{12}, R_{13}, R_{15}, R_{16}, R_{17}, NR_1, NR_2, NR_3, NR_4$	$D_1, D_2, D_3, D_5, D_6, D_8$
$G_3$	$R_{12}, R_{14}, R_{17}$	$D_3, D_7$

In summary, we proved the **Requirements Completeness** of our system, so that **R and D**  $\models$  **G**.

### **3.3 Performance Requirements**

### **3.4 Design Constraints**

#### **3.4.1 Standards compliance**

#### **3.4.2 Hardware limitations**

### **3.5 Software System Attributes**

#### **3.5.1 Reliability**

#### **3.5.2 Availability**

#### **3.5.3 Security**

#### **3.5.4 Maintainability**

#### **3.5.5 Portability**

### **3.6 Other Requirements**

## Chapter 4

# Formal Analysis Using Alloy

//TODO but only the book of customers before the departure time  
can be rescheduled. max number

# Chapter 5

## Effort Spent

- Kong Xiangyi

Date	Task	Hours
2020/10/10	Group discussion project plan	4h
2020/10/31	Modified the purpose and scope of the RASD	2h
2020/11/14	Drawn the state diagram in the Section 2.1.1	2h

- Zhang Yuedong

Date	Task	Hours
2020/10/10	Group discussion project plan	4h
2020/10/19	Added the project's architecture	1h
2020/10/30	Added the purpose and scope of the RASD	2h
2020/11/16	Wrote the product functions part	4h
2020/11/17	Drawn the class diagram in the Section 2.1.1	2h
2020/11/27	Fixed the problem of the second chapter	1h
2020/12/04	Completed the use case, sequence, and the scenario in the Section 3.2	4h
2020/12/05	Completed the Mapping on requirements in the section 3.2	2h