# Homework 3

### Zachariah Galdston

### Problem 1

#### Problem 2

**Problem Statement:** Find the order, linearity, homogeneity, and the variablity of the coefficients of the following:

Problem	Diff Eq	Order	Linearity	Homogeneity	coefficients
(a)	y'' + 2y' + y = 0	2	Linear	Homogeneous	Constant
(b)	$\ddot{x} + 2\dot{x} + tx = \sin(t)$	2	Linear	Non-Homogeneous	Variable
(c)	$\cos(y') + ty = 0$	1	Non-Linear	Homogeneous	Variable
(d)	$y'' + ey' + \pi y = 0$	2	Linear	Homogeneous	Constant
(e)	$y' + \frac{1}{1+t^2}y = 7$	1	Linear	Non-Homogeneous	Variable

# Problem 6

**Problem Statement:** Find the general solution to the non homogenous ODE  $y' + \frac{1}{t+1}y = 2$  **Solution:** We will solve using the superposition principal.  $y_{G,NH} = y_{G,H} + y_{P,NH}$ 

(a)

**Problem Satement:** Show that  $y_p = \frac{t^2 + 2t}{t+1}$  is a particular solution to the Non-Homogeneous ODE  $y' + \frac{1}{t+1}y = 2$  Solution: We will start by finding the derivative of  $y_p$ 

$$y_p = \frac{t^2 + 2t}{t+1}$$

$$y'_p = \frac{(t+1)(2t+2) - (t^2 + 2t)}{(t+1)^2}$$

$$y'_p = \frac{2t^2 + 2t + 2t + 2 - t^2 - 2t}{(t+1)^2}$$

$$y'_p = \frac{t^2 + 4t + 2}{(t+1)^2}$$

Now we will plug  $y_p$  and  $y'_p$  into the Non-Homogeneous ODE

$$y'_{p} + \frac{1}{t+1}y_{p} = 2$$

$$\frac{t^{2} + 4t + 2}{(t+1)^{2}} + \frac{t^{2} + 2t}{(t+1)^{2}} = 2$$

$$\frac{t^{2} + 4t + 2}{t^{2} + 2t + 1} + \frac{t^{2} + 2}{t^{2} + 2t + 1} = 2$$

$$\frac{2t^{2} + 4t + 2}{t^{2} + 2t + 1} = 2$$

$$\frac{2(t^{2} + 2t + 1)}{t^{2} + 2t + 1} = 2$$

$$2 = 2$$

(b)

**Problem Statement:** Find the general solution to the Non-Homogeneous ODE  $y' + \frac{1}{t+1}y = 2$  **Solution:** We will use the superposition principal to find the general solution to the Non-Homogeneous ODE

$$y_{G,NH} = y_{G,H} + y_{P,NH}$$

We will start by finding the general solution to the Homogeneous ODE

$$y' + \frac{1}{t+1}y = 0$$
$$\frac{1}{y}dy = -\frac{1}{t+1}dt$$
$$\ln|y| = -\ln|t+1| + c$$
$$y = \frac{c}{t+1}$$

Now we will find the general solution to the Non-Homogeneous ODE

$$y_{G,NH} = \frac{c}{t+1} + \frac{t^2 + 2t}{t+1}$$

# Problem 8

**Problem Statement:** Solve the differential equation  $(x+1)\frac{dy}{x} + y = \ln(t)$ 

**Solution:** We will solve using the integrating factor method We will start by rewriting the equation

$$\frac{dy}{dt} + \frac{y}{t+1} = \frac{lnt}{t+1}$$

Set right side equal to zero

$$\frac{dy}{dt} + \frac{y}{t+1} = 0$$

Solve for y

$$\frac{dy}{dt} = -\frac{y}{t+1}$$

$$\frac{dy}{y} = -\frac{dt}{t+1}$$

Integrate both sides

$$\int \frac{1}{y} dy = -\frac{1}{t+1} dt$$

$$\ln |y| = -\ln|t+1| + c$$

$$y = e^{-\ln|t+1| + c}$$

$$y = \frac{c}{t+1}$$

Solve for integrating factor  $\mu$ 

$$\mu = \frac{1}{y_{G,H}}$$

$$\mu = t + 1$$

Multiply original equation by  $\mu$ 

$$\mu \frac{dy}{dt} + \mu \frac{y}{t+1} = \mu \frac{\ln t}{t+1}$$

$$D[(t+1)y] = \frac{\ln(t)}{t+1}(t+1)$$

$$(t+1)y = \int \ln(t)$$

$$(t+1)y = t \ln(t) - t + c$$

$$y = \frac{t \ln(t) - t + c}{t+1}$$