
#### What Is Data Science?

- Using advanced analytics to extract and interpret data for business
- Is used in almost all areas of business



9/5/23 notes

### **Python Fundamentals**

- Datasets collection of data
  - List ordered and changeable with duplicates allowed
  - Dictionary ordered and changeable with duplicates not allowed
  - Set unordered and unchangeable with duplicates not allowed
  - Tuple unordered and unchangeable with duplicates allowed
- Representing the data
  - Column-oriented grouping my features, or column
    - Each column has values associated with the first row of that column
  - Row-oriented grouping by observation, or row
    - Each row has the values associated with the first column of that row
- Indexing
  - List name[index]
    - Index must be whole number, starts at 0 and counts up by 1
  - Dictionary name[key]
    - Keys can be any valad data type within used language, keys must be unique within dictionary
  - Set for value in set
  - Tuple name[index]
- Iteration
  - While loop
    - Runs as long as condition is true
  - For loop
    - Runs through all values in a collection

- Useful functions
  - Dictionaries:
    - values()
    - items()
    - keys()
  - o Lists:
    - len()
    - append()
    - sort()
  - Other:
    - range()
    - print()
    - split()
    - type()
    - int()
    - str()

### 9/5/23

# **Central Tendancy**

- An attempt to use statistical measures to describe the behavbior of the collection of data
  - Mean
    - Takes the sum of all data points and divides by the number of datapoints
    - "Expected" values for data
    - Best for symmetrical data with a normal distribution
    - Can be misleading if there are outliers
  - Median
    - The middle value of the data when arranged smallest to largest
    - Works for all distributions of data, resistant to outliers
  - Mode
    - The value that shows up the most in a set of data
    - Multimodal data Data with more than one significant modes
- Skewed data
  - Result of outliers skews the way of the outlier(right or left)
  - Median and mode dont really change, but mean is pulled the way of the outlier

#### **Pandas**

- A Python library that makes it easier to analize data
- Dataframes
  - An object that stores a dataset
  - o Information is organized into rows and columns
  - o Simplify common operations, like sorting data and doing math
    - .mean(), .median(), and .mode() for example
  - Can turn dictionaries into datraframes where the keys become the columns
- Series
  - Used to create a dataframe
  - o A one-dimentional list of data, one column of the dataframe
- Indexing
  - .loc[] name.loc[row\_label], col\_label]
    - Takes in the name of the row and column
  - .iloc[] name.iloc[row index , col index]
    - Takes in the index of the row and column
- Selsection the process of accessing a subset of a dataframe
  - Uses .loc[] and .iloc[]
  - Can specify a range of rows
    - Ex: df.loc[0:2, ["A","B"]]
      - Grabs the first 3 rows of columns "A" and "B"
- Filtering select parts of data that meet a given condition
  - o Evens = df[df.iloc[:,:] % 2 == 0]
    - Checks all rows and columns and adds value to Evens if the values is an even number
- Combining datasets
  - o Concatenate naively combines along an axis
  - Merge combine through shared column
  - Join combine using shared indices
    - Inner join only keeps shared data, anything else is deleted
    - Left Outer join keeps shared data and extra values in the left, deletes excess in the right
    - Right outer join does the same as left but for the right
    - Full outer join keeps everything

### **Distributions**

- Distributions are graphs that tell us about a characteristic of a population
- Distribution tells about shape and spread of data
- Only represents some of the data, not ALL
- Skews show that median is either greater than or less than the mean, implies outliers in direction of skew
- Multimodal data has more than one peak
  - o Implies 2 or more variables that affect the data being measured together
- Uniform distribution
  - Each value in th distribution has the same probability

### 10/2/23

# **Visualising Data**

- A graph or picture that helps viewers understand an important trend or pattern
- Visualizations must be easy to read and not misleading

#### **Seaborn Fundamentals**

- A python library built ontop of matplotlib (another library) that makes datavisualization easier
- Types:
  - Bar Chart uses bars to depict a value, usually categorical
  - o Histplot makes a histogram, continuous quantitative data\
  - Scatterplot shows correlation between 2 or more quantitative variables

#### 10/13/23

## **Collecting Data**

- Techniques:
  - Observe a sample
    - Collect data unobtrusively
    - Must specify constraints of data
  - Survey a sample
    - Ask people to fill out a survey or conduct interviews
    - Usually use multiple choice questions
    - More used for qualitative variables
  - Experiment on a sample

- Conduct your own experiment where you control measurement of variables
- Use already collected data
  - Can use data from Gov surveys
  - No control over what and how to measure
- Http requests access data collected and maintained by other people
  - Clients communicate with servers by requesting data and waiting for a response
  - o Get request only retrieves data
  - o Post request create new data
  - o Put request reads data
  - o Delete request removes data from server
- Web scraping extracting data from websites