





Where we are: Lots of different types of task















Different interfaces

X

Different communities

X

Different configuration

X

Different authentication








General case, a single notebook to define a task

The notebook content is task dependent

Notebook platforms








General case, a single config file to define a task

The config file content is task dependent

Container platforms








Reality isn't lined up as nicely

Reality is messy


















Funded by the European Union's Horizon 2020 - Grant N° 824064





Simple HTTP request


Can [I] run [this] <task-type> ?

Identity provided by IVOA SSO

Task details provided in POST data

Simple HTTP request

```
{
"tasktype": "uri://docker-container",
"taskinfo": {
    "image": "docker.io/example:1.0"
    }
}
```













Simple HTTP request

```
Can [I] run [this] <task-type> ?

Task details provided in POST data
```

Simple JSON response







Simple HTTP request

Identity provided by IVOA SSO Can [I] run [this] <task-type>?

Task details provided in POST data


Simple JSON response

```
"reponseword": "YES",
"servicetype": "uri://docker-uws",
"serviceinfo": {
  "endpoint": "http://example.org/dkuws",
"reponseword": "NO",
```

Institute for Astronomy,

D.Morris


Edinburgh University



Funded by the European Union's Horizon 2020 - Grant N° 824064








```
{
"tasktype": "uri://docker-container",
"taskinfo": {
    "image": "docker.io/example:1.0"
    }
}

{
"reponseword": "YES",
"servicetype": "uri://docker-uws",
"serviceinfo": {
    "endpoint": "http://example.org/uws",
    }
}
```

Task-info and service-info are type specific

Solved by the docker-uws community









Resource requirements





```
"tasktype": "uri://docker-container",
"taskinfo": {
  "image": "docker.io/example:1.0"
"resources": {
  mincores: 8
  maxcores:
  minmemory: 8G
  maxmemory:
  minduration: 10m
  maxduration:
```

```
"reponseword": "YES",
"servicetype": "uri://docker-uws",
"serviceinfo": {
  "endpoint": "http://example.org/uws",
"resources": {
  mincores: 8
  maxcores: 10
  minmemory: 8G
  maxmemory: 10G
  minduration: 10m
  maxduration: 20m
```







Gaia ML analysis example





helm.chart

```
{
"tasktype": "uri://kubernetes-helm",
"taskinfo": {
   "chart": "http:///example.org/heml.chart"
   }
"resources": {
   mincores: 220
   maxcores:
   minmemory: 360G
   maxmemory:
   minduration: 9h
   maxduration:
   }
}
```

D.Morris Institute for Astronomy, Edinburgh University



```
kubernetes
"reponseword": "YES",
"servicetype": "uri://kubernetes-helm",
"serviceinfo": {
  "endpoint": "http://example.org/kws",
"resources": {
  mincores: 220
  maxcores: 240
  minmemory: 360G
  maxmemory: 400G
  minduration: 9h
  maxduration: 9h30m
          Funded by the European Union's
```

Horizon 2020 - Grant N° 824064



IVOA notes in progress

IVOA Execution Planner

Execution Planner design

+ Prototype implementation in development

UWS Container Execution Service

UWS Docker container execution service

+ Prototype implementation in development



