

birdhouse: supporting web processing services for climate data


Stephan Kindermann¹, Carsten Ehbrecht¹, Nils Hempelmann² et. al.

1. German Climate Computing Center, Germany

2. Le Laboratoire des Sciences du Climat et de l'Environnement, France

Climate Data volume grows quickly


**But on client side:
Limited storage/compute capacities**



**“download and
process at home”**




**Processing
in or close to
Data archives**



Web Processing Service


**Submit jobs on a Server
close to the data**

Server-Client Side



What does Birdhouse provide ?

- **Customizable installation of Web Processing Services using conda, buildout and ansible.**
- **Provides WPS as Docker Container.**
- **Web-based and Terminal WPS clients.**
- **Security Proxy Twitcher for OGC/WPS services.**
- **Data Access : ESGF, Thredds, OpenStack Cloud, ...**
- **WPS for compliance checks and climate impact.**
- **Supports PyWPS 3.x and 4.x ... but not restricted to it (Zoo, GeoServer WPS, COWS, 52North, ...)**



Client Side

Web Browser GUI

Authentication with OAuth or OpenID

Script language Terminal Call

Token authentication

```
[nhempel@lsce3199 ~]$ export WPS_SERVICE=https://mouflon.dkrz.de
```

```
[nhempel@lsce3199 ~]$ birdy -h
```

```
usage: birdy [<options>] <command> [<args>]
```

Flyingpigeon: Processes for climate data, indices and extrem events

optional arguments:

```
-h, --help          show this help message and exit
--debug            enable debug mode
```

command:

List of available commands (wps processes)

```
{visualisation,sdm,segetalflora,indices_single,subset_countries,eobs_to_corde,ensembleRobustness}
Run "birdy <command> -h" to get additional help.
```

visualisation	Visualisation of netcdf files:
sdm	Species distribution model:
segetalflora	Segetal Flora:

indices_single	Calculation of climate indice (single variable):
subset_countries	Subset netCDF files:
eobs_to_corde	EOBS to CORDEX:
ensembleRobustness	Calculation of the robustness of an ensemble:

analogs	Days with analog pressure pattern:
fetch	Download Resources:

```
from owslib.wps import WebProcessingService
```

```
wps = WebProcessingService(url="https://mouflon.dkrz.de", verbose=False, session_token="token")
```


```
execute = wps.execute(
    identifier="niceprocess",
    inputs=[
        ("parameter_1", "argument"),
        ("parameter_2", "42"),
        ("parameter_3", "0.987"), # use the default value
        ("file_identifier", "https://thredds/fileServer1/test/file1.nc"),
        ("file_identifier", "https://thredds/fileServer1/test/file2.nc"),
        ("file_identifier", "https://thredds/fileServer2/test/file3.nc"),
    ],
    output=[("output", True)])
```

```
# time for a coffee
```


```
for o in execute.processOutputs:
    print o.reference
```

```
https://mouflon.dkrz.de:8090/wpsoutputs/flyingpigeon/output_graphic-697dee76-d722-93ae-9789bf75cf44.png
https://mouflon.dkrz.de:8090/wpsoutputs/flyingpigeon/output_netCDF-697dee76-d722-93ae-9789bf75cf44.nc
https://mouflon.dkrz.de:8090/wpsoutputs/flyingpigeon/output_text-697dee76-d722-93ae-9789bf75cf44.txt
```

```
Just testing a nice script to visualise some variables
Species distribution model
Species biodiversity of segetal flora. Input files: variable:tas , domain: EUR-11 or EUR-44
This process calculates climate indices based on one single variable.
This process returns only the given polygon from input netCDF files.
downloads EOBS data in adapted CORDE format
Calculates the robustness as the ratio of noise to signal in an ensemble of timeseries
Search for day with analog pressure pattern
This process downloads resources (limited to 50GB) to the local file system and returns a textfile with appropriate paths
```



Security



Security Token

PhoenixProcessesWizardMonitorMapHelp

Phoenix

Phoenix

Profile

Personal access token

C4I access token

ESGF access token

Group Permission

Personal access token

Generate Token

Twitche access token

1907471138d44bec9ef71fc9ecd9d72e

Expires

2016-11-28 01:51:23 UTC

Powered by Birdhouse | Get the code on GitHub | Version v0.6.2

The token-based Security Proxy is similar to the Climate4Impact approach :
<https://dev.knmi.nl/projects/impactportal/wiki/API>

Script language

```
from owslib.wps import WebProcessingService, monitorExecution


# using wps url with access token db6c...
wps = WebProcessingService(
    url="https://mouflon.dkrz.de/ows/proxy/flyingpigeon/db6c1293d0444d919dcc3ce48fa610f7 ", \
    verify=False,
    verbose=False, skip_caps=False,
)

execute = wps.execute(
    identifier="niceprocess",
    inputs=[
        ("parameter_1", "argument"),
        ("parameter_2", "42"),
        # ("parameter_3", "0.987"), # use the default value
        ("file_identifier", "https://thredds/fileServer1/test/file1.nc"),
        ("file_identifier", "https://thredds/fileServer1/test/file2.nc"),
        ("file_identifier", "https://thredds/fileServer2/test/file3.nc")],
    output=[("output", True)])

for o in execute.processOutputs:
    print o.reference

https://mouflon.dkrz.de:8090/wpsoutputs/flyingpigeon/output_graphic-697dee76-d722-93ae-9789bf75cf44.png
https://mouflon.dkrz.de:8090/wpsoutputs/flyingpigeon/output_netCDF-697dee76-d722-93ae-9789bf75cf44.nc
```

Deployment with conda and buildout



Using conda package manager to setup an environment with all used software components (python, R, matplotlib, PyWPS, ...)

Using buildout to setup PyWPS with all services (supervisor, gunicorn, nginx) and configuration files.

To install a *Bird* just run :

```
$ git clone https://github.com/bird-house/emu.git  
$ cd emu  
$ make clean install  
$ make start
```

<http://conda.pydata.org/docs/>

<http://www.buildout.org/en/latest/>

<http://birdhouse.readthedocs.io/en/latest/installation.html>

Wizard : Using ESGF – search

1. Use the Wizard to select Process and enter Parameters

Wizard / Literal Inputs

Quality Assurance Checker by DKRZ

The Quality Assurance checker QA-DKRZ checks conformance of meta-data of climate simulations given in NetCDF format with conventions and rules of climate model projects. At present, checking of CF Conventions, CMIP5, and CORDEX is supported. Development and maintenance for the QA checker is done by the German Climate Computing Centre (DKRZ). If you have suggestions for improvement then please contact Heinz-Dieter Hollweg at DKRZ (hollweg@dkrz.de).

[XML](#) [Birdhouse](#) [User Guide](#) [CF Conventions](#) [QA Checker Documentation](#) [Conda Package](#) [GitHub](#)

Literal inputs of Quality Assurance Checker by DKRZ

Project *

CORDEX

Climate model data project to be checked: CORDEX or CMIP5

[Previous](#) [Cancel](#) [Next](#)

2. Choose ESGF as Input Source for NetCDF Files

Wizard / Choose Data Source

Choose Data Source for NetCDF File

Source *

☒ Earth System Grid (ESGF)

☐ Birdhouse Soil Search

☐ Thredds Catalog Service

[Previous](#) [Cancel](#) [Next](#)

3. Select Datasets with ESGF Search Widget

Wizard / ESGF Search

ESGF Search *

Datasets found: 7

Search Options

Freetext Search

Your keyword selections

variable:tas × experiment:historical × project:CORDEX × time_frequency:mon × domain:EUR-44 ×

Categories

access data_node driving_model ensemble experiment_family geo institute rcm_name rcm_version version


Keywords: institute

CLMcom DMI HMS KNMI MPI-CSC

Date



[Previous](#) [Cancel](#) [Next](#)

Solr Index for Thredds Catalogs (**bird-feeder**)



Run bird-feeder to create Solr Search Index for Thredds Data Catalogs and local filesystem

Wizard :
Choose Solr Search
or Thredds Catalog
as Input Source



Web Map Service : Show NetCDF Files on Map

Solr Search

Preview
no image

mslp.1979.nc
Datasets/ncep.reanalysis2/surface/mslp.1979.nc

thredds application/netcdf

Download Catalog OpenDAF **Show on Map**

Process Inputs

Log Inputs Outputs View as XML

Resource Parameter **resource**, a WPS ComplexType
NetCDF File

tas_Amon_MPI-ESM-LR_historical_r11i1p1_185001-200512.nc

application/x-netcdf

Download Share **Show on Map**

Show Map



Process Outputs

Log Inputs Outputs View as XML

Subsets Parameter **output**, a WPS ComplexType
Tar archive containing the netCDF files

output-2045706c-b4d5-11e6-9959-868dac6ed58.tar

application/x-tar

Download Share


Subsets for one dataset Parameter **ncout**, a WPS ComplexType
NetCDF file with subsets of one dataset.

ncout-2045706c-b4d5-11e6-9959-868dac6ed58.nc

application/x-netcdf

Download Share **Show on Map**

Map ncout-2045706c-b4d5-11e6-9959-868dac6ed58.nc



Powered by Birdhouse | Get the code on GitHub | Version v0.6.2

Possible Web Map Services :
ncWMS, Adaguc (KNMI), sci-wms (planned)

SpotChecker : Metadata Compliance Checks

Spot Checker Please complete the form below and submit a job.

The Spot Checker is a Python tool to check local/remote datasets against a variety of compliance standards. Each compliance standard is executed by a Check Suite, which functions similar to a Python standard Unit Test. A Check Suite runs one or more checks against a dataset, returning a list of Results which are then aggregated into a summary. Available compliance standards are the Climate and Forecast conventions (CF) and project specific rules for CMIP6 and CORDEX.

[View as XML](#) [Birdhouse](#) [User Guide](#) [CF Conventions](#) [IOOS Compliance Online Checker](#)

Test Suite *

cf

Select the test you want to run. Default: cf (climate forecast conventions)

NetCDF File

URL Enter a URL pointing to your resource

Enter a URL pointing to a NetCDF file (optional)

Remote OpenDAP Data URL

il/knmi/thredds/dodsC/CLIPC/gerics/gerics-members/tasmax/su_cdo-1-6-3_GERICS_ens-multiModel_rcp85_mixed_ens-multiModel_v1_EUR-11_yr_20060101-20991231.nc

Or provide a remote OpenDAP data URL, for example: <http://my.opendap/thredds/dodsC/path/to/file.nc>

Execute

Your dataset scored 239 out of 244 points

During the cf check

For dataset http://opendap.knmi.nl/knmi/thredds/dodsC/CLIPC/gerics/gerics-members/tasmax/su_cdo-1-6-3_GERICS_ens-multiModel_rcp85_mixed_ens-multiModel_v1_EUR-11_yr_20060101-20991231.nc

Scoring Breakdown:

High Priority  1

Name	Score
§2.2 Valid netCDF data types	11/11
§2.4 Unique dimensions	11/11
§3.1 Variable lat contains valid CF units	3/3
§3.1 Variable lat's units are appropriate for the standard_name latitude	1/1

Run SpotChecker on NetCDF file :
File URL, OpenDAP URL or uploaded File.

Perform compliance checks :
CF conventions, CORDEX, CMIP5, ...

Using IOOS Compliance-Checker and
DKRZ Quality Assurance Checker.

Check reports in HTML and YAML format.

Subsetting : Region USA

Enter NetCDF File URL and USA clipping Region

Resource *

Resource

URL

Add Resource

NetCDF File

Region *

Region

USA

Add Region

Execute Job

Running 1 Finished 7 Matching 8 Sort

<input type="checkbox"/>	Status	User	Process	Service	Caption	Finished	Duration	Labels	
<input type="checkbox"/>	⚙	Phoenix	subset_countries	flyingpigeon	???	???	0:00:31	dev single async edit labels	Details Restart

Monitor Job Execution

Show


Outputs

Log Inputs Outputs View as XML

Subsets Parameter **output**, a WPS ComplexType
Tar archive containing the netCDF files
output-2045706c-b4d5-11e6-9959-868dac6ed58.tar
application/x-tar
Download Share

Subsets for one dataset Parameter **ncout**, a WPS ComplexType
NetCDF file with subsets of one dataset.
ncout-2045706c-b4d5-11e6-9959-868dac6ed58.nc
application/x-netcdf
Download Share Show on Map

Show Map



ESMValTool Diagnostics as Web Processing Service

1. Choose ESMVal Process

Home / Processes / esmvaltool

Description

WPS processes for ESMValTool.

[XML](#) [Provider: EsmValTool](#)

Processes

- ⚙️ **ESMValTool: surface contour plot for precipitation 1.0**
Tutorial contour plot used in the doc/overview.pdf.
- ⚙️ **ESMValTool: tutorial diagnostic. 1.0**
Tutorial diagnostic used in the doc/toy-diagnostic-tutorial.pdf.

2. Enter Input Parameters

Description

Tutorial contour plot used in the doc/overview.pdf.

[XML](#) [Birdhouse](#) [ESMValTool](#)

Run async *

☒

Check this to run process async.

Model *

MPI-ESM-LR

Choose a model like MPI-ESM-LR.

Experiment *

historical

Choose an experiment like historical.

Ensemble *

r1i1p1

Choose an ensemble like r1i1p1.

Start year *

1990

Start year of model data.

End year *

2000

End year of model data.

Execute

3. Outputs : plot, namelist, log

Log Inputs Outputs

Output plot Parameter **output**, a WPS ComplexType
Generated output plot of ESMValTool processing.

surfconplot_simple_pr_T2Ms_ANNjcrpMJ.pdf

[application/pdf](#)

[Download](#) [Share](#)

namelist Parameter **namelist**, a WPS ComplexType
ESMValTool namelist used for processing.

namelistvGe9v4.xml

[text/plain](#)

[Download](#) [Share](#)

Log File Parameter **Log**, a WPS ComplexType
Log File of ESMValTool processing


loge1GhQG.txt

[text/plain](#)

[Download](#) [Share](#)

Show Plot

ANN



ESMValTool namelist is generated by the WPS process.
Data is retrieved by the ESMValTool ESGF coupling module.

Accessing Remote WPS : Climate4Impact WPS at KNMI

Register C4I WPS URL

Home / Settings / Services

< KNMI Remove Service

Name: KNMI

URL: <http://climate4impact.eu/impactportal/WPS>

Service Type: WPS

Abstract: See <http://pywps.wald.intevation.org> and <http://www.opengeospatial.org/standards/wps>

Keywords: GIS WPS

References:

Rights: none

Creator: IS-ENES

Public Access:

Service Name: knmi

Update C4I Access Token

Phoenix

Profile

Personal access token

C4I access token Generate C4I Token

ESGF access token

Group Permission

C4I access token

C4I access token

91d80687-01c6-4944-936e-c667f64f8369

Update C4I Token

Run a Process : operation on two numbers

PyWPS Server Please choose one of the processes to submit a job.

See <http://pywps.wald.intevation.org> and <http://www.opengeospatial.org/standards/wps>

Capabilities (XML) IS-ENES

CLIPC Create statistics per NUTS region Identify 1.0 ★ 3
Identify process for statistics per NUTS region calculations

CLIPC Create statistics per NUTS region Execute 1.0 ★ 3
The NUTS extractor calculates statistics for any NetCDF file by extracting geographical areas defined in a GeoJSON file. The statistics per geographical area include minimum, maximum, mean and standard deviation. The statistics are presented in a CSV table and a NetCDF file.

CLIPC Combine Identify 1.0
Lists possible operations for two resources for the CL

CLIPC Combine Execute 1.0
Performs operation on two nc files and returns the an

CLIPC ICCLIM simple indicator calculatc
Identify function for ICCLIM simple indicator calculatc

CLIPC ICCLIM simple indicator calculatc
Using ICCLIM, single input indices of temperature TG R20mm, RX1day, RX5day; and of snowfall: SD, SD1, :

CLIPC DRS Checker 1.0
Checks file for correct DRS

Perform operation on two numbers Please complete the form below and submit a job.

Performs operation on two numbers and returns the answer

View as XML

Run async *

☐ Check this to run process async.

Input 1

2.0

Input 1

Input 2

5.0

Input 2

operator

multiply

Execute

Log Inputs Outputs View as XML

Binary operator result Parameter **answer**, a WPS LiteralType

No summary

10.0

no image

Accessing Remote WPS : COWS WPS at CEDA

Register COWS WPS URL

[Home](#) / [Settings](#) / [Services](#)

< COWS

Remove Service

Name: COWS

URL: <http://wps-web1.ceda.ac.uk/wps>

Service Type: WPS

Abstract:

Keywords: WPS CEDA COWS Web Processing Server

References:

Rights:

Creator: Centre for Environmental Data Archival (CEDA)

Public Access:

Service Name: cows

Run a Process : Double It

CEDA WPS Server Please choose one of the processes to submit a job.

Capabilities (XML)

Centre for Environmental Data Archival (CEDA)

Double It None

★ 3

The "DoubleIt" process is used to demonstrate how the WPS and the WPS User Interface work. The process accepts an integer or floating point number and returns some XML containing the input number double.

CDO Calculate Single File Statistics With Argument None

★ 3

Calls the Climate Data Operators (CDO) tool with the single file path and argument provided and uses the chosen operator to calculate statistics written to a NetCDF file. This process wraps the following CDO operators: ['runmin', 'runmax', 'runsum', 'runmean', 'runavg', 'runvar', 'runstd', 'ydrunmin', 'ydrunmax', 'ydrunsum', 'ydrunmean', 'ydrunavg', 'ydrunvar', 'ydrunstd']

CDO Calculate Single File Climate Indices None

★ 3

Calls the Climate Data Operators (CDO) tool with the single file path provided and uses the chosen operator to calculate climate indices written to a NetCDF file. This process wraps the following CDO operators: ['eca_cdd', 'eca_cfd', 'eca_cwd', 'eca_fd', 'eca_id', 'eca_r10mm', 'eca_r20mm', 'eca_rr1', 'eca_sdi']

CDO Calculate Multiple File Statistics None

★ 3

Calls the Climate Data Operators (CDO) tool with the file paths provided and uses the chosen operator to calculate statistics written to a NetCDF file. This process wraps the following CDO operators: ['ensmin', 'ensmax', 'enssum', 'ensmean', 'ensavg', 'ensvar', 'ensstd']

CDO Get Multiple File Info None

Calls the Climate Data Operators (CDO) tool with the file paths the following CDO operators: ['info', 'infov', 'sinfo', 'sinfov']

CDO Get Single File Info None

Calls the Climate Data Operators (CDO) tool with the single file wraps the following CDO operators: ['npar', 'nlevel', 'nyear', 'nm', 'showyear', 'showmon', 'showdate', 'showtime', 'showtimestamp']

CDO Calculate Two File Climate Indices With Argu

Calls the Climate Data Operators (CDO) tool with the two file paths and argument provided and uses the chosen operator to calculate climate indices written to a NetCDF file. This process wraps the following CDO operators: ['eca_cwl', 'eca_r99p', 'eca_r99ptot', 'eca_tg10p', 'eca_tg90p', 'eca_tn10p']

Simple Plot None

The "SimplePlot" process demonstrates the visualisation capabilities. The user can choose a bounding box. The user can also decide on the output format. The WPS User Interface can provide a quick look of the output if requested. The process accepts a bounding box and a format.

Double It

Please complete the form below and submit a job.

The "DoubleIt" process is used to demonstrate how the WPS and the WPS User Interface work. The process accepts an integer or floating point number and returns some XML containing the input number double.

View as XML

none

none

Run async *

☒

Check this to run process async.

Input Job Id

The Id of a separate WPS Job used to provide input to this process.

Number To Double

Execute

<http://bird-house.github.io/>

ESGF
Earth System Grid Federation

DKRZ

- **Using PyWPS-4 : ready for WPS 2.0 (pause, resume, delete)**
- **Attach batch processing with SLURM etc ...**
- **Optionally run processes in Docker Container.**
- **Delegation to SLURM and Docker is handled internally of PyWPS (new feature in PyWPS-4).**
- **WPS Process definition and code is not changed when run as batch job or in a docker container.**

- **<https://github.com/bird-house>**
- **<http://birdhouse.readthedocs.org/en/latest/>**
- **<https://gitter.im/bird-house/birdhouse>**
- **<https://lists.dkrz.de/mailman/listinfo/wps>**
- **<https://lists.dkrz.de/mailman/listinfo/wps-dev>**
- **DEMO GUI: <https://mouflon.dkrz.de>**



Contact :

wps@dkrz.de

Thanks to :

Carmen Alvarez-Castro, Katharina Berger, Patrick Brockmann, Carsten Ehbrecht, Wolfgang Falk, Nils Hempelmann, Heinz-Dieter Hollweg, Jörg Hoffmann, Nikolay Kadygrov, Stephan Kindermann, Florian Klemme, Nikolay Koldunov, Ben Koziol, Cathy Nangini, Sabine Radanovics, Seckmag, Robert Vautard, Pascal Yiou , , et. al.

Terminal Call

```
[nhempel@lsce3199 ~]$ conda install -c birdhouse birdhouse-birdy
```

```
[nhempel@lsce3199 ~]$ birdy -h
```

```
usage: birdy [<options>] <command> [<args>]
```

Flyingpigeon: Processes for climate data, indices and extreme events

optional arguments:

-h, --help show this help message and exit

--debug enable debug mode

--token TOKEN, -t TOKEN

Token to access the WPS service.

command:

List of available commands (wps processes)

Terminal Call

```
[nhempel@lsce3199 ~]$ export WPS_SERVICE=https://mouflon.dkrz.de/ows/proxy/flyingpigeon
```

```
[nhempel@lsce3199 ~]$ birdy -token 0c6d305b0f42452cbdcf31c7ac74f1e1 \  
analogs_detection --experiment 'NCEP_slp'
```

```
INFO:Execution status: ProcessAccepted
```

```
INFO:Execution status: ProcessStarted
```

```
INFO:Execution status: ProcessSucceeded
```

```
INFO:Output:
```

```
INFO:analogs=http://mouflon.dkrz.de/wpsoutputs/flyingpigeon/analogs-08bce60c-6a41-11e6-be7a-8fdf4b12fcf5.txt (text/plain)
```

```
INFO:config=http://mouflon.dkrz.de/wpsoutputs/flyingpigeon/config-08bce60c-6a41-11e6-be7a-8fdf4b12fcf5.txt (text/plain)
```

```
[nhempel@lsce3199 ~]$
```

<http://twitcher.readthedocs.io/en/latest/tutorial.html>

Analogue of atmospheric Circulation

